



**contrac**®

2024 PRODUCT GUIDE

# TOILETS

## RESOURCES

**05**

BOWL TYPES

**05**

DRIVEN TO CONSERVE

**07**

SPECIALTY TANKS

**06**

## WALL HUNG TOILET

**08**

CANAAN

**09**

## ONE PIECE TOILETS

**10**

WILTON

**11**

CALI

**13**

CILA

**11**

HILLSBOROUGH

**14**

KIERA

**12**

CARLAW

**14**

MANNING

**12**

WICKLOW

**15**

## TWO PIECE TOILETS

**16**

CARLIN

**17**

CATO

**21**

CAVEN

**18**

CADELL

**22**

KEATON

**18**

CAMRI

**22**

CODY

**19**

CARSON

**23**

CRISTA

**20**

VIEIRA

**23**

SUTO

**21**

AVENAL

**24**

## TWO PIECE TOILETS WITH FLUSH GUARD™

**25**

CARLIN

**27**

CODY

**30**

CAVEN

**28**

CRISTA

**31**

KEATON

**29**

SUTO

**32**

## TOILET SEATS

**33**

TELESCOPIC

**34**

ROUND

**34**

ELONGATED

**34**

## BIDET

**35**

CALE

**36**

# BATHROOM SINKS

## PEDESTALS 37

---

CAPRICE	38	VIEIRA	40
PINEVIEW	39		

## DROP-IN SINKS 41

---

CATALINA	42	LOLAND	44
CURTIS	42	REAVES	44
CAILYN	43	RUSSO	45
VIEIRA	43		

## UNDERMOUNT SINKS 46

---

COLLETTE	47	CONNOR	49
CAMDEN	47	CALVIN	49
CATENA	48	EMERY	50
CATENA PETITE	48	EMERY PETITE	51

## VESSEL SINKS 52

---

ABBI	53	BROOKE	54
CONWICK	54		

## WALL-HUNG SINKS 55

---

EDGEVIEW	56	IZOBELLE	56
----------	----	----------	----

## TOILETS 57

---

CALEDON	58	CLEO	60
DEBLIN	58	COMEAU	61
CHANE	59		

# COMMERCIAL FIXTURES

## FLUSH VALVE BOWLS

**62**

---

CLAY	<b>63</b>	CLARK	<b>64</b>
COLTER	<b>63</b>		

## URINALS

**65**

---

BARTLEIGH	<b>66</b>	CORNELL	<b>68</b>
BRAEBOURNE	<b>66</b>	CARLTON	<b>68</b>
KOLBY	<b>67</b>		

## DROP-IN & UNDERMOUNT SINKS

**69**

---

CATALINA	<b>70</b>	GRECO	<b>71</b>
CAILYN	<b>70</b>	CASSIDY II	<b>72</b>
GRAYCIE	<b>71</b>		

## WALL-HUNG SINKS

**73**


---

HYGIENIC SINK	<b>74</b>	CHELSEA	<b>76</b>
BARRIER FREE HYGIENIC SINK	<b>74</b>	EDGEVIEW	<b>76</b>
CLAYTON	<b>75</b>	IZOBELLE	<b>76</b>
CARMIN	<b>75</b>		

\*NOTE: SEALED OVERFLOW SINKS AND ALL REAR INLET ITEMS ARE AVAILABLE BY **SPECIAL ORDER ONLY**. NOT INVENTORIED. NON-CANCELLABLE.


# BOWL TYPES

## PLUS HEIGHT




Plus Height toilets are higher than standard toilet heights. They are approximately 16½"-17".

## ELONGATED BOWL




Designed for comfort and to provide additional room.

## COMPACT ELONGATED BOWL




Offers the comfort of an elongated bowl with the same round front bowl depth.

## ROUND BOWL



Perfect for small spaces.

## FLUSH GUARD™



With the industry's largest footprint, a Flush Guard™ Toilet completely covers the area of the old toilet, eliminating costly surface repairs.

# SPECIALTY TANKS

4721BFVU-LT | LOW PROFILE  
12" ROUGH IN UNLINED TANK



**COMPATIBLE WITH:** Carlin, Cody,  
Caven, Crista

4721BFV-RH | RIGHT HAND LEVER  
TANK 12" ROUGH IN LINED TANK



**COMPATIBLE WITH:** Carlin, Cody,  
Caven, Crista

4700BFVU | 10" ROUGH IN  
UNLINED TANK



**COMPATIBLE WITH:** Carlin, Cody,  
Caven, Crista

4721BFV-L | LOCKING TANK 12"  
ROUGH IN LINED TANK



**COMPATIBLE WITH:** Carlin, Cody,  
Caven, Crista

4721BFV-RH-L | RIGHT HAND LEVER  
TANK 12" ROUGH IN LINED TANK  
WITH LOCKING LID



**COMPATIBLE WITH:** Carlin, Cody,  
Caven, Crista

# DRIVEN TO CONSERVE



CHOOSE FROM ONE OF OUR LEADING **0.8GPF** TOILETS



SUTO



WILTON



KEATON

By replacing old, inefficient toilets with 0.8GPF WaterSense labeled models the average family can save up to 13,208 gallons of water every year.

## WATER USAGE PER YEAR (G)



**1.5G TOILETS:**  
3,296G /YEAR



**1G TOILETS:**  
2,637G /YEAR



**DUAL FLUSH/ 0.92G TOILETS:**  
1,923G /YEAR



**0.8G TOILETS:**  
1,648G /YEAR



### DID YOU KNOW?

A typical household flushes their toilet approximately 5.7 times a day; 173 times a month which results in 2,080 flushes every year.

### WATER USAGE PER DAY: 0.8G VERSUS 0.92/1.28, 1.5G TOILETS

SAVE UP TO:

**15% OF WATER**

when compared to 0.92G toilets

**40% OF WATER**

when compared to 1.28G toilets

**50% OF WATER**

when compared to 1.5G toilets










# WALL HUNG TOILETS





HIGH EFFICIENCY DUAL FLUSH 6LPF / 1.6GPF OR 3LPF / 0.8GPF

<p><b>CANAAN</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• High Efficiency Dual Flush 6Lpf / 1.6Gpf or 3Lpf / 0.8Gpf</li> <li>• HDPE tank and durable coated steel frame up to 400kg (880lbs) load capacity</li> <li>• 2" x 4" In Wall Carrier System</li> <li>• Vitreous china skirted bowl</li> <li>• Adjustable carrier height to range 15¾" (400mm) to 17" (430mm) bowl rim height (*Carrier can be adjusted to 17" Plus Height for greater comfort)</li> <li>• Smooth close and quick removal seat included</li> <li>• 3" PVC waste outlet included</li> <li>• Water surface: 5" x 4" (127mm x 100mm)</li> <li>• Meets EPA WaterSense criteria</li> <li>• MaP Tested 800g</li> </ul> <p><b>NOMINAL DIMENSIONS</b>  <b>Wall Hung Bowl with Seat:</b></p> <ul style="list-style-type: none"> <li>• 350mm W x 543mm D x 364mm H</li> <li>• 13¾" W x 21¾" D x 14¾" H</li> </ul> <p><b>Tank Carrier:</b></p> <ul style="list-style-type: none"> <li>• 590mm W x 90mm D x 1127 to 1277mm H</li> <li>• 23¼" W x 3½" D x 44¾" to 50¼" H</li> </ul>	   		
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
	• Tank Carrier and Bowl Kit (CSA approved to be sold as a kit.)	86.50 lbs	N/A	Soft White
	• Canaan Kit (Carrier)	33.50 lbs	14	
	• Bowl Only	53.00 lbs	15	Soft White
	<b>SEPARATE COMPONENTS (REQUIRED TO ORDER SEPARATELY)</b>		<b>CASE PACK (PCS)</b>	
	• White Push Button	0.75 lbs	32	Soft White
	• Matte Chrome Push Button	0.75 lbs	32	Matte Chrome
	• Chrome Push Button	0.75 lbs	32	Chrome
	• Black Push Button	0.75 lbs	32	Black







 Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.









# ONE PIECE TOILETS


CILA - PAGE 11

ULTRA HIGH EFFICIENCY 3.0LPF / 0.8GPF






<p><b>WILTON</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• Ultra High Efficiency 3.0Lpf / 0.8Gpf</li> <li>• Elongated bowl with concealed skirted trapway</li> <li>• Vitreous china</li> <li>• 16½" Plus Height for greater comfort</li> <li>• Chrome tank lever</li> <li>• 12" (305mm) Rough-in</li> <li>• 2" Fully glazed ball pass trapway</li> <li>• 3" Canister flush valve</li> <li>• Siphon jet flush action</li> <li>• Water surface: 7⅞" x 5½" (200mm x 140mm)</li> <li>• Decorative white side caps included</li> <li>• Smooth close toilet seat included</li> <li>• Meets EPA WaterSense criteria</li> <li>• MaP Premium Tested 800g</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 365mm W x 695mm D x 765mm H</li> <li>• 14⅝" W x 27⅞" D x 30⅝" H</li> </ul>	   		
	<p><b>PRODUCTS</b></p>	<p><b>NET WT</b></p>	<p><b>PALLET QUANTITY</b></p>	<p><b>COLOUR</b></p>
<p><b>4710BSXU</b></p>	<ul style="list-style-type: none"> <li>• Wilton - Plus Height, Concealed Elongated One Piece Toilet, Unlined Tank with Smooth Close Seat</li> </ul>	<p>107.00 lbs</p>	<p>6</p>	<p>Soft White</p>

ULTRA HIGH EFFICIENCY 3.5LPF / 0.92GPF





<p><b>CILA</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• Ultra High Efficiency 3.5Lpf / 0.92Gpf</li> <li>• Elongated bowl with concealed skirted trapway</li> <li>• Vitreous china</li> <li>• 17" Plus Height for greater comfort</li> <li>• Soft white tank lever</li> <li>• 12" (305mm) Rough-in</li> <li>• 2" Fully glazed ball pass trapway</li> <li>• 3" Flush valve</li> <li>• Siphon jet flush action</li> <li>• Water surface: 7⅞" x 5⅞" (198mm x 143mm)</li> <li>• Decorative soft white side caps included</li> <li>• Smooth close toilet seat included</li> <li>• Meets EPA WaterSense criteria</li> <li>• MaP Premium Tested 800g</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 391mm W x 725mm D x 765mm H</li> <li>• 15⅝" W x 28½" D x 30⅝" H</li> </ul>	   		
	<p><b>PRODUCTS</b></p>	<p><b>NET WT</b></p>	<p><b>PALLET QUANTITY</b></p>	<p><b>COLOUR</b></p>
<p><b>4710BOXU</b></p>	<ul style="list-style-type: none"> <li>• Cila - Plus Height, Concealed Elongated One Piece Toilet, Unlined Tank with Smooth Close Seat</li> </ul>	<p>81.40 lbs</p>	<p>8</p>	<p>Soft White</p>

 Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.






## HIGH EFFICIENCY DUAL FLUSH 4.8Lpf / 1.28GPF OR 3.0Lpf / 0.8GPF


<p style="text-align: center;"><b>KIERA</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• High Efficiency dual flush 4.8Lpf / 1.28Gpf or 3.0Lpf / 0.8Gpf</li> <li>• Elongated bowl with concealed skirted trapway</li> <li>• Vitreous china</li> <li>• 17" Plus Height for greater comfort</li> <li>• White and chrome top push button</li> <li>• 12" (305mm) Rough-in</li> <li>• 2" Fully glazed ball pass trapway</li> <li>• 3" Dual flush valve</li> <li>• Siphon jet flush action</li> <li>• Water surface: 7<sup>7</sup>/<sub>8</sub>" x 5<sup>1</sup>/<sub>2</sub>" (200mm x 140mm)</li> <li>• Decorative white side caps included</li> <li>• Smooth close toilet seat included</li> <li>• Meets EPA WaterSense criteria</li> <li>• MaP Premium Tested 1000g</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 391mm W x 725mm D x 765mm H</li> <li>• 15<sup>1</sup>/<sub>2</sub>" W x 28<sup>1</sup>/<sub>2</sub>" D x 30<sup>5</sup>/<sub>8</sub>" H</li> </ul> <div style="text-align: right;">     </div>			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
<b>4710BNWU</b>	<ul style="list-style-type: none"> <li>• Kiera - Plus Height, Dual Flush Concealed Elongated One Piece Toilet, Unlined Tank with Smooth Close Seat</li> </ul>	80.00 lbs	8	Soft White

## HIGH EFFICIENCY DUAL FLUSH 4.8Lpf / 1.28GPF OR 3.5Lpf / 0.92GPF






<p style="text-align: center;"><b>MANNING</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• High Efficiency Dual Flush 4.8Lpf / 1.28Gpf or 3.5Lpf / 0.92Gpf</li> <li>• Compact elongated bowl with concealed skirted trapway</li> <li>• Vitreous china</li> <li>• 16<sup>1</sup>/<sub>2</sub>" Bowl height</li> <li>• Chrome top push button</li> <li>• 12" (305mm) Rough-in</li> <li>• 2" Fully glazed ball pass trapway</li> <li>• 3" Dual flush valve</li> <li>• Siphon jet flush action</li> <li>• Water surface: 9<sup>1</sup>/<sub>2</sub>" x 6<sup>5</sup>/<sub>8</sub>" (240mm x 170mm)</li> <li>• Decorative soft white side caps included</li> <li>• Meets EPA WaterSense criteria</li> <li>• MaP Premium Tested 1000g</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 395mm W x 680mm D x 760mm H</li> <li>• 15<sup>1</sup>/<sub>2</sub>" W x 26<sup>3</sup>/<sub>4</sub>" D x 30" H</li> </ul> <div style="text-align: right;">    </div>			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
<b>4710BHXU-TS</b>	<ul style="list-style-type: none"> <li>• Manning - Dual Flush Concealed Elongated One Piece Toilet, Unlined Tank</li> </ul>	97.00 lbs	6	Soft White

HIGH EFFICIENCY 4.8Lpf / 1.28GPF




<p style="text-align: center;"><b>CALI</b></p> 	<p style="text-align: center;"><b>DESCRIPTION</b></p> <ul style="list-style-type: none"> <li>• High Efficiency 4.8Lpf / 1.28Gpf</li> <li>• Elongated bowl with concealed skirted trapway</li> <li>• Vitreous china</li> <li>• 17" Plus Height for greater comfort</li> <li>• Soft white tank lever</li> <li>• 12" (305mm) Rough-in</li> <li>• 2" Fully glazed ball pass trapway</li> <li>• 3" Flapper</li> <li>• Siphon jet flush action</li> <li>• Water surface: 7¾" x 5⅝" (198mm x 143mm)</li> <li>• Decorative soft white side caps included</li> <li>• Smooth close toilet seat included</li> <li>• Meets EPA WaterSense criteria</li> <li>• MaP Tested 1000g</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 392mm W x 725mm D x 765mm H</li> <li>• 15½" W x 28½" D x 30⅞" H</li> </ul> <div style="text-align: right; margin-top: 10px;">     </div>			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
<b>4710BOVU</b>	<ul style="list-style-type: none"> <li>• Cali - Plus Height, Concealed Elongated One Piece Toilet, Unlined Tank with Smooth Close Toilet Seat</li> </ul>	80.00 lbs	8	Soft White
<b>4710BOV</b>	<ul style="list-style-type: none"> <li>• W - Plus Height, Concealed Elongated One Piece Toilet, Lined Tank with Smooth Close Toilet Seat</li> </ul>	80.00 lbs	8	Soft White


 Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

## HIGH EFFICIENCY 4.8LPF / 1.28GPF





<h3>HILLSBOROUGH</h3> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• High Efficiency 4.8Lpf / 1.28Gpf</li> <li>• Elongated bowl with concealed skirted trapway</li> <li>• Vitreous china</li> <li>• 17" Plus Height for greater comfort</li> <li>• Soft white tank lever</li> <li>• <b>10" (254mm) Rough-in</b></li> <li>• 2" Fully glazed ball pass trapway</li> <li>• 3" Flapper</li> <li>• Siphon jet flush action</li> <li>• Water surface: 7¾" x 5½" (198mm x 143mm)</li> <li>• Decorative soft white side caps included</li> <li>• Smooth close toilet seat included</li> <li>• Meets EPA WaterSense criteria</li> <li>• MaP Tested 1000g</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 392mm W x 725mm D x 765mm H</li> <li>• 15½" W x 28½" D x 30⅝" H</li> </ul>	   		
	<p align="center"><b>PRODUCTS</b></p>	<p align="center"><b>NET WT</b></p>	<p align="center"><b>PALLET QUANTITY</b></p>	<p align="center"><b>COLOUR</b></p>
<p align="center"><b>4700BOVU</b></p>	<ul style="list-style-type: none"> <li>• Hillsborough - Concealed Elongated One Piece Toilet, Unlined Tank with Smooth Close Toilet Seat</li> </ul>	<p align="center">80.00 lbs</p>	<p align="center">8</p>	<p align="center">Soft White</p>


## HIGH EFFICIENCY 4.8LPF / 1.28GPF

<h3>CARLAW</h3> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• High Efficiency 4.8Lpf / 1.28Gpf</li> <li>• Compact elongated bowl with concealed skirted trapway</li> <li>• Vitreous china</li> <li>• 16½" Plus Height for greater comfort</li> <li>• Soft white tank lever</li> <li>• 12" (305mm) Rough-in</li> <li>• 2" Fully glazed ball pass trapway</li> <li>• 3" Flapper</li> <li>• Siphon jet flush action</li> <li>• Water surface: 9½" x 6⅝" (240mm x 170mm)</li> <li>• Decorative soft white side caps included</li> <li>• Meets EPA WaterSense criteria</li> <li>• MaP Tested 1000g</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 395mm W x 680mm D x 760mm H</li> <li>• 15½" W x 26¾" D x 30" H</li> </ul>	   		
	<p align="center"><b>PRODUCTS</b></p>	<p align="center"><b>NET WT</b></p>	<p align="center"><b>PALLET QUANTITY</b></p>	<p align="center"><b>COLOUR</b></p>
<p align="center"><b>4710BAVU</b></p>	<ul style="list-style-type: none"> <li>• Carlaw - Concealed Elongated One Piece Toilet, Unlined Tank</li> </ul>	<p align="center">95.17 lbs</p>	<p align="center">8</p>	<p align="center">Soft White</p>
<p align="center"><b>4710BAVU-L</b></p>	<ul style="list-style-type: none"> <li>• Carlaw - Concealed Elongated One Piece Toilet, Unlined <b>Locking Tank</b></li> </ul>	<p align="center">95.17 lbs</p>	<p align="center">8</p>	<p align="center">Soft White</p>

 Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

HIGH EFFICIENCY 4.8LPF / 1.28GPF

<p style="text-align: center;"><b>WICKLOW</b></p> 	<p style="text-align: center;"><b>DESCRIPTION</b></p> <ul style="list-style-type: none"> <li>• High Efficiency 4.8Lpf / 1.28Gpf</li> <li>• Compact elongated bowl</li> <li>• Vitreous china</li> <li>• 17" Plus Height for greater comfort</li> <li>• Soft white tank lever</li> <li>• 12" (305mm) Rough-in</li> <li>• 2" Fully glazed ball pass trapway</li> <li>• 3" Flapper</li> <li>• Siphon jet flush action</li> <li>• Water surface: 8½" x 5½" (208mm x 140mm)</li> <li>• Oversized footprint</li> <li>• Toilet seat not included</li> <li>• Meets EPA WaterSense criteria</li> <li>• MaP Tested 1000g</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 420mm W x 690mm D x 750mm H</li> <li>• 16½" W x 27½" D x 29½" H</li> </ul> <div style="text-align: right;">    </div>			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
<b>4710BCVU</b>	<ul style="list-style-type: none"> <li>• Wicklow - Plus Height, Elongated One Piece Toilet, Unlined Tank (Toilet seat not included)</li> </ul>	82.50 lbs	8	Soft White
	<b>RECOMMENDED SEAT (SOLD SEPARATELY)</b>		<b>CASE PACK (PCS)</b>	
<b>TS7150SC</b>	<ul style="list-style-type: none"> <li>• Smooth Close Elongated Plastic Toilet Seat</li> </ul>	3.74 lbs	10	Soft White

 Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.



# TWO PIECE TOILETS

AVENAL - PAGE 24







HIGH EFFICIENCY 4.8LPF / 1.28GPF

<p><b>CARLIN</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• High Efficiency 4.8Lpf / 1.28Gpf</li> <li>• Round front bowl</li> <li>• Vitreous china</li> <li>• 15½" Bowl height</li> <li>• Chrome tank lever</li> <li>• 12" (305mm) Rough-in</li> <li>• 2" Fully glazed ball pass trapway</li> <li>• 3" Flapper</li> <li>• Siphon jet flush action</li> <li>• Water surface: 8¼" x 6⅞"(209mm x 155mm)</li> <li>• Toilet seat not included</li> <li>• Meets EPA WaterSense criteria</li> <li>• MaP Tested 1000g</li> </ul> <p><b>NOMINAL DIMENSIONS*</b></p> <ul style="list-style-type: none"> <li>• 440mm W x 670mm D x 765mm H</li> <li>• 17¼" W x 26⅜" D x 30⅞" H</li> </ul> 			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
	<b>*Carlin - Round Front 12" Rough-In, Two Piece Toilet (Toilet seat not included)</b>			
<b>4722BFV</b>	• Round Front Bowl	42.00 lbs	18	Soft White
	<b>Compatible with the following tanks:</b>			
<b>4721BFVU</b>	• Cane - Unlined Tank	28.00 lbs	30	Soft White
<b>4721BFV</b>	• Cane - Lined Tank	28.00 lbs	30	Soft White
<b>4721BFV-L</b>	• Cane - Lined Tank, Locking Tank	28.00 lbs	30	Soft White
<b>4721BFVU-LT</b>	• Cane - Unlined Tank, Low Profile Tank	28.00 lbs	30	Soft White
<b>4721BFV-RH</b>	• Cane - Lined Tank, Right Hand Tank Lever	28.00 lbs	30	Soft White
<b>4721BFV-RH-L</b>	• Cane - Lined Tank, Right Hand Tank Lever with Locking Lid	28.00 lbs	30	Soft White
<b>4700BFVU</b>	• Cane - Unlined Tank, 10" Rough-In	23.32 lbs	30	Soft White
	<b>RECOMMENDED SEAT (SOLD SEPARATELY)</b>		<b>CASE PACK (PCS)</b>	
<b>TS6121SC</b>	• Smooth Close Round Front Plastic Toilet Seat	3.30 lbs	10	Soft White




Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

HIGH EFFICIENCY 4.8LPF / 1.28GPF



<p><b>CAVEN</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• High Efficiency 4.8Lpf / 1.28Gpf</li> <li>• Round front bowl</li> <li>• Vitreous china</li> <li>• 17" Plus Height for greater comfort</li> <li>• Chrome tank lever</li> <li>• 12" (305mm) Rough-in</li> <li>• 2" Fully glazed ball pass trapway</li> <li>• 3" Flapper</li> <li>• Siphon jet flush action</li> <li>• Water surface: 8<math>\frac{5}{8}</math>" x 6<math>\frac{1}{4}</math>" (220mm x 160mm)</li> <li>• Toilet seat not included</li> <li>• Meets EPA WaterSense criteria</li> <li>• MaP Tested 1000g</li> </ul> <p><b>NOMINAL DIMENSIONS*</b></p> <ul style="list-style-type: none"> <li>• 440mm W x 702mm D x 800mm H</li> <li>• 17<math>\frac{1}{4}</math>" W x 27<math>\frac{3}{8}</math>" D x 31<math>\frac{1}{2}</math>" H</li> </ul> 			
	<p><b>PRODUCTS</b></p>	<p><b>NET WT</b></p>	<p><b>PALLET QUANTITY</b></p>	<p><b>COLOUR</b></p>
	<p><b>*Caven - Plus Height, Round Front 12" Rough-In, Two Piece Toilet, (Toilet seat not included)</b></p>			
<p><b>4722BRV</b></p>	<ul style="list-style-type: none"> <li>• Plus Height, Round Front Bowl</li> </ul>	<p>56.00 lbs</p>	<p>18</p>	<p>Soft White</p>
	<p><b>Compatible with the following tanks:</b></p>			
<p><b>4721BFVU</b></p>	<ul style="list-style-type: none"> <li>• Cane - Unlined Tank</li> </ul>	<p>28.00 lbs</p>	<p>30</p>	<p>Soft White</p>
<p><b>4721BFV</b></p>	<ul style="list-style-type: none"> <li>• Cane - Lined Tank</li> </ul>	<p>28.00 lbs</p>	<p>30</p>	<p>Soft White</p>
<p><b>4721BFV-L</b></p>	<ul style="list-style-type: none"> <li>• Cane - Lined Tank, Locking Tank</li> </ul>	<p>28.00 lbs</p>	<p>30</p>	<p>Soft White</p>
<p><b>4721BFV-RH</b></p>	<ul style="list-style-type: none"> <li>• Cane - Lined Tank, Right Hand Tank Lever</li> </ul>	<p>28.00 lbs</p>	<p>30</p>	<p>Soft White</p>
<p><b>4721BFV-RH-L</b></p>	<ul style="list-style-type: none"> <li>• Cane - Lined Tank, Right Hand Tank Lever with Locking Lid</li> </ul>	<p>28.00 lbs</p>	<p>30</p>	<p>Soft White</p>
<p><b>4700BFVU</b></p>	<ul style="list-style-type: none"> <li>• Cane - Unlined Tank, 10" Rough-In</li> </ul>	<p>23.32 lbs</p>	<p>30</p>	<p>Soft White</p>
	<p><b>RECOMMENDED SEAT (SOLD SEPARATELY)</b></p>		<p><b>CASE PACK (PCS)</b></p>	
<p><b>TS6121SC</b></p>	<ul style="list-style-type: none"> <li>• Smooth Close Round Front Plastic Toilet Seat</li> </ul>	<p>3.30 lbs</p>	<p>10</p>	<p>Soft White</p>


ULTRA HIGH EFFICIENCY 3.0LPF / 0.8GPF





<p><b>KEATON</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• Ultra High Efficiency 3.0Lpf / 0.8Gpf</li> <li>• Round front bowl</li> <li>• Vitreous China</li> <li>• 15<math>\frac{1}{2}</math>" Height bowl</li> <li>• Chrome tank lever</li> <li>• 12" (305mm) Rough-in</li> <li>• Fully glazed ball pass trapway</li> <li>• 3" Flush valve</li> <li>• Siphon jet flush action</li> <li>• Water Surface: 8" x 5<math>\frac{3}{4}</math>" (205mm x 145mm)</li> <li>• Toilet seat not included</li> <li>• Meets EPA WaterSense criteria</li> <li>• MaP Premium Tested 800g</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 420mm W x 660mm D x 760mm H</li> <li>• 16<math>\frac{1}{2}</math>" W x 26" D x 29<math>\frac{3}{8}</math>" H</li> </ul> 			
	<p><b>PRODUCTS</b></p>	<p><b>NET WT</b></p>	<p><b>PALLET QUANTITY</b></p>	<p><b>COLOUR</b></p>
<p><b>4740BFXU</b></p>	<ul style="list-style-type: none"> <li>• Keaton - Round Front, Two Piece Toilet, Unlined Tank (Toilet seat not included)</li> </ul>	<p>70.00 lbs</p>	<p>8</p>	<p>Soft White</p>
	<p><b>RECOMMENDED SEAT (SOLD SEPARATELY)</b></p>		<p><b>CASE PACK (PCS)</b></p>	
<p><b>TS6121SC</b></p>	<ul style="list-style-type: none"> <li>• Smooth Close Round Front Plastic Toilet Seat</li> </ul>	<p>3.30 lbs</p>	<p>10</p>	<p>Soft White</p>


 Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

HIGH EFFICIENCY 4.8LPPF / 1.28GPF






<p><b>CODY</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• High Efficiency 4.8Lpf / 1.28Gpf</li> <li>• Elongated bowl</li> <li>• Vitreous china</li> <li>• 15½" Bowl height</li> <li>• Chrome tank lever</li> <li>• 12" (305mm) Rough-in</li> <li>• 2" Fully glazed ball pass trapway</li> <li>• 3" Flapper</li> <li>• Siphon jet flush action</li> <li>• Water surface: 8½" x 6½" (216mm x 165mm)</li> <li>• Toilet seat not included</li> <li>• Meets EPA WaterSense criteria</li> <li>• MaP Tested 1000g</li> </ul> <p><b>NOMINAL DIMENSIONS*</b></p> <ul style="list-style-type: none"> <li>• 440mm W x 725mm D x 760mm H</li> <li>• 17¼" W x 28½" D x 30" H</li> </ul> 			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
	<b>*Cody - Elongated 12" Rough-In, Two Piece Toilet, Unlined Tank (Toilet seat not included)</b>			
<b>4722BEV</b>	• Elongated Bowl	46.00 lbs	18	Soft White
	<b>Compatible with the following tanks:</b>			
<b>4721BFVU</b>	• Cane - Unlined Tank	28.00 lbs	30	Soft White
<b>4721BFV</b>	• Cane - Lined Tank	28.00 lbs	30	Soft White
<b>4721BFV-L</b>	• Cane - Lined Tank, Locking Tank	28.00 lbs	30	Soft White
<b>4721BFVU-LT</b>	• Cane - Unlined Tank, Low Profile Tank	28.00 lbs	30	Soft White
<b>4721BFV-RH</b>	• Cane - Lined Tank, Right Hand Tank Lever	28.00 lbs	30	Soft White
<b>4721BFV-RH-L</b>	• Cane - Lined Tank, Right Hand Tank Lever with Locking Lid	28.00 lbs	30	Soft White
<b>4700BFVU</b>	• Cane - Unlined Tank, 10" Rough-In	23.32 lbs	30	Soft White
	<b>RECOMMENDED SEAT (SOLD SEPARATELY)</b>			<b>CASE PACK (PCS)</b>
<b>TS7150SC</b>	• Smooth Close Elongated Plastic Toilet Seat	3.74 lbs	10	Soft White

 Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.




<p style="text-align: center;"><b>CRISTA</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• High Efficiency 4.8Lpf / 1.28Gpf</li> <li>• Elongated bowl</li> <li>• Vitreous china</li> <li>• 17" Plus Height for greater comfort</li> <li>• Chrome tank lever</li> <li>• 12" (305mm) Rough-in</li> <li>• 2" Fully glazed ball pass trapway</li> <li>• 3" Flapper</li> <li>• Siphon jet flush action</li> <li>• Water surface: 8½" x 6½" (216mm x 155mm)</li> <li>• Toilet seat not included</li> <li>• Meets EPA WaterSense criteria</li> <li>• MaP Tested 1000g</li> </ul> <p><b>NOMINAL DIMENSIONS*</b></p> <ul style="list-style-type: none"> <li>• 440mm W x 740mm D x 790mm H</li> <li>• 17¼" W x 29½" D x 31" H</li> </ul> <div style="text-align: right;">    </div>			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
	<b>*Crista - Plus Height, Elongated 12" Rough-In, Two Piece Toilet, (Toilet seat not included)</b>			
<b>4722BHV</b>	<ul style="list-style-type: none"> <li>• Plus Height, Elongated Bowl</li> </ul>	46.00 lbs	18	Soft White
	<b>Compatible with the following tanks:</b>			
<b>4721BFVU</b>	<ul style="list-style-type: none"> <li>• Cane - Unlined Tank</li> </ul>	28.00 lbs	30	Soft White
<b>4721BFV</b>	<ul style="list-style-type: none"> <li>• Cane - Lined Tank</li> </ul>	28.00 lbs	30	Soft White
<b>4721BFV-L</b>	<ul style="list-style-type: none"> <li>• Cane - Lined Tank, Locking Tank</li> </ul>	28.00 lbs	30	Soft White
<b>4721BFV-RH</b>	<ul style="list-style-type: none"> <li>• Cane - Lined Tank, Right Hand Tank Lever</li> </ul>	28.00 lbs	30	Soft White
<b>4721BFV-RH-L</b>	<ul style="list-style-type: none"> <li>• Cane - Lined Tank, Right Hand Tank Lever with Locking Lid</li> </ul>	28.00 lbs	30	Soft White
<b>4700BFVU</b>	<ul style="list-style-type: none"> <li>• Cane - Unlined Tank, 10" Rough-In</li> </ul>	23.32 lbs	30	Soft White
	<b>RECOMMENDED SEAT (SOLD SEPARATELY)</b>		<b>CASE PACK (PCS)</b>	
<b>TS7150SC</b>	<ul style="list-style-type: none"> <li>• Smooth Close Elongated Plastic Toilet Seat</li> </ul>	3.74 lbs	10	Soft White


 Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

ULTRA HIGH EFFICIENCY 3.0LPF / 0.8GPF

<p><b>SUTO</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• Ultra High Efficiency 3.0Lpf / 0.8Gpf</li> <li>• Compact elongated bowl</li> <li>• Vitreous China</li> <li>• 17" Plus Height for greater comfort</li> <li>• Chrome tank lever</li> <li>• 12" (305mm) Rough-in</li> <li>• Fully glazed ball pass trapway</li> <li>• 3" Flush valve</li> <li>• Siphon jet flush action</li> <li>• Water Surface: 8" x 5½" (205mm x 145mm)</li> <li>• Toilet seat not included</li> <li>• Meets EPA WaterSense criteria</li> <li>• MaP Premium Tested 800g</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 420mm W x 693mm D x 795mm H</li> <li>• 16½" W x 27¼" D x 31¼" H</li> </ul> <div style="text-align: right;">        </div>			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
	<b>Suto - Plus Height, Compact Elongated, Two Piece Toilet, Unlined Tank (Toilet seat not included)</b>			
<b>4742BOX</b>	• Compact Elongated Bowl	48.1 lbs	18	Soft White
<b>4741BOXU</b>	• Unlined Tank	28.82 lbs	30	Soft White
	<b>RECOMMENDED SEAT (SOLD SEPARATELY)</b>		<b>CASE PACK (PCS)</b>	
<b>TS7150SC</b>	• Smooth Close Elongated Plastic Toilet Seat	3.74 lbs	10	Soft White

ULTRA HIGH EFFICIENCY 3.5LPF / 0.92GPF




<p><b>CATO</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• Ultra High Efficiency 3.5Lpf / 0.92Gpf</li> <li>• Elongated bowl</li> <li>• Vitreous china</li> <li>• 15½" Bowl height</li> <li>• Soft white tank lever</li> <li>• 12" (305mm) Rough-in</li> <li>• 1¾" Fully glazed ball pass trapway</li> <li>• 3" Flapper</li> <li>• Siphon jet flush action</li> <li>• Water surface: 8" x 6" (205mm x 150mm)</li> <li>• Toilet seat not included</li> <li>• Meets EPA WaterSense criteria</li> <li>• MaP Premium Tested 800g</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 440mm W x 744mm D x 803mm H</li> <li>• 17¼" W x 29¼" D x 31½" H</li> </ul> <div style="text-align: right;">      </div>			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
	<b>Cato - Elongated, Two Piece Toilet, Unlined Tank (Toilet seat not included)</b>			
<b>5732BEX</b>	• Elongated Bowl	49 lbs	18	Soft White
<b>5731BFXU</b>	• Unlined Tank	27.5 lbs	30	Soft White
	<b>RECOMMENDED SEAT (SOLD SEPARATELY)</b>		<b>CASE PACK (PCS)</b>	
<b>TS7150SC</b>	• Smooth Close Elongated Plastic Toilet Seat	3.74 lbs	10	Soft White


 Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

## ULTRA HIGH EFFICIENCY 3.5LPF / 0.92GPF




<p><b>CADELL</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• Ultra High Efficiency 3.5Lpf / 0.92Gpf</li> <li>• Round front bowl</li> <li>• Vitreous china</li> <li>• 15½" Bowl height</li> <li>• Soft white tank lever</li> <li>• 12" (305mm) Rough-in</li> <li>• 1¾" Fully glazed ball pass trapway</li> <li>• 3" Flapper</li> <li>• Siphon jet flush action</li> <li>• Water surface: 8⅞" x 6¼" (225mm x 160mm)</li> <li>• Toilet seat not included</li> <li>• Meets EPA WaterSense criteria</li> <li>• MaP Premium Tested 800g</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 440mm W x 690mm D x 803mm H</li> <li>• 17¼" W x 27⅞" D x 31⅝" H</li> </ul> <div style="text-align: right;">   </div>			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
	<b>Cadell - Round Front, Two Piece Toilet, Unlined Tank (Toilet seat not included)</b>			Soft White
<b>5732BFX</b>	• Round Front Bowl	53.53 lbs	18	Soft White
<b>5731BFXU</b>	• Unlined Tank	27.5 lbs	30	Soft White
	<b>RECOMMENDED SEAT (SOLD SEPARATELY)</b>		<b>CASE PACK (PCS)</b>	
<b>TS6121SC</b>	• Smooth Close Round Front Plastic Toilet Seat	3.30 lbs	10	Soft White

## HIGH EFFICIENCY DUAL FLUSH 4.8LPF / 1.28GPF OR 3.0LPF / 0.8GPF






<p><b>CAMRI</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• High Efficiency Dual Flush 4.8Lpf / 1.28Gpf or 3.0Lpf / 0.8Gpf</li> <li>• Elongated bowl</li> <li>• Vitreous china</li> <li>• 15½" Bowl height</li> <li>• Soft white top push button</li> <li>• 12" (305mm) Rough-in</li> <li>• 1¾" Fully glazed ball pass trapway</li> <li>• 3" Dual flush valve</li> <li>• Siphon jet flush action</li> <li>• Water Surface: 8" x 6" (205mm x 150mm)</li> <li>• Toilet seat not included</li> <li>• Meets EPA WaterSense criteria</li> <li>• MaP Premium Tested 800g</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 440mm W x 740mm D x 800mm H</li> <li>• 17" W x 29¼" D x 31" H</li> </ul> <div style="text-align: right;">   </div>			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
	<b>Camri - Dual Flush, Elongated, Two Piece Toilet, Unlined Tank (Toilet seat not included)</b>			Soft White
<b>4722BLW</b>	• Elongated Bowl	49 lbs	18	Soft White
<b>4721BPWU</b>	• Unlined Tank	29.59 lbs	30	Soft White
	<b>RECOMMENDED SEAT (SOLD SEPARATELY)</b>		<b>CASE PACK (PCS)</b>	
<b>TS7150SC</b>	• Smooth Close Elongated Plastic Toilet Seat	3.74 lbs	10	Soft White


 Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

HIGH EFFICIENCY DUAL FLUSH 4.8LPF / 1.28GPF OR 3.0LPF / 0.8GPF






<p><b>CARSON</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• High Efficiency Dual Flush 4.8Lpf / 1.28Gpf or 3.0Lpf / 0.8Gpf</li> <li>• Round front bowl</li> <li>• Vitreous china</li> <li>• 15½" Bowl height</li> <li>• Soft white top push button</li> <li>• 12" (305mm) Rough-in</li> <li>• 1¾" Fully glazed ball pass trapway</li> <li>• 3" Dual flush valve</li> <li>• Siphon jet flush action</li> <li>• Water surface: 8⅞" x 6¼" (225mm x 160mm)</li> <li>• Toilet seat not included</li> <li>• Meets EPA WaterSense criteria</li> <li>• MaP Premium Tested 1000g</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 440mm W x 690mm D x 805mm H</li> <li>• 17⅝" W x 27¼" D x 31⅝" H</li> </ul> <div style="text-align: right;">   </div>			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
	<b>Carson - Dual Flush, Round Front, Two Piece Toilet, Unlined Tank (Toilet seat not included)</b>			
<b>4722BPW</b>	• Round Front Bowl	44.66 lbs	18	Soft White
<b>4721BPWU</b>	• Unlined Tank	29.59 lbs	30	Soft White
	<b>RECOMMENDED SEAT (SOLD SEPARATELY)</b>		<b>CASE PACK (PCS)</b>	
<b>TS6121SC</b>	• Smooth Close Round Front Plastic Toilet Seat	3.30 lbs	10	Soft White

HIGH EFFICIENCY 4.8LPF / 1.28GPF





<p><b>VIEIRA</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• High Efficiency 4.8Lpf / 1.28Gpf</li> <li>• Elongated bowl with concealed skirted trapway</li> <li>• Vitreous china</li> <li>• 17" Plus Height for greater comfort</li> <li>• Soft white tank lever</li> <li>• 12" (305mm) Rough-in</li> <li>• 2" Fully glazed trapway</li> <li>• 3" Flapper</li> <li>• Siphon jet flush action</li> <li>• Water surface: 8⅞" x 6¼" (225mm x 159mm)</li> <li>• Decorative soft white side caps included</li> <li>• Smooth close toilet seat included</li> <li>• Meets EPA WaterSense criteria</li> <li>• MaP Tested 1000g</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 380mm W x 720mm D x 783mm H</li> <li>• 15" W x 28¼" D x 30⅞" H</li> </ul> <div style="text-align: right;">     </div>			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
	<b>Vieira - Plus Height, Concealed Elongated, Two Piece Toilet, Unlined Tank with Smooth Close Toilet Seat</b>			
<b>4792BOV</b>	• Plus Height, Concealed Elongated Bowl with Smooth Close Toilet Seat	76.34 lbs	9	Soft White
<b>4791BOVU</b>	• Unlined Tank	29.04 lbs	30	Soft White


 Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

## HIGH EFFICIENCY 4.8LPF / 1.28GPF OR 3.0LPF / 0.8GPF

<p><b>AVENAL</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• High Efficiency 4.8Lpf / 1.28Gpf or 3.0Lpf / 0.8Gpf</li> <li>• Elongated bowl with concealed skirted trapway</li> <li>• Vitreous china</li> <li>• 16<math>\frac{5}{8}</math>" Plus Height for greater comfort</li> <li>• Chrome rectangular top push button</li> <li>• 12" (305mm) Rough-in</li> <li>• 2" Fully glazed ball pass trapway</li> <li>• 3" Flapper</li> <li>• Siphon jet flush action</li> <li>• Water surface: 9" x 5<math>\frac{3}{4}</math>" (230mm x 145mm)</li> <li>• Decorative soft white side caps included</li> <li>• Slim smooth close toilet seat included</li> <li>• Meets EPA WaterSense criteria</li> <li>• MaP Tested 1000g</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 402mm W x 722mm D x 797mm H</li> <li>• 15<math>\frac{7}{8}</math>" W x 28<math>\frac{3}{8}</math>" D x 31<math>\frac{1}{2}</math>" H</li> </ul> <div style="text-align: right;">     </div> <div style="text-align: right; margin-top: 20px;">  </div>			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
	<b>Avenal - Plus Height, Dual Flush Elongated, Two Piece Toilet, Unlined Tank with Slim Smooth Close Toilet Seat</b>			
<b>4772HNW</b>	• Plus Height, Concealed Elongated Bowl with Slim Smooth Close Toilet Seat	81.40 lbs	8	Soft White
<b>4771HNWU</b>	• Dual Flush Unlined Tank	28.38 lbs	8	Soft White

## HIGH EFFICIENCY 4.8LPF / 1.28GPF

<p><b>AVENAL</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• High Efficiency 4.8Lpf / 1.28Gpf</li> <li>• Elongated bowl with concealed skirted trapway</li> <li>• Vitreous china</li> <li>• 16<math>\frac{5}{8}</math>" Plus Height for greater comfort</li> <li>• Chrome tank lever</li> <li>• 12" (305mm) Rough-in</li> <li>• 2" Fully glazed ball pass trapway</li> <li>• 3" Flapper</li> <li>• Siphon jet flush action</li> <li>• Water surface: 9" x 5<math>\frac{3}{4}</math>" (230mm x 145mm)</li> <li>• Decorative soft white side caps included</li> <li>• Slim smooth close toilet seat included</li> <li>• Meets EPA WaterSense criteria</li> <li>• MaP Tested 1000g</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 402mm W x 722mm D x 797mm H</li> <li>• 15<math>\frac{7}{8}</math>" W x 28<math>\frac{3}{8}</math>" D x 31<math>\frac{1}{2}</math>" H</li> </ul> <div style="text-align: right;">     </div>			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
	<b>Avenal - Plus Height, Elongated, Two Piece Toilet, Unlined Tank with Slim Smooth Close Toilet Seat</b>			
<b>4772HNW</b>	• Plus Height, Concealed Elongated Bowl with Slim Smooth Close Toilet Seat	81.40 lbs	8	Soft White
<b>4771HHVU</b>	• Unlined Tank	28.38 lbs	8	Soft White

 Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.





**FLÜSH GUARD™**

GET READY TO REVOLUTIONIZE YOUR EXPERIENCE  
WITH CONTRAC **FLUSH GUARD™**, SET TO ELEVATE  
INDUSTRY STANDARDS.

# FLUSH GUARD™ PREVENTS TOILETS FROM OVERFLOWING



Flush Guard™, a patented system in the US and Canada, features toilets with built-in overflow holes. The three anti-overflow holes in the bowl and separate drain holes in the rim allow rising water to escape to the main sewer drain through a secondary trapway – before the toilet overflows. The anti-overflow drain is continually rinsed clean with every flush.

## SELF CLEANING

Secondary trapway is washed clean with every flush.

## THREE ANTI-OVERFLOW HOLES

Allow rising water to drain down and avoid overflow.

## MAIN TRAPWAY CLOG

## BACKUP TRAPWAY

When the main trapway is clogged (as shown) the secondary trapway will drain the toilet to avoid overflow.



## EXTRA-LARGE FOOTPRINT


With the industry's largest footprint, a Flush Guard™ Toilet completely covers the area of the old toilet, eliminating costly surface repairs.

## SEAMLESS INTEGRATION





Compatible with standard household plumbing, nothing special required.


HIGH EFFICIENCY 4.8LPF / 1.28GPF

<p><b>CARLIN</b> FLUSH GUARD™</p>  <p>AVAILABLE Q3</p>	<p style="text-align: right;"><b>DESCRIPTION</b></p> <ul style="list-style-type: none"> <li>• High Efficiency 4.8Lpf / 1.28Gpf</li> <li>• Round front bowl</li> <li>• Vitreous china</li> <li>• Extra Large Footprint</li> <li>• 15½" Bowl height</li> <li>• Chrome tank lever</li> <li>• 12" (305mm) Rough-in</li> <li>• 2" Fully glazed ball pass trapway</li> <li>• 3" Flapper</li> <li>• Siphon jet flush action</li> <li>• Water surface: 8¼" x 6½"(209mm x 155mm)</li> <li>• Toilet seat not included</li> <li>• Meets EPA WaterSense criteria</li> <li>• MaP Tested 1000g</li> </ul> <p><b>NOMINAL DIMENSIONS*</b></p> <ul style="list-style-type: none"> <li>• 440mm W x 710mm D x 763mm H</li> <li>• 17¼" W x 28" D x 30" H</li> </ul> 			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
	*Carlin - Round Front 12" Rough-In, Two Piece Toilet (Toilet seat not included)			Soft White
4722FGFV	Carlin round bowl with Flush Guard™	50.60 lbs	18	Soft White
	<b>Compatible with the following tanks:</b>			
4721FGVU	• Carlin, Cody, Caven, and Crista - Unlined Tank	28.44 lbs	30	Soft White
4721FGV	• Carlin, Cody, Caven, and Crista - Lined Tank	28.66 lbs	30	Soft White
	<b>RECOMMENDED SEAT (SOLD SEPARATELY)</b>		<b>CASE PACK (PCS)</b>	
TS6121SC	• Smooth Close Round Front Plastic Toilet Seat	3.30 lbs	10	Soft White
	<b>All in One</b>			
4720FGFVU	Carlin All-In-One Two Piece 4.8L Round Front Toilet with Flush Guard™	85.91 lbs	10	Soft White



 Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.


## HIGH EFFICIENCY 4.8LPF / 1.28GPF

<p><b>CAVEN FLUSH GUARD™</b></p>  <p><b>AVAILABLE Q3</b></p>	<p align="center"><b>DESCRIPTION</b></p> <ul style="list-style-type: none"> <li>• High Efficiency 4.8Lpf / 1.28Gpf</li> <li>• Round front bowl</li> <li>• Vitreous china</li> <li>• Extra Large Footprint</li> <li>• 17" Plus Height for greater comfort</li> <li>• Chrome tank lever</li> <li>• 12" (305mm) Rough-in</li> <li>• 2" Fully glazed ball pass trapway</li> <li>• 3" Flapper</li> <li>• Siphon jet flush action</li> <li>• Water surface: 8<math>\frac{3}{8}</math>" x 6<math>\frac{1}{4}</math>" (220mm x 160mm)</li> <li>• Toilet seat not included</li> <li>• Meets EPA WaterSense criteria</li> <li>• MaP Tested 1000g</li> </ul> <p><b>NOMINAL DIMENSIONS*</b></p> <ul style="list-style-type: none"> <li>• 440mm W x 702mm D x 800mm H</li> <li>• 17<math>\frac{1}{4}</math>" W x 27<math>\frac{3}{8}</math>" D x 31<math>\frac{1}{2}</math>" H</li> </ul> <div style="text-align: right;">    </div>			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
	*Caven - Plus Height, Round Front 12" Rough-In, Two Piece Toilet, (Toilet seat not included)			Soft White
<p><b>4722FGRV</b></p>	Caven Round ADA Bowl with Flush Guard™	56.99 lbs	18	Soft White
	<b>Compatible with the following tanks:</b>			
<p><b>4721FGVU</b></p>	• Carlin, Cody, Caven, and Crista - Unlined Tank	28.44 lbs	30	Soft White
<p><b>4721FGV</b></p>	• Carlin, Cody, Caven, and Crista - Lined Tank	28.66 lbs	30	Soft White
	<b>RECOMMENDED SEAT (SOLD SEPARATELY)</b>		<b>CASE PACK (PCS)</b>	
<p><b>TS6121SC</b></p>	• Smooth Close Round Front Plastic Toilet Seat	3.30 lbs	10	Soft White
	<b>All in One</b>			
<p><b>4720FGRVU</b></p>	Caven All-In-One Two Piece 4.8L ADA Round Front Toilet with Flush Guard™	90.74 lbs	10	Soft White



 Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

HIGH EFFICIENCY 3LPF / 0.8GPF



<p><b>KEATON FLUSH GUARD™</b></p>  <p><b>AVAILABLE Q4</b></p>	<p style="text-align: right;"><b>DESCRIPTION</b></p> <ul style="list-style-type: none"> <li>• Extra high efficiency toilet- 3.0LPF / 0.8GPF</li> <li>• Round front bowl</li> <li>• Vitreous China</li> <li>• Extra Large Footprint</li> <li>• 15½" Height bowl</li> <li>• Chrome tank Lever</li> <li>• 12" (305mm) Rough-in</li> <li>• Fully glazed ball pass trapway</li> <li>• 3" Flapper</li> <li>• Siphon jet flush action</li> <li>• Water Surface: 8" x 5¼" (205mm x 145mm)</li> <li>• Toilet seat not included</li> <li>• Meets EPA WaterSense criteria</li> <li>• MaP Tested 800g</li> </ul> <p><b>NOMINAL DIMENSIONS*</b></p> <ul style="list-style-type: none"> <li>• 420mm W x 690mm D x 760mm H</li> <li>• 16½" W x 27⅞" D x 30" H</li> </ul> 			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
	*Keaton - Round Front 12" Rough-In, Two Piece Toilet (Toilet seat not included)			Soft White
<b>4742FGFX</b>	Keaton Round Bowl with Flush Guard™	55.01 lbs	18	Soft White
	<b>Compatible with the following tanks:</b>			
<b>4741FGVU</b>	Keaton and Suto - Unlined Tank	26.01 lbs	30	Soft White
	<b>RECOMMENDED SEAT (SOLD SEPARATELY)</b>		<b>CASE PACK (PCS)</b>	
<b>TS6121SC</b>	• Smooth Close Round Front Plastic Toilet Seat	3.30 lbs	10	Soft White
	<b>All in One</b>			
<b>4740FGFXU</b>	Keaton All-In-One Two Piece 3L Round Front Toilet with Flush Guard™	82.5 lbs	10	Soft White


 Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

## HIGH EFFICIENCY 4.8LPF / 1.28GPF




<p><b>CODY FLUSH GUARD™</b></p>  <p><b>AVAILABLE Q3</b></p>	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• High Efficiency 4.8Lpf / 1.28Gpf</li> <li>• Elongated bowl</li> <li>• Vitreous china</li> <li>• Extra Large Footprint</li> <li>• 15½" Bowl height</li> <li>• Chrome tank lever</li> <li>• 12" (305mm) Rough-in</li> <li>• 2" Fully glazed ball pass trapway</li> <li>• 3" Flapper</li> <li>• Siphon jet flush action</li> <li>• Water surface: 8½" x 6½" (216mm x 165mm)</li> <li>• Toilet seat not included</li> <li>• Meets EPA WaterSense criteria</li> <li>• MaP Tested 1000g</li> </ul> <p><b>NOMINAL DIMENSIONS*</b></p> <ul style="list-style-type: none"> <li>• 440mm W x 760mm D x 763mm H</li> <li>• 17¼" W x 30" D x 30" H</li> </ul> 			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
	*Cody - Elongated 12" Rough-In, Two Piece Toilet, Unlined Tank (Toilet seat not included)			Soft White
	4722FGEV	Cody Elongated Bowl with Flush Guard™	53.57 lbs	18
				Soft White
	<b>Compatible with the following tanks:</b>			
	4721FGVU	• Carlin, Cody, Caven, and Crista - Unlined Tank	28.44 lbs	30
	4721FGV	• Carlin, Cody, Caven, and Crista - Lined Tank	28.66 lbs	30
		<b>RECOMMENDED SEAT (SOLD SEPARATELY)</b>		<b>CASE PACK (PCS)</b>
	TS7150SC	• Smooth Close Elongated Plastic Toilet Seat	3.74 lbs	10
		<b>All in One</b>		
	4720FGEVU	Cody All-In-One Two Piece 4.8L Elongated Front Toilet with Flush Guard™	91.58 lbs	10


HIGH EFFICIENCY 4.8LPF / 1.28GPF

<p><b>CRISTA</b> FLUSH GUARD™</p>  <p>AVAILABLE Q3</p>	<p><b>DESCRIPTION</b></p> <ul style="list-style-type: none"> <li>• High Efficiency 4.8Lpf / 1.28Gpf</li> <li>• Elongated bowl</li> <li>• Vitreous china</li> <li>• Extra Large Footprint</li> <li>• 17" Plus Height for greater comfort</li> <li>• Chrome tank lever</li> <li>• 12" (305mm) Rough-in</li> <li>• 2" Fully glazed ball pass trapway</li> <li>• 3" Flapper</li> <li>• Siphon jet flush action</li> <li>• Water surface: 8½" x 6½" (216mm x 155mm)</li> <li>• Toilet seat not included</li> <li>• Meets EPA WaterSense criteria</li> <li>• MaP Tested 1000g</li> </ul> <p><b>NOMINAL DIMENSIONS*</b></p> <ul style="list-style-type: none"> <li>• 440mm W x 760mm D x 800mm H</li> <li>• 17¼" W x 30" D x 31½" H</li> </ul> 			
	<p><b>PRODUCTS</b></p>	<p><b>NET WT</b></p>	<p><b>PALLET QUANTITY</b></p>	<p><b>COLOUR</b></p>
	<p>*Crista - Plus Height, Elongated 12" Rough-In, Two Piece Toilet, (Toilet seat not included)</p>			<p>Soft White</p>
<p><b>4722FGHV</b></p>	<p>Crista Elongated ADA Bowl with Flush Guard™</p>	<p>64.71 lbs</p>	<p>18</p>	<p>Soft White</p>
	<p><b>Compatible with the following tanks:</b></p>			
<p><b>4721FGVU</b></p>	<ul style="list-style-type: none"> <li>• Carlin, Cody, Caven, and Crista - Unlined Tank</li> </ul>	<p>28.44 lbs</p>	<p>30</p>	<p>Soft White</p>
<p><b>4721FGV</b></p>	<ul style="list-style-type: none"> <li>• Carlin, Cody, Caven, and Crista - Lined Tank</li> </ul>	<p>28.66 lbs</p>	<p>30</p>	<p>Soft White</p>
	<p><b>RECOMMENDED SEAT (SOLD SEPARATELY)</b></p>		<p><b>CASE PACK (PCS)</b></p>	
<p><b>TS7150SC</b></p>	<ul style="list-style-type: none"> <li>• Smooth Close Elongated Plastic Toilet Seat</li> </ul>	<p>3.74 lbs</p>	<p>10</p>	<p>Soft White</p>
	<p><b>All in One</b></p>			
<p><b>4720FGHVU</b></p>	<p>Cody All-In-One Two Piece 4.8L ADA Elongated Front Toilet with Flush Guard™</p>	<p>93.28 lbs</p>	<p>10</p>	<p>Soft White</p>

 Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

ULTRA HIGH EFFICIENCY 3.0L/PF / 0.8GPF

<p><b>SUTO FLUSH GUARD™</b></p>  <p><b>AVAILABLE Q4</b></p>	<p style="text-align: center;"><b>DESCRIPTION</b></p> <ul style="list-style-type: none"> <li>• Ultra High Efficiency 3.0Lpf / 0.8Gpf</li> <li>• Compact elongated bowl</li> <li>• Vitreous China</li> <li>• Extra Large Footprint</li> <li>• 17" Plus Height for greater comfort</li> <li>• Chrome tank lever</li> <li>• 12" (305mm) Rough-in</li> <li>• Fully glazed ball pass trapway</li> <li>• 3" Flush valve</li> <li>• Siphon jet flush action</li> <li>• Water Surface: 8" x 5¼" (205mm x 145mm)</li> <li>• Toilet seat not included</li> <li>• Meets EPA WaterSense criteria</li> <li>• MaP Premium Tested 800g</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 420mm W x 740mm D x 795mm H</li> <li>• 16½" W x 29⅞" D x 31¼" H</li> </ul> <div style="text-align: right;">   </div>			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
	<b>Suto - Plus Height, Compact Elongated, Two Piece Toilet, Unlined Tank (Toilet seat not included)</b>			Soft White
<b>4742FGOX</b>	Suto Elongated ADA Bowl with Flush Guard™	60.96 lbs	18	Soft White
	<b>Compatible with the following tanks:</b>			
<b>4741FGVU</b>	Keaton and Suto - Unlined Tank	26.01 lbs	30	Soft White
	<b>RECOMMENDED SEAT (SOLD SEPARATELY)</b>		<b>CASE PACK (PCS)</b>	
<b>TS6121SC</b>	• Smooth Close Round Front Plastic Toilet Seat	3.74 lbs	10	Soft White
	<b>All in One</b>			
<b>4740FGOXU</b>	Suto All-In-One Two Piece 3L ADA Round Front Toilet with Flush Guard™	87.94 lbs	10	Soft White



 Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.




# TOILET SEATS

SMOOTH CLOSE ELONGATED PLASTIC TOILET SEAT - PAGE 34



TELESCOPIC	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• Smooth close plastic toilet seat</li> <li>• Fits all standard elongated toilet bowls</li> <li>• Individually boxed</li> <li>• 6 Pieces in a master carton</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 367mm W x 495mm D x 57mm H</li> <li>• 14<sup>3</sup>/<sub>8</sub>" W x 19<sup>1</sup>/<sub>2</sub>" D x 2<sup>1</sup>/<sub>4</sub>" H</li> </ul> 			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>CARTON</b>	<b>COLOUR</b>
<b>TS6020SC</b>	• Elongated Telescopic Smooth Close Toilet Seat	3.88 lbs	6	Soft White
ELONGATED	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• Smooth close plastic toilet seat</li> <li>• Fits all standard elongated toilet bowls</li> <li>• Individually boxed</li> <li>• 5 Pieces in a master carton</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 355mm W x 470mm D x 42mm H</li> <li>• 14" W x 18<sup>1</sup>/<sub>2</sub>" D x 2<sup>1</sup>/<sub>4</sub>" H</li> </ul> 			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>CARTON</b>	<b>COLOUR</b>
<b>TS7150SC</b>	• Smooth Close Elongated Plastic Toilet Seat	3.74 lbs	5	Soft White
ROUND	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• Smooth close plastic toilet seat</li> <li>• Fits all standard round front toilet bowls</li> <li>• Individually boxed</li> <li>• 5 Pieces in a master carton</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 355mm W x 420mm D x 57mm H</li> <li>• 14" W x 16<sup>1</sup>/<sub>2</sub>" D x 2<sup>1</sup>/<sub>4</sub>" H</li> </ul> 			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>CARTON</b>	<b>COLOUR</b>
<b>TS6121SC</b>	• Smooth Close Round Front Plastic Toilet Seat	3.30 lbs	5	Soft White

 Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

# BIDET

CALE - PAGE 36



## BIDET


<p style="text-align: center;"><b>CALE</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• Vitreous china</li> <li>• 15½" Bowl height</li> <li>• 4 Holes (3 faucet holes with 8" centre and 1 small hole for pop-up rod)</li> <li>• Fits deck mounted fitting</li> <li>• Flushing rim</li> <li>• Vertical cleansing spray</li> <li>• Integral overflow</li> <li>• Faucet not included</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 374mm W x 645mm D x 395mm H</li> <li>• 14¾" W x 25¾" D x 15½" H</li> </ul>			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
<b>483OBLX</b>	• Cale - 4-Hole Bidet	39.93 lbs	18	Soft White




# PEDESTALS

CAPRICE - PAGE 38

<p style="text-align: center;"><b>CAPRICE</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• Transitional design</li> <li>• Vitreous china</li> <li>• Rear overflow hole</li> <li>• Single hole or 4" faucet centre</li> <li>• Mounting hardware supplied</li> <li>• Faucet not included</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 580mm W x 482mm D x 865mm H</li> <li>• 22<sup>3</sup>/<sub>4</sub>" W x 19" D x 34" H</li> </ul>			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
	<b>Caprice - Pedestal Basin &amp; Leg Combination, Single Hole Faucet Drilling</b>			Soft White
<b>4313DMX</b>	• Caprice - Pedestal Basin, Single Hole Faucet Drilling	39.00 lbs	27	Soft White
<b>4344DMX</b>	• Basin Leg Caprice and Pineview	20.50 lbs	48	Soft White
	<b>Caprice - Pedestal Sink &amp; Leg Combination, 4" Centre Faucet Drilling</b>			Soft White
<b>4343DMX</b>	• Caprice - Pedestal Basin, 4" Centre Faucet Drilling	39.00 lbs	27	Soft White
<b>4344DMX</b>	• Basin Leg Caprice and Pineview	20.50 lbs	48	Soft White

<p><b>PINEVIEW</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• Modern rectangular basin</li> <li>• Vitreous china</li> <li>• Rear overflow hole</li> <li>• Single hole or 4" faucet centre</li> <li>• Mounting hardware supplied</li> <li>• Faucet not included</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 560mm W x 472mm D x 860mm H</li> <li>• 22" W x 18½" D x 33¾" H</li> </ul>			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
	<b>Pineview - Pedestal Sink &amp; Leg Combination, Single Hole Faucet Drilling</b>			
<b>4313DSX</b>	• Pineview - Pedestal Basin, Single Hole Faucet Drilling	44.00 lbs	27	Soft White
<b>4344DMX</b>	• Basin Leg Caprice and Pineview	20.50 lbs	48	Soft White
	<b>Pineview - Pedestal Sink &amp; Leg Combination, 4" Centre Faucet Drilling</b>			
<b>4343DSX</b>	• Pineview - Pedestal Basin, 4" Centre Faucet Drilling	44.00 lbs	27	Soft White
<b>4344DMX</b>	• Basin Leg Caprice and Pineview	20.50 lbs	48	Soft White
	<b>Pineview - Pedestal Sink &amp; Leg, Single Hole Faucet Drilling</b>			
<b>4310DSX-077</b>	• Pineview - Pedestal Basin + Leg, Single Hole Faucet Drilling	65.00 lbs	12	Matte Black



 Products are designed to comply with ADA/ANSI A117.1, CSA B651 and OBC Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.


<p style="text-align: center;"><b>VIEIRA</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• Transitional design</li> <li>• Fine fireclay</li> <li>• Rear overflow hole</li> <li>• Single hole or 4" faucet centre</li> <li>• Mounting hardware supplied</li> <li>• Faucet not included</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 626mm W x 485mm D x 883mm H</li> <li>• 24<math>\frac{5}{8}</math>" W x 19" D x 34<math>\frac{3}{4}</math>" H</li> </ul>			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
	<b>Vieira - Pedestal Basin &amp; Leg Combination, Single Hole Faucet Drilling</b>			Soft White
<b>4319DHX</b>	• Vieira - Pedestal Basin, Single Hole Faucet Drilling	44.00 lbs	18	Soft White
<b>4390DHX</b>	• Vieira -Basin Leg	22.44 lbs	36	Soft White
	<b>Vieira - Pedestal Basin &amp; Leg Combination, 4" Centre Faucet Drilling</b>			Soft White
<b>4349DHX</b>	• Vieira -Pedestal Basin, 4" Centre Faucet Drilling	44.00 lbs	18	Soft White
<b>4390DHX</b>	• Vieira - Basin Leg	22.44 lbs	36	Soft White








# DROP-IN SINKS


RUSSO - PAGE 45


CATALINA	DESCRIPTION			
		<ul style="list-style-type: none"> <li>• Oval Drop-in Sink</li> <li>• Vitreous china</li> <li>• Front overflow hole</li> <li>• Single hole or 4" faucet centre</li> <li>• Template supplied</li> <li>• Faucet not included</li> </ul>		
<p><b>OUTER DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 514mm W x 432mm D x 194mm H</li> <li>• 20¼" W x 17" D x 7⅝" H</li> </ul> <p><b>* SPECIAL ORDER ONLY</b></p> <ul style="list-style-type: none"> <li>4110BGW-SO - Single Hole (Sealed Overflow)</li> <li>4140BGW-SO - 4" Centre (Sealed Overflow)</li> </ul>				
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
<b>4110BGW</b>	• Catalina - Faucet Hole - Single Hole Only	15.99 lbs	54	Soft White
<b>4140BGW</b>	• Catalina - Faucet Hole on 4" (102mm) Centre	15.99 lbs	54	Soft White
<b>4110BGW-SO*</b>	• Catalina - Faucet Hole - Single Hole Only (Sealed Overflow) <b>*Special Order</b>	15.99 lbs	54	Soft White
<b>4140BGW-SO*</b>	• Catalina - Faucet Hole on 4" (102mm) Centre (Sealed Overflow) <b>*Special Order</b>	15.99 lbs	54	Soft White



CURTIS	DESCRIPTION			
		<ul style="list-style-type: none"> <li>• Semi-Oval Drop-In Sink</li> <li>• Vitreous china</li> <li>• Front overflow hole</li> <li>• 4" Faucet centre</li> <li>• Template supplied</li> <li>• Faucet not included</li> </ul>		
<p><b>OUTER DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 525mm W x 435mm D x 195mm H</li> <li>• 20⅝" W x 17⅞" D x 7⅞" H</li> </ul>				
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
<b>4140BEW</b>	• Curtis - Faucet Hole on 4" (102mm) Centre	15.40 lbs	54	Soft White



 Products are designed to comply with ADA/ANSI A117.1, CSA B651 and OBC Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.


<p><b>CAILYN</b></p> 	<p><b>DESCRIPTION</b></p> <ul style="list-style-type: none"> <li>• Round Drop-in Sink</li> <li>• Vitreous china</li> <li>• Front overflow hole</li> <li>• Single hole or 4" faucet centre</li> <li>• Template supplied</li> <li>• Faucet not included</li> </ul> <p><b>OUTER DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 484mm W x 484mm D x 206mm H</li> <li>• 19" W x 19" D x 8½" H</li> </ul> <p><b>* SPECIAL ORDER ONLY</b></p> <p>4110BRW-SO - Single Hole (Sealed Overflow) 4140BRW-SO - 4" Centre (Sealed Overflow)</p> 			
	<p><b>PRODUCTS</b></p>		<p><b>NET WT</b></p>	<p><b>PALLET QUANTITY</b></p>
<b>4110BRW</b>	• Cailyn - Faucet Hole - Single Hole Only	19.00 lbs	54	Soft White
<b>4140BRW</b>	• Cailyn - Faucet Hole on 4" (102mm) Centre	19.00 lbs	54	Soft White
<b>4110BRW-SO*</b>	• Cailyn - Faucet Hole - Single Hole Only (Sealed Overflow) <b>*Special Order</b>	19.00 lbs	54	Soft White
<b>4110BRW-SO*</b>	• Cailyn - Faucet Hole on 4" (102mm) Centre (Sealed Overflow) <b>*Special Order</b>	19.00 lbs	54	Soft White

<p><b>VIEIRA</b></p> 	<p><b>DESCRIPTION</b></p> <ul style="list-style-type: none"> <li>• Rectangular Drop-in Sink</li> <li>• Transitional design</li> <li>• Fine fireclay</li> <li>• Rear overflow hole</li> <li>• Single hole or 4" faucet centre</li> <li>• Template supplied</li> <li>• Faucet not included</li> </ul> <p><b>OUTER DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 570mm W x 470mm D x 205mm H</li> <li>• 22¾" W x 18½" D x 8" H</li> </ul>			
	<p><b>PRODUCTS</b></p>		<p><b>NET WT</b></p>	<p><b>PALLET QUANTITY</b></p>
<b>4119DHW</b>	• Vieira - Faucet Hole - Single Hole Only	24.00 lbs	28	Soft White
<b>4149DHW</b>	• Vieira - Faucet Hole on 4" (102mm) Centre	24.00 lbs	28	Soft White

 Products are designed to comply with ADA/ANSI A117.1, CSA B651 and OBC Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

<p><b>LOLAND</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• Rectangular Drop-in Sink</li> <li>• Fine fireclay</li> <li>• Front overflow hole</li> <li>• Single hole, 4" faucet centre</li> <li>• Template supplied</li> <li>• Faucet not included</li> </ul> <p><b>OUTER DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 540mm W x 460mm D x 180mm H</li> <li>• 21¼" W x 18½" D x 7½" H</li> </ul> 			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
<p><b>4410BST</b></p>	<ul style="list-style-type: none"> <li>• Loland - Faucet Hole - Single Hole Only</li> </ul>	21.71 lbs	28	Soft White
<p><b>4440BST</b></p>	<ul style="list-style-type: none"> <li>• Loland - Faucet Hole on 4" (102mm) Centre</li> </ul>	21.71 lbs	28	Soft White

<p><b>REAVES</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• Rectangular Drop-in Sink</li> <li>• Sloped interior bowl design</li> <li>• Fine fireclay</li> <li>• Rear overflow hole</li> <li>• Single hole, 4" faucet centre</li> <li>• Template supplied</li> <li>• Faucet not included</li> </ul> <p><b>OUTER DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 515mm W x 440mm D x 190mm H</li> <li>• 20¼" W x 17¾" D x 7½" H</li> </ul> 			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
<p><b>6410STZ</b></p>	<ul style="list-style-type: none"> <li>• Reaves - Faucet Hole - Single Hole Only</li> </ul>	23.00 lbs	30	Soft White
<p><b>6440STZ</b></p>	<ul style="list-style-type: none"> <li>• Reaves - Faucet Hole on 4" (102mm) Centre</li> </ul>	23.00 lbs	30	Soft White


 Products are designed to comply with ADA/ANSI A117.1, CSA B651 and OBC Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.



<p><b>RUSSO</b></p> 	<p><b>DESCRIPTION</b></p>			
	<ul style="list-style-type: none"> <li>• Square Drop-in Sink</li> <li>• Fine fireclay</li> <li>• Rear overflow hole</li> <li>• Single hole, 4" faucet centre</li> <li>• Template supplied</li> <li>• Faucet not included</li> </ul> <div style="text-align: right; margin-top: 10px;">  </div> <p><b>OUTER DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 415mm W x 415mm D x 172mm H</li> <li>• 16¼" W x 16¼" D x 6¾" H</li> </ul>			
	<p><b>PRODUCTS</b></p>	<p><b>NET WT</b></p>	<p><b>PALLET QUANTITY</b></p>	<p><b>COLOUR</b></p>
<p><b>4461BPX</b></p>	<ul style="list-style-type: none"> <li>• Russo - Faucet Hole - Single Hole Only</li> </ul>	<p>17.50 lbs</p>	<p>30</p>	<p>Soft White</p>
<p><b>4464BPX</b></p>	<ul style="list-style-type: none"> <li>• Russo - Faucet Hole on 4" (102mm) Centre</li> </ul>	<p>17.50 lbs</p>	<p>30</p>	<p>Soft White</p>


# UNDERMOUNT SINKS

CATENA - PAGE 48



<p><b>COLLETTE</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• Rectangular Undermount Sink</li> <li>• Vitreous china</li> <li>• Front overflow hole</li> <li>• Template supplied</li> <li>• Mounting hardware not included</li> </ul> <p><b>NOMINAL DIMENSIONS</b>  <b>Outer:</b>                      • 550mm W x 350mm D x 190mm H                      • 21<sup>5</sup>/<sub>8</sub>" W x 13<sup>3</sup>/<sub>4</sub>" D x 7<sup>1</sup>/<sub>2</sub>" H  <b>Inner:</b>                      • 500mm W x 300mm D x 140mm H                      • 19<sup>5</sup>/<sub>8</sub>" W x 11<sup>7</sup>/<sub>8</sub>" D x 5<sup>1</sup>/<sub>2</sub>" H</p> 			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
<p><b>4220CIY</b></p>	<ul style="list-style-type: none"> <li>• Collette - Rectangular Undermount Sink</li> </ul>	<p>23.98 lbs</p>	<p>35</p>	<p>Soft White</p>

<p><b>CAMDEN</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• Square Undermount Sink</li> <li>• Vitreous china</li> <li>• Front overflow hole</li> <li>• Template supplied</li> <li>• Mounting hardware not included</li> </ul> <p><b>NOMINAL DIMENSIONS</b>  <b>Outer:</b>                      • 405mm W x 405mm D x 190mm H                      • 16" W x 16" D x 7<sup>1</sup>/<sub>2</sub>" H  <b>Inner:</b>                      • 355mm W x 355mm D x 138mm H                      • 14" W x 14" D x 5<sup>1</sup>/<sub>2</sub>" H</p> 			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
<p><b>4210CHY</b></p>	<ul style="list-style-type: none"> <li>• Camden - Square Undermount Sink</li> </ul>	<p>22.00 lbs</p>	<p>36</p>	<p>Soft White</p>

<p><b>CATENA</b></p> 	DESCRIPTION			
<p><b>4210CIY</b></p>	<p><b>PRODUCTS</b></p> <ul style="list-style-type: none"> <li>• Catena - Rectangular Undermount Sink</li> </ul>	<p><b>NET WT</b></p> <p>25.30 lbs</p>	<p><b>PALLET QUANTITY</b></p> <p>36</p>	<p><b>COLOUR</b></p> <p>Soft White</p>

- Rectangular Undermount Sink
- Vitreous china
- Front overflow hole
- Template supplied
- Mounting hardware not included


**NOMINAL DIMENSIONS**


**Outer:**

- 510mm W x 390mm D x 190mm H
- 20" W x 15<sup>3</sup>/<sub>8</sub>" D x 7<sup>1</sup>/<sub>2</sub>" H

**Inner:**

- 458mm W x 340mm D x 140mm H
- 18" W x 13<sup>3</sup>/<sub>8</sub>" D x 5<sup>1</sup>/<sub>2</sub>" H



<p><b>CATENA PETITE</b></p> 	DESCRIPTION			
<p><b>4210CLY</b></p>	<p><b>PRODUCTS</b></p> <ul style="list-style-type: none"> <li>• Catena Petite - Rectangular Undermount Sink</li> </ul>	<p><b>NET WT</b></p> <p>NEW</p>	<p><b>PALLET QUANTITY</b></p> <p>36</p>	<p><b>COLOUR</b></p> <p>Soft White</p>

- Rectangular Undermount Sink
- Vitreous china
- Front overflow hole
- Template supplied
- Mounting hardware not included

**NOMINAL DIMENSIONS**

**Outer:**



- 431mm W x 296mm D x 192mm H
- 17" W x 11<sup>5</sup>/<sub>8</sub>" D x 7<sup>1</sup>/<sub>2</sub>" H



**Inner:**


- 381mm W x 240mm D x 140mm H
- 15" W x 9<sup>3</sup>/<sub>8</sub>" D x 5<sup>1</sup>/<sub>2</sub>" H






<p><b>CONNOR</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• Oval Undermount Sink</li> <li>• Vitreous china</li> <li>• Front overflow hole</li> <li>• Template supplied</li> <li>• Mounting hardware not included</li> </ul> <p><b>NOMINAL DIMENSIONS</b>  <b>Outer:</b></p> <ul style="list-style-type: none"> <li>• 430mm W x 355mm D x 190mm H</li> <li>• 17" W x 14" D x 7½" H</li> </ul> <p><b>Inner:</b></p> <ul style="list-style-type: none"> <li>• 380mm W x 305mm D x 140mm H</li> <li>• 15" W x 12" D x 5½" H</li> </ul>			
<b>4210CFY</b>	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
	• Connor - Oval Undermount Sink	13.53 lbs	36	Soft White



<p><b>CALVIN</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• Oval Undermount Sink</li> <li>• Vitreous china</li> <li>• Front overflow hole</li> <li>• Template supplied</li> <li>• Mounting hardware not included</li> </ul> <p><b>NOMINAL DIMENSIONS</b>  <b>Outer:</b></p> <ul style="list-style-type: none"> <li>• 490mm W x 410mm D x 195mm H</li> <li>• 19¼" W x 16½" D x 7¾" H</li> </ul> <p><b>Inner:</b></p> <ul style="list-style-type: none"> <li>• 430mm W x 350mm D x 145mm H</li> <li>• 17" W x 13¾" D x 5¾" H</li> </ul>			
<b>4220CFY</b>	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
	• Calvin - Oval Undermount Sink	17.55 lbs	30	Soft White

EMERY	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• Rectangular Undermount Sink</li> <li>• Vitreous china</li> <li>• Front overflow hole</li> <li>• Sloped bowl design</li> <li>• 8¼" bowl depth</li> <li>• Template and mounting hardware supplied</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <p><b>Outer:</b></p> <ul style="list-style-type: none"> <li>• 545mm W x 355mm D x 210mm H</li> <li>• 21½" W x 14" D x 8¼" H</li> </ul> <p><b>Inner:</b></p> <ul style="list-style-type: none"> <li>• 495mm W x 305mm D x 160mm H</li> <li>• 19½" W x 12" D x 6¼" H</li> </ul>			
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
4220CGY	• Emery - Rectangular Undermount Sink	19.25 lbs	35	Soft White
4220CGY-077	• Emery - Rectangular Undermount Sink	19.25 lbs	35	Matte Black



**MATTE BLACK**  
4220CGY-077


 Products are designed to comply with ADA/ANSI A117.1, CSA B651 and OBC Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

EMERY PETITE	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• Rectangular Undermount Sink</li> <li>• Vitreous china</li> <li>• Front overflow hole</li> <li>• Template supplied</li> <li>• Mounting hardware not included</li> </ul>			
	<p><b>NOMINAL DIMENSIONS</b></p> <p><b>Outer:</b></p> <ul style="list-style-type: none"> <li>• 470mm W x 350mm D x 180mm H</li> <li>• 18½" W x 13¾" D x 7" H</li> </ul> <p><b>Inner:</b></p> <ul style="list-style-type: none"> <li>• 420mm W x 300mm D x 128mm H</li> <li>• 16½" W x 11¾" D x 5" H</li> </ul>			
<p><b>4220CJY</b></p>	<p><b>PRODUCTS</b></p>	<p><b>NET WT</b></p>	<p><b>PALLET QUANTITY</b></p>	<p><b>COLOUR</b></p>
	<ul style="list-style-type: none"> <li>• Emery Petite - Rectangular Undermount Sink</li> </ul>	<p>14.33 lbs</p>	<p>36</p>	<p>Soft White</p>





# VESSEL SINKS


ABBI - PAGE 53

<p><b>ABBI</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• Round Vessel Sink</li> <li>• Vitreous china</li> <li>• Fully concealed and glazed back</li> <li>• Front overflow hole</li> <li>• Single hole faucet drilling</li> <li>• Template supplied</li> <li>• Faucet not included</li> </ul> <p><b>OUTER DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 424mm W x 424mm D x 194mm H</li> <li>• 16%<sup>1</sup>/<sub>8</sub>" W x 16%<sup>1</sup>/<sub>8</sub>" D x 7%<sup>7</sup>/<sub>8</sub>" H</li> </ul>			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
<b>4500ARW</b>	• Abbi - Faucet Hole - Single Hole Only	16.94 lbs	28	Soft White
<b>4500ARW-077</b>	• Abbi - Faucet Hole - Single Hole Only	17.05 lbs	28	Matte Black
<b>4500ARW-088</b>	• Abbi - Faucet Hole - Single Hole Only	17.05 lbs	28	Slate Grey



 Products are designed to comply with ADA/ANSI A117.1, CSA B651 and OBC Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.


<b>CONWICK</b>	<b>DESCRIPTION</b>			
	<ul style="list-style-type: none"> <li>• Semi-recessed Rectangular Vessel Sink</li> <li>• Fine fireclay</li> <li>• Rear overflow hole</li> <li>• Single hole or 4" faucet centre</li> <li>• Template supplied</li> <li>• Faucet not included</li> </ul> <p><b>OUTER DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 456mm W x 412mm D x 199mm H</li> <li>• 18" W x 16¼" D x 7⅞" H</li> </ul>			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
<b>6410LEX</b>	• Conwick - Faucet Hole - Single Hole Only	19.50 lbs	30	Soft White
<b>6440LEX</b>	• Conwick - Faucet Hole on 4" (102mm) Centre	19.50 lbs	30	Soft White



<b>BROOKE</b>	<b>DESCRIPTION</b>			
	<ul style="list-style-type: none"> <li>• Rectangular Vessel Sink</li> <li>• Fine fireclay</li> <li>• Glazed on all sides</li> <li>• Includes mounting bracket for wall mount options</li> <li>• Side overflow with chrome ring</li> <li>• Faucet not included</li> <li>• Can be installed with faucet hole on right-hand and left-hand side</li> </ul> <p><b>OUTER DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 500mm W x 253mm D x 148mm H</li> <li>• 19⅞" W x 10" D x 5⅞" H</li> </ul>			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
<b>13-0074-W</b>	• Brooke - Faucet Hole - Single Hole Only	20.00 lbs	48	Soft White



# WALL-HUNG SINKS

IZOBELLE - PAGE 56

<p><b>EDGEVIEW</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• Wall Mounted Corner Sink</li> <li>• Fine Fireclay</li> <li>• Slim rim profile</li> <li>• Rear overflow hole</li> <li>• Single hole faucet centre</li> <li>• Mounting bracket and hardware supplied</li> <li>• For concealed plate-type carrier installation (supplied by others)</li> <li>• Faucet not included</li> </ul> <p><b>OUTER DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 440mm W x 500mm D x 195mm H</li> <li>• 17<sup>3</sup>/<sub>8</sub>" W x 19<sup>3</sup>/<sub>8</sub>" D x 7<sup>7</sup>/<sub>8</sub>" H</li> </ul> <p><b>* SPECIAL ORDER ONLY</b> 4610BHX-SO - Single Hole (Sealed Overflow)</p>			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
<p><b>4610BHX</b></p>	<ul style="list-style-type: none"> <li>• Edgeview - Wall-Hung Corner Sink</li> </ul>	24.31 lbs	30	Soft White
<p><b>4610BHX-SO*</b></p>	<ul style="list-style-type: none"> <li>• Edgeview - Wall-Hung Corner Sink, Sealed Overflow <b>*Special Order</b></li> </ul>	24.31 lbs	30	Soft White

<p><b>IZOBELLE</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• Wall Mounted Sink</li> <li>• Fine Fireclay</li> <li>• Slim rim profile</li> <li>• Rear overflow hole</li> <li>• Single hole faucet centre</li> <li>• Mounting bracket and hardware supplied</li> <li>• For concealed plate-type carrier installation (supplied by others)</li> <li>• Faucet not included</li> </ul> <p><b>OUTER DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 508mm W x 457mm D x 148mm H</li> <li>• 20" W x 17<sup>3</sup>/<sub>4</sub>" D x 5<sup>7</sup>/<sub>8</sub>" H</li> </ul>			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
<p><b>6610ANX</b></p>	<ul style="list-style-type: none"> <li>• Izobelle - Decorative Square Wall-Hung Sink</li> </ul>	35.50 lbs	24	Soft White






# TOILETS

## COMMERCIAL FIXTURES




COMEAU - PAGE 61








## HIGH EFFICIENCY KINDERGARTEN TOILET 4.8LPF / 1.28GPF


<p><b>CALEDON</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• High Efficiency 4.8Lpf / 1.28Gpf</li> <li>• Vitreous china</li> <li>• 11" Bowl height</li> <li>• Soft white tank lever</li> <li>• <b>10" (254mm) Rough-in</b></li> <li>• 2" Fully glazed ball pass trapway</li> <li>• Siphon jet flush action</li> <li>• Water surface 9¼" x 8¼" (235mm x 210mm)</li> <li>• Plastic toilet seat included</li> <li>• Meets EPA WaterSense criteria</li> <li>• MaP Tested 800g</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 432mm W x 617mm D x 671mm H</li> <li>• 17" W x 24¼" D x 26⅜" H</li> </ul> <div style="text-align: right;">   </div>			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
<b>4760BKV</b>	<ul style="list-style-type: none"> <li>• Caledon - 10" Rough-In, Kindergarten Toilet, Lined Tank, with Plastic Toilet Seat</li> </ul>	57.00 lbs	9	Soft White

## HIGH EFFICIENCY KINDERGARTEN FLUSHOMETER VALVE BOWL 4.8LPF / 1.28GPF






<p><b>DEBLIN</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• High Efficiency Flushometer Valve Bowl 4.8Lpf / 1.28Gpf</li> <li>• Vitreous china</li> <li>• 11" Bowl height</li> <li>• <b>10" (254mm) Rough-in</b></li> <li>• 2" Fully glazed ball pass trapway</li> <li>• Siphon jet flush action</li> <li>• 1½" NPT Top inlet spud</li> <li>• Water surface 9¼" x 8¼" (235mm x 210mm)</li> <li>• Plastic toilet seat included</li> <li>• Flushometer valve not included</li> <li>• Meets EPA WaterSense criteria</li> <li>• MaP Tested 800g</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 343mm W x 584mm D x 280mm H</li> <li>• 13½" W x 23" D x 11" H</li> </ul> <div style="text-align: right;">   </div>			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
<b>4762BKX</b>	<ul style="list-style-type: none"> <li>• Deblin - Kindergarten Flushometer Bowl, Floor Mounted, 11" High Bowl, Top Inlet Spud, 10" Rough-in, With Plastic Toilet Seat (Flushometer Valve not included)</li> </ul>	33.07 lbs	12	Soft White

HIGH EFFICIENCY PRESSURE ASSIST TOILET 3.8LPF / 1.0GPF




<p style="text-align: center;"><b>CHANE</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• High Efficiency Pressure Assist Toilet 3.8Lpf / 1.0Gpf</li> <li>• Elongated bowl</li> <li>• Vitreous china</li> <li>• 17" Plus Height for greater comfort</li> <li>• Chrome tank lever</li> <li>• 2" Fully glazed ball pass trapway</li> <li>• Siphon jet flush action</li> <li>• Water surface: 11<sup>5</sup>/<sub>16</sub>" x 7<sup>7</sup>/<sub>8</sub>" (295mm x 198mm)</li> <li>• Powerful and quiet pressure assisted Sloan FLUSHMATE® Flush assures clean and complete removal of all waste</li> <li>• Back outlet flange</li> <li>• Toilet seat not included</li> <li>• Meets EPA WaterSense criteria</li> <li>• MaP Premium Tested 1000g</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 447mm W x 755mm D x 800mm H</li> <li>• 17<sup>5</sup>/<sub>16</sub>" W x 29<sup>3</sup>/<sub>4</sub>" D x 31<sup>1</sup>/<sub>2</sub>" H</li> </ul> <div style="text-align: right;">    </div> <div style="text-align: right; margin-top: 20px;">  </div>			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
	<ul style="list-style-type: none"> <li>• <b>Chane/Canaham - Plus Height, Elongated Pressure Assist, Back Outlet, Two Piece Toilet, Unlined Tank with Universal Handle and Locking Tank (Toilet seat not included)</b></li> </ul>			Soft White
<p style="text-align: center;"><b>5721BOY-L</b></p>	<ul style="list-style-type: none"> <li>• Canaham - Unlined Tank. Pressure Assist with Universal Handle and Locking Tank</li> </ul>	28.00 lbs	30	Soft White
<p style="text-align: center;"><b>5722BMY</b></p>	<ul style="list-style-type: none"> <li>• Chane - Plus Height, Elongated Toilet Bowl, Back Outlet Flange, Pressure Assist (Toilet seat not included)</li> </ul>	39.16 lbs	9	Soft White
	<b>RECOMMENDED SEAT (SOLD SEPARATELY)</b>		<b>CASE PACK (PCS)</b>	
<p style="text-align: center;"><b>TS7150SC</b></p>	<ul style="list-style-type: none"> <li>• Smooth Close Elongated Plastic Toilet Seat</li> </ul>	3.74 lbs	10 PCS	Soft White


 Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

## HIGH EFFICIENCY PRESSURE ASSIST TOILET 3.8Lpf / 1.0GPF

<p style="text-align: center;"><b>CLEO</b></p> 	<p style="text-align: center;"><b>DESCRIPTION</b></p> <ul style="list-style-type: none"> <li>• High Efficiency Pressure Assist Toilet 3.8Lpf / 1.0Gpf</li> <li>• Elongated bowl</li> <li>• Vitreous china</li> <li>• 17" Plus Height for greater comfort</li> <li>• Chrome tank lever</li> <li>• 12" (305mm) Rough-in</li> <li>• 2" Fully glazed ball pass trapway</li> <li>• Siphon jet flush action</li> <li>• Water surface: 8" x 6½" (203mm x 165mm)</li> <li>• Powerful and quiet pressure assisted Sloan FLUSHMATE® Flush assures clean and complete removal of all waste</li> <li>• Toilet seat not included</li> <li>• Meets EPA WaterSense criteria</li> <li>• MaP Premium Tested 1000g</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 447mm W x 716mm D x 799mm H</li> <li>• 17½" W x 28½" D x 31½" H</li> </ul> <div style="text-align: right;">       </div>			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
	<ul style="list-style-type: none"> <li>• Cleo/Canaham - Plus Height, Elongated Pressure Assist, Two Piece Toilet, Unlined Tank with Universal Handle and Locking Tank (Toilet seat not included)</li> </ul>			Soft White
<b>5721BOY-L</b>	<ul style="list-style-type: none"> <li>• Canaham - Unlined Tank. Pressure Assist with Universal Handle and Locking Tank</li> </ul>	28.00 lbs	30	Soft White
<b>5722BOY</b>	<ul style="list-style-type: none"> <li>• Cleo - Plus Height, Elongated Toilet Bowl, Pressure Assist (Toilet seat not included)</li> </ul>	47.00 lbs	12	Soft White
	<b>RECOMMENDED SEAT (SOLD SEPARATELY)</b>		<b>CASE PACK (PCS)</b>	
<b>TS7150SC</b>	<ul style="list-style-type: none"> <li>• Smooth Close Elongated Plastic Toilet Seat</li> </ul>	3.74 lbs	10 PCS	Soft White

HIGH EFFICIENCY PRESSURE ASSIST TOILET 3.8LPF / 1.0GPF

<p><b>COMEAU</b></p> 	<p><b>DESCRIPTION</b></p> <ul style="list-style-type: none"> <li>• High Efficiency Pressure Assist Toilet 3.8Lpf / 1.0Gpf</li> <li>• Elongated bowl</li> <li>• Vitreous china</li> <li>• 15½" Bowl Height</li> <li>• Chrome tank lever</li> <li>• 12" (305mm) Rough-in</li> <li>• 2" Fully glazed ball pass trapway</li> <li>• Siphon jet flush action</li> <li>• Powerful and quiet pressure assisted Sloan FLUSHMATE® Flush assures clean and complete removal of all waste</li> <li>• Toilet seat not included</li> <li>• Meets EPA WaterSense criteria</li> <li>• MaP Premium Tested 1000g</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 440mm W x 730mm D x 758mm H</li> <li>• 17⅝" W x 28¾" D x 29⅞" H</li> </ul> <p>*Information subject to change</p>  			
	<p><b>PRODUCTS</b></p>	<p><b>NET WT</b></p>	<p><b>PALLET QUANTITY</b></p>	<p><b>COLOUR</b></p>
	<p>• <b>Comeau/Canaham - Plus Height, Elongated Pressure Assist, Two Piece Toilet, Unlined Tank with Universal Handle and Locking Tank (Toilet seat not included)</b></p>			<p>Soft White</p>
<p><b>5721BOY-L</b></p>	<p>• Canaham - Unlined Tank. Pressure Assist with Universal Handle and Locking Tank</p>	<p>28.00 lbs</p>	<p>30</p>	<p>Soft White</p>
<p><b>5722BEY</b></p>	<p>• Comeau - 15.5" Elongated Toilet Bowl, Pressure Assist (Toilet seat not included)</p>	<p>47.00 lbs</p>	<p>12</p>	<p>Soft White</p>
	<p><b>RECOMMENDED SEAT (SOLD SEPARATELY)</b></p>		<p><b>CASE PACK (PCS)</b></p>	
<p><b>TS7150SC</b></p>	<p>• Smooth Close Elongated Plastic Toilet Seat</p>	<p>3.74 lbs</p>	<p>10 PCS</p>	<p>Soft White</p>

 Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.






# FLUSH VALVE BOWLS

## COMMERCIAL FIXTURES

CLAY - PAGE 63




HIGH EFFICIENCY FLUSHOMETER VALVE BOWL 4.2Lpf / 1.1GPF


<p><b>CLAY</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• High Efficiency Flushometer Valve Bowl 4.2Lpf / 1.1Gpf</li> <li>• Will also function within a flush volume range of 4.2-4.8Lpf /1.1-1.28Gpf</li> <li>• Elongated bowl</li> <li>• Vitreous china</li> <li>• 16½" Plus Height for greater comfort</li> <li>• <b>10" (254mm) Rough-in</b></li> <li>• 2" Fully glazed ball pass trapway</li> <li>• Siphon jet flush action</li> <li>• 1½ NPT Top or back inlet spud</li> <li>• Water surface: 8½" x 5½" (220mm x 140mm)</li> <li>• Seat by others and Flushometer Valve not included</li> <li>• Meets EPA WaterSense criteria</li> <li>• <b>New Pro Guard Glaze</b></li> <li>• MaP Tested 1000g (Top Inlet)</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 370mm W x 705mm D x 419mm H</li> <li>• 14½" W x 27¾" D x 16½" H</li> </ul> <p><b>* SPECIAL ORDER ONLY</b> 4765BOU - 4.2L (Rear Inlet) MaP Tested 1000g (Rear Inlet)</p>		   	
	<p><b>PRODUCTS</b></p>	<p><b>NET WT</b></p>	<p><b>PALLET QUANTITY</b></p>	<p><b>COLOUR</b></p>
<p><b>4765BOX</b></p>	<ul style="list-style-type: none"> <li>• Clay - Plus Height, Elongated 10" Rough-In, Top Inlet Flushometer Valve Bowl (Seat by others and Flushometer Valve not included)</li> </ul>	<p>48.50 lbs</p>	<p>12</p>	<p>Soft White</p>
<p><b>4765BOU*</b></p>	<ul style="list-style-type: none"> <li>• Clay - Plus Height, Elongated 10" Rough-In, Rear Inlet Flushometer Valve Bowl (Seat by others and Flushometer Valve not included)</li> </ul> <p><b>*Special Order</b></p>	<p>48.50 lbs</p>	<p>12</p>	<p>Soft White</p>

HIGH EFFICIENCY FLUSHOMETER VALVE BOWL 4.2Lpf / 1.1GPF


<p><b>COLTER</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• High Efficiency Flushometer valve bowl 4.2Lpf / 1.1Gpf</li> <li>• Will also function within a flush volume range of 4.2-4.8Lpf /1.1-1.28Gpf</li> <li>• Elongated bowl</li> <li>• Vitreous china</li> <li>• 15" Bowl Height</li> <li>• <b>10" (254mm) Rough-in</b></li> <li>• 2" Fully glazed ball pass trapway</li> <li>• Siphon jet flush action</li> <li>• 1½ NPT Top or back inlet spud</li> <li>• Water surface: 9½" x 5½" (240mm x 140mm)</li> <li>• Seat by others</li> <li>• Flushometer Valve not included</li> <li>• Meets EPA WaterSense criteria</li> <li>• <b>New Pro Guard Glaze</b></li> <li>• MaP Tested 1000g (Top Inlet)</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 370mm W x 705mm D x 380mm H</li> <li>• 14½" W x 27¾" D x 15" H</li> </ul> <p><b>* SPECIAL ORDER ONLY</b> 4765BEU - 4.2L (Rear Inlet) MaP Tested 1000g (Rear Inlet)</p>		 	
	<p><b>PRODUCTS</b></p>	<p><b>NET WT</b></p>	<p><b>PALLET QUANTITY</b></p>	<p><b>COLOUR</b></p>
<p><b>4765BEX</b></p>	<ul style="list-style-type: none"> <li>• Colter - Elongated 10" Rough-In, Top Inlet Flushometer Valve Bowl (Seat by others and Flushometer Valve not included)</li> </ul>	<p>45.00 lbs</p>	<p>12</p>	<p>Soft White</p>
<p><b>4765BEU*</b></p>	<ul style="list-style-type: none"> <li>• Colter - Elongated 10" Rough-In, Rear Inlet Flushometer Valve Bowl (Seat by others and Flushometer Valve not included)</li> </ul> <p><b>*Special Order</b></p>	<p>45.00 lbs</p>	<p>12</p>	<p>Soft White</p>

 Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

HIGH EFFICIENCY WALL HUNG FLUSHOMETER VALVE BOWL 4.2LPF / 1.1GPF

<p style="text-align: center;"><b>CLARK</b></p> 	<p style="text-align: center;"><b>DESCRIPTION</b></p> <ul style="list-style-type: none"> <li>• High Efficiency Wall Hung Flushometer valve bowl 4.2Lpf / 1.1Gpf</li> <li>• Will also function within a flush volume range of 4.2-4.8Lpf / 1.1-1.28Gpf</li> <li>• Elongated bowl</li> <li>• Vitreous china</li> <li>• 2" Fully glazed ball pass trapway</li> <li>• Siphon jet flush action</li> <li>• 1½ NPT Top or back inlet spud</li> <li>• Water surface: 10¼" x 8½" (260mm x 220mm)</li> <li>• Seat by others</li> <li>• Flushometer Valve not included</li> <li>• Weight tested to 1000 lbs static load</li> <li>• Meets EPA WaterSense criteria</li> <li>• <b>New Pro Guard Glaze</b></li> <li>• MaP Tested 1000g</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 360mm W x 655mm D x 355mm H</li> <li>• 14½" W x 25¾" D x 14" H</li> </ul> <p><b>* SPECIAL ORDER ONLY</b>                      4765CEU - 4.2L (Rear Inlet)                      MaP Tested 1000g (Rear Inlet)</p>			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
<b>4765CEX</b>	<ul style="list-style-type: none"> <li>• Clark - Elongated, Top Inlet Flushometer Valve Bowl (Seat by others and Flushometer Valve not included)</li> </ul>	42.00 lbs	16	Soft White
<b>4765CEU*</b>	<ul style="list-style-type: none"> <li>• Clark - Elongated, Rear Inlet Flushometer Valve Bowl (Seat by others and Flushometer Valve not included) <b>*Special Order</b></li> </ul>	42.00 lbs	16	Soft White



 Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.







# URINALS

## COMMERCIAL FIXTURES



BRAEBOURNE - PAGE 66




## ULTRA HIGH EFFICIENCY WALL MOUNTED URINAL 0.47L/PF / 0.125GPF



<h3>BARTLEIGH</h3> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• Ultra High Efficiency Wall Mounted Urinal 0.47Lpf / 0.125Gpf</li> <li>• Vitreous china</li> <li>• Washout flush action</li> <li>• ¾" Top or rear inlet spud</li> <li>• Outlet connection threaded 2" inside NPTF</li> <li>• Flushing rim</li> <li>• 13¾" rim depth from finished wall</li> <li>• Mounting hardware supplied</li> <li>• Optional concealed carrier installation</li> <li>• Extended sides for privacy</li> <li>• Internal trap</li> <li>• Flushometer not included</li> <li>• Meets EPA WaterSense criteria</li> <li>• <b>New Pro Guard Glaze</b></li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 470mm W x 345mm D x 680mm H</li> <li>• 18½" W x 13¾" D x 26¾" H</li> </ul> <p><b>* SPECIAL ORDER ONLY</b> 4810BNY - 0.47L (Rear Inlet)</p> <div style="text-align: right;">    </div>			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
<b>4810BNX</b>	• Bartleigh - Top Inlet Wall Mounted Urinal (Does not include Flushometer Valve)	60.19 lbs	12	Soft White
<b>4810BNY*</b>	• Bartleigh - Rear Inlet Wall Mounted Urinal (Does not include Flushometer Valve) <b>*Special Order</b>	54.56 lbs	12	Soft White

## ULTRA HIGH EFFICIENCY WALL MOUNTED URINAL 0.47L/PF / 0.125GPF

<h3>BRAEBOURNE</h3> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• Ultra High Efficiency Wall Mounted Urinal 0.47Lpf / 0.125Gpf</li> <li>• Vitreous china</li> <li>• Washout flush action</li> <li>• ¾" Top or rear inlet spud</li> <li>• Outlet connection threaded 2" inside NPTF</li> <li>• Flushing rim</li> <li>• Extended sides for privacy</li> <li>• Internal trap</li> <li>• 12½" rim from finished wall</li> <li>• Wall hangers and screws included</li> <li>• Vitreous china strainer included</li> <li>• Flushometer not included</li> <li>• Meets EPA WaterSense criteria</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 320mm W x 360mm D x 565mm H</li> <li>• 12½" W x 14¼" D x 22¼" H</li> </ul> <div style="text-align: right;">  </div>			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
<b>4810BZY</b>	• Braebourne - Rear Inlet Wall Mounted Urinal (Does not include Flushometer Valve)	57.00 lbs	15	Soft White


 Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

ULTRA HIGH EFFICIENCY WALL MOUNTED URINAL 0.47LPF / 0.125GPF



<p><b>KOLBY</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• Ultra High Efficiency Wall Mounted Urinal 0.47Lpf / 0.125Gpf</li> <li>• Vitreous china</li> <li>• Washout flush action</li> <li>• 3/4" Top or rear inlet spud</li> <li>• Outlet connection threaded 2" inside NPTF</li> <li>• Flushing rim</li> <li>• Extended sides for privacy</li> <li>• Internal trap</li> <li>• 12 3/8" rim from finished wall</li> <li>• Wall hangers and screws included</li> <li>• Vitreous china strainer included</li> <li>• Flushometer not included</li> <li>• Meets EPA WaterSense criteria</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 352mm W x 314mm D x 550mm H</li> <li>• 13 3/8" W x 12 3/8" D x 21 5/8" H</li> </ul> <p><b>* SPECIAL ORDER ONLY</b> 4810BSY - 4.2L (Rear Inlet)</p>			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
<b>4810BSX</b>	<ul style="list-style-type: none"> <li>• Kolby - Top Inlet Wall Mounted Urinal (Does not include Flushometer Valve)</li> </ul>	29.26 lbs	24	Soft White
<b>4810BSX-077</b>	<ul style="list-style-type: none"> <li>• Kolby - Rear Inlet Wall Mounted Urinal (Does not include Flushometer Valve)</li> </ul>	29.26 lbs	24	Matte Black
<b>4810BSY*</b>	<ul style="list-style-type: none"> <li>• Kolby - Rear Inlet Wall Mounted Urinal (Does not include Flushometer Valve) <b>*Special Order</b></li> </ul>	35.11 lbs	20	Soft White





**MATTE BLACK**  
4810BSX-077

 Products are designed to comply with ADA/ANSI A117.1 Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

## HIGH EFFICIENCY WALL MOUNTED URINAL 1.9LPF / 0.5GPF


<p><b>CORNELL</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• High Efficiency Wall Mounted Urinal 1.9Lpf / 0.5Gpf</li> <li>• Vitreous china</li> <li>• Washout flush action</li> <li>• 3/4" Top inlet spud</li> <li>• Outlet spud with 1/2" tubing tailpiece</li> <li>• Flushing rim</li> <li>• 12 3/4" rim depth from finished wall</li> <li>• Mounting hardware supplied</li> <li>• For concealed carrier installation</li> <li>• Integral strainer</li> <li>• Flushometer not included</li> <li>• Meets EPA WaterSense criteria</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 321mm W x 324mm D x 457mm H</li> <li>• 12 5/8" W x 12 3/4" D x 18" H</li> </ul>			
<p><b>4810BEX</b></p>	<p><b>PRODUCTS</b></p> <ul style="list-style-type: none"> <li>• Cornell - Wall Mounted Urinal, Top Inlet (Does not include Flushometer)</li> </ul>	<p><b>NET WT</b></p> <p>29.70 lbs</p>	<p><b>PALLET QUANTITY</b></p> <p>28</p>	<p><b>COLOUR</b></p> <p>Soft White</p>


## HIGH EFFICIENCY WALL MOUNTED URINAL 1.9LPF / 0.5GPF


<p><b>CARLTON</b></p> 	DESCRIPTION			
	<ul style="list-style-type: none"> <li>• High Efficiency Wall Mounted Urinal 1.9Lpf / 0.5Gpf</li> <li>• Vitreous china</li> <li>• Washout flush action</li> <li>• 3/4" Top inlet spud</li> <li>• Outlet connection threaded 2" inside NPTF</li> <li>• Flushing rim</li> <li>• Extended sides for privacy</li> <li>• Integral trap</li> <li>• Elongated 14 3/4" rim from finished wall</li> <li>• For concealed carrier installation</li> <li>• Vitreous china strainer included</li> <li>• Flushometer not included</li> <li>• Meets EPA WaterSense criteria</li> </ul> <p><b>NOMINAL DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 445mm W x 375mm D x 684mm H</li> <li>• 17 1/2" W x 14 3/4" D x 27" H</li> </ul>			
<p><b>4810BFX</b></p>	<p><b>PRODUCTS</b></p> <ul style="list-style-type: none"> <li>• Carlton - Wall Mounted Urinal, Top Inlet (Does not include Flushometer)</li> </ul>	<p><b>NET WT</b></p> <p>57.00 lbs</p>	<p><b>PALLET QUANTITY</b></p> <p>12</p>	<p><b>COLOUR</b></p> <p>Soft White</p>





**DROP-IN &  
UNDERMOUNT SINKS  
COMMERCIAL FIXTURES**



CATALINA	DESCRIPTION			
		<ul style="list-style-type: none"> <li>• Oval Drop-in Sink</li> <li>• Vitreous china</li> <li>• Front overflow hole</li> <li>• Single hole, 4" faucet centre</li> <li>• Template supplied</li> <li>• Faucet not included</li> </ul>		
<p><b>OUTER DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 514mm W x 432mm D x 194mm H</li> <li>• 20¼" W x 17" D x 7⅝" H</li> </ul> <p><b>* SPECIAL ORDER ONLY</b></p> <ul style="list-style-type: none"> <li>4110BGW-SO - Single Hole (Sealed Overflow)</li> <li>4140BGW-SO - 4" Centre (Sealed Overflow)</li> </ul>				
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
<b>4110BGW</b>	• Catalina - Faucet Hole - Single Hole Only	15.99 lbs	54	Soft White
<b>4140BGW</b>	• Catalina - Faucet Hole on 4" (102mm) Centre	15.99 lbs	54	Soft White
<b>4110BGW-SO*</b>	• Catalina - Faucet Hole - Single Hole Only (Sealed Overflow) <b>*Special Order</b>	15.99 lbs	54	Soft White
<b>4140BGW-SO*</b>	• Catalina - Faucet Hole on 4" (102mm) Centre (Sealed Overflow) <b>*Special Order</b>	15.99 lbs	54	Soft White


CAILYN	DESCRIPTION			
		<ul style="list-style-type: none"> <li>• Round Drop-in Sink</li> <li>• Vitreous china</li> <li>• Front overflow hole</li> <li>• Single hole or 4" faucet centre</li> <li>• Template supplied</li> <li>• Faucet not included</li> </ul>		
<p><b>OUTER DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 484mm W x 484mm D x 206mm H</li> <li>• 19" W x 19" D x 8⅞" H</li> </ul> <p><b>* SPECIAL ORDER ONLY</b></p> <ul style="list-style-type: none"> <li>4110BRW-SO - Single Hole (Sealed Overflow)</li> <li>4140BRW-SO - 4" Centre (Sealed Overflow)</li> </ul>				
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
<b>4110BRW</b>	• Cailyn - Faucet Hole - Single Hole Only	19.00 lbs	54	Soft White
<b>4140BRW</b>	• Cailyn - Faucet Hole on 4" (102mm) Centre	19.00 lbs	54	Soft White
<b>4110BRW-SO*</b>	• Cailyn - Faucet Hole - Single Hole Only (Sealed Overflow) <b>*Special Order</b>	19.00 lbs	54	Soft White
<b>4110BRW-SO*</b>	• Cailyn - Faucet Hole on 4" (102mm) Centre (Sealed Overflow) <b>*Special Order</b>	19.00 lbs	54	Soft White

 Products are designed to comply with ADA/ANSI A117.1, CSA B651 and OBC Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.

GRAYCIE	DESCRIPTION			
		<ul style="list-style-type: none"> <li>• Oval Drop-in Sink</li> <li>• Vitreous china</li> <li>• Rear overflow holes</li> <li>• Single hole, 4" faucet centre</li> <li>• Template included</li> <li>• Faucet not included</li> </ul>		
<p><b>OUTER DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 533mm W x 445mm D x 177mm H</li> <li>• 21" W x 17½" D x 7" H</li> </ul> <p><b>* SPECIAL ORDER ONLY</b>                      4111BPU-SO - Single Hole (Sealed Overflow)                      4114BPU-SO - 4" Centre (Sealed Overflow)</p>				
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
<b>4111BPU</b>	• Graycie - Faucet Hole - Single Hole Only	22.93 lbs	36	Soft White
<b>4114BPU</b>	• Graycie - Faucet Hole on 4" (102mm) Centre	22.93 lbs	36	Soft White
<b>4111BPU-SO*</b>	• Graycie - Faucet Hole - Single Hole Only (Sealed Overflow) <b>*Special Order</b>	22.93 lbs	36	Soft White
<b>4114BPU-SO*</b>	• Graycie - Faucet Hole on 4" (102mm) Centre (Sealed Overflow) <b>*Special Order</b>	22.93 lbs	36	Soft White

GRECO	DESCRIPTION			
		<ul style="list-style-type: none"> <li>• Oval Undermount Sink</li> <li>• Vitreous china</li> <li>• Rear overflow hole</li> <li>• Shallow 5¾" depth</li> <li>• Template and mounting hardware included</li> </ul>		
<p><b>NOMINAL DIMENSIONS</b></p> <p><b>Outer:</b></p> <ul style="list-style-type: none"> <li>• 483mm W x 400mm D x 146mm H</li> <li>• 19" W x 15¾" Dx 5¾" H</li> </ul> <p><b>Inner:</b></p> <ul style="list-style-type: none"> <li>• 433mm W x 350mm D x 94mm H</li> <li>• 17" W x 13¾" D x 3¾" H</li> </ul> <p><b>* SPECIAL ORDER ONLY</b>                      422OCFX-SO - Undermount Sink (Sealed Overflow)</p>				
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
<b>422OCFX</b>	• Greco - Oval Undermount Sink	10.45 lbs	48	Soft White
<b>422OCFX-SO*</b>	• Greco - Oval Undermount Sink (Sealed Overflow) <b>*Special Order</b>	10.45 lbs	48	Soft White

<p><b>CASSIDY II</b></p> 	<p><b>DESCRIPTION</b></p>			
	<ul style="list-style-type: none"> <li>• Semi-Countertop self-rimming sink</li> <li>• Fine Fireclay</li> <li>• Rear overflow hole</li> <li>• Single hole, 4" faucet centre</li> <li>• Mounting screws and cut-out template supplied</li> <li>• Space saving design installs on a minimum countertop depth of 14"</li> <li>• Back of sink is not glazed, follow spec drawing to be installed flush against back wall</li> <li>• Faucet not included</li> </ul> <div style="text-align: right;"></div> <p><b>OUTER DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 645mm W x 555mm D x 175mm H</li> <li>• 25<math>\frac{3}{8}</math>" W x 21<math>\frac{7}{8}</math>" D x 6<math>\frac{5}{8}</math>" H</li> </ul> <p><b>* SPECIAL ORDER ONLY</b>                      4313DNX-SO - Single Hole (Sealed Overflow)                      4343DNX-SO - 4" Centre (Sealed Overflow)</p>			
	<b>PRODUCTS</b>	<b>NET WT</b>	<b>PALLET QUANTITY</b>	<b>COLOUR</b>
<b>4313DNX</b>	• Cassidy II - Faucet Hole - Single Hole Only	31.22 lbs	14	Soft White
<b>4343DNX</b>	• Cassidy II - Faucet Hole on 4" (102mm) Centre	31.22 lbs	14	Soft White
<b>4313DNX-SO*</b>	• Cassidy II - Faucet Hole - Single Hole Only (Sealed Overflow) <b>*Special Order</b>	31.22 lbs	14	Soft White
<b>4343DNX-SO*</b>	• Cassidy II - Faucet Hole on 4" (102mm) Centre (Sealed Overflow) <b>*Special Order</b>	31.22 lbs	14	Soft White

 Products are designed to comply with ADA/ANSI A117.1, CSA B651 and OBC Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.










# WALL-HUNG SINKS


## COMMERCIAL FIXTURES


BARRIER FREE HYGIENIC SINK - PAGE 74


<p><b>HYGIENIC SINK</b></p> 	<p><b>DESCRIPTION</b></p>			
	<ul style="list-style-type: none"> <li>• Wall Mounted Sink with Shroud</li> <li>• Vitreous china with <b>Pro Guard Glaze</b></li> <li>• Single hole faucet drilling</li> <li>• Built-in backsplash</li> <li>• Offset drain located at the back of the sink to avoid direct fall of water stream</li> <li>• No overflow, to prevent contamination</li> <li>• Slanted deck, to prevent water pooling</li> <li>• Mounting hardware supplied</li> <li>• For concealed arm carrier (provided by others) installation</li> <li>• Acrylic shroud included</li> <li>• Faucet not included</li> </ul> <p><b>OUTER DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 515mm W x 465mm D x 595mm H</li> <li>• 20¼" W x 18¼" D x 23¾" H</li> </ul>			
	<p><b>PRODUCTS</b></p>	<p><b>NET WT</b></p>	<p><b>PALLET QUANTITY</b></p>	<p><b>COLOUR</b></p>
<p><b>4610AFV</b></p>	<ul style="list-style-type: none"> <li>• Hygienic Sink - Faucet Hole - Single Hole Only</li> </ul>	<p>52.00 lbs</p>	<p>12</p>	<p>Soft White</p>

<p><b>BARRIER FREE HYGIENIC SINK</b></p> 	<p><b>DESCRIPTION</b></p>			
	<ul style="list-style-type: none"> <li>• Barrier Free Wall Mounted Sink with Shroud</li> <li>• Fine fireclay with <b>Pro Guard Glaze</b></li> <li>• No overflow hole</li> <li>• Single hole faucet deck</li> <li>• Mounting bracket and hardware supplied</li> <li>• Offset drain to avoid the direct fall of water stream</li> <li>• Slanted ledges and drain to prevent water pooling</li> <li>• Deep sink to minimize splashing</li> <li>• Decorative plastic shroud included</li> <li>• Works with concealed plate style wall carrier (provided by others)</li> <li>• Sealed underneath to prevent accumulation of dust and more</li> <li>• Faucet not included</li> <li>• Canadian Patent</li> </ul> <p><b>OUTER DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 520mm W x 530mm D x 410mm H</li> <li>• 20½" W x 20⅞" D x 16⅞" H</li> </ul>			
	<p><b>PRODUCTS</b></p>	<p><b>NET WT</b></p>	<p><b>PALLET QUANTITY</b></p>	<p><b>COLOUR</b></p>
<p><b>4660AFX</b></p>	<ul style="list-style-type: none"> <li>• Barrier Free Hygienic Sink - Faucet Hole - Single Hole Only</li> </ul>	<p>59.40 lbs</p>	<p>12</p>	<p>Soft White</p>

 Products are designed to comply with ADA/ANSI A117.1, CSA B651 and OBC Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.


CLAYTON	DESCRIPTION			
		<ul style="list-style-type: none"> <li>• Wall Mounted Sink with Shroud</li> <li>• Vitreous china</li> <li>• Rear overflow hole</li> <li>• Single hole, 4" faucet centre</li> <li>• Mounting bracket and hardware supplied</li> <li>• Optional concealed arm carrier installation (supplied by others)</li> <li>• Faucet not included</li> <li>• <b>With Pro Guard Glaze</b></li> </ul>		
<p><b>OUTER DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 520mm W x 580mm D x 545mm H</li> <li>• 20½" W x 22¾" D x 21½" H</li> </ul> <p><b>* SPECIAL ORDER ONLY</b>                      4610CHZ-SO - Single Hole (Sealed Overflow)                      4640CHZ-SO - 4" Centre (Sealed Overflow)</p>				
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
<b>4610CHZ</b>	• Clayton - Faucet Hole - Single Hole Only	44.44 lbs	16	Soft White
<b>4640CHZ</b>	• Clayton - Faucet Hole on 4" (102mm) Centre	44.44 lbs	16	Soft White
<b>4644CHZ</b>	• Clayton - Shroud	18.81 lbs	16	Soft White
<b>4610CHZ-SO*</b>	• Clayton - Faucet Hole - Single Hole Only (Sealed Overflow) <b>*Special Order</b>	44.44 lbs	16	Soft White
<b>4640CHZ-SO*</b>	• Clayton - Faucet Hole on 4" (102mm) Centre (Sealed Overflow) <b>*Special Order</b>	44.44 lbs	16	Soft White

CARMIN	DESCRIPTION			
		<ul style="list-style-type: none"> <li>• Wall Mounted Sink with Ledge</li> <li>• Vitreous china</li> <li>• Rear overflow hole</li> <li>• Single hole, 4" faucet centre</li> <li>• Mounting bracket and hardware supplied</li> <li>• Optional concealed arm carrier installation (supplied by others)</li> <li>• Back splash ledge</li> <li>• Faucet not included</li> </ul>		
<p><b>OUTER DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 510mm W x 470mm D x 260mm H</li> <li>• 20" W x 18½" Dx 10¼" H</li> </ul> <p><b>* SPECIAL ORDER ONLY</b>                      4610BHZ-SO - Single Hole (Sealed Overflow)                      4640BHZ-SO - 4" Centre (Sealed Overflow)</p>				
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
<b>4610BHZ</b>	• Carmin - Faucet Hole - Single Hole Only	31.22 lbs	24	Soft White
<b>4640BHZ</b>	• Carmin - Faucet Hole on 4" (102mm) Centre	31.22 lbs	24	Soft White
<b>4610BHZ-SO*</b>	• Carmin - Faucet Hole - Single Hole Only (Sealed Overflow) <b>*Special Order</b>	31.22 lbs	24	Soft White
<b>4640BHZ-SO*</b>	• Carmin - Faucet Hole on 4" (102mm) Centre (Sealed Overflow) <b>*Special Order</b>	31.22 lbs	24	Soft White

CHELSEA	DESCRIPTION			
		<ul style="list-style-type: none"> <li>• Wall Mounted Sink</li> <li>• Vitreous china</li> <li>• Front overflow hole</li> <li>• Single hole or 4" faucet centre</li> <li>• Mounting hardware supplied</li> <li>• Optional concealed arm carrier installation (supplied by others)</li> <li>• Faucet not included</li> </ul>		
<p><b>OUTER DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 485mm W x 450mm D x 220mm H</li> <li>• 19<math>\frac{1}{8}</math>" W x 17<math>\frac{3}{4}</math>" D x 8<math>\frac{5}{8}</math>" H</li> </ul>				
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
<b>4610BHW</b>	• Chelsea - Faucet Hole - Single Hole Only	27.60 lbs	30	Soft White
<b>4640BHW</b>	• Chelsea - Faucet Hole on 4" (102mm) Centre	27.60 lbs	30	Soft White

EDGEVIEW	DESCRIPTION			
		<ul style="list-style-type: none"> <li>• Wall Mounted Corner Sink</li> <li>• Fine Fireclay</li> <li>• Slim rim profile</li> <li>• Rear overflow hole</li> <li>• Single hole faucet centre</li> <li>• Mounting bracket and hardware supplied</li> <li>• For concealed plate-type carrier installation (supplied by others)</li> <li>• Faucet not included</li> </ul>		
<p><b>OUTER DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 440mm W x 500mm D x 195mm H</li> <li>• 17<math>\frac{3}{8}</math>" W x 19<math>\frac{5}{8}</math>" D x 7<math>\frac{7}{8}</math>" H</li> </ul> <p><b>* SPECIAL ORDER ONLY</b> 4610BHX-SO - Single Hole (Sealed Overflow)</p>				
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
<b>4610BHX</b>	• Edgeview - Wall-Hung Corner Sink - Single Hole Only	24.31 lbs	30	Soft White
<b>4610BHX-SO*</b>	• Edgeview - Wall-Hung Corner Sink, Sealed Overflow - Single Hole Only <b>*Special Order</b>	24.31 lbs	30	Soft White

IZOBELLE	DESCRIPTION			
		<ul style="list-style-type: none"> <li>• Wall Mounted Sink</li> <li>• Fine Fireclay</li> <li>• Slim rim profile</li> <li>• Rear overflow hole</li> <li>• Single hole faucet centre</li> <li>• Mounting bracket and hardware supplied</li> <li>• For concealed plate-type carrier installation (supplied by others)</li> <li>• Faucet not included</li> </ul>		
<p><b>OUTER DIMENSIONS</b></p> <ul style="list-style-type: none"> <li>• 508mm W x 457mm D x 148mm H</li> <li>• 20" W x 18" D x 5<math>\frac{7}{8}</math>" H</li> </ul>				
	PRODUCTS	NET WT	PALLET QUANTITY	COLOUR
<b>6610ANX</b>	• Izobelle - Decorative Square Wall-Hung Sink	35.50 lbs	24	Soft White

 Products are designed to comply with ADA/ANSI A117.1, CSA B651 and OBC Barrier Free Standards. For all other Barrier Free certifications, please refer to individual specification sheets for details. It shall be the responsibility of the installer to comply with the local and national disability codes and standards prior to installing the product.



OUR **PRO GUARD GLAZE** IS OFFERED ON SELECTED COMMERCIAL ITEMS.

**PRO GUARD GLAZE** IS A STATE-OF-THE-ART SECONDARY GLAZE THAT HELPS REDUCE THE BUILD-UP OF GERMS, MOLD, MILDEW AND STAIN CAUSING BACTERIA. THE PGG SELF-CLEANING TECHNOLOGY USES A SET OF PROCESSES THAT PERMANENTLY RESTRUCTURES THE GLAZE, MAKING IT THE PERFECT GUARD FOR ALL TYPES OF VITREOUS CHINA.

### PRODUCTS THAT WILL INCLUDE PRO GUARD GLAZE


MODEL #	ITEM DESCRIPTION
4765CEX	CLARK 4.2L ADA TOP INLET WALL HUNG BOWL
*4765CEU	CLARK 4.2L ADA REAR INLET WALL HUNG BOWL
4765BOX	CLAY 4.2L ADA TOP INLET FLUSH VALVE BOWL
*4765BOU	CLAY 4.2L ADA REAR INLET FLUSH VALVE BOWL
*4765BEX	COLTER 4.2L TOP INLET FLUSH VALVE BOWL
*4765BEU	COLTER 4.2L REAR INLET FLUSH VALVE BOWL
*4810BNX	BARTLEIGH 0.5 LPF TOP INLET URINAL
*4810BNY	BARTLEIGH 0.5 LPF REAR INLET URINAL
4610CHZ	CLAYTON SINGLE HOLE ADA SINK
4640CHZ	CLAYTON 4" WALL HUNG BASIN
4644CHZ	CLAYTON SHROUD
*4610CHZ-SO	CLAYTON SINGLE HOLE ADA SINK (SEALED OVERFLOW)
*4640CHZ-SO	CLAYTON 4" WALL HUNG BASIN (SEALED OVERFLOW)
4660AFX	HYGIENIC BARRIER FREE SINK W/ SHROUD
4610AFV	HYGIENIC WALL HUNG SINK W/ SHROUD





# PUSH BUTTONS

---



**CHROME  
PUSH BUTTON**

---


FB-110C



**MATTE BLACK  
PUSH BUTTON**

---


FB-110MB



**WHITE  
PUSH BUTTON**

---

FB-110W



**MATTE CHROME  
PUSH BUTTON**

---

FB-110MC

# contrac®

5970 CHEDWORTH WAY UNIT B  
MISSISSAUGA, ONTARIO, CANADA  
L5R 4G5

| [CONTRACPLUMBING.COM](http://CONTRACPLUMBING.COM)  
| 1-888-256-7551

| CONTRAC IS A PROUD PART OF FGI CANADA LTD.  
| [FGI-INDUSTRIES.COM](http://FGI-INDUSTRIES.COM)

# FGI