



OUR COMMITMENT TO CUSTOMERS

We handcraft our faucets one-at-a-time because you're one-of-a-kind. In a world of the mass-produced, one-size-fits-all, California Faucets offers fittings that fit you.

No matter which of our products you choose, you're assured that each is made-to-order and customized as you like.

Using materials sourced to stand the test of time, then artisan finished and assembled by hand in our Huntington Beach factory, every California Faucets product is unique. Just like you.


































OUR FOUNDER

FRED SILVERSTEIN

A true pioneer of the decorative plumbing industry, Fred founded California Faucets in 1988. The mission: to produce superior quality, customizable faucets, that are not merely utilitarian, but add a true design element to the bath. In recognition of Fred's many contributions, he was inducted into the Decorative Plumbing & Hardware Association's Council of Fellows in 2018.

Fred passed in 2019, but his spirit of innovation and service lives on in the DNA of California Faucets.











UPDATED for 2025



RECENTLY RELEASED



RECENTLY RELEASED



THE POSSIBILITIES ARE ENDLESS WITH



KITCHEN FAUCETS

Combining Italian design and American craftsmanship, our kitchen and culinary faucets embody all you've come to expect from California Faucets. Each is handcrafted with our signature solid-brass construction and includes pull-down sprayheads that toggle seamlessly back and forth between stream or spray. All spouts also swivel 360 degrees for maximum reach and flexibility. Our ensembles allow you to create a fully coordinated look with the ability to choose between multiple handle options and more than 25 finishes, including 4 living finishes and 1 I PVD finishes, the most durable finish in the world.



BATHROOM FAUCETS


Bathroom faucets and fittings are the cornerstone of California Faucets. We offer more than 30 series, each handcrafted and made to order with solid bass construction. We've also pioneered Custom Faucetry,* allowing customers to combine any handle and spout we offer in any of our finishes. As a result, you can achieve any design vision.



SHOWER SYSTEMS

In the past, thermostatic showers were enjoyed in only the most luxurious bathrooms. But now, the superior technology of thermostatic showers is affordable for every bath. With StyleTherm, you can dial in precise temperatures rather than adjusting handles with each use to find the perfect mix. Independent volume controls allow you to adjust the water volume for each device you're using, whether it's a showerhead, body spray, handshower, or tub spout.

CUSTOM KITCHEN AND BATH FITTINGS



LUXURY DRAINS

California Faucets was the first to bring luxury shower drains to the industry, and now our offering includes StyleDrain® and StyleDrain® Tile. These **award-winning originals** are built with a level of unmatched quality. We continue to expand our line with extraordinary decorative drains that put the finishing touch on your shower design.



ZERODRAIN®

Our award-winning ZeroDrain is positioned to become the new standard in sink drains. In the open position, the stopper is level with sink, resulting in a superior "zero clearance" design. Virtually impossible to clog, ZeroDrain is easier to install and service compared to standard pop up drains which saves significant time and money. ZeroDrain is available in all of our artisan finishes.



ACCESSORIES AND TRIM

A bathroom's fittings should have the same design continuity you'd expect of any other room interior. That's why we offer a complete line of plumbing specialties including towel bars, grab bars, cabinet hardware, deluxe angle stops and p-traps. All of our trim pieces and coordinated bathroom accessories are available in all of our artisan finishes.

THE KITCHEN COLLECTION

ITALIAN DESIGN. CALIFORNIA CRAFTSMANSHIP.



DAVOLI | KIO

One of the many captivating coastal towns and beaches along the crystalline waters of the Ionian Sea, Davoli's origins extend to medieval times. No wonder that our Davoli Series has a look that's solid, traditional and as timeless as antiquity. Available in multiple handle options.





INDUSTRIAL DESCANSO | K30 DESCANSO WORKS| K81

The Descanso Kitchen Series is a strikingly fresh take on industrial chic style. Featuring distinctive hashmark knurling on the handle, Descanso also offers a smooth handle option, as well as one with sleek carbon fiber accents.



CORSANO | K51

Corsano is nestled in the heel of Italy's boot, a charming, diverse region. Our faucet series of the same name is a contemporary take on its timeless character. Available in multiple handle options.



POETTO | K50

Poetto is Italy's longest stretch of beach, extending almost five miles along the southern Sardinian shore. Our Poetto Series faucet offers its own lengthy profile. Slim, sleek and beautifully curved, its minimalist look becomes an integral element in your contemporary kitchen. Available in multiple handle options.

We've brought our expertise into the kitchen with faucets and ensembles that include everything from matching prep faucets to soap dispensers.

Each faucet in our collection reflects the superior craftsmanship, attention to detail and willingness to customize that set California Faucets apart.



LA SPEZIA K55

Inspired by the picturesque Italian village bearing its name, La Spezia is located near Genoa, Italy, where beautiful, multi-colored houses cascade down to the shoreline. Our La Spezia Series features fresh contemporary design, available in all of our 25+ artisan finishes, allowing you to evoke the spirit of the colorful town.



COTO | K90

Our award-winning kitchen collection steps outdoors, with the Coto Series. Made of ultra durable 3 I 6 stainless steel, Coto features four unique handle styles and is available in 7 artisan finishes, including 4 PVD finishes. Indoors or out, Coto makes a cool and long lasting impression.



CULINARY

Italian cooking is often defined by its simple cuisine, with emphasis on freshness and quality ingredients, rather than complexity of the culinary technique. Designed with the cooking enthusiasts in mind, it's the beautiful, robust accents that add surprise, delight and the ideal finishing touch to any kitchen. Available in multiple handle options.



CF LIMITED | KOI

CF Limited combines style, function, value and immediate shipment. With your choice of two handles and three finishes, plus a unique concealed dual-function pull-down sprayer, CF Limited delivers what you need when you need it, at a competitive price point.

BATHROOM FAUCETS

WIDESPREAD FAUCETS

For more than 30 years, we've focused our passion on creating artisan bathroom faucets and fittings. Each faucet we make is handcrafted and made to order with solid brass construction. Our Custom Faucetry® enables you to combine any handle and spout from more than 30 bathroom faucet series. All are available in more than 25 finishes, including 11 PVD finishes, the most durable finish in the world, allowing you to bring your ideal faucet design to life. Visit us at **californiafaucets.com** to see our full selection.

INDUSTRIAL



DESCANSO WORKS® 8" widespread in satin brass model #: 8102-SB

TRANSITIONAL



MIRAMAR* 8" widespread in polished brass uncoated model # : 4802-PBU

CONTEMPORARY



SAN ELIJO* 8" widespread in satin nickel model #: 3702T-SN

ART DECO



DEL MAR $^{\circ}$ 8" widespread in satin nickel model #: 6002-ADC-SN

TRADITIONAL



 $\begin{array}{l} {\rm MONTECITO}^{*}\,8^{\prime\prime}\,{\rm widespread~in~oil~rubbed~bronze} \\ {\rm model~\#:~3202\text{-}ORB} \end{array}$

BATHROOM FAUCETS WALL MOUNT FAUCETS



DESCANSO WORKS $^{\circ}$ two handle wall mount lavatory faucet in polished brass model #: TO-V8002-7-PB



Responding to the trend toward beautiful vessel sinks, we carry an expansive selection of high-quality vessel faucets, including wall-mounted and counter-mounted options.

MIRAMAR® single handle wall mount lavatory faucet in oil rubbed bronze model #: TO-V4801-9-ORB

BATHROOM FAUCETS TUB FILLERS



DESCANSO $^{\otimes}$ single hole tub filler in satin nickel model # : 0911 -- 30 K.FR-SN



To watch our popular Pixar-like video of dancing tub fillers scan the QR code or go to calfaucets. com/videos



PALOMAR® floor mounted tub filler in oil rubbed bronze model #: 1303-48.FR-ORB



BALBOA® floor mounted tub filler in polished nickel model #: 1503-47.FR-PN


Providing exceptional design flexibility, our tub fillers allow you to mix and match handle options, ranging from contemporary and transitional to traditional styles.

As always, each of our twelve series are available in all of our artisan finishes, to create the largest, most personalized selection of tub fillers in the world.

With our tub fillers available in deck-mounted, wall-mounted, and freestanding styles, we have something for everyone.

SHOWER SYSTEMS

At California Faucets you'll find a full selection of shower components that allow you to create your personal vision of the ultimate shower system. We've also focused our efforts on making thermostatic shower technology, once found in only the most luxurious bathrooms, affordable for every bath.



StyleTherm® thermostatic shower with three independent volume controls.

Tiburon® Series with 8" Ultra-Thin Round Showerhead, Shower Arm & Flange, and Contemporary Body Sprays. Featured in Satin Nickel. model #s: TO-THN-65-SN, TO-65-W-SN (3), 9112-65-SN, SH-162-8.FR-SN, BS-65-SN (3), THT75-R, 75-W-R (3)

STYLETHERM®

It's easy to choose your ideal shower system.

Every California Faucets StyleTherm shower fitting delivers precision temperature control for comfort and safety. And all of them are available for less than an inferior standard technology, such as pressure balance.


As a result, you can now install a safe, precision temperature control fitting in every shower in your home.

Choosing the right one comes down to the style you prefer and the number of shower applications you want to operate. For example, in your master bath, do you want to run the showerhead, a handheld spray and body spray at the same time? Or just two of those? Is it a children's or guest's shower designed with only a single showerhead or a more typical tub/shower combination?

The answer to these questions is important, because StyleTherm's innovative design features independent water volume control for all applications without the need to toggle between them, and they can be configured for virtually any design scenario.

(Shown at right with two integrated volume controls. model #: TO-THF2L-52-SN)

^{*}StyleTherm versions available to meet even the strictest water conservation codes, including CalGreen.




FEATURE COMPARISON	STANDARD PRESSURE BALANCE	STYLETHERM® THERMOSTATIC
Delivers mixed water to showerhead	✓	✓
Easily and accurately sets precise mixed water temperature		√
Protects against dangerous sudden changes in both water pressure and temperature		√
Temperature override button prevents inadvertent scalding		✓
Volume control(s) allow you to adjust water flow from low to high		√
Independent volume controls allows you to operate multiple devices simultaneously		✓

StyleTherm is superior thermostatic technology AND it's available at the cost of inferior shower systems. Why settle for less? StyleTherm is the ONLY solution.

SHOWER SYSTEMS

We offer a range of cutting-edge shower systems - innovative in technology, old-world in craftsmanship.





 $Style Therm\ thermostatic\ shower\ with\ integrated\ cal-green\ compliant\ single\ volume\ control.$ Featured above with coordinating showerhead\ and\ handshower.} kit #: KT03-33.FR-PN

StyleTherm® thermostatic shower with dual integral volume controls. Featured at right with coordinating slide bar, handshower, showerhead, shower arm and flange. model #s: TO-THQ2L-85W-BBU 9127-85W-BBU SH-071.FR-BBU 9105-BBU 9130-85-BBU HS-083-85.FR-BBU





CHRISTOPHER GRUBB is a modern day renaissance man. His achievements encompass Interior Designer, TV/Radio Personality, On-Air Host for House Tipster, Educator, and Product Designer. Christopher's creative vision and design expertise manifests itself with these beautifully designed, uniquely elegant and inspired faucets and luxury drains.

The Trousdale® and Doheny® Series

Also joining the Christopher Grubb Collection are newly inspired faucet designs. Named after iconic streets in California, each brings a fresh new take on transitional and contemporary styling.



To watch our Christopher Grubb Trousdale video, scan the QR code or go to calfaucets.com/videos



Trousdale® model #: C102-SN



To watch our Christopher Grubb Doheny video, scan the QR code or go to calfaucets.com/videos



Doheny® model #: C202B-SN-MBLK

STYLEDRAIN® by Christopher Grubb

These four luxury drain designs created in collaboration with award-winning interior designer, Christopher Grubb each reflect Christopher's passionate belief that beauty truly is in the details.



Strathmore StyleDrain® | model #: 9195-A-SN



Camden StyleDrain® | model #: 9196-A-SN



Roxbury StyleDrain® | model #: 9197-A-SN



Mulholland StyleDrain® | model #: 9198-A-SN

LUXURY DRAINS

At California Faucets, we continue to innovate. Case in point: our luxury shower drains. Our original designs were an industry first, and today, they're still the best you can find. Today, we offer a wide selection, allowing you to find the look that perfectly complements your shower design.



StyleDrain® is the only decorative drain system of its kind. It's patented design features beautiful patterns in solid, forged brass and is available in over 25 custom finishes. With no visible screws, it's easy on the eyes and feet.

Craftsman in oil rubbed bronze | model #: 9170-A-ORB











StyleDrain® Tile is a patented innovation that allows you to lay in any tile to seamlessly match the rest of the shower. As a result, the drain virtually disappears.

StyleDrain Tile with polished chrome accents | model #: 9190-A-PC

California Faucets luxury drains created a one-of-a-kind category in the bath industry. It's no wonder we captured the industry's attention by winning numerous design awards.



ZERODRAIN®

Our award-winning ZeroDrain is positioned to become the new standard in sink drains. In the open position, the stopper is level with sink, resulting in a superior "zero clearance" design. Virtually impossible to clog, ZeroDrain is easier to install and service compared to standard pop up drains which saves significant time and money. ZeroDrain is available in all of our artisan finishes. model #: 9050ZB-SN

ZeroDrain's revolutionary, patented design is the winner of these prestigious awards.







To watch our Zero Drain video, scan the QR code or go to calfaucets.com/videos

ALL BRASS HANDSHOWERS



Our brass multi-function handshowers come in a variety of styles, including traditional, contemporary, industrial and even Steampunk. Featuring rain, air, and massage settings as well as helpful self-cleaning rubber jets, these highly durable and ergonomic handshowers are sure to please.

STYI FFI OW®



StyleFlow® is our family of showerheads that carry on the Swiss tradition of timeless craftsmanship and unsurpassed quality.
Powered by Swiss Shower Technology,®
StyleFlow represents just a part of our meticulously engineered line of innovative showerheads and handshowers.

TRIM

A completely integrated bathroom design should include all of its fittings. By offering a wide range of accessories and trim pieces, each available in our full array of artisan finishes, we make it easy for you to carry the look and feel of your faucets through to the rest of the bathroom.



CABINET HARDWARE

Whether it's cabinet knobs or our new collection of appliance pulls, our cabinet hardware design spans motifs from contemporary and transitional to traditional and industrial. Available in all of our 25+ artisan finishes, these final touches provide all you need to bring any cohesive design to life.



CONSERVATION THROUGH INNOVATION



While quality and service are essential, we also want to do right by the planet. Besides our commitment to recycling and other green practices, we work hard to develop innovative products that promote conservation and sustainability.

Some notable examples include

WATER CONSERVATION

All of our lavatory faucets have a maximum flow rate of 1.2 GPM (gallons per minute), a water savings of 1.0 GPM or 45%. All of our kitchen faucets have a maximum flow rate of 1.8 GPM, a water savings of 0.4 or 18%. These water conserving flow rates go beyond the call of duty in complying with the 2.2 GPM standard mandated by the Federal Energy Policy Act of 1992. All showering end devices (showerheads and handshowers) are in compliance with mandatory federal maximum flow rates and may be fitted with 2.0, 1.8 or 1.5 GPM flow restrictors. This water savings of 20%, 28% or 40% respectively, meets state and city conservation codes. Note: As future water conservation codes are adopted, California Faucets will make sure to be in compliance.

CLEAN AIR & CLIMATE CONSERVATION

More than a third of our decorative finishes are PVD (physical vapor deposition), the most durable and environmentally-friendly finish available today. The PVD manufacturing process involves no toxic or ozone-depleting chemicals, which means no hazardous waste to pollute our air or water supply. California Faucets produces the largest selection of decorative PVD finishes, making us the world leader in these innovative finishes.

RECYCLING

Our fittings are made of high quality, solid brass. Unlike faucets made from inferior materials, which ultimately end up in landfills, brass is highly recyclable. We strive to reduce any environmental impact from our manufacturing and daily operations. For example, in all our product packaging, we're retiring the use of polyfoam and replacing it with a recyclable, sustainable substitute. Hexacomb® is a paper-based packaging that's as strong and durable as foam without the added waste to our landfills.

LEED-FRIENDLY

California Faucets manufactures products that help builders meet the Leadership in Energy and Environmental Design (LEED) requirements, which promote environmentally sustainable construction. Use of California Faucets' products can help substantially reduce indoor water usage and help projects obtain valuable LEED points.

WORLD'S FIRST CALGREEN COMPLIANT THERM VALVE

California has some of the country's most stringent water conservation standards. California Faucets proudly created the first thermostatic system that's entirely compliant with the California Green Building Standards Code (CALGreen). Our innovative design modifications meet the CALGreen code requirements while still offering the superior features and benefits of a thermostatic shower system, including volume control, anti-scald protection and precision water temperature settings.

CA/Green compliant

FINISHES

(Physical Vapor Deposition)

PVD finishes come with a lifetime guarantee against tarnishing. Super-hard and molecularly bonded, PVD is by far the most durable finish available.

POLISHED CHROME



Polished Chrome

SPECIAL FINISHES



Antique Brass Flat



Antique Nickel Flat



Burnished Nickel Uncoated



Polished Brass



Polished Nickel



Antique Copper Flat



Burnished Brass Uncoated



Oil Rubbed Bronze



Polished Brass Uncoated



Satin Chrome



Ultra Stainless Steel

(Living Finishes)

Created by artisan hands to uniquely age and change over time. Because they are more delicate by nature, please make sure to follow our living finish care instructions.

STANDARD FINISHES



Bella Terra Bronze



Gloss Black



Matte Black



Satin Nickel



Gloss White



Matte White

PREMIUM FINISHES



Black Nickel



Carbon



French Gold



Graphite



Lifetime Polished Gold



Satin Brass



Lifetime Satin Gold



Satin Bronze

POLISHED CHROME

PC Polished Chrome

STANDARD FINISHES

BTB Bella Terra Bronze
BLK Gloss Black
MBLK Matte Black
SN Satin Nickel
WHT Gloss White
MWHT Matte White

SPECIAL FINISHES

ABF Antique Brass Flat **ACF** Antique Copper Flat **ANF** Antique Nickel Flat **BBU Burnished Brass** Uncoated BNU **Burnished Nickel** Uncoated **ORB** Oil Rubbed Bronze PB Polished Brass (PVD) **PBU** Polished Brass Uncoated PN Polished Nickel (PVD) SC Satin Chrome USS Ultra Stainless Steel

PREMIUM FINISHES

(PVD)

BLKN	Black Nickel (PVD)
СВ	Carbon (PVD)
FRG	French Gold (PVD)
GRP	Graphite (PVD)
LPG	Lifetime Polished Gold (PVD)
LSG	Lifetime Satin Gold (PVD)
SB	Satin Brass (PVD)
SBZ	Satin Bronze (PVD)





TABLE OF CONTENTS

Table of Contents

Kitchen




Bath









Tub Fillers



Shower



Luxury Drains



Cal Trim

Lavatory Supplies	p.478
Lavatory Drains	p.480
Tub Drains	p.483
Grab Bars	p.484
Toilet Accessories	p.486
Cabinet Knobs & Pulls	p.487
Kitchen	p.492
Faucet Care	p.493

Replacement Parts

Extensions p.499	Valves Cartridges Hex Tools Extensions	p.496 p.498 p.498 p.499
------------------	---	----------------------------------

Fine Print

p.502
p.503
p.504 p.505
p.505
p.505

Please email all orders and customer service inquiries to: customerservice@calfaucets.com.



This product may contain Lead and/ or chemicals known to the State of California to cause cancer, birth defects, or other reproductive harm. www.P65Warnings.ca.gov.

For our California Customers

California Faucets provides a warning label to comply with the California Safe Drinking Water and Toxic Enforcement Act of 1986, commonly known as "Proposition 65". Many products sold in California are required by law to carry the label. We provide Prop 65 warning labels simply to inform consumers that the product contains chemicals on the State of California's Prop 65 list. California Faucets products that carry the Prop 65 label pictured here include components made with brass, which contain small but detectable amounts of lead – an element included on the Prop 65 chemical list. Brass has a decades-long history of successful use in plumbing applications. Even though a product may be found to contain a Proposition 65-listed chemical, it does not mean that use of the product will cause cancer, birth defects or other reproductive harm. Nor does it mean that a product is unsafe.

All California Faucets products meet or exceed the requirements of applicable product performance and safety industry standards, as well as the federal Safe Drinking Water Act.

We are confident there is no health hazard associated with the installation, use or removal of California Faucets products.







KITCHEN COLLECTION





Handle Options

Replace XX with desired handle style. e.g.: K10-100-33



33 Series Metal Lever



35 Series Porcelain Lever



48 Series Metal Lever



61 Series Metal Lever

MODEL DESCRIPTION FINISH



K10-100SQ-XX

Squeeze Sprayhead



K10-100-XX

Button Sprayhead



Pull-Down Kitchen Faucet with Squeeze or Button Sprayer - High Arc Spout

- 18-9/16" overall height; spout rotates 360°
- 9-5/16" spout center to center with detent docking to secure sprayhead into spout (squeeze sprayhead)
- 9-1/8" spout center to center with magnetic docking to secure sprayhead into spout (button sprayhead)
- · all brass construction
- insulated brass sprayhead has dual function aerated or spray mode
- ultra-smooth hand-assist sprayhead retraction
- · ceramic disc cartridge
- · max flow rate: 1.8 gpm

replace XX with desired handle shown on page 38

SQUEEZE SPRAYHEAD

polished chrome 1748 2185 standard 2447 special 2884

BUTTON SPRAYHEAD

polished chrome	1364	
standard	1705	
special	1910	
premium	2251	



3-17-25

K10-102SQ-XX

Squeeze Sprayhead



K10-102-XX

Button Sprayhead



Pull-Down Kitchen Faucet with Squeeze or Button Sprayer - Low Arc Spout

- 16" overall height; spout rotates 360°
- 9-5/16" spout center to center with detent docking to secure sprayhead into spout (squeeze sprayhead)
- 9-3/16" spout center to center with magnetic docking to secure sprayhead into spout (button sprayhead)
- all brass construction
- insulated brass sprayhead has dual function aerated or spray mode
- ceramic disc cartridge
- ultra-smooth hand-assist sprayhead retraction
- · max flow rate: I.8 gpm

replace XX with desired handle shown on page 38

SOUFEZE SPRAYHEAD

polished chrome 1738 2173 standard 2433 special 2868 premium

BUTTON SPRAYHEAD

polished chrome 1354 standard 1693 special 1896 2234 premium





K10-101-XX



Pull-Down Prep/Bar Faucet with Squeeze or Button Sprayer

- 15-3/4" overall height; spout rotates 360°
- 6-1/8" spout center to center with detent docking to secure sprayhead into spout (squeeze sprayhead)
- 5-15/16" spout center to center with magnetic docking to secure sprayhead into spout (button sprayhead)
- insulated brass sprayhead has dual function aerated or spray mode
- · ultra-smooth hand-assist sprayhead retraction
- · ceramic disc cartridge
- · max flow rate: I.8 gpm

replace XX with desired handle shown on page 38

SQUEEZE SPRAYHEAD

1708 polished chrome 2135 standard 2391 special 2818 premium

BUTTON SPRAYHEAD

polished chrome 1324 standard 1655 special 1854 2185 premium



Squeeze Sprayhead



K10-103-XX

Button Sprayhead



Pull-Down Kitchen Faucet with Squeeze or Button Sprayer - Quad Spout

- 14-7/16" overall height; spout rotates 360°
- 9-5/16" spout center to center with detent docking to secure sprayhead into spout (squeeze sprayhead)
- 9-1/8" spout center to center with magnetic docking to secure sprayhead into spout (button sprayhead)
- all brass construction
- insulated brass sprayhead has dual function aerated or spray mode
- ultra-smooth hand-assist sprayhead retraction
- · ceramic disc cartridge
- · max flow rate: I.8 gpm

replace XX with desired handle shown on page 38

SOUFFZE SPRAYHEAD

polished chrome 1748 2185 standard 2447 special premium 2884

BUTTON SPRAYHEAD

polished chrome 1364 standard 1705 1910 special 2251 premium



DESCRIPTION

Bridge Kitchen Faucet with Sidespray

- all brass construction
- 15-1/2" overall height; spout rotates 360°
- 9" spout center to center; 8" body center to center
- 3-hole deck mount installation
- built-in diverter for sidespray
- insulated brass sidespray handle and trigger
- mixed water supplied to sidespray without separate valve
- flexible braided hoses for ease of installation
- 1/4 turn ceramic disc cartridge(s)
- 1.8 gpm max flow rate



PRICE

FINISH

K10-120S-33 33 Series Metal Lever*



K10-120S-34 34 Series Cross*



K10-120S-35 35 Series Porcelain Lever*



K10-120S-48 48 Series Metal Lever



K10-120S-48X 48 Series Cross



K10-120S-60X 60 Series Cross*



K10-120S-61 61 Series Metal Lever*



K10-120S-61XD 61 Series Cross Drop³



*Add -MIDX at end of model number for metal index button

Bridge Kitchen Faucet

- · all brass construction
- 15-1/2" overall height; spout rotates 360°
- 9" spout center to center; 8" body center to center
- 2-hole deck mount installation
- flexible braided hoses for ease of installation
- 1/4 turn ceramic disc cartridge(s)
- 1.8 gpm max flow rate

1495 polished chrome standard 1869 2093 special 2467 premium





K10-120-34 34 Series Cross*



K10-120-35 35 Series Porcelain Lever*



K10-120-48 48 Series Metal Lever



K10-120-48X 48 Series Cross



K10-120-60X 60 Series Cross*



K10-120-61 61 Series Metal Lever



K10-120-61XD 61 Series Cross Drop*



*Add -MIDX at end of model number for metal index button

DESCRIPTION FINISH

Single Hole Lavatory/Bar/Prep Faucet - Low Spout

- 10-1/16" overall height
- 5-5/16" spout center to center
- · ceramic mixing cartridge
- 1.2 gpm water saving aerator



4809-I







3509-I

35 Series







6109-1

polished chrome 688 standard 860 963 special 1135 premium

polished chrome standard 986 1105 special 1302 premium

Single Hole Lavatory/Bar/Prep Faucet - High Spout

- 14-3/16" overall height
- 5-5/16" spout center to center
- ceramic mixing cartridge
- · 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.









3509-2

35 Series



4809-2



DESCRIPTION FINISH PRICE



- 10-13/16" overall height
- · self-closing for hot water
- max flow rate: 1.0 gpm

requires hot water tank: 9628SS





9623-K10-33 33 Series Metal Lever









9623-K10-48

9620-K10-48

48 Series



polished chrome 539 standard 674 755 special premium 889

polished chrome

standard

845

1056

1183

1394



Cold Water Dispenser - Arc Spout

- all brass construction
- 10-1/4" overall height
- 4-3/4" spout center to center
- \bullet fits most popular cold/filtered water units with 1/4" compression

9620-K10-35

Porcelain Lever

35 Series

• max flow rate: 1.8 gpm

9620-K10-33

33 Series

Metal Lever

9620-K10-61

61 Series





Hot Water Dispenser - Arc Spout

- all brass construction
- 10-1/4" overall height
- 4-3/4" spout center to center
- insulated spout to reduce heat to faucet
- max flow rate: 1.0 gpm

requires hot water tank: 9628SS



9625-K10-33 33 Series Metal Lever









693 polished chrome 866 standard 970 special premium 1143



Instant Hot Water Tank

- provides 190°F water instantly, heats 60 cups per hour
- tank capacity 5/8 gallon (2-1/2 quarts)
- power I 300 watts (uses less energy than a 40W light bulb)
- all stainless steel tubes, heating coil, tank and outer case
- · mounting bracket included
- for use with 9623-XX and 9625-XX hot water dispensers



42

767

polished chrome

standard

premium

special

845

1056

1183

1394

DESCRIPTION FINISH PRICE

Single Handle Combo Hot & Cold Water Dispenser - Quad Spout

- all brass construction
- 9-3/4" overall height
- 4-11/16" spout center to center
- insulated spout to reduce heat to faucet
- · self-closing for hot water
- max flow rate: 1.0 gpm

requires hot water tank: 9628SS







9623Q-K10-35 35 Series



9623Q-K10-48 48 Series



61 Series



9623Q-K10-61

Metal Lever

Cold Water Dispenser - Quad Spout

- all brass construction
- 9-3/16" overall height
- 4-11/16" spout center to center
- fits most popular cold/filtered water units with 1/4" compression
- max flow rate: 1.8 gpm



polished chrome

standard

premium

special

693

866

970

1143



9620Q-K10-33 33 Series Metal Lever



9620Q-K10-35 35 Series



9620Q-K10-48 48 Series Metal Lever



9620Q-K10-61

61 Series Metal Lever



Hot Water Dispenser - Quad Spout

- · all brass construction
- 9-3/16" overall height
- 4-11/16" spout center to center
- · insulated spout to reduce heat to faucet
- max flow rate: I.0 gpm

requires hot water tank: 9628SS



9625Q-K10-33 33 Series



9625Q-K10-35 35 Series



9625Q-K10-48 48 Series



9625Q-K10-61

9602

Reverse Osmosis Air Gap

- non-corrosive ABS construction
- under counter installation, mounting clip included
- push-to-connect connects for easy installation
- 1/4" OD tube inlet
- 3/8" OD tube outlet
- for use with 9620-XX, 9623-XX and 9625-XX water dispensers





3-17-25

65

DESCRIPTION 1439 Pot Filler - Dual Handle Wall Mount - Traditional polished chrome 1799 · all brass construction standard• 22-3/16" wall to center 2015 • 1/4 turn ceramic disc cartridge(s) premium 2374 · dual jointed swing spout • 1/2" FIP inlet guick connect for ease of installation • max flow rate: 4.0 gpm at 60 psi K10-200-33 K10-200-35 K10-200-48 K10-200-61 35 Series Porcelain Lever 33 Series Metal Lever 48 Series Metal Lever 61 Series Metal Lever K10-201-34 K10-201-33 K10-201-35 K10-201-46 33 Series Metal Lever* 34 Series Cross Handle* 35 Series Porcelain Lever* K10-201-47 K10-201-48 K10-201-60X K10-201-61 K10-201-61XD 47 Series Cross Handle* 48 Series Metal Lever 60 Series Cross Handle* 61 Series Metal Lever* 61 Series Cross Drop* *Add -MIDX at end of model number for metal index button 9631-K10 polished chrome 330 Soap Dispenser 413 • all brass construction standard • 3-5/16" overall height special 462 • 3-1/2" nozzle projection from center 545 premium • easy refill from top • 12.5 fl. ounce capacity bottle • 2-9/16" max counter thickness 9600-K10 polished chrome 219 Complete Air Gap for Dishwasher · all brass construction trim standard 274 • 2-13/16" overall height 307 special • 2-1/4" base diameter premium 361 • I-3/4" max counter thickness · includes air gap rough 9611-K10 Air Activation Switch for Disposer - Trim Only polished chrome 182 all brass construction trim standard 228 • 1-1/16" overall height special 255 • 2-1/4" base diameter 300 premium • 2-3/8" max counter thickness requires 9615 control box, sold separately 9615 175 Air Activation Switch for Disposer - Control Box Only • includes 5' flexible tubing · control box has dual outlets • one outlet is always "on" except when air switch is activated • for use with all 9611 air activation switch for disposer trim

Cabinet Knob



9480-K10

Cabinet Knob

- I-1/4" x I-1/16"
- all brass construction
- includes mounting hardware

polished chrome	23
standard	29
special	32
premium	38

Cabinet & Appliance Pulls





9482-K10-4.0

4" Cabinet Pull

- 4" center to center
- all brass construction with smooth ends
- includes mounting hardware

polished chrome	56
standard	70
special	78
premium	92

9482-K10-6.0

6" Cabinet Pull

- 6" center to center
- all brass construction with smooth ends
- · includes mounting hardware

64
80
90
106

9482-K10-8.0

8" Cabinet Pull

- 8" center to center
- all brass construction with smooth ends
- includes mounting hardware

polished chrome	72
standard	90
special	101
premium	119

9484-K10-12

12" Appliance Pull

- 12" center to center
- all brass construction with smooth ends
- includes mounting hardware

polished chrome	201
standard	251
special	281
premium	332

9484-K10-18

18" Appliance Pull

- 18" center to center
- all brass construction with smooth ends
- · includes mounting hardware

polished chrome	232
standard	290
special	325
premium	383

9484-K10-24

24" Appliance Pull

- 24" center to center
- all brass construction with smooth ends
- includes mounting hardware

polished chrome	254
standard	318
special	356
premium	419

DESCANSO®

K30 SERIES





^{*}Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.

46

MODEL DESCRIPTION FINISH PRICE



K30-100SQ-XX Squeeze Sprayhead



K30-100-XX Button Sprayhead



Pull-Down Kitchen Faucet with Squeeze or Button Sprayer - High Arc Spout

- 18-1/16" overall height; spout rotates 360°
- 9-5/16" spout center to center with detent docking to secure sprayhead into spout (squeeze sprayhead)
- 9-3/16" spout center to center with magnetic docking to secure sprayhead into spout (button sprayhead)
- all brass construction
- insulated brass sprayhead has dual function aerated or spray mode
- ultra-smooth hand-assist sprayhead retraction
- ceramic disc cartridge
- · max flow rate: I.8 gpm

replace XX with desired handle shown on page 46

SQUEEZE SPRAYHEAD

polished chrome 1748 2185 standard 2447 special 2884 premium

BUTTON SPRAYHEAD

polished chrome	1364
standard	1705
special	1910
premium	2251



3-17-25

K30-102SQ-XX Squeeze Sprayhead



K30-102-XX

Button Sprayhead



Pull-Down Kitchen Faucet with Squeeze or Button Sprayer - Low Arc Spout

- 15-1/2" overall height; spout rotates 360°
- 9-5/16" spout center to center with detent docking to secure sprayhead into spout (squeeze sprayhead)
- 9-3/16" spout center to center with magnetic docking to secure sprayhead into spout (button sprayhead)
- all brass construction
- insulated brass sprayhead has dual function aerated or spray mode
- ultra-smooth hand-assist sprayhead retraction
- ceramic disc cartridge
- · max flow rate: 1.8 gpm

replace XX with desired handle shown on page 46

SQUEEZE SPRAYHEAD

polished chrome 1738 2173 standard 2433 special 2868 premium

BUTTON SPRAYHEAD

polished chrome 1354 standard 1693 1896 special 2234 premium





K30-101-XX Button Sprayhead



Pull-Down Prep/Bar Faucet with Squeeze or Button Sprayer

- 15-1/2" overall height; spout rotates 360°
- 6-11/16" spout center to center with detent docking to secure sprayhead into spout (squeeze sprayhead)
- 6-1/2" spout center to center with magnetic docking secures sprayhead into spout (button sprayhead)
- all brass construction
- insulated brass sprayhead has dual function aerated or spray mode
- · ultra-smooth hand-assist sprayhead retraction
- · ceramic disc cartridge
- · max flow rate: I.8 gpm

replace XX with desired handle shown on page 46

SQUEEZE SPRAYHEAD

polished chrome 2135 standard 2391 special 2818 premium

BUTTON SPRAYHEAD

polished chrome 1324 standard 1655 special 1854 2185 premium



Squeeze Sprayhead



K30-103-XX

Button Sprayhead



Pull-Down Kitchen Faucet with Squeeze or Button Sprayer - Quad Spout



- 9-3/8" spout center to center with detent docking to secure sprayhead into spout (squeeze sprayhead)
- 9-3/16" spout center to center with magnetic docking to secure sprayhead into spout (button sprayhead)
- all brass construction
- insulated brass sprayhead has dual function aerated or spray mode
- ultra-smooth hand-assist sprayhead retraction
- ceramic disc cartridge
- · max flow rate: I.8 gpm

replace XX with desired handle shown on page 46

SOUFFZE SPRAYHEAD

polished chrome 1748 2185 standard 2447 special premium 2884

BUTTON SPRAYHEAD

polished chrome 1364 standard 1705 1910 special 2251 premium



DESCRIPTION

Bridge Kitchen Faucet with Sidespray - Arc Spout

- all brass construction
- 15-11/16" overall height; spout rotates 360°
- 8-15/16" spout center to center; 8" body center to center
- 3-hole deck mount installation
- insulated brass sidespray handle and trigger
- mixed water supplied to sidespray without separate valve
- flexible braided hoses for ease of installation
- 1/4 turn ceramic disc cartridge(s)
- 1.8 gpm max flow rate

1995 polished chrome 2494 standard special 2793 3292 premium

PRICE

FINISH

K30-120S-SL Smooth Lever



K30-120S-FL Carbon Fiber Lever



K30-120S-KL Knurled Lever



K30-120S-TL Teak* Lever



K30-120S-SX Smooth Cross



K30-120S-FX Carbon Fiber Cross



K30-120S-KX Knurled Cross



K30-120S-TX Teak* Cross





Bridge Kitchen Faucet - Arc Spout

- all brass construction
- 15-11/16" overall height; spout rotates 360°
- 8-15/16" spout center to center; 8" body center to center
- 2-hole deck mount installation
- flexible braided hoses for ease of installation
- 1/4 turn ceramic disc cartridge(s)
- 1.8 gpm max flow rate

1495 polished chrome standard 1869 special 2093 2467 premium

K30-120-SL

Smooth Lever



K30-120-FL Carbon Fiber Lever



K30-120-KL Knurled Lever



K30-120-TL Teak* Lever



K30-I20-SX

Smooth Cross



K30-120-FX Carbon Fiber Cross



K30-120-KX



K30-I20-TX Teak* Cross



800.822.8855 | californiafaucets.com

1495

1869

2093

2467

polished chrome

standard


premium

special



Bridge Kitchen Faucet with Sidespray - Quad Spout

- all brass construction
- 13-5/8" overall height; spout rotates 360°
- 8-15/16" spout center to center; 8" body center to center
- 3-hole deck mount installation
- insulated brass sidespray handle and trigger
- mixed water supplied to sidespray without separate valve
- · flexible braided hoses for ease of installation
- 1/4 turn ceramic disc cartridge(s)
- 1.8 gpm max flow rate









K30-123S-FL






K30-123S-KL











Bridge Kitchen Faucet - Quad Spout

- all brass construction
- 13-5/8" overall height; spout rotates 360°
- 8-15/16" spout center to center; 8" body center to center
- 2-hole deck mount installation
- flexible braided hoses for ease of installation
- 1/4 turn ceramic disc cartridge(s)
- 1.8 gpm max flow rate











K30-123-FL Carbon Fiber Lever



K30-123-FX



K30-123-KL Knurled Lever



K30-123-KX Knurled Cross



K30-123-TL Teak* Lever



K30-I23-TX Teak* Cross



3-17-25

DESCRIPTION FINISH PRICE



- 10-3/4" overall height
- 4-3/4" spout center to center
- insulated spout to reduce heat to faucet
- · self closing for hot water
- max flow rate: 1.0 gpm

requires hot water tank: 9628SS











Teak* Lever

polished chrome 845 standard 1056 1183 special 1394 premium

Cold Water Dispenser - Arc Spout

- · all brass construction
- 10-1/16" overall spout height
- 4-3/4" spout center to center
- fits most popular cold/filtered water units with 1/4" compression

9620-K30-FL

• max flow rate: 1.8 gpm

9620-K30-SL Smooth Lever









polished chrome 539 674 standard special 755 premium 889

Hot Water Dispenser - Arc Spout

- · all brass construction
- 10-1/16" overall height
- 4-3/4" spout center to center
- insulated spout to reduce heat to faucet
- max flow rate: 1.0 gpm

requires hot water tank: 9628SS









polished chrome 693 standard 866 970 special 1143 premium





- provides 190°F water instantly, heats 60 cups per hour
- tank capacity 5/8 gallon (2-1/2 quarts)
- power 1300 watts (uses less energy than a 40W light bulb)
- all stainless steel tubes, heating coil, tank and outer case
- · mounting bracket included
- for use with 9623-XX and 9625-XX hot water dispensers



FINISH

standard

premium

special

polished chrome

PRICE

845

1056

1183

1394

Single Handle Combo Hot & Cold Water Dispenser - Quad Spout



• 9-3/4" overall height

DESCRIPTION

- 4-11/16" spout center to center
- · insulated spout to reduce heat to faucet
- · self-closing for hot water
- max flow rate: 1.0 gpm

requires hot water tank: 9628SS











9623Q-K30-TL





Cold Water Dispenser - Quad Spout

- · all brass construction
- 9-1/16" overall height
- 4-11/16" spout center to center
- fits most popular cold/filtered water units with 1/4" compression
- max flow rate: I.8 gpm

9620Q-K30-SL Smooth Lever









674 standard special 755 889



- · all brass construction
- 9-1/16" overall height
- 4-11/16" spout center to center
- · insulated spout to reduce heat to faucet
- max flow rate: 1.0 gpm

requires hot water tank: 9628SS



9602







polished chrome 693 866 standard 970 special 1143 premium

Reverse Osmosis Air Gap

- non-corrosive ABS construction
- under counter installation, mounting clip included
- · push-to-connect connects for easy installation
- 1/4" OD tube inlet
- 3/8" OD tube outlet
- for use with 9620-XX, 9623-XX and 9625-XX water dispensers



65

3-17-25




• 10-1/16" overall height

DESCRIPTION

- 5-5/16" spout center to center
- · ceramic mixing cartridge
- 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.













Single Hole Lavatory/Bar/Prep Faucet - High Spout

- 14-3/16" overall height
- 5-5/16" spout center to center
- · ceramic mixing cartridge
- 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.

844 polished chrome 1055 standard special 1182 1393 premium

polished chrome

special

premium

1439

1799

2015

2374









Pot Filler - Dual Handle Wall Mount

- 22-3/16" wall to center
- 1/4 turn ceramic disc cartridge(s)
- dual jointed swing spout
- 1/2" FIP inlet quick connect for ease of installation

• all brass construction

- max flow rate: 4.0 gpm at 60 psi

K30-200-KL K30-200-TL Knurled Lever Teak* Lever



K30-200-FL



K30-200-KX







K30-200-SL

Smooth Lever



K30-200-FX

Knurled Cross

K30-200-TX Teak* Cross

MODEL	DESCRIPTION	FINISH	PRICE
9631-K30	Soap Dispenser • all brass construction trim • 3-9/16" overall height • 3-5/8" nozzle projection from center • easy refill from top • 12.5 fl. ounce capacity bottle • 2-9/16" max counter thickness	polished chrome standard special premium	330 413 462 545
9600-K30	Complete Air Gap for Dishwasher • all brass construction trim • 3" overall height • 2-3/8" base diameter • I-3/4" maximum counter thickness • includes air gap rough	polished chrome standard special premium	219 274 307 361
9611-K30	Air Activation Switch for Disposer - Trim Only • all brass construction trim • 7/8" overall height • 2-3/8" base diameter • 2-3/8" max counter thickness requires 9615 control box, sold separately	polished chrome standard special premium	182 228 255 300
9615	Air Activation Switch for Disposer - Control Box Only includes 5' flexible tubing control box has dual outlets one outlet is always "on" except when air switch is activated for use with all 9611 air activation switch for disposer trim		175

Cabinet Knob



9480-K30K

Cabinet Knob

- I-1/4" x I-1/16"
- · all brass construction
- includes mounting hardware

polished chrome	32
standard	40
special	45
premium	53

Cabinet & Appliance Pulls





9482-K30K-4.0

4" Cabinet Pull

- 4" center to center
- all brass construction with knurled ends
- includes mounting hardware

74
93
104
122

9482-K30K-6.0

6" Cabinet Pull

- 6" center to center
- all brass construction with knurled ends
- includes mounting hardware

polished chrome	86
standard	108
special	120
premium	142

9482-K30K-8.0

8" Cabinet Pull

- 8" center to center
- all brass construction with knurled ends
- includes mounting hardware

polished chrome	96
standard	120
special	134
premium	158
F	

9484-K30K-12

12" Appliance Pull

- 12" center to center
- all brass construction with knurled ends
- includes mounting hardware

polished chrome	215
standard	269
special	301
premium	355

9484-K30K-18

18" Appliance Pull

- 18" center to center
- all brass construction with knurled ends
- includes mounting hardware

polished chrome	248
standard	310
special	347
premium	409

9484-K30K-24

24" Appliance Pull

- 24" center to center
- all brass construction with knurled ends
- includes mounting hardware

269
336
377
444

POETTO®

K50 SERIES





Replace XX with desired handle style. e.g.: K50-100-ST



ST Stick



SST Short Stick



BST Black Stick



BSST Black Short Stick



FB Flat Blade



BFB Black Flat Blade

 MODEL	DESCRIPTION	FINISH	PRICE
K50-100-XX	Pull-Down Kitchen Faucet - High Spout 18-9/16" overall height; spout rotates 360° 9-3/16" spout center to center with magnetic docking to secure sprayhead into spout all brass construction insulated brass sprayhead has dual function aerated or spray mode ultra-smooth hand-assist sprayhead retraction ceramic disc cartridge max flow rate: 1.8 gpm replace XX with desired handle shown on page 54	polished chrome standard special premium	1256 1570 1758 2072
K50-102-XX	Pull-Down Kitchen Faucet - Low Spout 16" overall height; spout rotates 360° 9-3/16" spout center to center with magnetic docking to secure sprayhead into spout all brass construction brass sprayhead has dual function aerated or spray mode with one button operation ultra-smooth hand-assist sprayhead retraction ceramic disc cartridge max flow rate: 1.8 gpm replace XX with desired handle shown on page 54	polished chrome standard special premium	1246 1558 1744 2056
K50-101-XX	Pull-Down Prep/Bar Faucet 15-15/16" overall height; spout rotates 360° 6-1/2" spout center to center with magnetic docking to secure sprayhead into spout all brass construction brass sprayhead has dual function aerated or spray mode with one button operation ultra-smooth hand-assist sprayhead retraction ceramic disc cartridge max flow rate: 1.8 gpm replace XX with desired handle shown on page 54	polished chrome standard special premium	1216 1520 1702 2006
K50-103-XX	Pull-Down Kitchen Faucet - Quad Spout 15-15/16" overall height; spout rotates 360° 9-3/16" spout center to center with magnetic docking to secure sprayhead into spout all brass construction brass sprayhead has dual function aerated or spray mode with one button operation ultra-smooth hand-assist sprayhead retraction ceramic disc cartridge max flow rate: 1.8 gpm replace XX with desired handle shown on page 54	polished chrome standard special premium	1256 1570 1758 2072



Single Handle Combo Hot & Cold Water Dispenser

• all brass construction

DESCRIPTION

- 10-3/4" overall height
- 4-3/4" spout center to center
- insulated spout to reduce heat to faucet
- · self-closing for hot water
- max flow rate: 1.0 gpm

requires hot water tank: 9628SS



9623-K50-ST







9623-K51-BFB Black Flat Blade

Cold Water Dispenser

- all brass construction
- 10-1/16" overall height
- 4-3/4" spout center to center
- fits most popular cold/filtered water units with 1/4" compression
- max flow rate: 1.8 gpm

polished chrome 495 standard 619 693 special 817 premium









9620-K51-BFB Black Flat Blade



Hot Water Dispenser

- · all brass construction
- 10-1/16" overall height
- 4-3/4" spout center to center
- insulated spout to reduce heat to faucet
- max flow rate: 1.0 gpm

requires hot water tank: 9628SS

polished chrome 798 standard 893 special 1053 premium

9625-K50-ST







9625-K51-FB Flat Blade



9625-K51-BFB Black Flat Blade





Instant Hot Water Tank

- provides 190°F water instantly, heats 60 cups per hour
- tank capacity 5/8 gallon (2-1/2 quarts)
- power I300 watts (uses less energy than a 40W light bulb)
- all stainless steel tubes, heating coil, tank and outer case
- · mounting bracket included
- for use with 9623-XX and 9625-XX hot water dispensers



56

767



Single Handle Combo Hot & Cold Water Dispenser

- all brass construction
- 9-3/4" overall height
- 4-11/16" spout center to center
- insulated spout to reduce heat to faucet
- · self-closing for hot water
- max flow rate: 1.0 gpm

requires hot water tank: 9628SS



9623Q-K50-ST Stick

DESCRIPTION





9623Q-K50-BST





Cold Water Dispenser

- all brass construction
- 9-1/16" overall height
- 4-11/16" spout center to center
- fits most popular cold/filtered water units with 1/4" compression
- max flow rate: 1.8 gpm

polished chrome 495 standard 619 special 693 premium 817













Hot Water Dispenser

- · all brass construction
- 9-1/16" overall height
- 4-11/16" spout center to center
- insulated spout to reduce heat to faucet
- max flow rate: 1.0 gpm

requires hot water tank: 9628SS

polished chrome standard 798 893 special 1053 premium

9625Q-K50-ST Stick









9602

Reverse Osmosis Air Gap

- non-corrosive ABS construction
- under counter installation, mounting clip included
- push-to-connect connects for easy installation
- 1/4" OD tube inlet
- 3/8" OD tube outlet
- for use with 9620-XX, 9623-XX and 9625-XX water dispensers



Single Hole Lavatory/Bar/Prep Faucet - Low Spout

• 10-3/16" overall height

DESCRIPTION

- 5-5/16" spout center to center
- · ceramic mixing cartridge
- 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.

FINISH PRICE polished chrome 688 standard 860 963 special 1135 premium













Single Hole Lavatory/Bar/Prep Faucet - High Spout

- 14-5/16" overall height
- 5-5/16" spout center to center
- · ceramic mixing cartridge
- · 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.

polished chrome 789 standard 986 special 1105 premium 1302













Pot Filler - Dual Handle Wall Mount - Contemporary

- all brass construction
- 22-3/16" wall to center
- 1/4 turn ceramic disc cartridge(s)
- dual jointed swing spout
- 1/2" FIP inlet quick connect for ease of installation
- max flow rate: 4.0 gpm at 60 psi

1329 polished chrome standard 1661 1861 special 2193 premium





K50-200-BST Black Stick



K51-200-FB Flat Blade



MODEL	DESCRIPTION	FINISH	PRICE
9631-K50	Soap Dispenser • all brass construction • 3-11/16" overall height • 4-1/4" nozzle projection from center • easy refill from top • 12.5 fl. ounce capacity bottle • 2-9/16" max counter thickness	polished chrome standard special premium	308 385 431 508
9600-K50	Complete Air Gap Kit for Dishwasher • all brass construction trim • 2-9/16" overall height • 2" base diameter • 1-3/4" max counter thickness • includes air gap rough	polished chrome standard special premium	197 246 276 325
9611-K50	Air Activation Switch for Disposer - Trim Only • all brass construction trim • 15/16" overall height • 2" base diameter • 2-3/8" max counter thickness requires 9615 control box, sold separately	polished chrome standard special premium	160 200 224 264
9615	Air Activation Switch for Disposer - Control Box Only • includes 5' flexible tubing • control box has dual outlets • one outlet is always "on" except when air switch is activated • for use with all 9611 air activation switch for disposer trim		175

Cabinet Knob



9480-K50

Cabinet Knob

- I-I/4" x I-I/I6"
- all brass construction
- includes mounting hardware

polished chrome	23
standard	29
special	32
premium	38

Cabinet & Appliance Pulls





9482-K50-4.0

4" Cabinet Pull

- 4" center to center
- all bases construction with one
- all brass construction with smooth ends
 includes requiring bonds are
- includes mounting hardware

polished chrome	56
standard	70
special	78
premium	92

9482-K50-6.0

6" Cabinet Pull

- 6" center to center
- all brass construction with smooth ends
- includes mounting hardware

64
80
90
106

9482-K50-8.0

8" Cabinet Pull

- 8" center to center
- all brass construction with smooth ends
- includes mounting hardware

polished chrome	72
standard	90
special	101
premium	119

9484-K50-12

12" Appliance Pull

- 12" center to center
- all brass construction with smooth ends
- includes mounting hardware

polished chrome	201
standard	251
special	281
premium	332

9484-K50-18

18" Appliance Pull

- 18" center to center
- all brass construction with smooth ends
- includes mounting hardware

polished chrome	232
standard	290
special	325
premium	383

9484-K50-24

24" Appliance Pull

- 24" center to center
- all brass construction with smooth ends
- includes mounting hardware

polished chrome	254
standard	318
special	356
premium	419

CORSANO®

K5 | SERIES





Handle Options

Replace XX with desired handle style. e.g.: K51-100-ST



ST Stick



BS I Black Stick



Flat Blade



BFB Black Flat Blade

MODEL DESCRIPTION FINISH PRICE



K51-100SQ-XX

Squeeze Sprayhead



K51-100-XX

Button Sprayhead



Pull-Down Kitchen Faucet with Squeeze or Button Sprayer - High Spout

- 18" overall height; spout rotates 360°
- 9-5/16" spout center to center with detent docking to secure sprayhead into spout (squeeze sprayhead)
- 9-3/16" spout center to center with magnetic docking to secure sprayhead into spout (button sprayhead)
- all brass construction
- insulated brass sprayhead has dual function aerated or spray mode
- ultra-smooth hand-assist sprayhead retraction
- ceramic disc cartridge
- · max flow rate: I.8 gpm

replace XX with desired handle shown on page 60

SQUEEZE SPRAYHEAD

polished chrome 1641 2051 standard 2297 special 2708 premium

BUTTON SPRAYHEAD

polished chrome standard 1570 1758 special 2072 premium



K51-102SQ-XX

Squeeze Sprayhead



K51-102-XX

Button Sprayhead



Pull-Down Kitchen Faucet with Squeeze or Button Sprayer - Low Spout

- 15-7/16" overall height; spout rotates 360°
- 9-5/16" spout center to center with detent docking to secure sprayhead into spout (squeeze sprayhead)
- 9-3/16" spout center to center with magnetic docking to secure sprayhead into spout (button sprayhead)
- all brass construction
- insulated brass sprayhead has dual function aerated or spray mode
- ultra-smooth hand-assist sprayhead retraction
- ceramic disc cartridge
- · max flow rate: 1.8 gpm

replace XX with desired handle shown on page 60

SQUEEZE SPRAYHEAD

polished chrome 1631 2039 standard 2283 special 2691 premium

BUTTON SPRAYHEAD

polished chrome 1246 standard 1558 1744 special 2056 premium



3-17-25

K51-101SQ-XX

Squeeze Sprayhead



K51-101-XX



Pull-Down Prep/Bar Faucet with Squeeze or Button Sprayer

- 15-7/16" overall height; spout rotates 360°
- 6-11/16" spout center to center with detent docking to secure sprayhead into spout (squeeze sprayhead)
- 6-1/2" spout center to center with magnetic docking to secure sprayhead into spout (button sprayhead)
- all brass construction
- · insulated brass sprayhead has dual function aerated or spray mode
- · ultra-smooth hand-assist sprayhead retraction
- · ceramic disc cartridge
- · max flow rate: I.8 gpm

replace XX with desired handle shown on page 60

SQUEEZE SPRAYHEAD

1601 polished chrome 2001 standard 2241 special 2642 premium

BUTTON SPRAYHEAD

polished chrome 1216 standard 1520 special 1702 2006 premium





K51-103-XX

Button Sprayhead



Pull-Down Kitchen Faucet with Squeeze or Button Sprayer - Quad Spout

- 15-3/8" overall height; spout rotates 360°
- 9-3/8" spout center to center with detent docking to secure sprayhead into spout (squeeze sprayhead)
- 9-3/16" spout center to center with magnetic docking to secure sprayhead into spout (button sprayhead)
- all brass construction
- insulated brass sprayhead has dual function aerated or spray mode
- ultra-smooth hand-assist sprayhead retraction
- · ceramic disc cartridge
- · max flow rate: 1.8 gpm

replace XX with desired handle shown on page 60

SOUFFZE SPRAYHEAD

1641 polished chrome 2051 standard 2297 special premium 2708

BUTTON SPRAYHEAD

polished chrome 1256 standard 1570 1758 special 2072 premium



Bridge Kitchen Faucet with Sidespray - Arc Spout

• all brass construction

DESCRIPTION

• 15-11/16" overall height; spout rotates 360°

• 8-15/16" spout center to center; 8" body center to center

• 3-hole deck mount installation


• built-in diverter for sidespray

• insulated brass sidespray handle and trigger

mixed water supplied to sidespray without separate valve
flexible braided hoses for ease of installation

• 1/4 turn ceramic disc cartridge(s)

• 1.8 gpm max flow rate



K51-120S-45



K51-120S-45X 45X Series



K51-120S-52



K51-120S-52B





K51-120S-62

K51-120S-62B

62 Series

65 Series

K51-120S-65

K51-120S-66



K51-120S-74 74 Series



K51-120S-E3 E3 Series



K51-120S-E3B E3 Series





62

Bridge Kitchen Faucet - Arc Spout

- all brass construction
- 15-11/16" overall height; spout rotates 360°
- 8-15/16" spout center to center; 8" body center to center
- 2-hole deck mount installation
- flexible braided hoses for ease of installation
- 1/4 turn ceramic disc cartridge(s)
- 1.8 gpm max flow rate



K51-120-62

62 Series



K51-120-52 52 Series



K51-120-65





K51-120-E3B E3 Series

K51-120-52B 52 Series





K51-120-66 66 Series



K51-120-74 74 Series



K51-120-E3 E3 Series

62 Series



800.822.8855 | californiafaucets.com

1495

1869

2093

2467

polished chrome

standard

premium

special

standard

premium

special

polished chrome


1995

2494

2793

3292

DESCRIPTION FINISH PRICE



- 13-5/8" overall height; spout rotates 360°
- 8-15/16" spout center to center; 8" body center to center
- 3-hole deck mount installation
- built-in diverter for sidespray
- insulated brass sidespray handle and trigger
- mixed water supplied to sidespray without separate valve
- · flexible braided hoses for ease of installation
- 1/4 turn ceramic disc cartridge(s)
- 1.8 gpm max flow rate



K51-123S-62

62 Series



62 Series















K51-123S-66 66 Series











3-17-25

Bridge Kitchen Faucet - Quad Spout

- all brass construction
- 13-5/8" overall height; spout rotates 360°
- 8-15/16" spout center to center; 8" body center to center
- 2-hole deck mount installation
- flexible braided hoses for ease of installation
- 1/4 turn ceramic disc cartridge(s)
- 1.8 gpm max flow rate

1495 polished chrome standard 1869 2093 special 2467 premium







K51-123-45X



K51-123-52B 52 Series

62 Series

K51-123-74

62 Series

65 Series

K51-123-E3B

K51-123-65

K51-123-E3 E3 Series





E3 Series

K51-123-66 66 Series



74 Series

800.822.8855 | californiafaucets.com

DESCRIPTION FINISH PRICE Single Handle Combo Hot & Cold Water Dispenser - Arc Spout polished chrome 815 standard 1019 • all brass construction • 10-3/4" overall height 1141



• 4-3/4" spout center to center

• insulated spout to reduce heat to faucet

· self-closing for hot water

• max flow rate: 1.0 gpm

requires hot water tank: 9628SS

9623-K51-ST Stick









9623-K51-BFB



polished chrome

638

798

893

1053

767

special

premium

1345



Cold Water Dispenser - Arc Spout

- all brass construction
- 10-1/16" overall spout height
- 4-3/4" spout center to center
- fits most popular cold/filtered water units with 1/4" compression
- max flow rate: 1.8 gpm









9620-K51-BFB Black Flat Blade

Hot Water Dispenser - Arc Spout

- · all brass construction
- 10-1/16" overall height
- 4-3/4" spout center to center
- max flow rate: I.0 gpm

requires hot water tank: 9628SS

standard special premium • insulated spout to reduce heat to faucet



9625-K51-ST



9625-K51-BST Black Stick



9625-K51-FB Flat Blade



9625-K51-BFB





64

9628SS

Instant Hot Water Tank

- provides 190°F water instantly, heats 60 cups per hour
- tank capacity 5/8 gallon (2-1/2 quarts)
- power I300 watts (uses less energy than a 40W light bulb)
- $\bullet\,$ all stainless steel tubes, heating coil, tank and outer case
- · mounting bracket included
- for use with 9623-XX and 9625-XX hot water dispensers

DESCRIPTION FINISH PRICE

Single Handle Combo Hot & Cold Water Dispenser - Quad Spout

- · all brass construction
- 9-3/4" overall height
- 4-11/16" spout center to center
- insulated spout to reduce heat to faucet
- · self-closing for hot water
- max flow rate: 1.0 gpm

requires hot water tank: 9628SS





9623Q-K51-ST Stick



9623Q-K51-BST Black Stick








Cold Water Dispenser - Quad Spout

- all brass construction
- 9-1/6" overall height
- 4-11/16" spout center to center
- \bullet fits most popular cold/filtered water units with 1/4" compression
- max flow rate: 1.8 gpm





9620Q-K51-ST







9620Q-K51-FB Flat Blade



Hot Water Dispenser - Quad Spout

- · all brass construction
- 9-1/16" overall height
- 4-11/16" spout center to center
- · insulated spout to reduce heat to faucet
- max flow rate: 1.0 gpm

requires hot water tank: 9628SS





9625Q-K51-ST



9625Q-K51-BST



9625Q-K51-FB Flat Blade



9625Q-K51-BFB Black Flat Blade





9602

Reverse Osmosis Air Gap

- non-corrosive ABS construction
- under counter installation, mounting clip included
- push-to-connect connects for easy installation
- 1/4" OD tube inlet
- 3/8" OD tube outlet
- for use with 9620-XX, 9623-XX and 9625-XX water dispensers

65

MODEL	DESCRIPTION FINISH	PRICE
K51-110-XX	Pull-Out Kitchen Faucet • 13-1/4" overall height; spout rotates 360° • 8-5/16" spout center to center • all brass construction • insulated brass sprayhead has dual function aerated or spray mode • ceramic disc cartridge • max flow rate: 1.8 gpm replace XX with desired handle shown on 60	1222 1528 1711 2016
K51-111-XX	Pull-Out Prep/Bar Faucet • 12-7/16" overall height; spout rotates 360° standard • 6-3/8" spout center to center • all brass construction • insulated brass sprayhead has dual function aerated or spray mode • ceramic disc cartridge • max flow rate: 1.8 gpm replace XX with desired handle shown on 60	1200 1500 1680 1980
• 10-3/1 • 5-5/16 • cerami • 1.2 gpr	Iole Lavatory/Bar/Prep Faucet - Low Spout 16" overall height standard 5" spout center to center ic mixing cartridge m water saving aerator drain separately. See pages 480-482 for all drain options including ZeroDrain®.	erome 68 86 96 113
	6209B-1 Black Stick Flat Blade Black Fla	
• 5-5/16 • cerami • 1.2 gpr	16" overall height standard "spout center to center special ilic mixing cartridge premium water saving aerator drain separately. See pages 480-482 for all drain options including ZeroDrain®. 6209B-2 E309-2 E309B-2 Black Stick Flat Blade Black Flat Blade	98 110 130

polished chrome

1329

DESCRIPTION FINISH PRICE



Pot Filler - Dual Handle Wall Mount - Contemporary

- all brass construction
- 22-3/16" wall to center
- 1/4 turn ceramic disc cartridge(s)
- · dual jointed swing spout
- 1/2" FIP inlet quick connect for ease of installation
- max flow rate: 4.0 gpm at 60 psi

standard 1661 1861 special 2193 premium

K51-200-ST







K51-200-BST





K51-201-45



65 Series

K51-201-65



66 Series

K51-201-66



K51-201-74









9631-K50	Soap Dispenser
	all brass construction
	• 3-11/16" overall height
	 4-1/4" nozzle projection
	easy refill from top

- jection from center

- 12.5 fl. ounce capacity bottle
- 2-9/16" max counter thickness

polished chrome standard 385 43 I special 508 premium



9600-K50 Complete Air Gap Kit for Dishwasher

- all brass construction trim • 2-9/16" overall height
- 2" base diameter
- I-3/4" max counter thickness
- includes air gap rough

197

246

276

325

160

175

polished chrome

polished chrome

standard

premium

special



9611-K50 Air Activation Switch for Disposer - Trim Only

- all brass construction trim • 15/16" overall height
- 2" base diameter
- 2-3/8" max counter thickness

standard 200 224 special 264 premium



9615

requires 9615 control box, sold separately

Air Activation Switch for Disposer - Control Box Only • includes 5' flexible tubing · control box has dual outlets

• one outlet is always "on" except when air switch is activated

• for use with all 9611 air activation switch for disposer trim

Cabinet Knob



Cabinet & Appliance Pulls



ENDCAP DETAIL

9480-K50

Cabinet Knob

- I-I/4" x I-I/I6"
- all brass construction
- includes mounting hardware

polished chrome	23
standard	29
special	32
premium	38

9482-K50-4.0

4" Cabinet Pull

- 4" center to center
- all brass construction with smooth ends
- · includes mounting hardware

polished chrome	56
standard	70
special	78
premium	92

9482-K50-6.0

6" Cabinet Pull

- 6" center to center
- all brass construction with smooth ends
- includes mounting hardware

64
80
90
106

9482-K50-8.0

8" Cabinet Pull

- 8" center to center
- all brass construction with smooth ends
- includes mounting hardware

polished chrome	72
standard	90
special	101
premium	119

9484-K50-12

12" Appliance Pull

- 12" center to center
- all brass construction with smooth ends
- includes mounting hardware

polished chrome	201
standard	251
special	281
premium	332

9484-K50-18

18" Appliance Pull

- 18" center to center
- all brass construction with smooth ends
- includes mounting hardware

polished chrome	232
standard	290
special	325
premium	383

9484-K50-24

24" Appliance Pull

- 24" center to center
- all brass construction with smooth ends
- includes mounting hardware

polished chrome	254
standard	318
special	356
premium	419



LA SPEZIA®

K55 SERIES



FINISH

MODEL K55-100SQ-TG



K55-100-TG Button Sprayhead



Pull-Down Kitchen Faucet with Squeeze or Button Sprayer - High Arc Spout

- 18-3/4" overall height; spout rotates 360°
- 9-5/16" spout center to center with detent docking to secure sprayhead into spout (squeeze sprayhead)
- 9-3/16" spout center to center with magnetic docking to secure sprayhead into spout (button sprayhead)
- all brass construction

DESCRIPTION

- insulated brass sprayhead has dual function aerated or spray mode
- ultra-smooth hand-assist sprayhead retraction
- ceramic disc cartridge
- · max flow rate: 1.8 gpm

SQUEEZE SPRAYHEAD

PRICE

polished chrome 1748 2185 standard 2447 special 2884 premium

BUTTON SPRAYHEAD

polished chrome	1364
standard	1705
special	1910
premium	2251



K55-102SQ-TG

Squeeze Sprayhead



K55-102-TG

Button Sprayhead



Pull-Down Kitchen Faucet with Squeeze or Button Sprayer - Low Arc Spout

- 16-3/16" overall height; spout rotates 360°
- 9-5/16" spout center to center with detent docking to secure sprayhead into spout (squeeze sprayhead)
- 9-3/16" spout center to center with magnetic docking to secure sprayhead into spout (button sprayhead)
- all brass construction
- · insulated brass sprayhead has dual function aerated or spray mode
- ultra-smooth hand-assist sprayhead retraction
- ceramic disc cartridge
- max flow rate: 1.8 gpm

SQUEEZE SPRAYHEAD

polished chrome 1738 2173 standard 2433 special premium 2868

BUTTON SPRAYHEAD

polished chrome 1354 standard 1693 1896 special 2234 premium



K55-101SQ-TG Squeeze Sprayhead



K55-101-TG Button Sprayhead



Pull-Down Prep/Bar Faucet with Squeeze or Button Sprayer

- 15-15/16" overall height; spout rotates 360°
- 6-1/8" spout center to center with detent docking to secure sprayhead into spout (squeeze sprayhead)
- 5-15/16" spout center to center with magnetic docking to secure sprayhead into spout (button sprayhead)
- · all brass construction
- insulated brass sprayhead has dual function aerated or spray mode
- · ultra-smooth hand-assist sprayhead retraction
- · ceramic disc cartridge
- · max flow rate: I.8 gpm

SQUEEZE SPRAYHEAD

polished chrome 2135 standard 2391 special 2818 premium

BUTTON SPRAYHEAD

polished chrome 1324 standard 1655 special 1854 2185 premium



3-17-25

K55-103SQ-TG

Squeeze Sprayhead



K55-103-TG

Button Sprayhead



Pull-Down Kitchen Faucet with Squeeze or Button Sprayer - Quad Spout

- 14-5/8" overall height; spout rotates 360°
- 9-5/16" spout center to center with detent docking to secure sprayhead into spout (squeeze sprayhead)
- 9-1/8" spout center to center with magnetic docking to secure sprayhead into spout (button sprayhead)
- all brass construction
- insulated brass sprayhead has dual function aerated or spray mode
- ultra-smooth hand-assist sprayhead retraction
- ceramic disc cartridge
- max flow rate: 1.8 gpm

SOUEEZE SPRAYHEAD

polished chrome 1748 2185 standard 2447 special premium 2884

BUTTON SPRAYHEAD

polished chrome 1364 standard 1705 1910 special 2251 premium

	MODEL	DESCRIPTION	FINISH	PRICE
	9623-K55-TG	Single Handle Combo Hot & Cold Water Dispenser - Arc Spout • all brass construction • 10-3/4" overall height • 4-3/4" spout center to center • insulated spout to reduce heat to faucet • self-closing for hot water • max flow rate: 1.0 gpm requires hot water tank: 9628SS	polished chrome standard special premium	845 1056 1183 1394
	9620-K55-TG	Cold Water Dispenser - Arc Spout • all brass construction • 10-1/16" overall height • 4-3/4" spout center to center • fits most popular cold/filtered water units with 1/4" compression • max flow rate: 1.8 gpm	polished chrome standard special premium	539 674 755 889
	9625-K55-TG	Hot Water Dispenser - Arc Spout • all brass construction • 10-1/16" overall height • 4-3/4" spout center to center • insulated spout to reduce heat to faucet • max flow rate: 1.0 gpm requires hot water tank: 9628SS	polished chrome standard special premium	693 866 970 1143
Interest to Her Evel	9628SS	Instant Hot Water Tank • provides 190°F water instantly, heats 60 cups per hour • tank capacity 5/8 gallon (2-1/2 quarts) • power 1300 watts (uses less energy than a 40W light bulb) • all stainless steel tubes, heating coil, tank and outer case • mounting bracket included • for use with 9623-XX and 9625-XX hot water dispensers		767

	MODEL	DESCRIPTION	FINISH	PRICE
	9623Q-K55-TG	Single Handle Combo Hot & Cold Water Dispenser - Quad Spout • all brass construction • 9-3/4" overall height • 4-11/16" spout center to center • insulated spout to reduce heat to faucet • self-closing for hot water • max flow rate: 1.0 gpm requires hot water tank: 9628SS	polished chrome standard special premium	845 1056 1183 1394
	9620Q-K55-TG	Cold Water Dispenser - Quad Spout • all brass construction • 9-1/16" overall height • 4-11/16" spout center to center • fits most popular cold/filtered water units with 1/4" compression • max flow rate: 1.8 gpm	polished chrome standard special premium	539 674 755 889
	9625Q-K55-TG	Hot Water Dispenser - Quad Spout • all brass construction • 9-1/16" overall height • 4-11/16" spout center to center • insulated spout to reduce heat to faucet • max flow rate: 1.0 gpm requires hot water tank: 9628SS	polished chrome standard special premium	693 866 970 1143
VIAGAR Vaposi Vaposi Vaposi	9602	Reverse Osmosis Air Gap • non-corrosive ABS construction • under counter installation, mounting clip included • push-to-connect connects for easy installation • 1/4" OD tube - inlet • 3/8" OD tube - outlet • for use with 9620-XX, 9623-XX and 9625-XX water dispensers		65

DESCRIPTION FINISH PRICE

Single Hole Lavatory/Bar/Prep Faucet - Low Spout • 10-3/16" overall height

- 5-5/16" spout center to center
- · ceramic mixing cartridge
- 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.



polished chrome

standard

premium

special

789

986

1105

1302









Single Hole Lavatory/Bar/Prep Faucet - High Spout

- 14-5/16" overall height
- 5-5/16" spout center to center
- · ceramic mixing cartridge
- · 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.









K55-200-TG

Pot Filler - Dual Handle Wall Mount

- all brass construction • 22-3/16" wall to center
- 1/4 turn ceramic disc cartridge(s)
- · dual jointed swing spout
- 1/2" FIP inlet quick connect for ease of installation
- max flow rate: 4.0 gpm at 60 psi

polished chrome	1439
standard	1799
special	2015
premium	2374



MODEL	DESCRIPTION	FINISH	PRICE
9631-K55	Soap Dispenser • all brass construction • 3-11/16" overall height • 5-1/8" nozzle projection from center • easy refill from top • 12.5 fl. ounce capacity bottle • 2-9/16" max counter thickness	polished chrome standard special premium	330 413 462 545
9600-K50	Complete Air Gap Kit for Dishwasher • all brass construction trim • 2-9/16" overall height • 2" base diameter • 1-3/4" max counter thickness • includes air gap rough	polished chrome standard special premium	197 246 276 325
9611-K50	Air Activation Switch for Disposer - Trim Only • all brass construction • 15/16" overall height • 2" base diameter • 2-3/8" max counter thickness requires 9615 control box, sold separately	polished chrome standard special premium	160 200 224 264
9615	Air Activation Switch for Disposer - Control Box Only includes 5' flexible tubing control box has dual outlets one outlet is always "on" except when air switch is activated for use with all 9611 air activation switch for disposer trim		175

Cabinet Knob



Cabinet & Appliance Pulls





9480-K50

Cabinet Knob

- |-|/4" x |-|/|6"
- · all brass construction
- includes mounting hardware

polished chrome	23
standard	29
special	32
premium	38

9482-K50-4.0 4" Cabinet Pull

- 4" center to center
- all brass construction with smooth ends
- includes mounting hardware

polished chrome	56
standard	70
special	78
premium	92

9482-K50-6.0

6" Cabinet Pull

- 6" center to center
- all brass construction with smooth ends
- includes mounting hardware

polished chrome	64
standard	80
special	90
premium	106

9482-K50-8.0

8" Cabinet Pull

- 8" center to center
- all brass construction with smooth ends
- · includes mounting hardware

polished chrome	72
standard	90
special	101
premium	119

9484-K50-12

12" Appliance Pull

- 12" center to center
- all brass construction with smooth ends
- · includes mounting hardware

polished chrome	201
'	
standard	251
special	281
premium	332

9484-K50-18

18" Appliance Pull

- 18" center to center
- all brass construction with smooth ends
- includes mounting hardware

polished chrome	232
standard	290
special	325
premium	383

9484-K50-24


24" Appliance Pull

- 24" center to center
- all brass construction with smooth ends
- · includes mounting hardware

polished chrome	254
standard	318
special	356
premium	419

DESCANSO WORKS®

K81 SERIES



MODEL DESCRIPTION

K81-100SQ-BL

Squeeze Sprayhead

K81-100-BL

Button Sprayhead

Pull-Down Kitchen Faucet with Squeeze or Button Sprayer - High Arc Spout

- 18-1/16" overall height; spout rotates 360°
- 9-5/16" spout center to center with detent docking to secure sprayhead into spout (squeeze sprayhead)
- 9-3/16" spout center to center with magnetic docking to secure sprayhead into spout (button sprayhead)
- all brass construction
- insulated brass sprayhead has dual function aerated or spray mode
- ultra-smooth hand-assist sprayhead retraction
- · ceramic disc cartridge
- · max flow rate: 1.8 gpm

SQUEEZE SPRAYHEAD

PRICE

FINISH

polished chrome 1779 standard 2224 special 2491 premium 2935

BUTTON SPRAYHEAD

polished chrome 1395 standard 1744 special 1953 premium 2302



K81-102SQ-BL Squeeze Sprayhead



K81-102-BL



Pull-Down Kitchen Faucet with Squeeze or Button Sprayer - Low Arc Spout

- 15-1/2" overall height; spout rotates 360°
- 9-5/16" spout center to center with detent docking to secure sprayhead into spout (squeeze sprayhead)
- 9-3/16" spout center to center with magnetic docking to secure sprayhead into spout (button sprayhead)
- all brass construction
- insulated brass sprayhead has dual function aerated or spray mode
- ultra-smooth hand-assist sprayhead retraction
- · ceramic disc cartridge
- max flow rate: 1.8 gpm

SQUEEZE SPRAYHEAD

polished chrome 1769 standard 2211 special 2477 premium 2919

BUTTON SPRAYHEAD

polished chrome 1385 standard 1731 special 1939 premium 2285



K81-101SQ-BL Squeeze Sprayhead



K81-101-BLButton Sprayhead



Pull-Down Prep/Bar Faucet with Squeeze or Button Sprayer

- 15-1/2" overall height; spout rotates 360°
- 6-11/16" spout center to center with detent docking to secure sprayhead into spout (squeeze sprayhead)
- 6-1/2" spout center to center with magnetic docking to secure sprayhead into spout (button sprayhead)
- all brass construction
- insulated brass sprayhead has dual function aerated or spray mode
- ultra-smooth hand-assist sprayhead retraction
- ceramic disc cartridge
- max flow rate: 1.8 gpm

SQUEEZE SPRAYHEAD

polished chrome 1739 standard 2174 special 2435 premium 2869

BUTTON SPRAYHEAD

polished chrome 1355 standard 1694 special 1897 premium 2236



K81-103SQ-BL Squeeze Sprayhead



K81-103-BL



Pull-Down Kitchen Faucet with Squeeze or Button Sprayer - Quad Spout

- 15-7/16" overall height; spout rotates 360°
- 9-3/8" spout center to center with detent docking to secure sprayhead into spout (squeeze sprayhead)
- 9-3/16" spout center to center with magnetic docking to secure sprayhead into spout (button sprayhead)
- all brass construction
- insulated brass sprayhead has dual function aerated or spray mode
- ultra-smooth hand-assist sprayhead retraction
- · ceramic disc cartridge
- max flow rate: 1.8 gpm

SQUEEZE SPRAYHEAD

polished chrome 1779 standard 2224 special 2491 premium 2935

BUTTON SPRAYHEAD

polished chrome 1395 standard 1744 special 1953 premium 2302




Bridge Kitchen Faucet with Sidespray - Arc Spout

• all brass construction

DESCRIPTION

- 15-11/16" overall height; spout rotates 360°
- 8-15/16" spout center to center; 8" body center to center
- 3-hole deck mount installation
- built-in diverter for sidespray
- insulated brass sidespray handle and trigger
- mixed water supplied to sidespray without separate valve
- flexible braided hoses for ease of installation
- 1/4 turn ceramic disc cartridge(s)
- 1.8 gpm max flow rate



K81-120S-BL Ball Lever











Bridge Kitchen Faucet - Arc Spout

- all brass construction
- 15-11/16" overall height; spout rotates 360°
- 8-15/16" spout center to center; 8" body center to center
- 2-hole deck mount installation
- flexible braided hoses for ease of installation
- 1/4 turn ceramic disc cartridge(s)
- 1.8 gpm max flow rate

1495 polished chrome standard 1869 special 2093 2467 premium











FINISH

DESCANSO WORKS K81 SERIES



Bridge Kitchen Faucet with Sidespray - Quad Spout

• all brass construction

DESCRIPTION

- 13-5/8" overall height; spout rotates 360°
- 8-15/16" spout center to center; 8" body center to center
- 3-hole deck mount installation
- · built-in diverter for sidespray
- insulated brass sidespray handle and trigger
- mixed water supplied to sidespray without separate valve
- flexible braided hoses for ease of installation
- 1/4 turn ceramic disc cartridge(s)
- 1.8 gpm max flow rate



PRICE









K81-123S-BWH



Bridge Kitchen Faucet - Quad Spout

- all brass construction
- 13-5/8" overall height; spout rotates 360°
- 8-15/16" spout center to center; 8" body center to center
- 2-hole deck mount installation
- flexible braided hoses for ease of installation
- 1/4 turn ceramic disc cartridge(s)
- 1.8 gpm max flow rate

1495 polished chrome standard 1869 2093 special premium 2467



K81-123-BL Ball Lever












	MODEL	DESCRIPTION	FINISH	PRICE
	9623-K81-BL	Single Handle Combo Hot & Cold Water Dispenser with Ball Lever Handle - Arc Spout • all brass construction • 10-3/4" overall height • 4-3/4" spout center to center • insulated spout to reduce heat to faucet • self-closing for hot water • max flow rate: 1.0 gpm requires hot water tank: 9628SS	polished chrome standard special premium	889 1111 1245 1467
	9620-K81-BL	Cold Water Dispenser with Ball Lever Handle - Arc Spout all brass construction 10-1/16" overall height 4-3/4" spout center to center fits most popular cold/filtered water units with 1/4" compression max flow rate: 1.8 gpm	polished chrome standard special premium	585 731 819 965
	9625-K81-BL	Hot Water Dispenser with Ball Lever Handle - Arc Spout all brass construction lo-1/16" overall height 4-3/4" spout center to center insulated spout to reduce heat to faucet max flow rate: 1.0 gpm requires hot water tank: 9628SS	polished chrome standard special premium	787 984 1102 1299
Income to the French	9628SS	Instant Hot Water Tank • provides 190°F water instantly, heats 60 cups per hour • tank capacity 5/8 gallon (2-1/2 quarts) • power 1300 watts (uses less energy than a 40W light bulb) • all stainless steel tubes, heating coil, tank and outer case • mounting bracket included • for use with 9623-XX and 9625-XX hot water dispensers		767

	MODEL	DESCRIPTION	FINISH	PRICE
	9623Q-K81-BL	Single Handle Combo Hot & Cold Water Dispenser with Ball Lever Handle - Quad Spout • all brass construction • 9-3/4" overall height • 4-11/16" spout center to center • insulated spout to reduce heat to faucet • self-closing for hot water • max flow rate: 1.0 gpm requires hot water tank: 9628SS	polished chrome standard special premium	889 1111 1245 1467
	9620Q-K81-BL	Cold Water Dispenser with Ball Lever Handle - Quad Spout all brass construction 9-1/16" overall height 4-11/16" spout center to center fits most popular cold/filtered water units with 1/4" compression max flow rate: 1.8 gpm	polished chrome standard special premium	585 731 819 965
	9625Q-K81-BL	Hot Water Dispenser with Ball Lever Handle - Quad Spout • all brass construction • 9-1/16" overall height • 4-11/16" spout center to center • insulated spout to reduce heat to faucet • max flow rate: 1.0 gpm requires hot water tank: 9628SS	polished chrome standard special premium	787 984 1102 1299
VIAGER VGPOST	9602	Reverse Osmosis Air Gap • non-corrosive ABS construction • under counter installation, mounting clip included • push-to-connect connects for easy installation • 1/4" OD tube - inlet • 3/8" OD tube - outlet • for use with 9620-XX, 9623-XX and 9625-XX water dispensers		65

Single Hole Lavatory/Bar/Prep Faucet - Low Spout

- 10-1/16" overall height
- 5-5/16" spout center to center
- · ceramic mixing cartridge
- 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.







DESCRIPTION







Single Hole Lavatory/Bar/Prep Faucet - High Spout

- 14-3/16" overall height
- 5-5/16" spout center to center
- · ceramic mixing cartridge
- 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.















Pot Filler - Dual Handle Wall Mount

- · all brass construction
- 22-3/16" wall to center
- 1/4 turn ceramic disc cartridge(s)
- · dual jointed swing spout
- 1/2" FIP inlet for quick connect
- max flow rate: 4.0 gpm at 60 psi

1649 polished chrome 2061 standard 2309 special 2721 premium



K81-200-BL Ball Lever



K81-200-WH Wheel



K81-200-BWH Black Wheel



K81-200-RWH Red Wheel



MODEL	DESCRIPTION	FINISH	PRICE
9631-K30	Soap Dispenser • all brass construction • 3-9/16" overall height • 3-5/8" nozzle projection from center • easy refill from top • 12.5 fl. ounce capacity bottle • 2-9/16" max counter thickness	polished chrome standard special premium	330 413 462 545
9600-K30	Complete Air Gap for Dishwasher • all brass construction trim • 3" overall height • 2-3/8" base diameter • I-3/4" maximum counter thickness • includes air gap rough	polished chrome standard special premium	219 274 307 361
9611-K30	Air Activation Switch for Disposer - Trim Only • all brass construction trim • 7/8" overall height • 2-3/8" base diameter • 2-3/8" max counter thickness requires 9615 control box, sold separately	polished chrome standard special premium	182 228 255 300
9615	Air Activation Switch for Disposer - Control Box Only includes 5' flexible tubing control box has dual outlets one outlet is always "on" except when air switch is activated for use with all 9611 air activation switch for disposer trim		175

Cabinet Knob



9480-K50

Cabinet Knob

- I-I/4" x I-I/I6"
- · all brass construction
- includes mounting hardware

polished chrome	23
standard	29
special	32
premium	38

Cabinet & Appliance Pulls





9482-K50-4.0

4" Cabinet Pull

- 4" center to center
- all brass construction with smooth ends
- includes mounting hardware

polished chrome	56
standard	70
special	78
premium	92

9482-K50-6.0

6" Cabinet Pull

- 6" center to center
- all brass construction with smooth ends
- includes mounting hardware

polished chrome	64
standard	80
special	90
premium	106

9482-K50-8.0

8" Cabinet Pull

- 8" center to center
- all brass construction with smooth ends
- includes mounting hardware

polished chrome	72
standard	90
special	101
premium	119

9484-K50-12

12" Appliance Pull

- 12" center to center
- all brass construction with smooth ends
- includes mounting hardware

polished chrome	201
standard	251
special	281
premium	332

9484-K50-18

18" Appliance Pull

- 18" center to center
- all brass construction with smooth ends
- includes mounting hardware

	polished chrome	232
:	standard	290
:	special	325
-	premium	383

9484-K50-24

24" Appliance Pull

- 24" center to center
- all brass construction with smooth ends
- includes mounting hardware

polished chrome	254
standard	318
special	356
premium	419





Handle Options

Replace XX with desired handle style. e.g.: K90-100-PT



PT Textured Paddle



BQ Idle Quad Blade




KA Appliance Knob



KD Dotted Knob





COTO | K90 SERIES

	MODEL	DESCRIPTION	FINISH	PRICE
	9623-K90-BQ	Single Handle Combo Water Dispenser 10-3/4" overall height 4-3/4" spout center to center insulated spout to reduce heat to faucet self-closing for hot water max flow rate: 1.0 gpm requires hot water tank: 9628SS	satin stainless steel standard premium	995 1244 1493
	9620-K90-BQ	Cold Water Dispenser • 316 stainless steel construction • 10-1/4" overall height • 4-3/4" center to center • fits most popular cold/filtered water units with 1/4" compression • max flow rate: 1.8 gpm	satin stainless steel standard premium	659 824 989
	9628SS	Instant Hot Water Tank • provides 190°F water instantly, heats 60 cups per hour • tank capacity 5/8 gallon (2-1/2 quarts) • power 1300 watts (uses less energy than a 40W light bulb) • all stainless steel tubes, heating coil, tank and outer case • mounting bracket included • for use with 9623-XX and 9625-XX hot water dispensers		767
VIAGM VGP08	9602	Reverse Osmosis Air Gap • non-corrosive ABS construction • under counter installation, mounting clip included • push-to-connect connects for easy installation • I/4" OD tube - inlet • 3/8" OD tube - outlet • for use with 9620-XX, 9623-XX and 9625-XX water dispensers		65

MODEL	DESCRIPTION	FINISH	PRICE
9631-K90	Soap Dispenser • 316 stainless steel construction • 3-11/16" overall height • 4-1/4" nozzle projection from center • easy refill from top • 12.5 fl. ounce capacity bottle • 2-9/16" max counter thickness	satin stainless steel standard premium	379 474 569
9600-K90	Complete Air Gap for Dishwasher • 316 stainless steel construction • 2-9/16" overall height • 2" base diameter • 1-3/4" max counter thickness • includes air gap rough	satin stainless steel standard premium	229 286 344
9611-K90	Air Activation Switch for Disposer - Trim Only • 316 stainless steel construction • 15/16" overall height • 2" base diameter • 2-3/8" max counter thickness requires 9615 control box, sold separately	satin stainless steel standard premium	179 224 269
9615	Air Activation Switch for Disposer - Control Box Only includes 5' flexible tubing control box has dual outlets one outlet is always "on" except when air switch is activated for use with all 9611 air activation switch for disposer trim		175

CF LIMITED™

KOI SERIES





unique concealed dual-function pull-down sprayer



MODEL	DESCRIPTION	FINISH	PRICE
K01-102-ST	Pull-Down Kitchen Faucet with Concealed Button Sprayer - Stick Handle • 15" overall height; spout rotates 360° • 9-5/16" spout center to center • all brass construction with concealed and insulated sprayhead • one button control for aerated or spray stream • ultra-smooth hand-assist sprayhead retraction • ceramic disc cartridge • max flow rate: 1.8 gpm In-Stock for Immediate Shipment	polished chrome satin nickel matte black	759 929 929
K01-102-FB	Pull-Down Kitchen Faucet with Concealed Button Sprayer - Blade Handle 15" overall height; spout rotates 360° 9-5/16" spout center to center all brass construction with concealed and insulated sprayhead one button control for aerated or spray stream ultra-smooth hand-assist sprayhead retraction ceramic disc cartridge max flow rate: 1.8 gpm In-Stock for Immediate Shipment	polished chrome satin nickel matte black	759 929 929

FINISH

Single Handle Combo Hot & Cold Water Dispenser - Arc Spout



• 10-3/4" overall height

DESCRIPTION

- 4-3/4" spout center to center
- insulated spout to reduce heat to faucet
- · self-closing for hot water
- max flow rate: 1.0 gpm

requires hot water tank: 9628SS





9623-K50-ST



9623-K51-FB Flat Blade

Cold Water Dispenser - Arc Spout

- · all brass construction
- 10-1/16" overall height
- 4-3/4" spout center to center
- fits most popular cold/filtered water units with 1/4" compression
- max flow rate: 1.8 gpm

polished chrome 495 satin nickel 619 matte black 619



9620-K50-ST

Stick



9620-K51-FB Flat Blade



Hot Water Dispenser - Arc Spout

- all brass construction
- 10-1/16" overall height
- 4-3/4" spout center to center
- · insulated spout to reduce heat to faucet
- max flow rate: 1.0 gpm

requires hot water tank: 9628SS






9625-K50-ST



9625-K51-FB Flat Blade



Instant Hot Water Tank

- provides 190°F water instantly, heats 60 cups per hour
- tank capacity 5/8 gallon (2-1/2 quarts)
- power 1300 watts (uses less energy than a 40W light bulb)
- $\bullet\,$ all stainless steel tubes, heating coil, tank and outer case
- · mounting bracket included
- for use with 9623-XX and 9625-XX hot water dispensers

3-17-25



Pot Filler - Dual Handle Wall Mount - Contemporary

• all brass construction

DESCRIPTION

- 22-3/16" wall to center
- 1/4 turn ceramic disc cartridge(s)
- dual jointed swing spout
- 1/2" FIP inlet quick connect for ease of installation
- max flow rate: 4.0 gpm at 60 psi

1329 polished chrome satin nickel 1661 matte black 1661

PRICE

FINISH

K50-200-ST





9631-K50	Soap Dispenser • all brass construction • 3-11/16" overall height • 4-1/4" nozzle projection from center • easy refill from top • 12.5 fl. ounce capacity bottle • 2-9/16" max counter thickness	polished chrome satin nickel matte black	308 385 385
9600-K50	Complete Air Gap Kit for Dishwasher • all brass construction trim • 2-9/16" overall height • 2" base diameter • 1-3/4" max counter thickness • includes air gap rough	polished chrome satin nickel matte black	197 246 246
9611-K50	Air Activation Switch for Disposer - Trim Only • all brass construction trim • 15/16" overall height • 2" base diameter • 2-3/8" max counter thickness requires 9615 control box, sold separately	polished chrome satin nickel matte black	160 200 200
9615	Air Activation Switch for Disposer - Control Box Only includes 5' flexible tubing control box has dual outlets one outlet is always "on" except when air switch is activated for use with all 9611 air activation switch for disposer trim		175

Cabinet Knob



9480-K50

Cabinet Knob

- I-1/4" x I-1/16"
- all brass construction
- includes mounting hardware

polished chrome 23 satin nickel 29 matte black 29

Cabinet & Appliance Pulls



9482-K50-4.0

4" Cabinet Pull

- 4" center to center
- all brass construction with smooth ends
- · includes mounting hardware

polished chrome	56
satin nickel	70
matte black	70

9482-K50-6.0

6" Cabinet Pull

- 6" center to center
- · all brass construction with smooth ends
- includes mounting hardware

polished chrome	64
satin nickel	80
matte black	80

9482-K50-8.0

8" Cabinet Pull

- 8" center to center
- all brass construction with smooth ends
- includes mounting hardware

72
90
90

9484-K50-12

12" Appliance Pull

- 12" center to center
- · all brass construction with smooth ends
- includes mounting hardware

polished chrome	201
satin nickel	251
matte black	251

9484-K50-18

18" Appliance Pull

- 18" center to center
- all brass construction with smooth ends
- includes mounting hardware

polished chrome	232
satin nickel	290
matte black	290

9484-K50-24

24" Appliance Pull

- 24" center to center
- all brass construction with smooth ends
- includes mounting hardware

polished chrome	254
satin nickel	318
matte black	318

CULINARY

K30 | K50 | K51 | K81 SERIES





PRICE

3435

1697

2121

2376

2800

FINISH

premium

polished chrome

standard

premium

special



*Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.

Culinary Pull-Out Kitchen Faucet with Squeeze Sprayer

- 23-3/16" overall height; spout/arm rotates 360°
- 8-1/2" spout center to center with magnetic docking to secure sprayhead
- flexible closed coil stainless steel spring
- insulated brass sprayhead has dual function aerated or spray mode
- · ceramic disc cartridge
- max flow rate: 1.8 gpm

Coordinating K30 Series Descanso Prep/Bar Faucet, Water Dispensers and Pot Fillers can be found on pages 50-52

All culinary faucet coils come standard in stainless steel.
Upgrade to coordinated coil finish - options available on pages 96-97










Culinary Pull-Out Kitchen Faucet with Button Sprayer

- 23-3/16" overall height; spout/arm rotates 360°
- 8-1/2" spout center to center with magnetic docking to secure sprayhead
- flexible closed coil stainless steel spring
- · insulated brass sprayhead has dual function aerated or spray mode
- · ceramic disc cartridge
- max flow rate: 1.8 gpm

Coordinating K30 Series Descanso Prep/Bar Faucet, Water Dispensers and Pot Fillers can be found on pages 50-52

All culinary faucet coils come standard in stainless steel.

Upgrade to coordinated coil finish - options available on pages 96-97











K81-150SQ-BL Squeeze Sprayhead



K81-150-BL Button Sprayhead



Culinary Kitchen Faucet with Squeeze or Button Sprayer

- 23-3/16" overall height; spout/arm rotates 360°
- 8-1/2" spout center to center with magnetic docking to secure sprayhead
- all brass construction
- flexible closed coil stainless steel spring
- insulated brass sprayhead has dual function aerated or spray
- ceramic disc cartridge
- max flow rate: 1.8 gpm

Coordinating K81 Series Descanso Works Prep/Bar Faucet, Water Dispensers and Pot Fillers can be found on pages 80-82

All culinary faucet coils come standard in stainless steel. Upgrade to coordinated coil finish options available on pages 96-97



SQUEEZE SPRAYHEAD

polished chrome 2122 standard 2653 special 2971 premium 3501

BUTTON SPRAYHEAD

polished chrome	176
standard	220
special	246
premium	290



- 8-1/2" spout center to center with magnetic docking to secure sprayhead
- · all brass construction
- flexible closed coil stainless steel spring
- insulated brass sprayhead has dual function aerated or spray mode
- · ceramic disc cartridge
- max flow rate: 1.8 gpm

Coordinating K50 Series Poetto Prep/Bar Faucet, Water Dispensers and Pot Fillers can be found on pages 56-58

All culinary faucet coils come standard in stainless steel. Upgrade to coordinated coil finish - options available on pages 96-97

PRICE FINISH polished chrome 1994 standard 2493 special 2792 3290 premium

All Finished Sprayhead



Finished handle options have sprayhead with coordinating metal upper sleeve (shown at left).

K50-150SQ-ST





K50-150SQ-SST Short Stick

K50-150SQ-FB





Black handle options have sprayhead with coordinating black upper sleeve (shown at left).

K50-150SQ-BST

Black Stick



Black Short Stick

Black Flat Blade



K50-I50SQ-BSST K50-I50SQ-BFB



Culinary Pull-Out Kitchen Faucet with Button Sprayer

- 23-11/16" overall height; spout/arm rotates 360°
- 8-1/2" spout center to center with magnetic docking to secure sprayhead
- flexible closed coil stainless steel spring
- · insulated brass sprayhead has dual function aerated or spray mode
- · ceramic disc cartridge
- max flow rate: 1.8 gpm

Coordinating K50 Series Poetto Prep/Bar Faucet, Water Dispensers and Pot Fillers can be found on pages 56-58

All culinary faucet coils come standard in stainless steel. Upgrade to coordinated coil finish - options available on pages 96-97 polished chrome 1609 2011 standard 2253 special premium 2655

All Finished Sprayhead



Finished handle options have sprayhead with coordinating metal upper sleeve (shown at left).

K50-I50-ST



K50-150-SST

Short Stick



K50-I50-FB



K50-150-BST

Black Stick



K50-150-BSST Black Short Stick



Flat Blade



K50-150-BFB Black Flat Blade



Black Upper Sleeve



94

Black handle options have sprayhead with coordinating black upper sleeve (shown at left).

800.822.8855 | californiafaucets.com

PRICE

FINISH



Culinary Pull-Out Kitchen Faucet with Squeeze Sprayer

- 23-1/8" overall height; spout/arm rotates 360°
- 8-1/2" spout center to center with magnetic docking to secure sprayhead
- · all brass construction

DESCRIPTION

- flexible closed coil stainless steel spring
- brass sprayhead has dual function aerated or spray mode
- · ceramic disc cartridge
- max flow rate: 1.8 gpm

Coordinating K51 Series Corsano Prep/Bar Faucet, Water Dispensers and Pot Fillers can be found on pages 64-67

All culinary faucet coils come standard in stainless steel.
Upgrade to coordinated coil finish - options available on pages 96-97

All Finished Sprayhead



Finished handle options have sprayhead with coordinating metal upper sleeve (shown at left).

K51-150SQ-ST



K51-150SQ-FB



Black Upper Sleeve



Black handle options have sprayhead with coordinating black upper sleeve (shown at left).

K51-150SQ-BST



K51-150SQ-BFB



Culinary Pull-Out Kitchen Faucet with Button Sprayer



- 8-1/2" spout center to center with magnetic docking to secure sprayhead
- all brass construction
- flexible closed coil stainless steel spring
- brass sprayhead has dual function aerated or spray mode
- · ceramic disc cartridge
- max flow rate: 1.8 gpm

Coordinating K51 Series Corsano Prep/Bar Faucet, Water Dispensers and Pot Fillers can be found on pages 64-67

All culinary faucet coils come standard in stainless steel.

Upgrade to coordinated coil finish - options available on pages 96-97

All Finished Sprayhead



Finished handle options have sprayhead with coordinating metal upper sleeve (shown at left).

K51-150-ST



K51-150-FB



K51-150-BST

Black Stick

K51-150-BFB



Black Upper Sleeve



3-17-25

Black handle options have sprayhead with coordinating black upper sleeve (shown at left).

1609

2011

2253

2655

polished chrome

standard

special

premium

The world's first Culinary Faucet that allows you to finish the spring coil in a custom color.

Here are just three examples of how customization can help you achieve your design vision:

Refer to the chart on the following page for ordering details.



Lifetime Polished Gold (PVD) Faucet with Stainless Steel Coil



Lifetime Polished Gold (PVD) Faucet with Custom Finished Coil in Lifetime Polished Gold (PVD)



Graphite (PVD) Faucet with Stainless Steel Coil



Graphite (PVD) Faucet with Custom Finished Coil in Graphite (PVD)



Carbon (PVD) Faucet with Stainless Steel Coil



Carbon (PVD) Faucet with Custom Finished Coil in Carbon (PVD)

Culinary Faucet Spring Options

Unique to California Faucets is the ability to choose an alternate Coiled Spring finish. The optional Coiled Spring finish is pre-determined by the faucet finish, as indicated on the chart shown below.

The Coil defaults to standard Stainless Steel for the finishes listed below:


Polished Chrome Polished Nickel (PVD)
Satin Chrome Satin Nickel

Burnished Nickel Ultra Stainless Steel (PVD)

Matte White Gloss White

How to specify a coil finish other than standard Stainless Steel:

replace 150 with 150F. For example: K50-150F-BST or K30-150FSQ-KL.



KITCHEN ACCESSORIES

Pearly Duty Post Type Basket Strainer polished chrome standard special permium	PRICE
Seption Standard Special Spe	183
9651-B Replacement Basket Only • all brass construction • fits 9651 9654 Garbage Disposer Deep Flange & Stopper • all brass construction • fits all inSiniferator models (also KitchenAid, Emerson, Kenmore & Grainger) 9654-B Garbage Disposer Deep Flange Only • all brass construction • same as 9654 above, less stopper • all brass construction • fits all inSiniferator models (also KitchenAid, Emerson, Kenmore & Grainger) 9655-B Garbage Disposer Deep Flange Only • all brass construction • fits all inSiniferator models (also KitchenAid, Emerson, Kenmore & Grainger) 9655-B Garbage Disposer Flange & Stopper • all brass construction • fits all inSiniferator models (also KitchenAid, Emerson, Kenmore & Grainger) polished chrome standard special premium	229
9651-B Replacement Basket Only - all brass construction - fits 9651 9654 Garbage Disposer Deep Flange & Stopper - oil trass construction - for use with friedly Farmhouse Sinks - fits all InSinkErator models (also KitchenAid, Emerson, Kennore & Grainger) 9654-B Garbage Disposer Deep Flange Only - all brass construction - same as 9654 above, less stopper - all trass construction - fits all InSinkErator models (also KitchenAid, Emerson, Kennore & Grainger) 9655-A Garbage Disposer Flange & Stopper - all trans construction - fits all InSinkErator models (also KitchenAid, Emerson, Kennore & Grainger) polished chrome standard special premium	256
• all brass construction • fits 9651 9654 Garbage Disposer Deep Flange & Stopper • all brass construction • for use with Friedsy Farmhouse Sinks • fits all InSinkErator models (also KitchenAid, Emerson, Kenmore & Grainger) 9654-B Garbage Disposer Deep Flange Only • all brass construction • same as 9654 above, less stopper 9655 Garbage Disposer Flange & Stopper • all brass construction • fits all InSinkErator models (also KitchenAid, Emerson, Kenmore & Grainger) 9655 Garbage Disposer Flange & Stopper • all brass construction • fits all InSinkErator models (also KitchenAid, Emerson, Kenmore & Grainger) 9656-A Garbage Disposer Stopper 9656-A Garbage Disposer Stopper	302
• all brass construction • fits 9651 9654 Garbage Disposer Deep Flange & Stopper • all brass construction • for use with Frieday Farmhouse Sinks • fits all InSinkErator models (also KitchenAid, Emerson, Kenmore & Grainger) 9654-B Garbage Disposer Deep Flange Only • all brass construction • same as 9654 above, less stopper 9655 Garbage Disposer Flange & Stopper • all brass construction • fits all InSinkErator models (also KitchenAid, Emerson, Kenmore & Grainger) 9656-A Garbage Disposer Flange & Stopper • all brass construction • fits all InSinkErator models (also KitchenAid, Emerson, Kenmore & Grainger) 9656-A Garbage Disposer Stopper polished chrome standard special premium	
9654 Garbage Disposer Deep Flange & Stopper - all brass construction - for use with Fireday Familhouse Sinks - fits all inSinkErator models (also KitchenAid, Emerson, Kemmore & Grainger) 9654-B Garbage Disposer Deep Flange Only - all brass construction - same as 9654 above, less stopper 9655 Garbage Disposer Flange & Stopper - all brass construction - fits all inSinkErator models (also KitchenAid, Emerson, Kemmore & Grainger) 9656-A Garbage Disposer Flange & Stopper - all brass construction - fits all inSinkErator models (also KitchenAid, Emerson, Kemmore & Grainger) polished chrome standard special premium	101
9654 Garbage Disposer Deep Flange & Stopper • all brass construction • for use with Fireday Farmhouse Sinks • fits all InSinkErator models (also KitchenAid, Emerson, Kenmore & Grainger) 9654-B Garbage Disposer Deep Flange Only • all brass construction • same as 9654 above, less stopper 9655 Garbage Disposer Flange & Stopper • all brass construction • fits all InSinkErator models (also KitchenAid, Emerson, Kenmore & Grainger) 9656-A Garbage Disposer Flange & Stopper • polished chrome standard special premium	126
9654 Garbage Disposer Deep Flange & Stopper • all brass construction • for use with fireday Farmhouse Sinks • fits all InSinkErator models (also KitchenAid, Emerson, Kenmore & Grainger) 9654-B Garbage Disposer Deep Flange Only • all brass construction • same as 9654 above, less stopper 9655 Garbage Disposer Flange & Stopper 9655 Garbage Disposer Flange & Stopper • all brass construction • fits all InSinkErator models (also KitchenAid, Emerson, Kenmore & Grainger) polished chrome standard special premium 9655 Garbage Disposer Flange & Stopper • all brass construction • fits all InSinkErator models (also KitchenAid, Emerson, Kenmore & Grainger) polished chrome standard special premium	141
• all brass construction • for use with Fireclay Farmhouse Sinks • fits all InSinkErator models (also KitchenAid, Emerson, Kenmore & Grainger) 9654-B Garbage Disposer Deep Flange Only • all brass construction • same as 9654 above, less stopper 9655 Garbage Disposer Flange & Stopper • all brass construction • fits all InSinkErator models (also KitchenAid, Emerson, Kenmore & Grainger) 9656-A Garbage Disposer Stopper polished chrome standard special premium 9656-A Garbage Disposer Stopper polished chrome standard special premium	167
• all brass construction • for use with Firectay Farmhouse Sinks • fits all InSinkErator models (also KitchenAid, Emerson, Kenmore & Grainger) 9654-B Garbage Disposer Deep Flange Only • all brass construction • same as 9654 above, less stopper Garbage Disposer Flange & Stopper • all brass construction • fits all InSinkErator models (also KitchenAid, Emerson, Kenmore & Grainger) polished chrome standard special premium polished chrome standard special premium 9655 Garbage Disposer Flange & Stopper • all brass construction • fits all InSinkErator models (also KitchenAid, Emerson, Kenmore & Grainger) 9656-A Garbage Disposer Stopper polished chrome polished chrome	205
9654-B Garbage Disposer Deep Flange Only • all brass construction • same as 9654 above, less stopper 9655 Garbage Disposer Flange & Stopper 9655 Garbage Disposer Flange & Stopper • all brass construction • fits all InSinkErator models (also KitchenAid, Emerson, Kenmore & Grainger) 9656-A Garbage Disposer Stopper polished chrome standard special premium	256
9654-B Garbage Disposer Deep Flange Only	287
• all brass construction • same as 9654 above, less stopper 9655 Garbage Disposer Flange & Stopper • all brass construction • fits all InSinkErator models (also KitchenAid, Emerson, Kenmore & Grainger) 9656-A Garbage Disposer Stopper • all brass construction • fits all InSinkErator models (also KitchenAid, Emerson, Kenmore & Grainger) polished chrome	338
• all brass construction • same as 9654 above, less stopper 9655 Garbage Disposer Flange & Stopper • all brass construction • fits all InSinkErator models (also KitchenAid, Emerson, Kenmore & Grainger) 9656-A Garbage Disposer Stopper • all brass construction • fits all InSinkErator models (also KitchenAid, Emerson, Kenmore & Grainger) polished chrome	
9655 Garbage Disposer Flange & Stopper • all brass construction • fits all InSinkErator models (also KitchenAid, Emerson, Kenmore & Grainger) 9656-A Garbage Disposer Flange & Stopper • all brass construction • fits all InSinkErator models (also KitchenAid, Emerson, Kenmore & Grainger) polished chrome	159
9655 Garbage Disposer Flange & Stopper • all brass construction • fits all InSinkErator models (also KitchenAid, Emerson, Kenmore & Grainger) Polished chrome standard special premium 9656-A Garbage Disposer Stopper polished chrome	199
9655 Garbage Disposer Flange & Stopper • all brass construction • fits all InSinkErator models (also KitchenAid, Emerson, Kenmore & Grainger) polished chrome standard special premium 9656-A Garbage Disposer Stopper polished chrome	223
• all brass construction • fits all InSinkErator models (also KitchenAid, Emerson, Kenmore & Grainger) standard special premium 9656-A Garbage Disposer Stopper polished chrome	262
9656-A Garbage Disposer Stopper polished chrome	127 159 178
	210
	45
	56
• replacement stopper only fits 9654 and 9655 special	63
premium	74
9656-B Garbage Disposer Flange polished chrome	81
• all brass construction standard	101
• replacement flange only fits 9655 special	113
premium	134

KITCHEN ACCESSORIES

 MODEL	DESCRIPTION	FINISH	PRICE
9675	Faucet Hole Cover • finished surface is brass • for covering unused hole in sink • 2" diameter	polished chrome standard special premium	40 50 56 66
9676	One Hole Cover Plate • finished surface is brass • complete with gasket • covers 4" center holes	polished chrome standard special premium	78 98 109 129
9677	One Hole Cover Plate • finished surface is brass • complete with gasket, mounting posts, nuts and washers • covers 8" center holes	polished chrome standard special premium	140 175 196 231







BATH COLLECTION

DESCANSO®

30/3 | SERIES













- 5-7/16" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- I-1/4" pop-down style ZeroDrain® assembly
- 1.2 gpm water saving aerator





DESCRIPTION



3002XZB



3002FZBCarbon Fiber Lever



3002XFZBCarbon Fiber Cross



3002KZB Knurled Lever



3002XKZB



3002TZB Teak* Lever



3002XTZB



With ZeroDrain®

FINISH

standard

premium

special

polished chrome

PRICE

1029

1286

1441

1698



8" Widespread Lavatory Faucet

- 4-5/16" overall height
- 5-7/16" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" all brass touch style pop-up drain assembly
- 1.2 gpm water saving aerator

3002 Smooth Lever



3002X Smooth Cross



3002FCarbon Fiber Lever



3002XFCarbon Fiber Cross



3002K Knurled Lever



3002XK Knurled Cross



3002T



3002XT



polished chrome 965 standard 1206 special 1351

premium

DESCRIPTION FINISH PRICE

8" Widespread Lavatory Faucet with ZeroDrain®

- 8-3/8" overall height
- 6" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" pop-down style ZeroDrain® assembly
- 1.2 gpm water saving aerator





3102ZB



3102FZB Carbon Fiber Lever



3102KZB Knurled Lever



3102TZB Teak* Lever







With ZeroDrain®

3102XZB Smooth Cross



3102XFZB Carbon Fiber Cross



Knurled Cross

3102XKZB



3102XTZB Teak* Cross



8" Widespread Lavatory Faucet

- 8-3/8" overall height
- 6" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" all brass touch style pop-up drain assembly

- 1.2 gpm water saving aerator





3102

Smooth Lever



3102X



3102F

Carbon Fiber Lever



3102XF



3102K



3102XK



3102T Teak* Lever



3102XT



^{*}Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.



Single Hole Lavatory/Bar/Prep Faucet - Low Spout

• 10-1/16" overall height

DESCRIPTION

3109-1

- 5-5/16" spout center to center
- · ceramic mixing cartridge
- 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.



















FINISH

standard

premium

special

polished chrome

polished chrome

standard

premium

special

PRICE

735

919

1029

1213

844

1055

1182

1393



Single Hole Lavatory/Bar/Prep Faucet - High Spout

- 14-3/16" overall height
- 5-5/16" spout center to center
- · ceramic mixing cartridge
- 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.



Sm	09-2 nooth Lever	
Ha	ındle	
	III n	
1	67	
Ш		
Ш		







also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and

800.822.8855 | californiafaucets.com

3109XF-2







3109XT-2



*Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes

changes are not a defect and not covered by warranty.


FINISH

Single Hole Lavatory Faucet



DESCRIPTION

- 4-5/8" spout center to center
- ceramic joystick mixing cartridge
- · 1.2 gpm water saving aerator













polished chrome 744 standard 930 1042 special 1228 premium

PRICE



- 14-11/16" overall height
- 4-5/8" spout center to center
- · ceramic joystick mixing cartridge
- · 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.











polished chrome 868 1085 standard special 1215 1432 premium

Single Handle Lavatory Wall Faucet Trim Only

TO-V3001F-7

- 6-3/8" spout wall to center
- single handle allows for volume & temperature control at any position
- 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.













TO-V3001T-7 Teak* Lever Handle

standard 621 special 696 820 premium

polished chrome

497

508

635

711

838

for more details, see pages 496-498

REQUIRES ROUGH VALVE: SHV-R 405

standard

premium

special

polished chrome

Single Handle Lavatory Wall Faucet Trim Only

- 8-3/8" spout wall to center
- single handle allows for volume & temperature control at any position
- · 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.



3-17-25

TO-V3001-9 Smooth Lever Handle



TO-V3001F-9 Carbon Fiber Lever Handle



TO-V3001T-9 Teak* Lever Handle



REQUIRES ROUGH VALVE: for more details, see pages 496-498

SHV-R 405

ደሰበ	822 8855	californiafaucets.	com
OUU.	.044.0033	i camormalaucets.	COILI

DESCANSO | 30/3 | SERIES DESCRIPTION FINISH PRICE Two Handle Lavatory Wall Faucet Trim Only polished chrome 800 • 6-3/8" spout wall to center standard 1000 • 1.2 gpm water saving aerator 1120 special Order drain separately. See pages 480-482 for all drain options including ZeroDrain®. 1320 premium TO-V3002-7 TO-V3002F-7 TO-V3002K-7 TO-V3002T-7 Teak* Lever Smooth Lever Carbon Fiber Knurled Lever Handle Lever Handle Handle Handle TO-V3002X-7 TO-V3002XF-7 TO-V3002XK-7 TO-V3002XT-7 Smooth Cross Carbon Fiber Knurled Cross Teak* Cross Cross Handle Handle Handle Handle **REQUIRES ROUGH VALVE:** VL-R 380 for more details, see pages 496-498 polished chrome 814 Two Handle Lavatory Wall Faucet Trim Only • 8-3/8" spout wall to center 1018 standard



106

- · 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.

Smooth Lever Carbon Fiber Handle Lever Handle

TO-V3002F-9



TO-V3002-9



TO-V3002XF-9 Carbon Fiber Cross Handle



TO-V3002K-9 Knurled Lever Handle



TO-V3002XK-9 Knurled Cross Handle



TO-V3002T-9 Teak* Lever



TO-V3002XT-9 Teak* Cross Handle



REQUIRES ROUGH VALVE:

for more details, see pages 496-498

VL-R

special

premium

380

1140

^{*}Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.

polished chrome

standard

premium

special

486

608

680

802

DESCRIPTION FINISH PRICE



StyleTherm® 3/4" Thermostatic Trim Only

- · all brass construction
- $\bullet~$ 100° F safety stop button with manual override
- separate volume control required
- 7-1/4" round faceplate

See Shower & Luxury Drain sections to complete shower

TO-THN-74 Smooth Lever Handle



TO-THN-30X Smooth Cross



TO-THN-30F Carbon Fiber Lever Handle



TO-THN-30XF Carbon Fiber Cross Handle



TO-THN-30K Knurled Lever Handle



TO-THN-30XK Knurled Cross



TO-THN-30T Teak* Lever





TO-THN-30XT Teak* Cross



REQUIRES ROUGH VALVE: for more details, see pages 496-498

THT75-R

polished chrome

standard

premium

special

695

524

655

734

865



StyleTherm® 3/4" Thermostatic Trim Only

- all brass construction
- 100° F safety stop button with manual override
- separate volume control required
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain sections to complete shower

Smooth Lever Handle

TO-THCN-74

TO-THCN-30X Smooth Cross Handle



TO-THCN-30F Carbon Fiber



TO-THCN-30XF Carbon Fiber Cross



TO-THCN-30K Knurled Lever



TO-THCN-30XK Knurled Cross



TO-THCN-30T Teak* Lever



TO-THCN-30XT Teak* Cross



REQUIRES ROUGH VALVE: for more details, see pages 496-498

^{*}Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.



StyleTherm® 3/4" Thermostatic Trim Only

- · all brass construction
- 100° F safety stop button with manual override
- · separate volume control required
- 5-1/2" square faceplate; flat profile

See Shower & Luxury Drain sections to complete shower

TO-THFN-74 Smooth Lever Handle

DESCRIPTION



TO-THFN-30X Smooth Cross



TO-THFN-30F Carbon Fiber Lever Handle



TO-THFN-30XF Carbon Fiber Cross



TO-THFN-30K Knurled Lever Handle



TO-THFN-30XK Knurled Cross



TO-THFN-30T Teak* Lever Handle

FINISH

standard

premium

special

polished chrome

PRICE

623 779

872

1028

495

619

693

817



TO-THFN-30XT Teak* Cross



REQUIRES ROUGH VALVE: THT75-R 695 for more details, see pages 496-498

polished chrome

standard

premium

THT51-R

THT51D2-R

special



108

StyleTherm® Trim Only with Single Volume Control

- · all brass construction
- 100° F safety stop button with manual override
- single integral volume control
- 7-1/4" round faceplate

See Shower & Luxury Drain sections to complete shower

TO-THIL-74 Smooth Lever Handle



TO-THIL-30X Smooth Cross Handle



TO-THIL-30F Carbon Fiber Lever Handle



TO-THIL-30XF Carbon Fiber Cross Handle



TO-THIL-30K Knurled Lever Handle



TO-THIL-30XK Knurled Cross



TO-THIL-30T Teak* Lever Handle



TO-THIL-30XT Teak* Cross



REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 496-498

*Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.

549

polished chrome

standard

premium

special

PRICE

533

666

746

879



DESCRIPTION FINISH

StyleTherm® Trim Only with Single Volume Control

- · all brass construction
- $\bullet\,$ 100° F safety stop button with manual override
- single integral volume control
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain sections to complete shower TO-THCIL-30F

TO-THCIL-74 Smooth Lever



TO-THCIL-30X













TO-THC1L-30K





Teak* Cross Handle

REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498

IHISIDZ-K	6/9
polished chrome	632
standard	790

549

885

1043

THT51-R

special

premium



StyleTherm® Trim Only with Single Volume Control

- · all brass construction
- 100° F safety stop button with manual override
- · single integral volume control
- 5-1/2" square faceplate; flat profile

See Shower & Luxury Drain sections to complete shower

TO-THFIL-74 Smooth Lever











TO-THFIL-30XF Carbon Fiber Cross Handle







TO-THFIL-30XK Knurled Cross Handle





Teak* Cross Handle

TO-THFIL-30XT

REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 496-498

THT51-R

THT51D2-R

*Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.

549



StyleTherm® Trim Only with Dual Volume Control

- all brass construction
- 100° F safety stop button with manual override
- dual integral volume controls
- 7-1/4" round faceplate

See Shower & Luxury Drain sections to complete shower TO-TH2L-30F

Carbon Fiber Lever

TO-TH2L-74 Smooth Lever Handle

DESCRIPTION



TO-TH2L-30X

Smooth Cross

Handle









TO-TH2L-30K

Knurled Lever







TO-TH2L-30T

Teak* Lever

FINISH

standard

premium

special

polished chrome

PRICE

504

630

706

832

Teak* Cross Handle



REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498

619 THT52-R THT52D2-R 779

polished chrome

standard

premium

special

542

678

759

894



StyleTherm® Trim Only with Dual Volume Control

- · all brass construction
- 100° F safety stop button with manual override
- dual integral volume controls
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain sections to complete shower

TO-THC2L-74 Smooth Lever

Handle







TO-THC2L-30F Carbon Fiber Lever Handle







TO-THC2L-30K Knurled Lever Handle



TO-THC2L-30XK TO-THC2L-30XT Knurled Cross



TO-THC2L-30T Teak* Lever





REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 496-498

619 THT52-R THT52D2-R

polished chrome

standard

premium

THT52-R

standard

premium

special

THT52D2-R

polished chrome

special

64 I

801

897

1058

619

779

258

323

361 426

DESCRIPTION FINISH PRICE



StyleTherm® Trim Only with Dual Volume Control

- all brass construction
- 100° F safety stop button with manual override
- dual integral volume controls
- 6-5/16" by 5-1/2" rectangular faceplate; flat profile

See Shower & Luxury Drain sections to complete shower TO-THF2L-30F

Carbon Fiber Lever

TO-THF2L-74 Smooth Lever Handle



TO-THF2L-30X

Smooth Cross

Handle







TO-THF2L-30K

Knurled Lever

Handle



REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:



TO-THF2L-30T

Handle

TO-THF2L-30XT Teak* Cross





• use for wall stop, wall diverter or deck diverter



TO-30-W Smooth Lever Handle



TO-30X-W Smooth Cross Handle







TO-30XF-W Carbon Fiber Cross Handle



TO-30K-W Knurled Lever Handle



TO-30XK-W Knurled Cross Handle



TO-30T-W Teak* Lever Handle

for more details, see pages 496-498



TO-30XT-W Teak* Cross Handle



REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 496-498

50-W-R	169
75-W-R	215
WDV-R	339
WDV-NS-R	349

3-17-25



Pressure Balance Trim Only

• for shower only

DESCRIPTION

- · screwless faceplate
- 7-1/4" round faceplate

FINISH PRICE polished chrome 419 standard 524 587 special 69 I premium

TO-PBL-74 Smooth Lever Handle



TO-PBL-30X Smooth Cross Handle



TO-PBL-30F Carbon Fiber Lever Handle



TO-PBL-30XF Carbon Fiber Cross



TO-PBL-30K Knurled Lever



TO-PBL-30XK Knurled Cross



TO-PBL-30T Teak* Lever



TO-PBL-30XT Teak* Cross



REQUIRES ROUGH VALVE:

for more details, see pages 496-498

PBI-R

standard

premium

special

polished chrome

255

419

524

587

691



Dual Pressure Balance Trim Only

- .g. tub/shower or shower/showerhead)
- · single handle with markings for dual outlets
- screwless faceplate
- 7-1/4" round faceplate

						•
•	controls	two	independent	outlet	devices	(e.g.

TO-PB2L-74

TO-PB2L-30X

Smooth Cross

Handle

Smooth Lever

Handle



TO-PB2L-30F

Carbon Fiber Lever

TO-PB2L-30XF Carbon Fiber Cross





TO-PB2L-30K Knurled Lever



TO-PB2L-30XK Knurled Cross



TO-PB2L-30T Teak* Lever







REQUIRES ROUGH VALVE:

for more details, see pages 496-498

PB2-R

^{*}Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.

FINISH

standard

premium

special

2-VR

polished chrome

PRICE

516

646

722

852

2 Handle Tub or Shower Trim Only

See Shower & Luxury Drain Sections to complete shower.



TO-3006L Smooth Lever Handle

DESCRIPTION



TO-3006XL Smooth Cross Handle







TO-3006XFL Carbon Fiber Cross Handle



TO-3006KL Knurled Lever



TO-3006XKL Knurled Cross Handle



TO-3006TL Teak* Lever Handle



TO-3006XTL Teak* Cross



REQUIRES ROUGH VALVE:

for more details, see pages 496-498





TS-30-30 Wall Tub Spout

- 6-5/16" wall to center
 - max flow rate: I 6gpm at 60 psi
 - for series: 30, 30F, 30T, 30X, 30XF, 30XT, 31, 31F, 31T, 31X, 31 XT, 80 & 81
 - for use with StyleTherm, PB2-R or 2-VR valves





TS-30K-30

Wall Tub Spout - Knurled Spout Tip

- 6-7/16" wall to center
- max flow rate: I 6gpm at 60 psi • for series: 30K & 3 I K
- for use with StyleTherm, PB2-R or 2-VR valves


polished chrome 299 standard 374 special 419 premium 493



D-30-30

Deluxe Wall Tub Spout

- 8-5/16" wall to center
- 1/2" FIP inlet
- max flow rate: I 6gpm at 60 psi
- for series: 30, 30F, 30T, 30X, 30XF, 30XT, 31, 31F, 31T, 31X, 31 XT, 80 & 81
- for use with StyleTherm, PB2-R or 2-VR valves





D-30K-30

Deluxe Wall Tub Spout - Knurled Spout Tip

- 8-7/16" wall to center
- 1/2" FIP inlet
- max flow rate: I 6gpm at 60 psi
- for series: 30K & 3 I K
- for use with StyleTherm, PB2-R or 2-VR valves

polished chrome

standard

premium

special

*Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.

324

405


454

DESCRIPTION

Complete Roman Tub Set

- 6-5/16" overall height
- 8-5/8" spout center to center
- max flow rate: 16 gpm at 60 psi
- comes as a complete set with trim and valves

Order drain separately. See page 483 for all drain options including ZeroDrain®. Installation of upstream tempering device may be required. Verify local codes.







3008 Smooth Lever



3008X Smooth Cross Handle



3008F

Carbon Fiber Lever Handle



3008XF Carbon Fiber Cross Handle



3008K

Knurled Lever Handle



3008XK Knurled Cross Handle



3008T Teak* Lever Handle



3008XT Teak* Cross Handle



Complete Roman Tub Set

- 12-3/16" overall height
- 8-15/16" spout center to center
- max flow rate: 16 gpm at 60 psi
- · comes as a complete set with trim and valves

Order drain separately. See page 483 for all drain options including ZeroDrain®. Installation of upstream tempering device may be required. Verify local codes.





3108 Smooth Lever Handle



3108X Smooth Cross Handle



3108F

Carbon Fiber Lever Handle



3108XF Carbon Fiber Cross



3108K Knurled Lever



3108XK Knurled Cross



3108T Teak* Lever



3108XT Teak* Cross Handle



^{*}Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.

DESCRIPTION FINISH PRICE

Complete Handshower & Diverter for Roman Tub

- HS-15S handshower with smooth insert
- comes as a complete set with trim and valve
- replace .FR with desired max flow rate: XX.15S.20 for 2.0 gpm XX.15S.18 for 1.8 gpm





30.15S.FR Smooth Lever



30X.15S.FR Smooth Cross



30F.15S.FR Carbon Fiber Lever Handle



30XF.15S.FR Carbon Fiber Cross Handle



30K.15S.FR Knurled Lever Handle



30XK.15S.FR Knurled Cross Handle



30T.15S.FR Teak* Lever Handle



30XT.15S.FR Teak* Cross Handle





- 3-3/4" spout center to center
- ceramic mixing cartridge
- · swivel end spray
- 1-1/4" all brass touch style pop-up drain assembly

polished chrome 793 standard 991 1110 special premium 1308



3004-I Smooth Handle



3004F-I Carbon Fiber Handle



3004K-I



3004T-I



^{*}Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.

DESCRIPTION FINISH Slide Bar Handshower Kit - Concave Base polished chrome standard · kit includes: special



 $I \times SH-10-45$ (wall supply elbow) I × HS-68 (68" handshower hose)

I x slide bar with matching handle



9127-30X

Handle

Smooth Cross



9127-30XF

Carbon Fiber

Cross Handle

9127-30F Carbon Fiber Lever Handle



Knurled

Cross Handle

9127-30K

Knurled Lever

Teak* Lever Handle

9127-30T

9127-30XK

9127-30XT Teak* Cross Handle



	24" Gral
	• kit inclu I x SH
a	I x HS
	I x gra

b Bar Handshower Kit - Concave Base

- ludes:
- H-10-45 (wall supply elbow)
- IS-68 (68" handshower hose)
- rab bar with slide and matching handle

polished chrome 1180 standard 1476 special 1652 1948 premium

PRICE

980

1226

1372

1618

premium



9127-GB24-30

Smooth Lever Handle



9127-GB24-30X Smooth Cross



9127-GB24-30F

Carbon Fiber Lever Handle



9127-GB24-30XF

Carbon Fiber



9127-GB24-30K Knurled Lever

Handle



9127-GB24-30XK 9127-GB24-30XT

Knurled Cross Handle



9127-GB24-30T

Teak* Lever Handle



Teak* Cross



^{*}Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.

DESCRIPTION FINISH PRICE

30" Grab Bar Handshower Kit - Concave Base



 $I \times SH-10-45$ (wall supply elbow)

I × HS-68 (68" handshower hose)

I x grab bar with slide and matching handle





9127-GB30-30 Smooth Lever Handle



9127-GB30-30X Smooth Cross



9127-GB30-30F Carbon Fiber Leven Handle



9127-GB30-30XF Carbon Fiber Cross Handle



9127-GB30-30K Knurled Lever Handle



9127-GB30-30XK 9127-GB30-30XT Knurled



9127-GB30-30T Teak* Lever

Handle



Teak* Cross Handle





9125-45

Wall Mounted Handshower Kit - Concave

· kit includes: I x SH-10-45 (wall supply elbow) I x SH-20-45 (wall handshower holder) I × HS-68 (68" handshower hose)

suggested to match series: 30, 31, 45, 80 & 81

polished chrome 450 564 standard 630 special premium 744



9125S-45

Swivel Wall Mounted Handshower Kit - Concave

· kit includes: I x SH-10-45 (wall supply elbow) $I \times SH-20S-45$ (wall handshower holder) I × HS-68 (68" handshower hose)

suggested to match series: 30, 31, 45, 80 & 81

polished chrome 515 standard 645 72 I special premium 85 I



9126-45

Wall Mounted Handshower Kit - Concave Base

· kit includes: $I \times SH-25-45$ (wall supply & handshower holder) $I \times HS$ -68 (68" handshower hose)

suggested to match series: 30, 31, 45, 80 & 81

polished chrome 344 standard 431 special 482 premium 568



9126S-30

Swivel Wall Mounted Handshower Kit -Concave Base & Hex Cap

 kit includes: I x SH-25S-30 (wall supply & handshower holder) I × HS-68 (68" handshower hose)

suggested to match series: 30, 31, 80 & 81

polished chrome 449 standard 562 629 special 741 premium

DESCRIPTION FINISH PRICE 9" Hand Towel Bar 275 polished chrome standard 344 385 special **30K-9** Knurled Accent 30-9 454 Smooth Accent premium 18" Towel Bar polished chrome 289 361 standard 405 special 30-18 30K-18 Smooth Accent Knurled Accent premium 477 24" Towel Bar polished chrome 299 374 standard special 419 30-24 30K-24 493 premium Smooth Accent Knurled Accent **Towel Ring** polished chrome 209 standard 261 special 293 345 premium 30-TR 30K-TR Smooth Accent Knurled Accent

FINISH

DESCRIPTION Robe Hook







30K-RH Knurled Accent



polished chrome 155 standard 194 special 217 premium 256

PRICE

Double Robe Hook



30-DRH Smooth Accent



30K-DRH Knurled Accent



polished chrome 179 standard 224 special 251 premium 295

Single Post Toilet Paper / Hand Towel Holder



30-STPSmooth Accent



30K-STP Knurled Accent



polished chrome 189 standard 236 special 265 premium 312

Vertical Spare Toilet Paper Holder







30K-VTP Knurled Accent



polished chrome 198 standard 248 special 277 premium 327

9401

Single Paper Holder with Shelf

- all brass construction
- paper holder arm is in fixed position
- 6-1/2" x 4" shelf

polished chrome 258 standard 323 special 361 premium 426

NOTES:

- for coordinated deck, wall and floor mounted tub fillers, see Tub Fillers section starting on page 384
- for complete showerhead and handshower options, see Shower section starting on page 420
- for complete shower arm options, see Shower section starting on page 43 l
- coordinated cabinet hardware starting on page 487

MONTECITO®

32/33 SERIES











DESCRIPTION

8" Widespread Lavatory Faucet with ZeroDrain®

- 7-7/8" overall height
- 6-3/4" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- I-1/4" pop-down style ZeroDrain® assembly
- 1.2 gpm water saving aerator

polished chrome 1103 standard 1379 special 1545 premium 1820

PRICE

FINISH



3302ZB Lever Handle



3202ZB Cross Handle



3302ZB-ADC



With ZeroDrain®





- 7-7/8" overall height
- 6-3/4" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" all brass lift rod style pop-up drain assembly
- 1.2 gpm water saving aerator

3302 Lever Handle



3202 Cross Handle



3302-ADC Art Deco Lever Handle



polished chrome 1039 standard 1299 special 1455 premium 1714



FINISH

standard

premium

special

polished chrome

PRICE

688

860

963

1135

715

894

1001

1180



Single Hole Lavatory/Bar/Prep Faucet - Low Spout

• 10-1/16" overall height

DESCRIPTION

- 5-5/16" spout center to center
- ceramic mixing cartridge
- 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.





polished chrome 789 standard 986 special 1105 premium 1302

polished chrome

standard

premium

special



Single Hole Lavatory/Bar/Prep Faucet - High Spout

- 14-3/16" overall height
- 5-5/16" spout center to center
- · ceramic mixing cartridge
- · 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.







Single Hole Lavatory Faucet

- 7" overall height
- 4-9/16" spout center to center
- ceramic mixing cartridge
- 1.2 gpm water saving aerator
- lever can be chosen from series 33, 35, 60 & 61

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.

3301-1

33 Series Metal Lever



rrain®.



Single Hole Lavatory Faucet

- 13-1/2" overall height
- 4-9/16" spout center to center
- · ceramic mixing cartridge
- 1.2 gpm water saving aerator
- lever can be chosen from series 33, 35, 60 & 61

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.

3301-2





polished chrome	823
standard	1029
special	1152
oremium	1358

122

DESCRIPTION FINISH PRICE Single Handle Lavatory Wall Faucet Trim Only polished chrome 455 • 6-7/8" spout wall to center standard 569 • single handle allows for volume & temperature control at any position 637 special · 1.2 gpm water saving aerator 75 I premium Order drain separately. See pages 480-482 for all drain options including ZeroDrain®. TO-V3301-7 TO-V3301-7-ADC Lever Handle Art Deco Lever Handle **REQUIRES ROUGH VALVE:** SHV-R 405 for more details, see pages 496-498 Single Handle Lavatory Wall Faucet Trim Only polished chrome 466 • 9-7/8" spout wall to center standard 583 • single handle allows for volume & temperature control at any position 652 · 1.2 gpm water saving aerator 769 premium Order drain separately. See pages 480-482 for all drain options including ZeroDrain®. TO-V3301-9 TO-V3301-9-ADC Lever Handle Art Deco Lever Handle **REQUIRES ROUGH VALVE:** SHV-R 405 for more details, see pages 496-498 Two Handle Lavatory Wall Faucet Trim Only polished chrome 670 • 6-7/8" spout wall to center 838 standard · 1.2 gpm water saving aerator 938 special Order drain separately. See pages 480-482 for all drain options including ZeroDrain®. premium 1106 TO-V3402-7 TO-V3302-7 TO-V3302-7-ADC Lever Handle Cross Handle Art Deco Lever Handle **REQUIRES ROUGH VALVE:** 380 for more details, see pages 496-498 Two Handle Lavatory Wall Faucet Trim Only polished chrome 680 850 • 9-7/8" spout wall to center standard · 1.2 gpm water saving aerator 952 special Order drain separately. See pages 480-482 for all drain options including ZeroDrain®. 1122 premium 6 Ga TO-V3302-9 TO-V3402-9 TO-V3302-9-ADC Lever Handle Cross Handle Art Deco Lever Handle **REQUIRES ROUGH VALVE:** 380 for more details, see pages 496-498

FINISH

standard

premium

special

polished chrome

polished chrome

polished chrome

standard

standard

premium

special

PRICE

486

608

680

802

695

524

655

734

865

495

619

693

817



StyleTherm® 3/4" Thermostatic Trim Only

• all brass construction

DESCRIPTION

- $\bullet\,$ 100° F safety stop button with manual override
- separate volume control required
- 7-1/4" round faceplate

See Shower & Luxury Drain sections to complete shower.









for more details, see pages 496-498

REQUIRES ROUGH VALVE: T	HT75-R



StyleTherm® 3/4" Thermostatic Trim Only

- · all brass construction
- 100° F safety stop button with manual override
- · separate volume control required
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain sections to complete shower.









REQUIRES ROUGH VALVE:	THT75-R	695
for more details, see pages 496-498		



StyleTherm® Trim Only with Single Volume Control

- all brass construction
- 100° F safety stop button with manual override
- single integral volume control
- 7-1/4" round faceplate

See Shower & Luxury Drain sections to complete shower.







	special
	premium
O-THIL-33-ADC	
t Deco Lever Handle	
- 11	

REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498

THT51-R 549 THT51D2-R 679



StyleTherm® Trim Only with Single Volume Control

• all brass construction

DESCRIPTION

- $\bullet\,$ 100° F safety stop button with manual override
- single integral volume control
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain sections to complete shower.







TO-THCIL-34



DEALIDE	ONE OF THE EO	LLOWING BO	LICH VALVES.
	the Park of the Pa		

for more details, see pages 496-498

549 THT51-R THT51D2-R 679 polished chrome 504 standard 630

PRICE

533

666

746

879

706

832

542

678

759

894

FINISH

standard

premium

special

special

premium

polished chrome



StyleTherm® Trim Only with Dual Volume Control

- · all brass construction
- 100° F safety stop button with manual override
- · dual integral volume controls
- 7-1/4" round faceplate

See Shower & Luxury Drain sections to complete shower.

TO-TH2L-33 Lever Handle







REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 496-498

619 THT52-R THT52D2-R 779

polished chrome

standard

premium

special



StyleTherm® Trim Only with Dual Volume Control

- · all brass construction
- 100° F safety stop button with manual override
- · dual integral volume controls
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain sections to complete shower.







TO-THC2L-33-ADC

REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: 619 THT52-R for more details, see pages 496-498 THT52D2-R 779





Wall or Deck Handle Trim Only

• base diameter 2-5/16"

DESCRIPTION

· use for wall stop, wall diverter or deck diverter

FINISH PRICE polished chrome 215 standard 269 301 special 355 premium

TO-33-W Lever Handle







TO-33-W-ADC Art Deco Lever Handle



REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 496-498

50-W-R 169 75-W-R 215 WDV-R 339 WDV-NS-R 349

375

Pressure Balance Trim Only

- · for shower only
- · screwless faceplate
- 7-1/4" round faceplate





TO-PBL-33 Lever Handle



TO-PBL-34 Cross Handle



TO-PBL-33-ADC Art Deco Lever Handle



REQUIRES ROUGH VALVE: PBI-R for more details, see pages 496-498

Dual Pressure Balance Trim Only

- controls two independent outlet devices (e.g. tub/shower or shower/showerhead)
- single handle with markings for dual outlets
- · screwless faceplate
- 7-1/4" round faceplate

375 polished chrome standard 469 525 special 619 premium



TO-PB2L-33



TO-PB2L-34



TO-PB2L-33-ADC



REQUIRES ROUGH VALVE: for more details, see pages 496-498

PB2-R 355

polished chrome

standard

premium

special

2 Handle Tub or Shower Trim Only

See Shower & Luxury Drain sections to complete shower.



TO-3406L Cross Handle



TO-3306L-ADC Art Deco Lever Handle



REQUI	RES ROUGH VALVE:

2-VR	419



430 538

602

 MODEL	DESCRIPTION	FINISH	PRICE
TS-34	Wall Tub Spout • 6-7/8" wall to center • 1/2" FIP inlet • max flow rate: 16 gpm at 60 psi • for series: 32, 33, 34, 35 & 61 • for use with StyleTherm, PB2-R or 2-VR valves	polished chrome standard special premium	258 323 361 426
D-34	Deluxe Wall Tub Spout • 9-7/8" wall to center • 1/2" FIP inlet • max flow rate: 16 gpm at 60 psi • for series: 32, 33, 34, 35 & 61 • for use with StyleTherm, PB2-R or 2-VR valves	polished chrome standard special premium	284 355 398 469
DE-34	Deluxe Wall Tub Spout • 13-3/4" wall to center • 1/2" FIP inlet • max flow rate: 16 gpm at 60 psi • for series: 32, 33, 34, 35 & 61 • for use with StyleTherm, PB2-R or 2-VR valves	polished chrome standard special premium	289 361 405 477
• 7-5/8" • 10-3/ • max fl • comes	te Roman Tub Set overall height l6" spout center to center low rate: 16 gpm at 60 psi s as a complete set with trim and valves drain separately. See page 483 for all drain options including ZeroDrain®. Action of upstream tempering device may be required. Verify local codes. 3308 3208 3308-ADC Art Deco Lever Handle Cross Handle Art Deco Lever Handle	polished chrome standard special premium	1477 1846 2068 2437



Complete Handshower & Diverter for Roman Tub

- HS-15 handshower with grooved insert
- comes as a complete set with trim and valve
- replace .FR with desired max flow rate: XX.15.20 for 2.0 gpm XX.15.18 for 1.8 gpm

33.15.FR Lever Handle



34.15.FR Cross Handle



33.15.FR-ADC Art Deco Lever Handle



- HS-13 handshower with porcelain insert
- comes as a complete set with trim and valve
- replace .FR with desired max flow rate: XX.13.20 for 2.0 gpm XX.13.18 for 1.8 gpm

Lever Handle



33.13.FR-ADC Art Deco Lever Handle



Complete Handshower & Diverter for Roman Tub





126

800.822.8855 | californiafaucets.com

919

1149

1287

1516

919

1149

1287

1516

polished chrome

polished chrome

standard

premium

special

standard

premium

special

polished chrome

standard

premium

special

1222

1529

1711

2017

1295

1620

1813

2138



DESCRIPTION FINISH

Single Hole Bidet

- 3-3/4" spout center to center
- · ceramic mixing cartridge
- · swivel end spray
- 1-1/4" all brass touch style pop-up drain assembly











· kit includes:

I x SH-10-42 (wall supply elbow) I x HS-68 (68" handshower hose)

I x slide bar with matching handle

9129-33

Lever Handle





9129-GB24-34

Cross Handle

9129-33-ADC Art Deco Lever Handle



polished chrome 980 1226 standard special 1372 premium 1618

polished chrome

polished chrome

standard

premium

special

standard

premium

special

PRICE

767

959

1074

1266



24" Grab Bar Handshower Kit

• kit includes:

I x SH-10-42 (wall supply elbow)

I × HS-68 (68" handshower hose)


 $I \times 24$ " grab bar with slide and matching handle

9129-GB24-33

Lever Handle

9129-GB24-33-ADC







30" Grab Bar Handshower Kit



 $I \times SH-10-42$ (wall supply elbow)

I x HS-68 (68" handshower hose)

 $I \times 30$ " grab bar with slide and matching handle

9129-GB30-33 9129-GB30-34 Cross Handle Lever Handle





9129-GB30-33-ADC Art Deco Lever Handle







3-17-25

MONTECITO | 32/33 SERIES

	MODEL	DESCRIPTION	FINISH	PRICE
	9125-42	Wall Mounted Handshower Kit - Line	polished chrome	450
		• kit includes:	standard	564
		I x SH-10-42 (wall supply elbow)	special	630
		I x SH-20-42 (wall handshower bracket)	premium	744
		I x HS-68 (68" handshower hose)	,	
		suggested to match series: 32, 33, 34, 35, 56, 60 & 61		
	9125S-42	Swivel Wall Mounted Handshower Kit - Line	polished chrome	515
	,	• kit includes:	standard	645
		I x SH-10-42 (wall supply elbow)	special	721
1		I x SH-20S-42 (wall handshower holder)	premium	851
		I x HS-68 (68" handshower hose)	F	
		suggested to match series: 32, 33, 34, 35, 56, 60 & 61		
	9126-60	Well Manufad Handahannan Kita Lina	polished chrome	344
	7120-00	Wall Mounted Handshower Kit - Line	standard	431
		 kit includes: I x SH-25-60 (wall supply & handshower holder) 		
		I x HS-68 (68" handshower hose)	special	482
		suggested to match series: 32, 33, 34, 35, 56, 60 & 61	premium	568
		suggested to match series: 32, 33, 34, 33, 30, 00 & 01		
	9126S-42	Swivel Wall Mounted Handshower Kit - Line	polished chrome	449
		• kit includes:	standard	562
		I × SH-25S-42 (wall supply & handshower holder)	special	629
		I x HS-68 (68" handshower hose)	premium	741
		suggested to match series: 32, 33, 34, 35, 56, 60 & 61	F	
	34-9	9" Hand Towel Bar	polished chrome	287
			standard	359
(E)			special	402
			premium	474
	34-18	18" Towel Bar	polished chrome	298
-			standard	373
			special	417
			premium	492
	34-24	24" Towel Bar	polished chrome	309
-			standard	386
			special	433
			premium	510
	34-30	30" Towel Bar	polished chrome	320
			standard	400
(5)			special	448
			premium	528
			P. C. C.	165
	34-TR	Towel Ring	polished chrome	198
			standard	248
()			special	277
			premium	327

	MODEL	DESCRIPTION	FINISH	PRICE
	34-RH	Robe Hook	polished chrome	154
			standard	193
			special	216
Me			premium	254
	34-DRH	Double Robe Hook	polished chrome	176
(P)			standard	220
			special	246
			premium	290
	34-TP	Two Post Toilet Paper Holder	polished chrome	287
			standard	359
(C)			special	402
			premium	474
Pag	34-STP	Single Post Toilet Paper / Hand Towel Holder	polished chrome	220
(S)		·	standard	275
			special	308
			premium	363
1	60-VTP	Vertical Spare Toilet Paper Holder	polished chrome	198
		·	standard	248
			special	277
			premium	327
	9401	Single Paper Holder with Shelf	polished chrome	258
		all brass construction	standard	323
		paper holder arm is in fixed position	special	361
		• 6-1/2" x 4" shelf	premium	426

Handle Options

To order add -MIDX at end of model no. e.g.: 3202-MIDX



MIDX Metal Index Only



MIDX Metal Index Only

NOTES:

- metal index buttons available at no additional charge
- for coordinated deck, wall and floor mounted tub fillers, see Tub Fillers section starting on page 384
- for complete showerhead and handshower options, see Shower section starting on page 420
- \bullet for complete shower arm options, see Shower section starting on page 43 l
- coordinated cabinet hardware starting on page 487

CARDIFF®

34/35 SERIES











FINISH

standard

premium

special

polished chrome

DESCRIPTION

8" Widespread Lavatory Faucet with ZeroDrain®

- 4-7/8" overall height
- 5-3/16" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" pop-down style ZeroDrain® assembly
- 1.2 gpm water saving aerator









3502ZB-ADC Art Deco Lever Handle



With ZeroDrain®

PRICE 1023

1279

1433

1688





- 4-7/8" overall height
- 5-3/16" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" all brass lift rod style pop-up drain assembly
- 1.2 gpm water saving aerator

er saving aerator



3402 Cross Handle



3502-ADCArt Deco Lever Handle



polished chrome 959 standard 1199 special 1343 premium 1582





FINISH

polished chrome

polished chrome

polished chrome

standard

premium

special

standard

premium

special

PRICE

688

789

986

1105

1302

719

899

1007

1186

823 1029

Single Hole Lavatory/Bar/Prep Faucet - Low Spout



DESCRIPTION

- 5-5/16" spout center to center
- · ceramic mixing cartridge
- 1.2 gpm water saving aerator

standard 860 963 special 1135 premium



3509-I Porcelain Lever


Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.



Single Hole Lavatory/Bar/Prep Faucet - High Spout

- 14-3/16" overall height
- 5-5/16" spout center to center
- · ceramic mixing cartridge
- · 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.









Single Hole Lavatory Faucet

- 7" overall height
- 4-9/16" spout center to center
- · ceramic mixing cartridge
- · 1.2 gpm water saving aerator
- \bullet lever can be chosen from series 33, 35, 60 & 61

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.

3501-1 3301-I-ADC Porcelain Lever





Single Hole Lavatory Faucet

- 13-1/2" overall height
- 4-9/16" spout center to center
- · ceramic mixing cartridge
- 1.2 gpm water saving aerator
- lever can be chosen from series 33, 35, 60 & 61

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.





1152 special 1358 premium

polished chrome

standard



132

DESCRIPTION FINISH PRICE Single Handle Lavatory Wall Faucet Trim Only polished chrome 455 • 6-7/8" spout wall to center standard 569 $\ensuremath{\bullet}$ single handle allows for volume & temperature control at any position 637 special · 1.2 gpm water saving aerator 75 I premium Order drain separately. See pages 480-482 for all drain options including ZeroDrain®. TO-V3501-7 TO-V3301-7-ADC Lever Handle Art Deco Lever Handle **REQUIRES ROUGH VALVE:** SHV-R 405 for more details, see pages 496-498 Single Handle Lavatory Wall Faucet Trim Only polished chrome 466 • 9-7/8" spout wall to center standard 583 • single handle allows for volume & temperature control at any position 652 · 1.2 gpm water saving aerator 769 premium Order drain separately. See pages 480-482 for all drain options including ZeroDrain®. TO-V3501-9 TO-V3301-9-ADC Lever Handle Art Deco Lever Handle **REQUIRES ROUGH VALVE:** SHV-R 405 for more details, see pages 496-498 Two Handle Lavatory Wall Faucet Trim Only polished chrome 670 • 6-7/8" spout wall to center 838 standard · 1.2 gpm water saving aerator 938 special Order drain separately. See pages 480-482 for all drain options including ZeroDrain®. premium 1106 TO-V3502-7 TO-V3402-7 TO-V3302-7-ADC Lever Handle Cross Handle Art Deco Lever Handle **REQUIRES ROUGH VALVE:** 380 for more details, see pages 496-498 Two Handle Lavatory Wall Faucet Trim Only polished chrome 680 850 • 9-7/8" spout wall to center standard · 1.2 gpm water saving aerator 952 special Order drain separately. See pages 480-482 for all drain options including ZeroDrain®. 1122 premium TO-V3502-9 TO-V3402-9 TO-V3302-9-ADC Lever Handle Cross Handle Art Deco Lever Handle REQUIRES ROUGH VALVE: 380

for more details, see pages 496-498

FINISH

standard

premium

special

polished chrome

PRICE

486

608

680

802

524

655

734

865

495

619

693

817

746

879



StyleTherm® 3/4" Thermostatic Trim Only

· all brass construction

DESCRIPTION

- $\bullet\,$ 100° F safety stop button with manual override
- separate volume control required
- 7-1/4" round faceplate

See Shower & Luxury Drain Sections to complete shower.

TO-THN-35







TO-THN-33-ADC Art Deco Lever Handle



REQUIRES ROUGH VALVE: THT75-R 695 for more details, see pages 496-498

polished chrome

polished chrome

standard

premium

special

special

premium

standard

premium

special



StyleTherm® 3/4" Thermostatic Trim Only

- · all brass construction
- 100° F safety stop button with manual override
- · separate volume control required
- \bullet 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain Sections to complete shower.

TO-THCN-35 Lever Handle



TO-THCN-34 Cross Handle



TO-THCN-33-ADC

Art Deco Lever Handle



REQUIRES ROUGH VALVE:	THT75-R	695
for more details, see pages 496-498		



StyleTherm® Trim Only with Single Volume Control

- · all brass construction
- 100° F safety stop button with manual override
- single integral volume control
- 7-1/4" round faceplate

See Shower & Luxury Drain Sections to complete shower.

TO-THIL-35



TO-THIL-34 Cross Handle



TO-THIL-33-ADC



REQUIRES ONE OF THE FOLLO	WING ROUGH VALVES:	THT51-R	549
for r	more details, see pages 496-498	THT51D2-R	679
nly with Single Volume Cor	ntrol	polished chrome	533
		standard	666



StyleTherm® Trim On

- · all brass construction
- 100° F safety stop button with manual override
- single integral volume control
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain Sections to complete shower.



TO-THC1L-34 Cross Handle




TO-THCIL-33-ADC



REQUIRES ONE OF THE FO	LLOWING ROUGH VALVES:
	for more details, see pages 496-498

THT51-R 549 THT51D2-R 679











TO-33-W-ADC Art Deco Lever Handle

REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	50-W-R	169
for more details, see pages 496-498	75-W-R	215
	WDV-R	339
	WDV-NS-R	349

PRICE

419



Pressure Balance Trim Only


• for shower only

DESCRIPTION

- screwless faceplate
- 7-1/4" round faceplate











REQUIRES ROUGH VALVE:	PB1-R	255
for more details, see pages 496-498		

polished chrome

375

469

525

619



Dual Pressure Balance Trim Only

- controls two independent outlet devices (e.g. tub/shower or shower/showerhead)
- single handle with markings for dual outlets
- screwless faceplate
- 7-1/4" round faceplate

standard premium TO-PB2L-34







REQUIRES ROUGH VALVE: for more details, see pages 496-498

PB2-R 355

2 Handle Tub or Shower Trim Only

See Shower & Luxury Drain Sections to complete shower.









REQUIRES ROUGH VALVE: 2-VR

polished chrome 430 standard 538 602 special premium 710

	for more details, see pages 496-498		
TS-34	Wall Tub Spout • 6-7/8" wall to center • 1/2" FIP inlet • max flow rate: 16 gpm at 60 psi • for series: 32, 33, 34, 35 & 61 • for use with StyleTherm, PB2-R or 2-VR valves	polished chrome standard special premium	258 323 361 426
D-34	Deluxe Wall Tub Spout • 9-7/8" wall to center • 1/2" FIP inlet • max flow rate: 16 gpm at 60 psi • for series: 32, 33, 34, 35 & 61 • for use with StyleTherm, PB2-R or 2-VR valves	polished chrome standard special premium	284 355 398 469
DE-34	Deluxe Wall Tub Spout • 13-3/4" wall to center • 1/2" FIP inlet • max flow rate: 16 gpm at 60 psi	polished chrome standard special premium	289 361 405 477

• for use with StyleTherm, PB2-R or 2-VR valves

• for series: 32, 33, 34, 35 & 61

DESCRIPTION FINISH

Complete Roman Tub Set

- 7-3/8" overall height
- 8-3/4" spout center to center
- max flow rate: 16 gpm at 60 psi
- comes as a complete set with trim and valves

Order drain separately. See page 483 for all drain options including ZeroDrain®. Installation of upstream tempering device may be required. Verify local codes.



PRICE











Complete Handshower & Diverter for Roman Tub

- HS-15 handshower with grooved insert
- comes as a complete set with trim and valve
- · replace .FR with desired max flow rate: XX.15.20 for 2.0 gpm

XX.15.18 for 1.8 gpm







33.13.FR-ADC

polished chrome 1149 standard 1287 special 1516 premium

Complete Handshower & Diverter for Roman Tub

- HS-13 handshower with porcelain insert
- comes as a complete set with trim and valve
- replace FR with desired max flow rate: XX.13.20 for 2.0 gpm XX.13.18 for 1.8 gpm









919 polished chrome standard 1149 special 1287 1516 premium



- 3-3/4" spout center to center
- · ceramic mixing cartridge
- swivel end spray
- 1-1/4" all brass touch style pop-up drain assembly

3504-I Porcelain Lever





767 polished chrome 959 standard special 1074 1266 premium



Slide Bar Handshower Kit



I × SH-10-42 (wall supply elbow) I × HS-68 (68" handshower hose) I x slide bar with matching handle polished chrome 980 standard 1226 1372 special 1618 premium



9129-35 Lever Handle



Cross Handle

9129-34

9129-33-ADC Art Deco Lever Handle



24" Grab Bar Handshower Kit

• kit includes:

I × SH-10-42 (wall supply elbow)

I x HS-68 (68" handshower hose)

I \times 24" grab bar with slide and matching handle

polished chrome 1180 1476 standard 1652 special 1948 premium



9129-GB24-35

Lever Handle





9129-GB24-35-ADC Art Deco Lever Handle



30" Grab Bar Handshower Kit

· kit includes:

I x SH-10-42 (wall supply elbow)

I x HS-68 (68" handshower hose)

 $I \times 30$ " grab bar with slide and matching handle

1243 polished chrome 1555 standard 1740 special 2052 premium



3-17-25

9129-GB30-35



9129-GB30-34

Cross Handle



9129-GB30-35-ADC



CARDIFF | 34/35 SERIES

	MODEL	DESCRIPTION	FINISH	PRICE
	9125-42	Wall Mounted Handshower Kit - Line	polished chrome	450
		• kit includes:	standard	564
		I × SH-10-42 (wall supply elbow)	special	630
		I x SH-20-42 (wall handshower bracket)	premium	744
		I x HS-68 (68" handshower hose)	F	
		suggested to match series: 32, 33, 34, 35, 56, 60 & 61		
V				
	9125S-42	Swivel Wall Mounted Handshower Kit - Line	polished chrome	515
		• kit includes:	standard	645
		I × SH-10-42 (wall supply elbow) I × SH-20S-42 (wall handshower holder)	special	721
3		1 x HS-68 (68" handshower hose)	premium	851
		suggested to match series: 32, 33, 34, 35, 56, 60 & 61		
		3uggested to materi series. 32, 33, 34, 33, 30, 00 tt 01		
	9126-60	Wall Mounted Handshower Kit - Line	polished chrome	344
		kit includes:	standard	431
		I x SH-25-60 (wall supply & handshower holder)	special	482
		I x HS-68 (68" handshower hose)	premium	568
		suggested to match series: 32, 33, 34, 35, 56, 60 & 61	,	
•				
	9126S-42	Swivel Wall Mounted Handshower Kit - Line	polished chrome	449
		kit includes:	standard	562
		I × SH-25S-42 (wall supply & handshower holder)	special	629
		I x HS-68 (68" handshower hose)	premium	741
		suggested to match series: 32, 33, 34, 35, 56, 60 & 61		
* :	34-9	9" Hand Towel Bar	polished chrome	287
	34-7	7 Hand Tower Bar	standard	359
Con Con			special	402
			premium	474
			premium	17 1
	34-18	I8" Towel Bar	polished chrome	298
	J 1 U	io ionei pai	standard	373
a de			special	417
652			premium	492
	34-24	24" Towel Bar	polished chrome	309
			standard	386
Co.			special	433
			premium	510
	34-30	30" Towel Bar	polished chrome	320
			standard	400
			special .	448
900			premium	528

MODEL	DESCRIPTION	FINISH	PRICE
34-TR	Towel Ring	polished chrome standard special premium	198 248 277 327
34-RH	Robe Hook	polished chrome standard special premium	154 193 216 254
34-DRH	Double Robe Hook	polished chrome standard special premium	176 220 246 290
34-TP	Two Post Toilet Paper Holder	polished chrome standard special premium	287 359 402 474
34-STP	Single Post Toilet Paper / Hand Towel Holder	polished chrome standard special premium	220 275 308 363
60-VTP	Vertical Spare Toilet Paper Holder	polished chrome standard special premium	198 248 277 327
9401	Single Paper Holder with Shelf • all brass construction • paper holder arm is in fixed position • 6-1/2" x 4" shelf	polished chrome standard special premium	258 323 361 426

NOTES:

- metal index buttons available at no additional charge
- for coordinated deck, wall and floor mounted tub fillers, see Tub Fillers section starting on page 384
- for complete showerhead and handshower options, see Shower section starting on page 420
- for complete shower arm options, see Shower section starting on page 43 I
- coordinated cabinet hardware starting on page 487

Handle Options

To order add -MIDX at end of model no. e.g.: 3402-MIDX







MIDX Metal Index Only

MIDX Metal Index Only

33-MIDX All Metal

SAN ELIJO® **37/38 SERIES**







8" Widespread Lavatory Faucet with ZeroDrain®



- I-1/4" pop-down style ZeroDrain® assembly

• 5-7/16" spout center to center • 1/4 turn ceramic disc cartridge(s)





DESCRIPTION







3702XZB



1493 polished chrome 1866 standard 2091 special premium 2464

With ZeroDrain®





8" Widespread Lavatory Faucet

- 6-5/16" overall height
- 5-7/16" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" all brass touch style pop-up drain assembly
- 1.2 gpm water saving aerator







3702X



*Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.

DESCRIPTION FINISH PRICE

8" Widespread Lavatory Faucet with ZeroDrain® - Quad Arc Spout • 6-3/4" overall height

- 1-1/4" pop-down style ZeroDrain® assembly
- 1.2 gpm water saving aerator



3802XZB

















polished chrome

8" Widespread Lavatory Faucet - Quad Arc Spout

- 6-3/4" overall height
- 5-5/16" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" all brass touch style pop-up drain assembly
- · 1.2 gpm water saving aerator

standard 1494 1673 special 1972 premium









3802X



Single Hole Lavatory Faucet

- 6-5/8" overall height
- 4-11/16" spout center to center
- · ceramic mixing cartridge
- · 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.





823 polished chrome 1029 standard special 1152 1358 premium



Single Hole Lavatory Faucet - High

- 12-1/2" overall height
- 7-7/16" spout center to center
- ceramic mixing cartridge
- · 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain $^{\! \odot}\!\!.$





919 polished chrome standard 1149 special 1287 1516

^{*}Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.

	DESCRIPTION		FINISH	PRICE
	Single Handle Lavatory Wall Faucet Trim Only • 7-3/4" spout wall to center • single handle allows for volume & temperature control at any position • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.		polished chrome standard special premium	595 744 833 982
	TO-V3701-7 Lever Handle	TO-V3701T-7 Teak* Lever Handle		
	REQUIRES ROUGH VALVE: for more details, see pages 496-498		SHV-R	405
	Single Handle Lavatory Wall Faucet Trim Only • 6-5/16" spout wall to center		polished chrome	459 574
 single handle allows for volume & temperature control at any position 			special	643
	 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options in 	ncluding ZeroDrain®.	premium	757
	TO-V3801-7 Lever Handle	TO-V3801T-7 Teak* Lever Handle		
		IRES ROUGH VALVE: details, see pages 496-498	SHV-R	405
Single Handle Lavatory Wall Faucet Trim Only • 7-3/4* spout wall to center • single handle allows for volume & temperature control at any position • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including Zero		ncluding ZeroDrain®.	polished chrome standard special premium	469 586 657 774
	TO-V3801-9 Lever Handle	TO-V3801T-9 Teak* Lever Handle		
	-	IRES ROUGH VALVE: details, see pages 496-498	SHV-R	405

^{*}Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.

DESCRIPTION FINISH PRICE

Two Handle Lavatory Wall Faucet Trim Only

• 7-3/4" spout wall to center

• 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.














TO-V3702X-7



REQUIRES ROUGH VALVE:	VL-R	380
for more details, see pages 496-498		

Two Handle Lavatory Wall Faucet Trim Only

- 6-5/16" spout wall to center
- · 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.

polished chrome 760 standard 950 special 1064 1254 premium













REQUIRE	S ROUG	H VALV	E:	VL-R
			- 1	

for more details, see pages 496-498

Two Handle Lavatory Wall Faucet Trim Only

- 8-5/16" spout wall to center
- · 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.

polished chrome 77 I standard 964 1079 special 1272 premium

380











REQUIRES ROUGH VALVE: for more details, see pages 496-498

VL-R 380

*Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.

DESCRIPTION				FINISH	PRICE
 all brass construction 100° F safety stop separate volume 7-1/4" round face 	p button with manual over control required	ride		polished chrome standard special premium	542 678 759 894
TO-THN-37 Lever Handle	TO-THN-37T Teak* Lever Handle	TO-THN-37X Cross Handle	TO-THN-37XT Teak* Cross Handle		
		-	UIRES ROUGH VALVE: re details, see pages 496-498	THT75-R	695
 all brass construction 100° F safety stop separate volume 7-7/8" by 5-7/8" 	p button with manual over	ride		polished chrome standard special premium	580 725 812 953
TO-THCN-37 Lever Handle	TO-THCN-37T Teak* Lever Handle	TO-THCN-37X Cross Handle	TO-THCN-37XT Teak* Cross Handle		
		-	UIRES ROUGH VALVE: re details, see pages 496-498	THT75-R	69
all brass construct100° F safety stopseparate volume5-1/2" square fact	p button with manual over control required	ride		polished chrome standard special premium	67 84 95 112
TO-THFN-37 Lever Handle	TO-THFN-37T Teak* Lever Handle	TO-THFN-37X Cross Handle	TO-THFN-37XT Teak* Cross Handle		
			UIRES ROUGH VALVE: re details, see pages 496-498	THT75-R	69

^{*}Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.

standard

premium

special

689

77 I

909

589

736

825

972

549

679

688

860

963

1135

DESCRIPTION FINISH PRICE polished chrome 55 I

StyleTherm® Trim Only with Single Volume Control

- · all brass construction
- 100° F safety stop button with manual override
- single integral volume control
- 7-1/4" round faceplate

See Shower & Luxury Drain Sections to complete shower.









REQUIRES ONE OF THE FOLLOWIN



TO-THIL-37XT

LLOWING ROUGH VALVES:	THT51-R	549
for more details, see pages 496-498	THT51D2-R	679

polished chrome

standard

premium

THT51.R

standard

premium

special

THT51D2-R

polished chrome

special



StyleTherm® Trim Only with Single Volume Control

- · all brass construction
- 100° F safety stop button with manual override
- · single integral volume control
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain Sections to complete shower.

TO-THCIL-37 Lever Handle





REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:



for more details, see pages 496-498

	10	- 1	ı
	6		l
			l
6	100		l
100			ı

StyleTherm® Trim Only with Single Volume Control

- · all brass construction
- 100° F safety stop button with manual override
- single integral volume control
- 5-1/2" square faceplate; flat profile

See Shower & Luxury Drain Sections to complete shower.

ndle		
	ndle	ndle








REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 496-498

THT51D2-R 679

THT51-R

^{*}Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.



^{*}Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.



· use for wall stop, wall diverter, or deck diverter





DESCRIPTION







polished chrome 301 standard 376 421 special 497 premium

PRICE

REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 496-498

50-W-R	169
75-W-R	215
WDV-R	339
WDV-NS-R	349

Wall Handle Trim Only

- base diameter 2"
- use for wall stop or wall diverter









polished chrome 280 standard 350 special 392 462 premium

REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 496-498

50-W-R	169
75-W-R	215
WDV-R	339
WDV-NS-R	349



Pressure Balance Trim Only

- for shower only
- · screwless faceplate
- 7-1/4" round faceplate









439 polished chrome 549 standard special 615 premium 724

for more details, see pages 496-498

REQUIRES ROUGH VALVE: PBI-R



Dual Pressure Balance Trim Only

- controls two independent outlet devices (e.g. tub/shower or shower/handshower)
- single handle with markings for dual outlets
- screwless faceplate
- 7-1/4" round faceplate









REQUIRES ROUGH VALVE: for more details, see pages 496-498

polished chrome

standard

premium

special

PB2-R

355

255

439

549

615

DESCRIPTION FINISH PRICE 2 Handle Tub or Shower Trim Only polished chrome 602 standard 752 See Shower & Luxury Drains Sections to complete shower 842 special TO-3706L TO-3706TL TO-3706XL TO-3706XTL 994 premium Lever Handle Teak* Lever Handle Cross Handle Teak* Cross Handle **REQUIRES ROUGH VALVE:** 2-VR 419 for more details, see pages 496-498 2 Handle Tub or Shower Trim Only polished chrome 560 standard 700 See Shower & Luxury Drains Sections to complete shower special 784 TO-3806L TO-3806TL TO-3806XL TO-3806XTL 924 premium Lever Handle Teak* Lever Handle Teak* Cross Handle **REQUIRES ROUGH VALVE:** 2-VR 419 for more details, see pages 496-498 TS-E4-37 **Wall Tub Spout** polished chrome 495 • 6-9/16" wall to center standard 619 • 1/2" FIP inlet 693 special • max flow rate: 10 gpm at 60 psi 817 premium • for series: 37 • for use with StyleTherm, PB2-R or 2-VR valves D-E4-37 **Deluxe Wall Tub Spout** polished chrome 519 7-3/4" wall to center 649 standard • 1/2" FIP inlet 727 special • max flow rate: 10 gpm at 60 psi 856 premium • for series: 37 • for use with StyleTherm, PB2-R or 2-VR valves TS-30-38 Wall Tub Spout polished chrome 299 6-5/16" wall to center standard 374 • 1/2" MIP inlet 419 special · max flow rate: 16 gpm at 60 psi 493 premium • for series: 38 • for use with StyleTherm, PB2-R or 2-VR valves D-30-38 **Deluxe Wall Tub Spout** polished chrome 324 • 8-5/16" wall to center standard 405 • 1/2" MIP inlet special 454 • max flow rate: 16 gpm at 60 psi premium 535 • for series: 38 • for use with StyleTherm, PB2-R or 2-VR valves

^{*}Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.

polished chrome

polished chrome

standard

premium

special

standard

premium

special

1824

2280

2554

3010

1034

1293

1448

1706

DESCRIPTION FINISH PRICE

Complete Roman Tub Set

- 7-3/4" overall height
- 8-1/2" spout center to center
- max flow rate: 16 gpm at 60 psi
- · comes as complete set with trim and valves

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®. Installation of upstream tempering device may be required. Verify local codes.













Complete Handshower & Diverter for Roman Tub

- HS-72 handshower
- comes as a complete set with trim and valve
- replace .FR with desired max flow rate: XX.72.20 for 2.0 gpm XX.72.18 for 1.8 gpm

37T.72.FR	
Teak* Lever Handl	•





37XT.72.FR Teak* Cross Handle



Complete Roman Tub Set

- 9-9/16" overall height
- 8-15/16" spout center to center
- max flow rate: 16 gpm at 60 psi
- comes as complete set with trim and valves

polished chrome 1824 2280 standard special 2554 premium 3010

polished chrome

standard

premium

special

1034

1293

1448

1706





37.72.FR

Lever Handle







3808X



Complete Handshower & Diverter for Roman Tub

- HS-62 handshower
- · comes as a complete set with trim and valve
- replace .FR with desired max flow rate: XX.62.20 for 2.0 gpm XX.62.18 for 1.8 gpm









38X.62.FR

38XT.62.FR Teak* Cross Handle





*Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.

DESCRIPTION PRICE FINISH polished chrome 835 Single Hole Bidet • 6-5/8" overall height standard 1044 • 3-11/16" spout center to center 1169 special · ceramic mixing cartridge 1378 premium • swivel end spray • 1-1/4" all brass touch style pop-up drain assembly 3704-I 3704T-I Lever Handle Teak* Lever Handle Slide Bar Handshower Kit polished chrome 1054 1319 standard I × SH-10-37 (wall supply elbow) 1476 special I x HS-68 (68" handshower hose) premium 1740 I x slide bar with matching handle 9127-37 9127-37T 9127-37X 9127-37XT Lever Handle Teak* Lever Handle Cross Handle Teak* Cross Handle Slide Bar Handshower Kit polished chrome 1054 kit includes standard 1319 I x SH-10-65 (wall supply elbow) special 1476 I × HS-68 (68" handshower hose) premium 1740 I x slide bar with matching handle 9127-38 9127-38T 9127-38X 9127-38XT Lever Handle Teak* Lever Handle Cross Handle Teak* Cross Handle 1222 24" Grab Bar Handshower Kit polished chrome 1529 · kit includes: standard $I \times SH-10-37$ (wall supply elbow) 1711 special I x HS-68 (68" handshower hose) 2017 premium I \times 24" grab bar with slide and matching handle 9127-GB24-37XT 9127-GB24-37 9127-GB24-37T 9127-GB24-37X Lever Handle Teak* Lever Handle Cross Handle Teak* Cross Handle

^{*}Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.

FINISH

24" Grab Bar Handshower Kit



DESCRIPTION

I × SH-10-65 (wall supply elbow)

I × HS-68 (68" handshower hose)

I x 24" grab bar with slide and matching handle



PRICE



9127-GB24-38

Lever Handle









30" Grab Bar Handshower Kit

kit includes:

- I × SH-10-37 (wall supply elbow)
- I x HS-68 (68" handshower hose)
- $I \times 30$ " grab bar with slide and matching handle

polished chrome	1295
standard	1620
special	1813
premium	2138



9127-GB30-37

Lever Handle















30" Grab Bar Handshower Kit

- kit includes:
 - I x SH-10-65 (wall supply elbow)
 - I × HS-68 (68" handshower hose)
 - $I \times 30$ " grab bar with slide and matching handle

polished chrome 1243 standard 1555 1740 2052 premium

polished chrome

polished chrome

standard

premium

special

standard

premium

special













9127-GB30-38XT Teak* Cross Handle





9125-37

Wall Mounted Handshower Kit - Quad · kit includes:

- - I × SH-10-37 (wall supply elbow)
 - $I \times SH-20-37$ (wall handshower bracket)
 - I × HS-68 (68" handshower hose)

suggested to match series: 37



9125-65

Wall Mounted Handshower Kit - Round

- kit includes:
- I x SH-10-65 (wall supply elbow)
- I x SH-20-65 (wall handshower bracket)
- I x HS-68 (68" handshower hose)

suggested to match series: 38, 39, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5	
and there can be variation from piece to piece in wood color, brightness and grain pa o light, water and other elements that are part of the natural aging process. These ma t covered by warranty.	

450

564

630

744

450

564

630

SAN ELIJO | 37/38 SERIES

	MODEL	DESCRIPTION	FINISH	PRICE
	9125S-37	Swivel Wall Mounted Handshower Kit - Quad • kit includes: x SH-10-37 (wall supply elbow) x SH-20S-37 (wall handshower holder) x HS-68 (68" handshower hose) suggested to match series: 37	polished chrome standard special premium	515 645 721 851
	9125S-65	Swivel Wall Mounted Handshower Kit - Round • kit includes: I × SH-10-65 (wall supply elbow) I × SH-20S-65 (wall handshower holder) I × HS-68 (68" handshower hose) suggested to match series: 38, 39, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5	polished chrome standard special premium	515 645 721 851
	9126-37	Wall Mounted Handshower Kit - Quad • kit includes: I × SH-25-37 (wall supply & handshower bracket) I × HS-68 (68" handshower hose) suggested to match series: 37	polished chrome standard special premium	344 431 482 568
9	9126-65	Wall Mounted Handshower Kit - Round • kit includes: I x SH-25-65 (wall supply & handshower holder) I x HS-68 (68" handshower hose) suggested to match series: 38, 39, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5	polished chrome standard special premium	344 431 482 568
	9126S-37	Swivel Wall Mounted Handshower Kit - Quad • kit includes: I x SH-25S-37 (wall supply & handshower holder) I x HS-68 (68" handshower hose) suggested to match series: 37	polished chrome standard special premium	449 562 629 741
	91265-65	Swivel Wall Mounted Handshower Kit - Round • kit includes: I × SH-25S-65 (wall supply & handshower holder) I × HS-68 (68" handshower hose) suggested to match series: 38, 39, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5	polished chrome standard special premium	449 562 629 741

	MODEL	DESCRIPTION	FINISH	PRICE
	37-9	9" Hand Towel Bar	polished chrome	342
		, Hand Tower Da	standard	428
B			special	479
			premium	564
			premium	501
	37-18	18" Towel Bar	polished chrome	354
-			standard	443
E. E.			special	496
			premium	584
	~~.		81.1.1	2/4
	37-24	24" Towel Bar	polished chrome	364
25			standard	455
E			special	510
			premium	601
	37-30	30" Towel Bar	polished chrome	375
		Tower But	standard	469
E E			special	525
1			premium	619
			premium.	017
	37-RH	Robe Hook	polished chrome	176
			standard	220
			special	246
			premium	290
	37-STP	Single Post Toilet Paper / Hand Towel Holder	polished chrome	220
		emgle rose rose raper / riana rower riolaer	standard	275
			special	308
			premium	363
	37-VTP	Vertical Spare Toilet Paper Holder	polished chrome	220
			standard	275
			special	308
			premium	363
	9401	Single Paper Holder with Shelf	polished chrome	258
		all brass construction	standard	323
		paper holder arm is in fixed position	special	361
		• 6-1/2" x 4" shelf	premium	426
u.				

SAN ELIJO | 37/38 SERIES

	MODEL	DESCRIPTION	FINISH	PRICE
	74-9	9" Hand Towel Bar	polished chrome	198
			standard	248
			special	277
			premium	327
	74-18	18" Towel Bar	polished chrome	210
			standard	263
100			special	294
			premium	347
	74-24	24" Towel Bar	polished chrome	220
			standard	275
			special	308
			premium	363
	74-TR	Towel Ring	polished chrome	164
		-	standard	205
			special	230
			premium	271
//			·	
	74-RH	Robe Hook	polished chrome	120
			standard	150
			special	168
			premium	198
			·	
	74-DRH	Double Robe Hook	polished chrome	143
			standard	179
			special	200
			premium	236
	74-STP	Single Post Toilet Paper Holder	polished chrome	143
		• • • • • • • • • • • • • • • • • • •	standard	179
			special	200
			premium	236
N	74-VTP	Vertical Spare Toilet Paper Holder	polished chrome	159
			standard	199
			special	223
			premium	262

NOTES:

- for coordinated deck, wall and floor mounted tub fillers, see Tub Fillers section starting on page 384
- \bullet for complete showerhead and handshower options, see Shower section starting on page 420
- for complete shower arm options, see Shower section starting on page 43 I
- coordinated cabinet hardware starting on page 487











Rivulet Intaglio

Intaglio handles are available in the following finishes only: Chrome: PC | Standard: SN | Special: ABF, ACF, ANF, PB, PBU, PN, SC, USS | Premium: FRG, GRP, LPG, LSG, SB, SBZ

Pinstripe Intaglio


1249

1561

1749

2061

DESCRIPTION







- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" pop-down style ZeroDrain® assembly
- 1.2 gpm water saving aerator













Hammered, Pinstripe Intaglio* and Rivulet Intaglio* handles polished chrome 1513 standard 1891 2119 special 2497 premium

*Intaglio handles are available in the following finishes only:

Chrome: PC Standard: SN

Special: ABF, ACF, ANF, PB, PBU, PN, SC, USS Premium: FRG, GRP, LPG, LSG, SB, SBZ

3902HZB Hammered







With ZeroDrain®



Smooth, Knurled, Pinstripe

and Rivulet handles

polished chrome

standard

premium

special

8" Widespread Lavatory Faucet - Low Quad Spout

- 5-7/16" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" all brass touch style pop-up drain assembly
- · 1.2 gpm water saving aerator

• 3-3/16" overall height





Smooth







3902P



3902R



Hammered, Pinstripe Intaglio* and Rivulet Intaglio* handles polished chrome 1449 standard 1811 special 2029 2391 premium

*Intaglio handles are available in the following finishes only:

Chrome: PC Standard: SN

Special: ABF, ACF, ANF, PB, PBU, PN, SC, USS Premium: FRG, GRP, LPG, LSG, SB, SBZ

3902H Hammered









8" Widespread Lavatory Faucet with ZeroDrain® - Medium Spout

- 6-3/4" overall height
- 5-5/16" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" pop-down style ZeroDrain® assembly
- 1.2 gpm water saving aerator







3902MKZB



3902MPZB





3902MRZB

Hammered, Pinstripe Intaglio* and Rivulet Intaglio* handles polished chrome 1513 1891 standard 2119 special 2497 premium

Smooth, Knurled, Pinstripe and Rivulet handles

1313

1641

1839

2167

polished chrome

standard

premium

special

*Intaglio handles are available in the following finishes only:

Chrome: PC Standard: SN

Special: ABF, ACF, ANF, PB, PBU, PN, SC, USS Premium: FRG, GRP, LPG, LSG, SB, SBZ

3902MHZB Hammered







With ZeroDrain®



8" Widespread Lavatory Faucet - Medium Spout

- 6-3/4" overall height
- 5-5/16" spout center to center
- 1-1/4" all brass touch style pop-up drain assembly
- 1.2 gpm water saving aerator



- 1/4 turn ceramic disc cartridge(s)











1749 special 2061 premium Hammered, Pinstripe Intaglio* and Rivulet Intaglio* handles polished chrome 1449

Smooth, Knurled, Pinstripe

1249

1561

1811

2029 2391

and Rivulet handles

polished chrome

standard

standard

premium

special

*Intaglio handles are available in the following finishes only:

Chrome: PC Standard: SN

Special: ABF, ACF, ANF, PB, PBU, PN, SC, USS Premium: FRG, GRP, LPG, LSG, SB, SBZ

3902MH Hammered









PRICE

FINISH

Smooth, Knurled, Pinstripe







8" Widespread Lavatory Faucet with ZeroDrain® - Quad Spout

- 5-7/8" overall height
- 6" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" pop-down style ZeroDrain® assembly
- 1.2 gpm water saving aerator



DESCRIPTION











3902QRZB special 2497 premium

*Intaglio handles are available in the following finishes only:

Chrome: PC Standard: SN

Special: ABF, ACF, ANF, PB, PBU, PN, SC, USS Premium: FRG, GRP, LPG, LSG, SB, SBZ

3902QHZB Hammered







With ZeroDrain®



Smooth, Knurled, Pinstripe

and Rivulet handles

polished chrome

standard


premium

special

8" Widespread Lavatory Faucet - Quad Spout

- 5-7/8" overall height

- 1-1/4" all brass touch style pop-up drain assembly
- 1.2 gpm water saving aerator





3902Q Smooth













3902QR

Hammered, Pinstripe Intaglio* and Rivulet Intaglio* handles polished chrome standard 1811 special 2029 2391 premium

*Intaglio handles are available in the following finishes only:

Chrome: PC Standard: SN

Special: ABF, ACF, ANF, PB, PBU, PN, SC, USS Premium: FRG, GRP, LPG, LSG, SB, SBZ

3902QH Hammered









1249

1561

1749

Two Handle Lavatory Wall Faucet Trim Only

- 6-9/16" spout wall to center
- 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.

Smooth, Knurled, Pinstripe and Rivulet handles polished chrome 1108 standard 1240 special 1462 premium



TO-V3902-7

Smooth



TO-V3902K-7 Knurled



TO-V3902P-7



TO-V3902R-7



Hammered, Pinstripe Intaglio* and Rivulet Intaglio* handles

polished chrome 1358 standard 1520 special 1792 premium







Pinstripe Intaglio*

TO-V3902PI-7

Rivulet Intaglio*

TO-V3902RI-7

REQUIRES ROUGH VALVE:

VL-R

380

for more details, see pages 496-498

1097

Two Handle Lavatory Wall Faucet Trim Only

- 8-9/16" spout wall to center
- 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.

Smooth, Knurled, Pinstripe and Rivulet handles 897 polished chrome standard 1121 special 1256 1480 premium



TO-V3902-9

Smooth



TO-V3902K-9 Knurled



TO-V3902P-9



TO-V3902R-9 Rivulet



Hammered, Pinstripe Intaglio* and Rivulet Intaglio* handles

polished chrome

standard 1371 1536 special 1810 premium





TO-V3902PI-9 Pinstripe Intaglio*



TO-V3902RI-9 Rivulet Intaglio*



REQUIRES ROUGH VALVE:

for more details, see pages 496-498

VL-R

380

*Intaglio handles are available in the following finishes only:

Chrome: PC Standard: SN

Special: ABF, ACF, ANF, PB, PBU, PN, SC, USS Premium: FRG. GRP. LPG. LSG. SB. SBZ



StyleTherm® 3/4" Thermostatic Trim Only

- all brass construction
- 100° F safety stop button with manual override
- separate volume control required
- 7-1/4" round faceplate

See Shower & Luxury Drain Sections to complete shower.



TO-THN-39

Smooth





TO-THN-39K





TO-THN-39P



Hammered, Pinstripe Intaglio* and Rivulet Intaglio* handles polished chrome 642 803 standard 899 special premium 1059

TO-THN-39H

Hammered







REQUIRES ROUGH VALVE:

THT75-R

695

for more details, see pages 496-498

StyleTherm® 3/4" Thermostatic Trim Only

- all brass construction
- 100° F safety stop button with manual override
- · separate volume control required
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain Sections to complete shower.

Smooth, Knurled, Pinstribe and Rivulet handles 580 polished chrome

725 standard 812 special 957 premium



TO-THCN-39

Smooth













Hammered, Pinstripe Intaglio* and Rivulet Intaglio* handles polished chrome 680 standard 850 special 952 premium 1122

TO-THCN-39H

Hammered









REQUIRES ROUGH VALVE: for more details, see pages 496-498

THT75-R

695

*Intaglio handles are available in the following finishes only:

Chrome: PC Standard: SN

Special: ABF, ACF, ANF, PB, PBU, PN, SC, USS Premium: FRG, GRP, LPG, LSG, SB, SBZ

StyleTherm® 3/4" Thermostatic Trim Only

- all brass construction
- 100° F safety stop button with manual override
- separate volume control required
- 5-1/2" square faceplate; flat profile

See Shower & Luxury Drain Sections to complete shower.





TO-THFN-39

Smooth



TO-THFN-39K Knurled

TO-THFN-39P Pinstripe



TO-THFN-39R Rivulet



Hammered, Pinstripe Intaglio* and Rivulet Intaglio* handles

polished chrome	779
standard	974
special	1091
premium	1285



Hammered



TO-THFN-39PI Pinstripe Intaglio*



TO-THFN-39RI Rivulet Intaglio*



REQUIRES ROUGH VALVE:

695

55 I

689

77 I

909

for more details, see pages 496-498

Smooth, Knurled, Pinstripe

and Rivulet handles

polished chrome

standard

premium

special

THT75-R

StyleTherm® Trim Only With Single Volume Control

- all brass construction
- 100° F safety stop button with manual override
- 7-1/4" round faceplate

See Shower & Luxury Drain Sections to complete shower.

• single integral volume control

TO-THIL-39



TO-THIL-39K Knurled



TO-THIL-39P Pinstripe



TO-THIL-39R Rivulet



Hammered, Pinstripe Intaglio* and Rivulet Intaglio* handles

polished ch	rome 651
standard	814
special	911
premium	1074





TO-THIL-39PI



TO-THIL-39RI Rivulet Intaglio*



REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 496-498

THT51-R THT51D2-R

*Intaglio handles are available in the following finishes only:

Chrome: PC Standard: SN

Special: ABF, ACF, ANF, PB, PBU, PN, SC, USS Premium: FRG. GRP. LPG. LSG. SB. SBZ

549



StyleTherm® Trim Only With Single Volume Control

- all brass construction
- 100° F safety stop button with manual override
- single integral volume control
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain Sections to complete shower.

Smooth, Knurled, Pinstripe and Rivulet handles polished chrome 589 standard 736 825 special 972 premium

TO-THC1L-39

 ${\sf Smooth}$





TO-THC1L-39K





TO-THC1L-39PI

TO-THCIL-39P



Hammered, Pinstripe Intaglio* and Rivulet Intaglio* handles polished chrome 689 standard 861 965 special 1137 premium

TO-THCIL-39H

Hammered







REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 496-498

549 THT51-R THT51D2-R 679

StyleTherm® Trim Only With Single Volume Control

- · all brass construction
- 100° F safety stop button with manual override
- single integral volume control
- 5-1/2" square faceplate; flat profile

See Shower & Luxury Drain Sections to complete shower.

TO-THFIL-39K

Smooth, Knurled, Pinstripe and Rivulet handles polished chrome 688 860 standard special 963 1135 premium













Hammered, Pinstripe Intaglio* and Rivulet Intaglio* handles polished chrome 788 985 standard 1103 special 1300 premium

TO-THFIL-39H







REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:



for more details, see pages 496-498

THT51-R


THT51D2-R

*Intaglio handles are available in the following finishes only:

Chrome: PC Standard: SN

Special: ABF, ACF, ANF, PB, PBU, PN, SC, USS Premium: FRG. GRP. LPG. LSG. SB. SBZ

549



- 100° F safety stop button with manual override
- dual integral volume controls
- 7-1/4" round faceplate

See Shower & Luxury Drain Sections to complete shower.




560 700 standard 784 special











TO-TH2L-39P



Hammered, Pinstripe Intaglio* and Rivulet Intaglio* handles polished chrome 825 standard 924 special 1089 premium

TO-TH2L-39H Hammered





TO-TH2L-39PI



REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: THT52-R 619 for more details, see pages 496-498

StyleTherm® Trim Only with Dual Volume Control

- all brass construction
- 100° F safety stop button with manual override
- dual integral volume controls
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain Sections to complete shower.

THT52D2-R 779





TO-THC2L-39

Smooth







TO-THC2L-39P Pinstripe





and Rivulet handles polished chrome 598 748 standard special 837 987

premium

TO-THC2L-39R

Hammered, Pinstripe Intaglio* and Rivulet Intaglio* handles polished chrome 698 standard 873 special 977 premium 1152

TO-THC2L-39H

Hammered









619 REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: THT52-R for more details, see pages 496-498 THT52D2-R 779

*Intaglio handles are available in the following finishes only:

Chrome: PC Standard: SN

Special: ABF, ACF, ANF, PB, PBU, PN, SC, USS Premium: FRG. GRP. LPG. LSG. SB. SBZ

301

376

421

497

DESCRIPTION FINISH PRICE



StyleTherm® Trim Only with Dual Volume Control

- all brass construction
- 100° F safety stop button with manual override
- dual integral volume controls
- 6-5/16" by 5-1/2" rectangular faceplate; flat profile

See Shower & Luxury Drain Sections to complete shower.

Smooth, Knurled, Pinstripe and Rivulet handles polished chrome 697 87 I standard 976 special 1150 premium

TO-THF2L-39

Smooth





TO-THF2L-39K





TO-THF2L-39P



Hammered, Pinstripe Intaglio* and Rivulet Intaglio* handles polished chrome 797 996 standard 1116 special 1315 premium

TO-THF2L-39H

Hammered





TO-THF2L-39PI



REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 496-498

THT52-R 619 THT52D2-R 779

Smooth, Knurled, Pinstripe

and Rivulet handles

polished chrome

standard

premium

special

Wall or Deck Handle Trim Only

- · base diameter 2"
- use for wall stop, wall diverter, or deck diverter





Smooth





TO-39K-W







TO-39P-W



Hammered, Pinstripe Intaglio* and Rivulet Intaglio* handles polished chrome 501 standard 561 special 662 premium

TO-39H-W Hammered







REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 496-498

50-W-R 169 75-W-R 215 339 WDV-R WDV-NS-R 349

*Intaglio handles are available in the following finishes only:

Chrome: PC Standard: SN

Special: ABF, ACF, ANF, PB, PBU, PN, SC, USS Premium: FRG, GRP, LPG, LSG, SB, SBZ



Pressure Balance Trim Only

- for shower only
- · screwless faceplate
- 7-1/4" round faceplate







TO-PBL-39H

Hammered

TO-PBL-39K





TO-PBL-39P



Rivulet

TO-PBL-39R

TO-PBL-39RI

Hammered, Pinstripe Intaglio* and Rivulet Intaglio* handles polished chrome 539 standard 674 755 special premium 889

Smooth, Knurled, Pinstripe and Rivulet handles

439

549

615 724

polished chrome

standard special

premium

REQUIRES ROUGH VALVE:

PBI-R

255

for more details, see pages 496-498

TO-PB2L-39R

Rivulet

Dual Pressure Balance Trim Only

TO-PB2L-39K

- 7-1/4" round faceplate

- controls two independent outlet devices (e.g. tub/shower or shower/handshower)
- single handle with markings for dual outlets
- · screwless faceplate







TO-PB2L-39H

Hammered











Smooth, Knurled, Pinstripe and Rivulet handles

polished chrome 439 standard 549 615 special 724 premium

Hammered, Pinstripe Intaglio* and Rivulet Intaglio* handles 539 polished chrome

standard 674 special 755 premium 889

REQUIRES ROUGH VALVE: for more details, see pages 496-498

PB2-R

355

*Intaglio handles are available in the following finishes only:

Chrome: PC Standard: SN

Special: ABF, ACF, ANF, PB, PBU, PN, SC, USS Premium: FRG, GRP, LPG, LSG, SB, SBZ

2 Handle Tub or Shower Trim Only



See Shower & Luxury Drains Sections to complete shower.

TO-3906KL

TO-3906L Smooth













TO-3906PL







Smooth, Knurled, Pinstripe and Rivulet handles polished chrome 602 standard 752 842 special 994 premium

Hammered, Pinstripe Intaglio* and Rivulet Intaglio* handles polished chrome standard 1002 special 1122 1324 premium

	REQUIRES ROUGH VALVE: for more details, see pages 496-498	2-VR	419
TS-52-52	Wall Tub Spout • 6-9/16" wall to center • 1/2" MIP inlet • max flow rate: 16 gpm at 60 psi • for series: 39, 40, 41, 52, 53 & E3 • for use with StyleTherm, PB2-R or 2-VR valves	polished chrome standard special premium	235 294 329 388
D-52-52	Deluxe Wall Tub Spout • 8-9/16" wall to center • 1/2" MIP inlet • max flow rate: 16 gpm at 60 psi • for series: 39, 40, 41, 52, 53 & E3 • for use with StyleTherm, PB2-R or 2-VR valves	polished chrome standard special premium	257 321 360 424
DE-52-52	Deluxe Wall Tub Spout • 11-9/16" wall to center • 1/2" MIP inlet • max flow rate: 16 gpm at 60 psi • for series: 39, 40, 41, 52, 53 & E3 • for use with StyleTherm, PB2-R or 2-VR valves	polished chrome standard special premium	263 329 368 434

Complete Roman Tub Set

- 10-3/16" overall height
- 8-15/16" spout center to center
- max flow rate: 16 gpm at 60 psi
- · comes as complete set with trim and valves

Order drain separately. See page 483 for all drain options including ZeroDrain®. Installation of upstream tempering device may be required. Verify local codes.









3908H Hammered



3908P Pinstripe



3908PI Pinstripe Intaglio*



3908R Rivulet



3908RI Rivulet Intaglio*



Smooth, Knurled, Pinstripe and Rivulet handles

polished chrome 1570 standard 1963 special 2198 2591 premium

Hammered, Pinstripe Intaglio* and Rivulet Intaglio* handles

polished chrome 1770 standard 2213 special 2478 premium 2921

Complete Roman Tub Set - Quad Spout

- 8-3/16" overall height
- 8-15/16" spout center to center
- max flow rate: 16 gpm at 60 psi
- comes as complete set with trim and valves

Order drain separately. See page 483 for all drain options including ZeroDrain®. Installation of upstream tempering device may be required. Verify local codes.







3908QK Knurled



3908QH



3908QP



3908QPI



3908QR



3908QRI




Smooth, Knurled, Pinstripe

and Rivulet handles

polished chrome	1570
standard	1963
special	2198
premium	2591

Hammered, Pinstripe Intaglio* and Rivulet Intaglio* handles

polished chrome	1770
standard	2213
special	2478
premium	2921





- · comes as a complete set with trim and valve
- replace .FR with desired max flow rate: 39.62.20 for 2.0 gpm 39.62.18 for 1.8 gpm

39.62.FR

Smooth



39K.62.FR



39H.62.FR

Hammered



39P.62.FR



39PI.62.FR Pinstripe Intaglio*



39R.62.FR Rivulet



39RI.62.FR Rivulet Intaglio*



Smooth, Knurled, Pinstripe and Rivulet handles

polished chrome 1034 standard 1293 special 1448 1706 premium

Hammered, Pinstripe Intaglio* and Rivulet Intaglio* handles polished chrome

standard 1418 1588 special 1871 premium

*Intaglio handles are available in the following finishes only:

Chrome: PC Standard: SN

168

Special: ABF, ACF, ANF, PB, PBU, PN, SC, USS Premium: FRG, GRP, LPG, LSG, SB, SBZ



FINISH

1444 1616

1905

1222

1529


1711

2017

standard

premium


special





DESCRIPTION

I × SH-10-65 (wall supply elbow) I × HS-68 (68" handshower hose)





9127-39 Smooth



9127-39K Knurled



9127-39H Hammered



9127-39P Pinstripe



9127-39PI Pinstripe Intaglio*



Rivulet Intaglio*

9127-39R

Rivulet



9127-GB24-39R

Rivulet

9127-39RI



24" Grab Bar Handshower Kit



 $I \times SH-10-65$ (wall supply elbow)

I × HS-68 (68" handshower hose)

 $I \times 24$ " grab bar with slide and matching handle





Smooth



9127-GB24-39K Knurled



9127-GB24-39H

Hammered



9127-GB24-39P



9127-GB24-39PI Pinstripe Intaglio*



9127-GB24-39RI



Hammered, Pinstripe Intaglio* and Rivulet Intaglio* handles

Smooth, Knurled, Pinstripe

polished chrome 1322 1654 standard 1851 special 2182 premium





I x SH-10-65 (wall supply elbow)

I x HS-68 (68" handshower hose)

 $I \times 30$ " grab bar with slide and matching handle

Smooth, Knurled, Pinstripe and Rivulet handles

polished chrome 1295 1620 standard 1813 special 2138 premium



Smooth



9127-GB30-39K Knurled



9127-GB30-39H



9127-GB30-39P

Pinstripe



9127-GB30-39PI Pinstripe Intaglio*



9127-GB30-39R Rivulet



Rivulet Intaglio*



9127-GB30-39RI

Hammered, Pinstripe Intaglio* and Rivulet Intaglio* handles

polished chrome 1395 1745 1953 special 2303 premium

	MODEL	DESCRIPTION	FINISH	PRICE
	9125-65	Wall Mounted Handshower Kit - Round	polished chrome	450
		• kit includes:	standard	564
		I × SH-10-65 (wall supply elbow)	special	630
		I x SH-20-65 (wall handshower bracket)	premium	744
		I x HS-68 (68" handshower hose)		
		suggested to match series: 38, 39, 40, 41, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5		
	9125S-65	Swivel Wall Mounted Handshower Kit - Round	polished chrome	515
		• kit includes:	standard	645
		I × SH-10-65 (wall supply elbow) I × SH-20S-65 (wall handshower holder)	special	721
		I × HS-68 (68" handshower hose)	premium	85 I
		suggested to match series: 38, 39, 40, 41, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5		
	9126-65	Wall Mounted Handshower Kit - Round	polished chrome	344
		kit includes:	standard	431
		I × SH-25-65 (wall supply & handshower holder)	special	482
		I x HS-68 (68" handshower hose)	premium	568
		suggested to match series: 38, 39, 40, 41, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5		
	9126S-65	Swivel Wall Mounted Handshower Kit - Round	polished chrome	449
0.00		• kit includes:	standard	562
		I x SH-25S-65 (wall supply & handshower holder)	special	629
		I × HS-68 (68" handshower hose) suggested to match series: 38, 39, 40, 41, 52, 53, 62, 65, 66, 74, 75,	premium	741
9		E3, E4 & E5		
	74-9	9" Hand Towel Bar	polished chrome	198
			standard	248
			special	277
			premium	327
	74-18	I8" Towel Bar	polished chrome	210
			standard	263
			special	294
6			premium	347
	74-24	24" Towel Bar	polished chrome	220
			standard	275
			special	308
6			premium	363
	74-TR	Towel Ring	polished chrome	164
			standard	205
			special	230
			premium	271

MODEL	DESCRIPTION	FINISH	PRICE
74-RH	Robe Hook	polished chrome standard special premium	120 150 168 198
74-DRH	Double Robe Hook	polished chrome standard special premium	143 179 200 236
74-STP	Single Post Toilet Paper Holder	polished chrome standard special premium	143 179 200 236
74-VTP	Vertical Spare Toilet Paper Holder	polished chrome standard special premium	159 199 223 262
9401	 Single Paper Holder with Shelf all brass construction paper holder arm is in fixed position 6-1/2" x 4" shelf 	polished chrome standard special premium	258 323 361 426


NOTES:

- for coordinated deck, wall and floor mounted tub fillers, see Tub Fillers section starting on page 384
- for complete showerhead and handshower options, see Shower section starting on page 420
- for complete shower arm options, see Shower section starting on page 43 I
- coordinated cabinet hardware starting on page 487

CAYUCOS™ 40/41 SERIES







DESCRIPTION 8" Widespread Lavatory Faucet with ZeroDrain® - Low Quad Spout



- 5-7/16" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" pop-down style ZeroDrain® assembly

• 1.2 gpm water saving aerator









4102ZB-OP



4102ZB





4102ZB-WP



4102ZB-ADC











4102ZB-RD

With ZeroDrain®



899

8" Widespread Lavatory Faucet - Low Quad Spout

- 3-3/16" overall height

- · 1.2 gpm water saving aerator













4102-PP



4102-WP



4102-RD

Blue Porcelain Handle

4102-BP










DESCRIPTION FINISH

8" Widespread Lavatory Faucet with ZeroDrain® - Medium Spout • 6-3/4" overall height

- 5-5/16" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" pop-down style ZeroDrain® assembly
- 1.2 gpm water saving aerator







4002MZB Metal Lever Handle



4102MZB-BP



4002MXZB Cross Handle



4102MZB-OP



4102MZB

Metal Lever Handle

Orange Porcelain Handle Pink Porcelain Handle





4102MZB-WP

4102MZB-YP



4102MZB-RD Yellow Porcelain Handle Red Lever Handle



4102MZB-ADC

With ZeroDrain®





8" Widespread Lavatory Faucet - Medium Spout

- 6-3/4" overall height
- 5-5/16" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" all brass touch style pop-up drain assembly
- 1.2 gpm water saving aerator

polished chrome 899 1124 standardspecial 1259 premium 1483





4102M-BP Blue Porcelain Handle



4002MX



4102M-OP

4102M





4102M-PP



4102M-WP White Porcelain Handle Art Deco Lever Handle



4102M-YP Yellow Porcelain Handle Red Lever Handle



4102M-RD

4102M-ADC




800.822.8855 | californiafaucets.com

DESCRIPTION

8" Widespread Lavatory Faucet with ZeroDrain® - Quad Spout

- 5-7/8" overall height
- 6" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" pop-down style ZeroDrain® assembly
- 1.2 gpm water saving aerator











4002QXZB



4102QZB





4102QZB-YP

4102QZB-WP



4102QZB-ADC





polished chrome

4102QZB-BP Blue Porcelain Handle





4102QZB-OP









8" Widespread Lavatory Faucet - Quad Spout

- 5-7/8" overall height
- 6" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" all brass touch style pop-up drain assembly

4102Q

• 1.2 gpm water saving aerator

standard 1124 1259 special 1483 premium







4002QX Cross Handle









4102Q-YP

4102Q-WP



4102Q-RD

4102Q-ADC

4102Q-BP Blue Porcelain Handle

3-17-25



4102Q-OP Orange Porcelain Handle Pink Porcelain Handle



4102Q-PP



Yellow Porcelain Handle Red Lever Handle



800.822.8855 | californiafaucets.com



Single Handle Lavatory Wall Faucet Trim Only

- 6-7/8" spout wall to center
- $\bullet\,$ single handle allows for volume & temperature control at any position
- 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.

FINISH PRICE polished chrome 455 standard 569 637 special 75 I premium

TO-V5201-7-HE3

Metal Lever Handle

DESCRIPTION



TO-V4101-7-OP







TO-V4101-7-BP Blue Porcelain Handle







Yellow Porcelain Handle


Red Lever Handle

REQUIRES ROUGH VALVE: for more details, see pages 496-498

SHV-R

405

Single Handle Lavatory Wall Faucet Trim Only



- single handle allows for volume & temperature control at any position
- 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.







Metal Lever Handle







TO-V4101-9-BP Blue Porcelain Handle








Yellow Porcelain Handle Red Lever Handle

TO-V4101-9-RD

REQUIRES ROUGH VALVE: SHV-R for more details, see pages 496-498

FINISH

Two Handle Lavatory Wall Faucet Trim Only



DESCRIPTION

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.

polished chrome 886 1108 standard 1240 special 1462 premium

PRICE









TO-V4102-7





TO-V4102-7-RD

Blue Porcelain Handle

TO-V4102-7-BP



TO-V4102-7-OP



TO-V4102-7-PP

Yellow Porcelain Handle **REQUIRES ROUGH VALVE:**

TO-V4102-7-YP



for more details, see pages 496-498

Two Handle Lavatory Wall Faucet Trim Only • 8-1/2" spout wall to center

TO-V4102-9

· 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.

polished chrome 897 standard 1121 special 1256 premium 1480

380

VL-R







3-17-25













Red Lever Handle

REQUIRES ROUGH VALVE: for more details, see pages 496-498

VL-R

380



StyleTherm® 3/4" Thermostatic Trim Only

• all brass construction

DESCRIPTION

- 100° F safety stop button with manual override
- · separate volume control required
- 7-1/4" round faceplate

See Shower & Luxury Drain Sections to complete shower.

PRICE FINISH polished chrome 542 standard 678 759 special 894 premium

TO-THN-40 Metal Lever Handle



TO-THN-41-BP Blue Porcelain Handle



Orange Porcelain Handle



TO-THN-40X

Cross Handle

TO-THN-41 Metal Lever Handle



TO-THN-41-PP Pink Porcelain Handle



TO-THN-41-WP



TO-THN-41-YP Yellow Porcelain Handle



TO-THN-41-ADC



TO-THN-41-RD



REQUIRES ROUGH VALVE: for more details, see pages 496-498

THT75-R

695

StyleTherm® 3/4" Thermostatic Trim Only

- all brass construction
- 100° F safety stop button with manual override
- · separate volume control required
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain Sections to complete shower.





TO-THCN-40



TO-THCN-41-BP Blue Porcelain Handle



TO-THCN-40X



TO-THCN-41-OP





TO-THCN-41-PP



TO-THCN-41-WP



TO-THCN-41-YP Yellow Porcelain Handle





TO-THCN-41-RD Red Lever Handle



REQUIRES ROUGH VALVE: for more details, see pages 496-498

THT75-R



StyleTherm® 3/4" Thermostatic Trim Only

• all brass construction

DESCRIPTION

- 100° F safety stop button with manual override
- separate volume control required
- 5-1/2" square faceplate; flat profile

See Shower & Luxury Drain Sections to complete shower.



TO-THFN-40

Metal Lever Handle





TO-THFN-40X





TO-THFN-41





TO-THFN-41-BP Blue Porcelain Handle







TO-THFN-41-OP TO-THFN-41-PP

TO-THFN-41-YP Yellow Porcelain Handle



REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 496-498

THT75-R 695



StyleTherm® Trim Only With Single Volume Control

- · all brass construction
- 100° F safety stop button with manual override
- · single integral volume control
- 7-1/4" round faceplate

See Shower & Luxury Drain Sections to complete shower.

55 I polished chrome standard 689 77 I special 909 premium





TO-THIL-41-BP Blue Porcelain Handle





TO-THIL-40X



TO-THIL-41-OP TO-THIL-41-PP

Orange Porcelain Handle Pink Porcelain Handle

TO-THIL-41









TO-THIL-41-YP Yellow Porcelain Handle







for more details, see pages 496-498

THT51-R THT51D2-R



StyleTherm® Trim Only With Single Volume Control

· all brass construction

DESCRIPTION

- 100° F safety stop button with manual override
- · single integral volume control
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain Sections to complete shower.



TO-THCIL-40 Metal Lever Handle



Cross Handle

TO-THCIL-40X





TO-THCIL-41





TO-THCIL-41-BP Blue Porcelain Handle



TO-THCIL-41-OP Orange Porcelain Handle



TO-THCIL-41-PP Pink Porcelain Handle

TO-THCIL-41-YP Yellow Porcelain Handle

TO-THCIL-41-RD Red Lever Handle

REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 496-498

THT51-R 549 THT51D2-R 679 polished chrome 688 860 standard

special

premium

963

1135



StyleTherm® Trim Only With Single Volume Control

- all brass construction
- 100° F safety stop button with manual override
- · single integral volume control
- 5-1/2" square faceplate; flat profile

See Shower & Luxury Drain Sections to complete shower.

TO-THFIL-40











TO-THFIL-41-BP





TO-THFIL-41-PP Pink Porcelain Handle

TO-THFIL-41-YP Yellow Porcelain Handle



REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 496-498

THT51-R THT51D2-R 549 679

800.822.8855 | californiafaucets.com




StyleTherm® Trim Only with Dual Volume Control

• all brass construction

DESCRIPTION

- 100° F safety stop button with manual override
- dual integral volume controls
- 7-1/4" round faceplate

See Shower & Luxury Drain Sections to complete shower.



TO-TH2L-40 Metal Lever Handle





TO-TH2L-41



TO-TH2L-41-PP

TO-TH2L-41-ADC Art Deco Lever Handle



TO-TH2L-41-BP Blue Porcelain Handle



TO-TH2L-41-OP Orange Porcelain Handle



Pink Porcelain Handle

TO-TH2L-41-YP Yellow Porcelain Handle

TO-TH2L-41-WP

White Porcelain Handle

TO-TH2L-41-RD Red Lever Handle

REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 496-498

THT52-R 619 THT52D2-R 779 598 polished chrome 748 standard

special

premium

837

987



StyleTherm® Trim Only with Dual Volume Control

- all brass construction
- 100° F safety stop button with manual override
- dual integral volume controls
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain Sections to complete shower.



TO-THC2L-40 Metal Lever Handle



TO-THC2L-41-BP Blue Porcelain Handle



3-17-25

TO-THC2L-40X Cross Handle



Orange Porcelain Handle Pink Porcelain Handle



TO-THC2L-41 Metal Lever Handle



TO-THC2L-41-OP TO-THC2L-41-PP



TO-THC2L-41-WP TO-THC2L-41-ADC



TO-THC2L-41-YP Yellow Porcelain Handle



Art Deco Lever Handle



TO-THC2L-41-RD Red Lever Handle



REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 496-498

ΓHT52-R	619
THT52D2-R	779

DESCRIPTION

StyleTherm® Trim Only with Dual Volume Control

- · all brass construction
- $\bullet\,$ 100° F safety stop button with manual override
- dual integral volume controls
- 6-5/16" by 5-1/2" rectangular faceplate; flat profile

See Shower & Luxury Drain Sections to complete shower.



PRICE

FINISH





Cross Handle

TO-THF2L-40X









TO-THF2L-41-BP Blue Porcelain Handle





TO-THF2L-41-OP



TO-THF2L-41-YP Yellow Porcelain Handle

TO-THF2L-41-RD Red Lever Handle

REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498

THT52D2-R 779 polished chrome 301

619

THT52-R



Wall Handle Trim Only

- base diameter 2"
- · use for wall stop or wall diverter

376 standard 421 special 497 premium





TO-41-W-BP Blue Porcelain Handle



182

TO-40X-W Cross Handle



TO-41-W-OP Orange Porcelain Handle



TO-41-W Metal Lever Handle



TO-41-W-PP Pink Porcelain Handle



TO-41-W-WP



TO-41-W-YP Yellow Porcelain Handle



TO-41-W-ADC Art Deco Lever Handle



TO-41-W-RD



REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 496-498


50-W-R 169 75-W-R 215 339 WDV-R WDV-NS-R 349 **Pressure Balance Trim Only**



DESCRIPTION









TO-PBL-40 Metal Lever Handle



TO-PBL-41-BP Blue Porcelain Handle



TO-PBL-40X

Orange Porcelain Handle







TO-PBL-41-PP Pink Porcelain Handle








TO-PBL-41-RD Red Lever Handle

REQUIRES ROUGH VALVE: PBI-R for more details, see pages 496-498

255





- single handle with markings for dual outlets
- · screwless faceplate
- 7-1/4" round faceplate





TO-PB2L-40 Metal Lever Handle



TO-PB2L-41-BP Blue Porcelain Handle



TO-PB2L-40X

TO-PB2L-41-OP Orange Porcelain Handle





TO-PB2L-41-PP Pink Porcelain Handle







TO-PB2L-41-RD Red Lever Handle

REQUIRES ROUGH VALVE: for more details, see pages 496-498


PB2-R

355

DESCRIPTION FINISH PRICE 602 polished chrome 2 Handle Tub or Shower Trim Only standard 752 special 842 See Shower & Luxury Drains Sections to complete shower. 994 premium TO-4006XL TO-4106L-WP TO-4106L-ADC TO-4006L TO-4106L Metal Lever Handle Cross Handle Metal Lever Handle White Porcelain Handle Art Deco Lever Handle TO-4106L-BP TO-4106L-OP TO-4106L-PP TO-4106L-YP TO-4106L-RD Blue Porcelain Handle Orange Porcelain Handle Pink Porcelain Handle Yellow Porcelain Handle Red Lever Handle 419 **REQUIRES THE FOLLOWING ROUGH VALVES\:** for more details, see pages 496-498 TS-52-52 polished chrome 235 **Wall Tub Spout** • 6-9/16" wall to center standard 294 • 1/2" MIP inlet special 329 • max flow rate: 16 gpm at 60 psi 388 premium • for series: 39, 40, 41, 52, 53 & E3 • for use with StyleTherm, PB2-R or 2-VR valves polished chrome D-52-52 257 **Deluxe Wall Tub Spout** 321 • 8-9/16" wall to center standard • 1/2" MIP inlet special 360 • max flow rate: 16 gpm at 60 psi premium 424 • for series: 39, 40, 41, 52, 53 & E3 • for use with StyleTherm, PB2-R or 2-VR valves DE-52-52 polished chrome 263 **Deluxe Wall Tub Spout** • 11-9/16" wall to center 329 standard • 1/2" MIP inlet 368 special • max flow rate: 16 gpm at 60 psi premium 434 • for series: 39, 40, 41, 52, 53 & E3 • for use with StyleTherm, PB2-R or 2-VR valves

FINISH

DESCRIPTION Complete Roman Tub Set - Arc Spout



• 8-15/16" spout center to center

• max flow rate: 16 gpm at 60 psi

· comes as complete set with trim and valves

4108

polished chrome 1570 1963 standard 2198 special 2591 premium

PRICE

1570

1963

2198

2591

polished chrome

standard

premium

special





4108-BP Blue Porcelain Handle



4108-OP 4108-PP Orange Porcelain Handle Pink Porcelain Handle





4108-WP

Order drain separately. See page 483 for all drain options including ZeroDrain®. Installation of upstream tempering device may be required. Verify local codes.

4108-YP Yellow Porcelain Handle Red Lever Handle



4108-ADC

White Porcelain Handle Art Deco Lever Handle

4108-RD







Complete Roman Tub Set - Quad Spout

- 8-3/16" overall height
- 8-15/16" spout center to center
- max flow rate: 16 gpm at 60 psi
- · comes as complete set with trim and valves

Order drain separately. See page 483 for all drain options including ZeroDrain®. Installation of upstream tempering device may be required. Verify local codes.



4008

Blue Porcelain Handle









4108-OP 4108-PP Orange Porcelain Handle Pink Porcelain Handle



Metal Lever Handle

4108-WP White Porcelain Handle



4108-YP





Art Deco Lever Handle

4108-ADC

4108-RD Yellow Porcelain Handle Red Lever Handle





Complete Handshower & Diverter for Roman Tub

- HS-62 handshower
- · comes as a complete set with trim and valve

41.62.FR

Metal Lever Handle

• replace .FR with desired max flow rate: XX.62.20 for 2.0 gpm XX.62.18 for 1.8 gpm

40.62.FR Metal Lever Handle

41.62.FR-BP Blue Porcelain Handle



40X.62.FR

41.62.FR-OP





41.62.FR-WP White Porcelain Handle

41.62.FR-YP Yellow Porcelain Handle





41.62.FR-RD

41.62.FR-ADC

Art Deco Lever Handle

polished chrome 1034 1293 standard 1448 special 1706 premium

DESCRIPTION

Slide Bar Handshower Kit

kit includes:

I x SH-10-65 (wall supply elbow) I x HS-68 (68" handshower hose)

I x slide bar with matching handle

polished chrome 1054 standard 1319 1476 special 1740 premium

PRICE

FINISH



9127-40



9127-40X Cross Handle



9127-41 Metal Lever Handle



9127-41-PP

9127-41-WP White Porcelain Handle



9127-41-ADC Art Deco Lever Handle



9127-41-BP Blue Porcelain Handle



9127-41-OP Orange Porcelain Handle Pink Porcelain Handle



9127-41-YP



9127-41-RD







 $1 \times SH-10-65$ (wall supply elbow)

I x HS-68 (68" handshower hose)

 $I \times 24$ " grab bar with slide and matching handle

polished chrome 1180 1476 standard 1652 special 1948 premium



9127-GB24-40 Metal Lever Handle



9127-GB24-41-BP Blue Porcelain Handle



9127-GB24-40X Cross Handle



9127-GB24-41-OP 9127-GB24-41-PP Orange Porcelain Handle Pink Porcelain Handle



9127-GB24-41 Metal Lever Handle





White Porcelain Handle



9127-GB24-41-YP Yellow Porcelain Handle



9127-GB24-41-WP 9127-GB24-41-ADC Art Deco Lever Handle



9127-GB24-41-RD Red Lever Handle





800.822.8855 | californiafaucets.com

DESCRIPTION FINISH

30" Grab Bar Handshower Kit

- kit includes:
 - I x SH-10-65 (wall supply elbow)
 - I x HS-68 (68" handshower hose)

 $I \times 30$ " grab bar with slide and matching handle

polished chrome 1243 standard 1555 1740 special 2052 premium

PRICE

9127-GB30-40

Metal Lever Handle



Cross Handle

9127-GB30-40X





9127-GB30-41





9127-GB30-41-WP 9127-GB30-41-ADC

9127-GB30-41-BP Blue Porcelain Handle



9127-GB30-41-OP



9127-GB30-41-PP

9127-GB30-41-YP Yellow Porcelain Handle

Red Lever Handle

9125-65

Wall Mounted Handshower Kit - Round

- kit includes:
 - I × SH-10-65 (wall supply elbow) I x SH-20-65 (wall handshower bracket)
 - I × HS-68 (68" handshower hose)

suggested to match series: 38, 39, 40, 41, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5

polished chrome 450 standard 564 630 special premium 744



9125S-65

Swivel Wall Mounted Handshower Kit - Round

- kit includes:
- I x SH-10-65 (wall supply elbow)
- I × SH-20S-65 (wall handshower holder)
- I × HS-68 (68" handshower hose)

suggested to match series: 38, 39, 40, 41, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5

polished chrome 515 standard 645 special 72 I premium 85 I



9126-65

Wall Mounted Handshower Kit - Round

 kit includes: I x SH-25-65 (wall supply & handshower holder)

I × HS-68 (68" handshower hose)

suggested to match series: 38, 39, 40, 41, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5

polished chrome 344 43 I standard special 482 premium 568



9126S-65

Swivel Wall Mounted Handshower Kit - Round

- kit includes:
 - I × SH-25S-65 (wall supply & handshower holder) I × HS-68 (68" handshower hose)

suggested to match series: 38, 39, 40, 41, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5

449 polished chrome 562 standard 629 special premium 741

CAYUCOS | 40/41 SERIES

	MODEL	DESCRIPTION	FINISH	PRICE
	74-9	9" Hand Towel Bar	polished chrome	198
			standard	248
1			special	277
			premium	327
	74-18	18" Towel Bar	polished chrome	210
			standard	263
			special	294
			premium	347
	74-24	24" Towel Bar	polished chrome	220
			standard	275
10			special	308
			premium	363
	74-TR	Towel Ring	polished chrome	164
			standard	205
()			special	230
			premium	271
ın	74-RH	Robe Hook	polished chrome	120
			standard	150
			special .	168
			premium	198
	74-DRH	Double Robe Hook	polished chrome	143
			standard	179
			special	200
			premium	236
	74-STP	Single Post Toilet Paper Holder	polished chrome	143
			standard	179
			special	200
			premium	236
	74-VTP	Vertical Spare Toilet Paper Holder	polished chrome	159
			standard	199
			special	223
			premium	262
	9401	Single Paper Holder with Shelf	polished chrome	258
		all brass construction pages helder arm is in fixed position.	standard	323
		 paper holder arm is in fixed position 6-1/2" x 4" shelf 	special	361
			premium	426

NOTES:

- for coordinated deck, wall and floor mounted tub fillers, see Tub Fillers section starting on page 384
- for complete showerhead and handshower options, see Shower section starting on page 420
- for complete shower arm options, see Shower section starting on page 43 I
- coordinated cabinet hardware starting on page 487



RINCON BAY®

45 SERIES







DESCRIPTION

8" Widespread Lavatory Faucet with ZeroDrain®

- 3-7/16" overall height
- 5-1/16" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" pop-down style ZeroDrain® assembly
- 1.2 gpm water saving aerator









standard 1304 special 1461 premium 1721

PRICE

1043

FINISH

polished chrome

With ZeroDrain®



polished chrome 979 standard 1224 special 1371 premium 1615



- 3-7/16" overall height
- 5-1/16" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" all brass lift rod style pop-up drain assembly
- 1.2 gpm water saving aerator











polished chrome

DESCRIPTION FINISH PRICE

8" Widespread Lavatory Faucet with ZeroDrain®

- 9-5/16" overall height
- 6" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" pop-down style ZeroDrain® assembly
- 1.2 gpm water saving aerator





4502AZB Lever Handle



4502AXZB Cross Handle



With ZeroDrain®

1043



8" Widespread Lavatory Faucet

- 9-5/16" overall height
- 6" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" all brass touch style pop-up drain assembly
- 1.2 gpm water saving aerator





4502AX

polished chrome 979 standard 1224 1371 special premium 1615

polished chrome

standard

premium

special

735

919

1029

1213



Single Hole Lavatory/Bar/Prep Faucet - Low Spout

- 10-3/16" overall height
- 5-5/16" spout center to center
- · ceramic mixing cartridge
- · 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.



4509-I Lever Handle



4509X-I Cross Handle



polished chrome 844 standard 1055 special 1182 1393 premium



- 14-5/16" overall height
- 5-5/16" spout center to center
- · ceramic mixing cartridge
- 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.







3-17-25

DESCRIPTION PRICE FINISH Two Handle Lavatory Wall Faucet Trim Only polished chrome 670 • 6-1/2" spout wall to center standard 838 • 1.2 gpm water saving aerator 938 special Order drain separately. See pages 480-482 for all drain options including ZeroDrain®. 1106 premium TO-V4502-7 TO-V4502X-7 Lever Handle Cross Handle **REQUIRES ROUGH VALVE:** 380 VL-R for more details, see pages 496-498 680 Two Handle Lavatory Wall Faucet Trim Only polished chrome • 8-1/2" spout wall to center standard 850 · 1.2 gpm water saving aerator 952 a Care Order drain separately. See pages 480-482 for all drain options including ZeroDrain®. 1122 premium TO-V4502-9 TO-V4502X-9 Lever Handle Cross Handle **REQUIRES ROUGH VALVE:** VL-R 380 for more details, see pages 496-498 StyleTherm® 3/4" Thermostatic Trim Only polished chrome 486 • all brass construction standard 608 • 100° F safety stop button with manual override 680 special • separate volume control required premium 802 • 7-1/4" round faceplate See Shower & Luxury Drain Sections to complete shower. **TO-THN-45** TO-THN-45X Lever Handle Cross Handle **REQUIRES ROUGH VALVE:** THT75-R 695 for more details, see pages 496-498 StyleTherm® 3/4" Thermostatic Trim Only polished chrome 524 • all brass construction standard • 100° F safety stop button with manual override 734 special · separate volume control required 865 premium • 7-7/8" by 5-7/8" rectangular faceplate See Shower & Luxury Drain Sections to complete shower. TO-THCN-45 TO-THCN-45X Lever Handle Cross Handle

REQUIRES ROUGH VALVE:

for more details, see pages 496-498

695

THT75-R

polished chrome

polished chrome

standard

premium

special

standard

premium

special

PRICE

623

779

872

1028

495 619

693

817

879

549

679

632 790

885

1043



DESCRIPTION FINISH

StyleTherm® 3/4" Thermostatic Trim Only

- all brass construction
- 100° F safety stop button with manual override
- separate volume control required
- 5-1/2" square faceplate; flat profile

See Shower & Luxury Drain Sections to complete shower.

TO-THFN-45 Lever Handle







REQUIRES ROUGH VALVE:	THT75-R	695
for more details, see pages 496-498		



StyleTherm® Trim Only with Single Volume Control

- · all brass construction
- 100° F safety stop button with manual override
- single integral volume control
- 7-1/4" round faceplate

See Shower & Luxury Drain Sections to complete shower.

TO-THIL-45 Lever Handle







REQUIRES ONE OF THE FO	LLOWING ROUGH VALVES:
	for more details, see pages 496-498

THT51-R THT51D2-R	549 679
polished chrome	533
standard	666
special	746

premium

THT51D2-R

polished chrome

standard

premium

special





- 100° F safety stop button with manual override
- single integral volume control
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain Sections to complete shower.





TO-THCIL-45X Cross Handle

REQUIRES ONE OF THI	E FOLLOW	ING ROU	GH VALVES:
	_		

S ONE OF THE FO	LLOWING ROUGH VALVE
	for more details, see pages 496-4

THT51-R

StyleTherm® Trim Only with Single Volume Control	
all brass construction	

• 100° F safety stop button with manual override

• single integral volume control

• 5-1/2" square faceplate; flat profile

See Shower & Luxury Drain Sections to complete shower.



TO-THFIL-45X Cross Handle



REQUIRES ONE OF THE FO	LLOWING ROUGH VALVES:
	for more details, see pages 496-498

THT51-R	549
THT51D2-R	679





StyleTherm® Trim Only with Dual Volume Control

• all brass construction

DESCRIPTION

- $\bullet\,$ 100° F safety stop button with manual override
- · dual integral volume controls
- 7-1/4" round faceplate

See Shower & Luxury Drain Sections to complete shower.

TO-TH2L-45 Lever Handle







for more details, see pages 496-498

LVES:	THT52-R
96-498	THT52-R THT52D2-R

FINISH

standard

premium

special

polished chrome

polished chrome

standard

premium

special

619 779

542

678

759

894

PRICE

504

630

706

832



StyleTherm® Trim Only with Dual Volume Control

- all brass construction
- 100° F safety stop button with manual override
- dual integral volume controls
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain Sections to complete shower.

TO-THC2L-45 Lever Handle







REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: THT52-R

for more details, see pages 496-498

THT52D2-R polished chrome

standard

premium

special

619 779 641

801

897

1058



StyleTherm® Trim Only with Dual Volume Control

- · all brass construction
- 100° F safety stop button with manual override
- · dual integral volume controls
- 6-5/16" by 5-1/2" rectangular faceplate; flat profile

See Shower & Luxury Drain Sections to complete shower.

TO-THF2L-45



TO-THF2L-45X



REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: THT52D2-R

for more details, see pages 496-498

DESCRIPTION FINISH PRICE

Wall or Deck Handle Trim Only

• base diameter 2-5/16"

· use for wall stop, wall diverter or deck diverter





TO-45-W Lever Handle





TO-45X-W
Cross Handle

REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498

50-W-R 169 75-W-R 215 WDV-R 339 WDV-NS-R 349



Pressure Balance Trim Only

- for shower only
- · screwless faceplate
- 7-1/4" round faceplate

polished chrome 375 standard 469 525 special premium 619





REQUIRES ROUGH VALVE: for more details, see pages 496-498

PBI-R 255

polished chrome

standard

premium

special



Dual Pressure Balance Trim Only

- controls two independent outlet devices (e.g. tub/shower or shower/handshower)
- single handle with markings for dual outlets
- screwless faceplate
- 7-1/4" round faceplate





REQUIRES ROUGH VALVE: for more details, see pages 496-498

355

469

525

DESCRIPTION FINISH PRICE 2 Handle Tub or Shower Trim Only polished chrome 430 standard 538 See Shower & Luxury Drain Sections to complete shower. 602 special 710 premium TO-4506L TO-4506XL Lever Handle Cross Handle **REQUIRES ROUGH VALVE:** 2-VR 419 for more details, see pages 496-498 **TS-45 Wall Tub Spout** polished chrome 258 • 6-1/2" wall to center standard 323 • max flow rate: 16 gpm at 60 psi special 361 • for series: 45 & 45X premium 426 • for use with StyleTherm, PB2-R or 2-VR valves D-45 **Deluxe Wall Tub Spout** polished chrome 284 • 8-1/2" wall to center standard 355 • 1/2" FIP inlet special 398 • max flow rate: 16 gpm at 60 psi 469 premium • for series: 45 & 45X • for use with StyleTherm, PB2-R, or 2-VR valves **DE-45** polished chrome 314 **Deluxe Wall Tub Spout** • 12" wall to center standard 393 • 1/2" FIP inlet special 440 • max flow rate: 16 gpm at 60 psi 518 premium • for series: 45 & 45X • for use with StyleTherm, PB2-R, or 2-VR valves

DESCRIPTION FINISH PRICE

Complete Roman Tub Set

- 4-1/8" overall height
- 8-1/16" spout center to center
- max flow rate: 16 gpm at 60 psi
- · comes as a complete set with trim and valves

Order drain separately. See page 483 for all drain options including ZeroDrain®. Installation of upstream tempering device may be required. Verify local codes.











Complete Roman Tub Set

- 12-3/16" overall height
- 8-15/16" spout center to center
- max flow rate: 16 gpm at 60 psi
- comes as a complete set with trim and valves

Order drain separately. See page 483 for all drain options including ZeroDrain®. Installation of upstream tempering device may be required. Verify local codes.

polished chrome 1381 standard 1726 1933 special 2279 premium



4508A Lever Handle





4508AX

Complete Handshower & Diverter for Roman Tub

- HS-62 handshower
- comes as a complete set with trim and valve
- replace .FR with desired max flow rate: XX.62.20 for 2.0 gpm XX.62.18 for 1.8 gpm









877 polished chrome standard 1096 1228 special premium 1447



Single Hole Bidet

- 3-3/4" spout center to center
- swivel end spray
- ceramic mixing cartridge
- 1-1/4" all brass touch style pop-up drain assembly





Slide Bar Handshower Kit

• kit includes:

DESCRIPTION

- I x SH-10-45 (wall supply elbow)
- I × HS-68 (68" handshower hose)
- I x slide bar with matching handle













24" Grab Bar Handshower Kit

- kit includes:
 - I × SH-10-45 (wall supply elbow)
 - I × HS-68 (68" handshower hose)
 - $I \times 24$ " grab bar with slide and matching handle

1180 polished chrome standard 1476 1652 special premium 1948

9127-GB24-45







30" Grab Bar Handshower Kit

- kit includes:
 - I x SH-10-45 (wall supply elbow)
 - I x HS-68 (68" handshower hose)
 - $I \times 30$ " grab bar with slide and matching handle

polished chrome 1243 1555 standard 1740 special 2052 premium



9127-GB30-45

Lever Handle



9127-GB30-45X Cross Handle



	MODEL	DESCRIPTION	FINISH	PRICE
	9125-45	Wall Mounted Handshower Kit - Concave • kit includes: I× SH-10-45 (wall supply elbow) I× SH-20-45 (wall handshower holder) I× HS-68 (68" handshower hose) suggested to match series: 30, 31, 45, 80 & 81	polished chrome standard special premium	450 564 630 744
09	9125S-45	Swivel Wall Mounted Handshower Kit - Concave • kit includes: Ix SH-10-45 (wall supply elbow) Ix SH-20S-45 (wall handshower holder) Ix HS-68 (68" handshower hose) suggested to match series: 30, 31, 45, 80 & 81	polished chrome standard special premium	515 645 721 851
9	9126-45	Wall Mounted Handshower Kit - Concave • kit includes: I×SH-25-45 (wall supply & handshower holder) I×HS-68 (68" handshower hose) suggested to match series: 30, 31, 45, 48, 80 & 81	polished chrome standard special premium	344 431 482 568
	9126S-45	Swivel Wall Mounted Handshower Kit - Concave • kit includes: I× SH-255-45 (wall supply & handshower holder) I× HS-68 (68" handshower hose) suggested to match series: 30, 31, 45, 80 & 81	polished chrome standard special premium	449 562 629 741

RINCON BAY | 45 SERIES

45-18 IB" Towel Bar polished chrome standard special premium 45-24 24" Towel Bar polished chrome standard special premium premium polished chrome standard special premium	RICE
45-18 18" Towel Bar polished chrome standard special premium 45-24 24" Towel Bar polished chrome standard special premium 45-30 30" Towel Bar polished chrome standard special premium	287
45-18 I 8" Towel Bar polished chrome standard special premium 45-24 24" Towel Bar polished chrome standard special premium 45-30 30" Towel Bar polished chrome standard special premium	359
45-18 I 8" Towel Bar polished chrome standard special premium 45-24 24" Towel Bar polished chrome standard special premium 45-30 30" Towel Bar polished chrome standard special premium	402
45-24 24" Towel Bar polished chrome standard special premium polished chrome standard special premium 45-30 30" Towel Bar polished chrome standard special premium	474
45-24 45-24 24" Towel Bar polished chrome standard special premium polished chrome standard special premium 45-30 30" Towel Bar polished chrome standard special premium	298
45-24 24" Towel Bar polished chrome standard special premium 45-30 30" Towel Bar polished chrome standard special premium	373
45-24 24" Towel Bar polished chrome standard special premium 45-30 30" Towel Bar polished chrome standard special premium	417
45-24 24" Towel Bar polished chrome standard special premium 45-30 30" Towel Bar polished chrome standard special premium	492
standard special premium 45-30 30" Towel Bar polished chrome standard	
standard special premium 45-30 30" Towel Bar polished chrome standard	309
45-30 30" Towel Bar polished chrome standard	386
45-30 30" Towel Bar polished chrome standard	433
standard	510
	320
special .	400
	448
special premium	528
45-TR Towel Ring polished chrome	198
	248
special	277
premium	327

MODEL	DESCRIPTION	FINISH	PRICE
45-RH	Robe Hook	polished chrome standard special premium	154 193 216 254
45-DRH	Double Robe Hook	polished chrome standard special premium	176 220 246 290
45-TP	Two Post Toilet Paper Holder	polished chrome standard special premium	287 359 402 474
45-STP	Single Post Toilet Paper / Hand Towel Holder	polished chrome standard special premium	220 275 308 363
48-VTP	Vertical Spare Toilet Paper Holder	polished chrome standard special premium	198 248 277 327
9401	Single Paper Holder with Shelf • all brass construction • paper holder arm is in fixed position • 6-1/2" x 4" shelf	polished chrome standard special premium	258 323 361 426

NOTES:

- for coordinated deck, wall and floor mounted tub fillers, see Tub Fillers section starting on page 384
- \bullet for complete showerhead and handshower options, see Shower section starting on page 420
- \bullet for complete shower arm options, see Shower section starting on page 43 l
- coordinated cabinet hardware starting on page 487

MONTEREY®

46/47 SERIES









DESCRIPTION

8" Widespread Lavatory Faucet with ZeroDrain®

- 3-1/4" overall height
- 5-7/16" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- I-1/4" pop-down style ZeroDrain® assembly
- 1.2 gpm water saving aerator





202

4602ZB



4602ZB-ADC

Art Deco Lever Handle



4702ZB



With ZeroDrain®



8" Widespread Lavatory Faucet

- 3-1/4" overall height
- 5-7/16" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" all brass lift rod style pop-up drain assembly
- 1.2 gpm water saving aerator

4602 Lever Handle



4602-ADC Art Deco Lever Handle

4702 Cross Handle



polished chrome 929 standard 1161 special 1301 1533 premium





	MODE	I IOIVILILI		
	MODEL	DESCRIPTION	FINISH	PRICE
	6009-1	Single Hole Lavatory/Bar/Prep Faucet - Low Spout • 10-1/16" overall height	polished chrome standard	688 860
		• 5-5/16" spout center to center	special	963
44		ceramic mixing cartridge I.2 gpm water saving aerator	premium	1135
		Order drain separately. See pages 480-482 for all drain options		
		including ZeroDrain®.		
	6009-2	Single Hole Lavatory/Bar/Prep Faucet - High Spout	polished chrome	789
		14-3/16" overall height 5-5/16" spout center to center	standard	986
414		ceramic mixing cartridge	special premium	1105 1302
The state of the s		1.2 gpm water saving aerator	premium	1302
		Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.		
		including Lerobrain .		
		e Lavatory Wall Faucet Trim Only pout wall to center	polished chrome standard	670 838
		vater saving aerator	special	938
	Order drai	n separately. See pages 480-482 for all drain options including ZeroDrain®.	premium	1106
	0			
		TO-V4602-7 Lever Handle TO-V4602-7-ADC TO-V4702-7 Art Deco Lever Handle Cross Handle		
Fine San		The Beed Level Handle Cross Handle		
A STATE OF THE STA				
		REQUIRES ROUGH VALVE: for more details, see pages 496-498	VL-R	380
	Two Hand	e Lavatory Wall Faucet Trim Only	polished chrome	680
	• 8-1/4" spc	ut wall to center	standard	850
		vater saving aerator n separately. See pages 480-482 for all drain options including ZeroDrain®.	special	952 1122
	Order drai	in separately. See pages 400-402 for all drain options including Zerobrain.	premium	1122
		TO-V4602-9 TO-V4602-9-ADC TO-V4702-9		
100		Lever Handle Art Deco Lever Handle Cross Handle		
4/				
		REQUIRES ROUGH VALVE:	VL-R	380
		for more details, see pages 496-498		



StyleTherm® 3/4" Thermostatic Trim Only

· all brass construction

DESCRIPTION

- 100° F safety stop button with manual override
- · separate volume control required
- 7-1/4" round faceplate

See Shower & Luxury Drain Sections to complete shower.

TO-THN-46 Lever Handle







TO-THN-47

THT75-R

polished chrome

standard

premium

special

FINISH

standard

premium

special

polished chrome

695

486

608

680

802

PRICE

448

560

627

739

REQUIRES ROUGH VALVE: for more details, see pages 496-498



StyleTherm® 3/4" Thermostatic Trim Only

- · all brass construction
- 100° F safety stop button with manual override
- separate volume control required
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain Sections to complete shower.

TO-THCN-46







REQUIRES ROUGH VALVE: for more details, see pages 496-498

THT75-R

polished chrome

standard

premium

special

695

457

571

640

754

StyleTherm® Trim Only with Single Volume Control

- all brass construction
- 100° F safety stop button with manual override
- single integral volume control
- 7-1/4" round faceplate

See Shower & Luxury Drain Sections to complete shower.

TO-THIL-46









REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 496-498

THT51-R

THT51D2-R

549 679



FINISH

standard

premium

special

polished chrome

polished chrome

standard

premium

THT52D2-R

polished chrome

standard

premium

special

special

PRICE

495

619

693

817

466

583

652

769

619

779

504

630

706

832



StyleTherm® Trim Only with Single Volume Control

• all brass construction

DESCRIPTION

- 100° F safety stop button with manual override
- single integral volume control
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain Sections to complete shower.









TO-THCIL-46-ADC	TO-THCIL-47
Art Deco Lever Handle	Cross Handle

ш		11	
н			
ш	6	DE	3
ш		1	0
ш	1	-	
			20

REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	THT51-R	549
for more details, see pages 496-498	THT51D2-R	679

StyleTherm® Trim Only with Dual Volume Control

- · all brass construction
- 100° F safety stop button with manual override
- dual integral volume controls
- 7-1/4" round faceplate

See Shower & Luxury Drain Sections to complete shower.

TO-TH2L-46







TO-TH2L-47 Cross Handle

for more details, see pages 496-498





StyleTherm® Trim Only with Dual Volume Control

- · all brass construction
- 100° F safety stop button with manual override
- · dual integral volume controls
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain Sections to complete shower.

TO-THC2L-46 Lever Handle









5	

REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498

619 THT52-R THT52D2-R 779

	DESCRIPTION			FINISH	PRICE
	Wall or Deck Handle Trim Only • base diameter 2-5/16" • use for wall stop, wall diverter or deck diverses	ter		polished chrome standard special premium	215 269 301 355
		TO-46-W-ADC Art Deco Lever Handle	TO-47-W Cross Handle		
	REQUIRES OI		ING ROUGH VALVES: details, see pages 496-498	50-W-R 75-W-R WDV-R WDV-NS-R	169 215 339 349
	Pressure Balance Trim Only			polished chrome	375
	for shower onlyscrewless faceplate			standard special	469 525
NOT NOT		TO-PBL-46-ADC Art Deco Lever Handle	TO-PBL-47 Cross Handle	premium	619
		REOL	IIRES ROUGH VALVE:	PB1-R	255
			details, see pages 496-498		250
	Dual Pressure Balance Trim Only	,		polished chrome	37!
	controls two independent outlet devices (e.gsingle handle with markings for dual outlets	, tub/shower or shower/ha	ndshower)	standard special	46' 52.
	 screwless faceplate 7-1/4" round faceplate TO-PB2L-46	TO-PB2L-46-ADC	TO-PB2L-47	premium	61
	Lever Handle	Art Deco Lever Handle			
		=	IIRES ROUGH VALVE: details, see pages 496-498	PB2-R	355
	2 Handle Tub or Shower Trim Or	nly		polished chrome	430
	See Shower & Luxury Drain Sections to	complete shower.		standard special	538 600
				premium	71
	TO-4606L Lever Handle	TO-4606L-ADC Art Deco Lever Handle	TO-4706L Cross Handle		
		REQU	IIRES ROUGH VALVE:	2-VR	419

919

1149

1287


1516

919

1149

1287

1516





Order drain separately. See page 483 for all drain options including ZeroDrain®. Installation of upstream tempering device may be required. Verify local codes.

> 4608 Lever Handle







Complete Handshower & Diverter for Roman Tub

- HS-15 handshower with grooved insert
- comes as a complete set with trim and valve
- replace .FR with desired max flow rate: XX.15.20 for 2.0 gpm XX.15.18 for 1.8 gpm

46.15.FR Lever Handle







47.15.FR Cross Handle



polished chrome

standard

premium

special

polished chrome

standard

premium

special

Complete Handshower & Diverter for Roman Tub

- HS-13 handshower with porcelain insert
- comes as a complete set with trim and valve
- replace .FR with desired max flow rate: XX.13.20 for 2.0 gpm XX.13.18 for 1.8 gpm



46.13.FR



46.13.FR-ADC Art Deco Lever Handle



47.13.FR Cross Handle



6104-1



Single Hole Bidet

- 3-3/4" spout center to center
- ceramic mixing cartridge
- swivel end spray
- 1-1/4" all brass touch style pop-up drain assembly

767 polished chrome standard 959 special 1074 premium 1266

DESCRIPTION PRICE FINISH Slide Bar Handshower Kit polished chrome 980 • kit includes: standard 1226 $I \times SH-10-47$ (wall supply elbow) 1372 special I × HS-68 (68" handshower hose) 1618 premium I x slide bar with matching handle 9129-46 9129-46-ADC 9129-47 Lever Handle Art Deco Lever Handle Cross Handle 24" Grab Bar Handshower Kit polished chrome 1222 • kit includes: standard 1529 I × SH-10-47 (wall supply elbow) special 1711 I × HS-68 (68" handshower hose) 2017 premium I x 24" grab bar with slide and matching handle 9129-GB24-46 9129-GB24-46-ADC 9129-GB24-47 Lever Handle Art Deco Lever Handle Cross Handle 30" Grab Bar Handshower Kit polished chrome 1295 1620 · kit includes: standard I × SH-10-47 (wall supply elbow) 1813 special I × HS-68 (68" handshower hose) premium 2138 I \times 30" grab bar with slide and matching handle 9129-GB30-46 9129-GB30-46-ADC 9129-GB30-47 Lever Handle Art Deco Lever Handle Cross Handle 9125-47 polished chrome 450 Wall Mounted Handshower Kit - Hex 564 kit includes: standard I × SH-10-47 (wall supply elbow) 630 special I x SH-20-47 (wall handshower bracket) premium 744 I × HS-68 (68" handshower hose) suggested to match series: 46 & 47 9125S-47 Swivel Wall Mounted Handshower Kit - Hex polished chrome 515 • kit includes: 645 standard

 $I \times SH-10-47$ (wall supply elbow)

I x HS-68 (68" handshower hose) suggested to match series: 46 & 47

I x SH-20S-47 (wall handshower holder)

72 I

85 I

special

premium

	MODEL	DESCRIPTION	FINISH	PRICE
	9126S-47	Swivel Wall Mounted Handshower Kit - Hex • kit includes: I x SH-25S-47 (wall supply & handshower holder) I x HS-68 (68" handshower hose) suggested to match series: 46 & 47	polished chrome standard special premium	449 562 629 741
	47-9	9" Hand Towel Bar	polished chrome standard special premium	287 359 402 474
Con.	47-18	18" Towel Bar	polished chrome standard special premium	298 373 417 492
E sugar	47-24	24" Towel Bar	polished chrome standard special premium	309 386 433 510
of many	47-30	30" Towel Bar	polished chrome standard special premium	320 400 448 528
(1056)	47-TR	Towel Ring	polished chrome standard special premium	198 248 277 327
p' (0 : 5)	47-RH	Robe Hook	polished chrome standard special premium	154 193 216 254
	47-DRH	Double Robe Hook	polished chrome standard special premium	176 220 246 290
	47-TP	Two Post Toilet Paper Holder	polished chrome standard special premium	287 359 402 474
	47-STP	Single Post Toilet Paper / Hand Towel Holder	polished chrome standard special premium	220 275 308 363

NOTES:

- metal index buttons available at no additional charge
- for coordinated deck, wall and floor mounted tub fillers, see Tub Fillers section starting on page 384
- for complete showerhead and handshower options, see Shower section starting on page 420
- for complete shower arm options, see Shower section starting on page 43 l
- coordinated cabinet hardware starting on page 487

Handle Options

To order add -MIDX at end of model no. e.g.: 4702-MIDX





MIRAMAR®

48 SERIES









DESCRIPTION 8" Wides

8" Widespread Lavatory Faucet with ZeroDrain®

- 10-1/8" overall height
- 6" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" pop-down style ZeroDrain® assembly
- 1.2 gpm water saving aerator









standard 1379 special 1545 premium 1820

PRICE

1103

FINISH

polished chrome

With ZeroDrain®







- 10-1/8" overall height
- 6" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" all brass touch style pop-up drain assembly
- 1.2 gpm water saving aerator





4802X Cross Handle





polished chrome

polished chrome

standard

premium

special

FINISH

PRICE

688

789

986

1105

1302

DESCRIPTION

Single Hole Lavatory/Bar/Prep Faucet - Low Spout

- 10-1/16" overall height
- 5-5/16" spout center to center
- · ceramic mixing cartridge
- 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.



4809-I Lever Handle





Single Hole Lavatory/Bar/Prep Faucet - High Spout

- 14-3/16" overall height
- 5-5/16" spout center to center
- · ceramic mixing cartridge
- · 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.











polished chrome

standard

premium

special



Order drain separacely. See pages 400-402 for an drain options
including ZeroDrain®.

REQUIRES ROUGH VALVE:	SHV-R	405
for more details, see pages 496-498		



TO-V4801-9 Single Handle Lavatory Wall Faucet Trim Only

- 8-1/2" spout wall to center
- single handle allows for volume & temperature control at any position
- · 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.

SHV-R	405
	SHV-R

466

583

DESCRIPTION PRICE FINISH Two Handle Lavatory Wall Faucet Trim Only polished chrome 74 I • 6-1/2" wall to center standard 926 • 1.2 gpm water saving aerator 1037 special Order drain separately. See pages 480-482 for all drain options including ZeroDrain®. 1223 premium TO-V4802-7 TO-V4802X-7 Lever Handle Cross Handle **REQUIRES ROUGH VALVE:** VL-R 380 for more details, see pages 496-498 Two Handle Lavatory Wall Faucet Trim Only polished chrome 752 940 • 8-1/2" wall to center standard · 1.2 gpm water saving aerator 1053 Order drain separately. See pages 480-482 for all drain options including ZeroDrain®. 1241 premium TO-V4802-9 TO-V4802X-9 Lever Handle Cross Handle **REQUIRES ROUGH VALVE:** VL-R 380 for more details, see pages 496-498 StyleTherm® 3/4" Thermostatic Trim Only polished chrome 486 · all brass construction standard 608 • 100° F safety stop button with manual override 680 special separate volume control required premium 802 • 7-1/4" round faceplate See Shower & Luxury Drain Sections to complete shower. **TO-THN-48** TO-THN-48X Lever Handle Cross Handle **REQUIRES ROUGH VALVE:** THT75-R 695 for more details, see pages 496-498 polished chrome 524 StyleTherm® 3/4" Thermostatic Trim Only standard 655 · all brass construction • 100° F safety stop button with manual override special 734 · separate volume control required premium 865 • 7-7/8" by 5-7/8" rectangular faceplate See Shower & Luxury Drain Sections to complete shower. TO-THCN-48X **TO-THCN-48** Lever Handle Cross Handle

REQUIRES ROUGH VALVE:

for more details, see pages 496-498

THT75-R

polished chrome

PRICE

495

619

693

817

549

879

549

FINISH

standard

premium

THT51-R

premium

THT51-R

special

759



StyleTherm® Trim Only with Single Volume Control

· all brass construction

DESCRIPTION

- $\bullet\,$ 100° F safety stop button with manual override
- single integral volume control
- 7-1/4" round faceplate

See Shower & Luxury Drain Sections to complete shower.





TO-THIL-48X
Cross Handle

Cros	s Hai	nali	e M	
160		0	IÌ	1
			4	L
16		Ī	m	T
			Ш	/

for more details, see pages 4

REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

THT51D2-R 679 polished chrome 533 standard 666 746



StyleTherm® Trim Only with Single Volume Control

- · all brass construction
- 100° F safety stop button with manual override
- · single integral volume control
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain Sections to complete shower.

TO-THCIL-48 Lever Handle





REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 496-498

THT51D2-R 679 polished chrome 504 standard 630 706 special premium 832



StyleTherm® Trim Only with Dual Volume Control

- · all brass construction
- 100° F safety stop button with manual override
- · dual integral volume controls
- 7-1/4" round faceplate

See Shower & Luxury Drain Sections to complete shower.

TO-TH2L-48 Lever Handle





REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

THT52-R 619 for more details, see pages 496-498 THT52D2-R 779 polished chrome 542 678

standard

premium

special



StyleTherm® Trim Only with Dual Volume Control

- · all brass construction
- 100° F safety stop button with manual override
- · dual integral volume controls
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain Sections to complete shower.






The second second	The same of the sa	10000
	1	
100 E SI 80		

REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498

THT52-R	619
THT52D2-R	779



REQUIRES ROUGH VALVE:

for more details, see pages 496-498

2-VR

	MODEL	DESCRIPTION	FINISH	PRICE
	TS-48	Deco Style Tub Spout • 6-1/2" wall to center • 1/2" FIP inlet • max flow rate: 16 gpm at 60 psi • for series: 48 & 48X • for use with StyleTherm, PB2-R or 2-VR valves	polished chrome standard special premium	287 359 402 474
	D-48	Deluxe Wall Tub Spout • 8-1/2" wall to center • 1/2" FIP inlet • max flow rate: 16 gpm at 60 psi • for series: 48 & 48X • for use with StyleTherm, PB2-R or 2-VR valves	polished chrome standard special premium	312 390 437 515
	DE-48	Deluxe Wall Tub Spout • 12" wall to center • 1/2" FIP inlet • max flow rate: 16 gpm at 60 psi • for series: 48 & 48X • for use with StyleTherm, PB2-R or 2-VR valves	polished chrome standard special premium	340 425 476 561
Complete Roman Tub Set • 12-1/4" overall height			polished chrome standard	1381 1726



- 8-15/16" spout center to center
- max flow rate: 16 gpm at 60 psi
- comes as a complete set with trim and valves

Order drain separately. See page 483 for all drain options including ZeroDrain®. Installation of upstream tempering device may be required. Verify local codes.

> 4808X Lever Handle Cross Handle





- Complete Handshower & Diverter for Roman Tub • HS-15 handshower with grooved insert
 - comes as a complete set with trim and valve
 - replace .FR with desired max flow rate: XX.15.20 for 2.0 gpm XX.15.18 for 1.8 gpm

48.15.FR Lever Handle



48X.15.FR




919 polished chrome standard 1149 special 1287 premium 1516

special

premium

1933

2279





- comes as a complete set with trim and valve
- replace .FR with desired max flow rate: XX.13M.20 for 2.0 gpm XX.13M.18 for 1.8 gpm



48X.13M.FR Cross Handle



polished chrome 919 standard 1149 1287 special 1516 premium



MODEL	DESCRIPTION			FINISH	PRICE
4804-I	Single Hole Bidet • 3-3/4" spout center to c • ceramic mixing cartridge • swivel end spray • 1-1/4" all brass touch sty			polished chrome standard special premium	793 991 1110 1308
• ki	Bar Handshower Kit t includes: I x SH-10-48 (wall supply elbow) I x HS-68 (68" handshower hose) I x slide bar with matching handle	9129-48 Lever Handle	9129-48X Cross Handle	polished chrome standard special premium	980 1226 1372 1618
• ki 	Grab Bar Handshower Kit t includes: × SH-10-48 (wall supply elbow) × HS-68 (68" handshower hose) × 24" grab bar with slide and matching h	andle 9129-GB24-48 Lever Handle	9129-GB24-48X Cross Handle	polished chrome standard special premium	1180 1476 1652 1948
• ki 	Grab Bar Handshower Kit t includes: × SH-10-48 (wall supply elbow) × HS-68 (68" handshower hose) × 30" grab bar with slide and matching h	andle		polished chrome standard special premium	124: 155: 174(205:
		9129-GB30-48 Lever Handle	9129-GB30-48X Cross Handle		

	MODEL	DESCRIPTION	FINISH	PRICE
	9125-48	Wall Mounted Handshower Kit - Concave	polished chrome	450
		• kit includes:	standard	564
		I x SH-10-48 (wall supply elbow) I x SH-20-48 (wall handshower bracket)	special	630
		I x HS-68 (68" handshower hose)	premium	744
		suggested to match series: 48 & 48X		
	9125S-48	Swivel Wall Mounted Handshower Kit - Concave	polished chrome	515
		 kit includes: I x SH-10-48 (wall supply elbow) 	standard	645
		I x SH-20S-48 (wall handshower holder)	special premium	72 I 85 I
		I × HS-68 (68" handshower hose)	premium	031
		suggested to match series: 48 & 48X		
	9126-45	Wall Mounted Handshower Kit - Concave	polished chrome	344
		• kit includes:	standard	431
		I × SH-25-45 (wall supply & handshower holder) I × HS-68 (68" handshower hose)	special	482
		suggested to match series: 30, 31, 45, 48, 48X, 80 & 81	premium	568
	9126S-48	Swivel Wall Mounted Handshower Kit - Concave	polished chrome	449
		kit includes:	standard	562
		I x SH-25S-48 (wall supply & handshower holder) I x HS-68 (68" handshower hose)	special	629
		suggested to match series: 48 & 48X	premium	741
	48-9	9" Hand Towel Bar	polished chrome	287
On.			standard	359
			special	402
			premium	474
1121	48-18	I8" Towel Bar	polished chrome	298
(A)			standard	373
(a)			special	417
			premium	492
	48-24	24" Towel Bar	polished chrome	309
(Par			standard	386
Maio			special	433
			premium	510
	48-30	30" Towel Bar	polished chrome	320
(Care		10 TOWER BUIL	standard	400
(Car			special	448
			premium	528
	48-TR	Towel Ring	polished chrome	198
	70-1 IV	IOMEI VIIIS	standard	248
			special	277
			premium	327

MIRAMAR | 48 SERIES

MODEL	DESCRIPTION	FINISH	PRICE
48-RH	Robe Hook	polished chrome standard special premium	154 193 216 254
48-DRH	Double Robe Hook	polished chrome standard special premium	176 220 246 290
48-TP	Two Post Toilet Paper Holder	polished chrome standard special premium	287 359 402 474
48-STP	Single Post Toilet Paper / Hand Towel Holder	polished chrome standard special premium	220 275 308 363
48-VTP	Vertical Spare Toilet Paper Holder	polished chrome standard special premium	198 248 277 327
9401	Single Paper Holder with Shelf • all brass construction • paper holder arm is in fixed position • 6-1/2" x 4" shelf	polished chrome standard special premium	258 323 361 426

NOTES:

- for coordinated deck, wall and floor mounted tub fillers, see Tub Fillers section starting on page 384
- for complete showerhead and handshower options, see Shower section starting on page 420
- \bullet for complete shower arm options, see Shower section starting on page 43 l
- coordinated cabinet hardware starting on page 487

D STREET®

52/53 SERIES











DESCRIPTION

8" Widespread Lavatory Faucet with ZeroDrain® - High Spout

- 8-1/16" overall height
- 6" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" pop-down style ZeroDrain® assembly
- 1.2 gpm water saving aerator

FINISH	PRICE
polished chrome	993
standard	1241
special	1391
premium	1639





5202FZB Carbon Fiber Insert Stick Handle



5202KZB Knurled Insert Stick Handle



5302**Z**B Smooth Insert Lever Handle



5302FZB Carbon Fiber Insert



5302KZB Knurled Insert



With ZeroDrain®





8" Widespread Lavatory Faucet - High Spout

- 8-1/16" overall height
- 6" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" all brass touch style pop-up drain assembly
- 1.2 gpm water saving aerator

polished chrome 929 1161 standard 1301 special 1533 premium

5202 Smooth Insert Stick Handle

220



5202F Carbon Fiber Insert Stick Handle



5202K Knurled Insert Stick Handle



5302 Smooth Insert Lever Handle



5302F Carbon Fiber Insert



5302K Knurled Insert Lever Handle



DESCRIPTION FINISH 8" Widespread Lavatory Faucet with ZeroDrain® - Medium Spout polished chrome

• 6-3/4" overall height

- 5-5/16" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" pop-down style ZeroDrain® assembly
- 1.2 gpm water saving aerator



PRICE



5202MZB Smooth Insert Stick Handle



5202MFZBCarbon Fiber Insert
Stick Handle



5202MKZB Knurled Insert Stick Handle



5302MZB Smooth Insert Lever Handle



5302MFZBCarbon Fiber Insert Lever Handle



5302MKZB Knurled Insert Lever Handle



With ZeroDrain®



8" Widespread Lavatory Faucet - Medium Spout

- 6-3/4" overall height
- 5-5/16" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" all brass touch style pop-up drain assembly
- 1.2 gpm water saving aerator





5202M Smooth Insert Stick Handle



5202MFCarbon Fiber Insert
Stick Handle



5202MKKnurled Insert
Stick Handle



5302M Smooth Insert



5302MFCarbon Fiber Insert




5302MK Knurled Insert



DESCRIPTION FINISH

8" Widespread Lavatory Faucet with ZeroDrain® - Quad Spout • 7-1/16" overall height

- 6" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" pop-down style ZeroDrain® assembly
- 1.2 gpm water saving aerator



5202QZB Smooth Insert Stick Handle



5202QFZB Carbon Fiber Insert Stick Handle



5202QKZB Knurled Insert Stick Handle



5302QZB Smooth Insert Lever Handle



5302QFZB Carbon Fiber Insert Lever Handle



5302QKZB Knurled Insert



With ZeroDrain®



8" Widespread Lavatory Faucet - Quad Spout

- 7-1/16" overall height
- 6" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" all brass touch style pop-up drain assembly
- 1.2 gpm water saving aerator





5202Q Smooth Insert Stick Handle



5202QF Carbon Fiber Insert Stick Handle







5302Q Smooth Insert



5302QF Carbon Fiber Insert



5302QK Knurled Insert



MODEL	DESCRIPTION	FINISH	PRICE
5209-1	Single Hole Lavatory/Bar/Prep Faucet - Low Spout • 10-3/16" overall height • 5-5/16" spout center to center • ceramic mixing cartridge • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	688 860 963 1135
5209-2	Single Hole Lavatory/Bar/Prep Faucet - High Spout • 14-5/16" overall height • 5-5/16" spout center to center • ceramic mixing cartridge • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	789 986 1105 1302
5201-1	Single Hole Lavatory Faucet • 5-5/8" overall height • 4-3/16" spout center to center • ceramic mixing cartridge • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	475 594 665 784
5201-2	Single Hole Lavatory Faucet - High • 11-1/2" overall height • 4-3/16" spout center to center • ceramic mixing cartridge • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	575 719 805 949
5201-3	Single Hole Lavatory Faucet - Medium • 8-5/8" overall height • 4-3/16" spout center to center • ceramic mixing cartridge • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	558 698 781 921

		DESCRIPTION				FINISH	PRICE
	TO-V	5201-7 Si	ngle Handle Lavat	ory Wall Faucet T	rim Only	polished chrome	455
			• 6-7/8" spout wall to cent	-	,	standard	569
	A -		-	olume & temperature conti	rol at any position	special	637
			1.2 gpm water saving ae Order drain congretaly		all duain antions	premium	751
			including ZeroDrain®.	See pages 480-482 for a	all drain options		
	1,			REQ	UIRES ROUGH VALVE:	SHV-R	405
				for mo	re details, see pages 496-498		
	TO-V	5201-9 Si	ngle Handle Lavat	ory Wall Faucet T	rim Only	polished chrome	466
			8-7/8" spout wall to cent		60	standard	583
	9 0		 single handle allows for v I.2 gpm water saving ae 	olume & temperature conti	rol at any position	special .	652
				See pages 480-482 for a	all drain options	premium	769
		•			UIRES ROUGH VALVE: re details, see pages 496-498	SHV-R	405
		Two Handle I	avatory Wall Faud	et Trim Only		polished chrome	658
		• 6-9/16" spout v	-	,		standard	823
- 6		• 1.2 gpm water				special	921
		Order drain sep	parately. See pages 480-	482 for all drain options	including ZeroDrain®.	premium	1086
Smooth Insert Stick Handle	Carbon Fiber Insert Stick Handle	Knurled Insert Stick Handle	Smooth Insert Lever Handle	•	Knurled Insert Lever Handle UIRES ROUGH VALVE: re details, see pages 496-498	VL-R	380
		Two Handle I	avatamı Wall Eau	act Trim Only		polished chrome	670
		• 8-9/16" spout v	avatory Wall Faud	.ec iriiii Oiliy		standard	838
4		• 1.2 gpm water				special	938
60		Order drain sep	oarately. See pages 480-	482 for all drain options	including ZeroDrain®.	premium	1106
TO-V5202-9 Smooth Insert Stick Handle	TO-V5202F-9 Carbon Fiber Insert Stick Handle	TO-V5202K-9 Knurled Insert Stick Handle	TO-V5302-9 Smooth Insert Lever Handle	TO-V5302F-9 Carbon Fiber Insert Lever Handle	TO-V5302K-9 Knurled Insert Lever Handle		
				1			
100000000000000000000000000000000000000				PEO	UIRES ROUGH VALVE:	VL-R	380

StyleTherm® 3/4" Thermostatic Trim Only



- all brass construction
- $\bullet~$ 100° F safety stop button with manual override
- separate volume control required
- 7-1/4" round faceplate

See Shower & Luxury Drain Sections to complete shower.



PRICE

TO-THN-52 Smooth Insert



TO-THN-52F Carbon Fiber Insert Stick Handle



TO-THN-52K Knurled Insert Stick Handle

DESCRIPTION



TO-THN-53 Smooth Insert Lever Handle



TO-THN-53F Carbon Fiber Insert Lever Handle



TO-THN-53K Knurled Insert



REQUIRES ROUGH VALVE:

for more details, see pages 496-498

THT75-R 695

StyleTherm® 3/4" Thermostatic Trim Only



- all brass construction
- 100° F safety stop button with manual override
- · separate volume control required
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain Sections to complete shower.

polished chrome 486 standard 608 special 680 premium 802

TO-THCN-52 Smooth Insert



TO-THCN-52F Carbon Fiber Insert



TO-THCN-52K Knurled Insert



TO-THCN-53
Smooth Insert



TO-THCN-53F Carbon Fiber Insert



TO-THCN-53K Knurled Insert

Lever Handle

REQUIRES ROUGH VALVE: for more details, see pages 496-498

THT75-R 695



StyleTherm® 3/4" Thermostatic Trim Only

- all brass construction
- 100° F safety stop button with manual override
- separate volume control required
- ullet 5-1/2" square faceplate; flat profile

See Shower & Luxury Drain Sections to complete shower.

polished chrome 585 standard 731 special 819 premium 965

TO-THFN-52 Smooth Insert



TO-THFN-52F Carbon Fiber Insert Stick Handle



TO-THFN-52K Knurled Insert Stick Handle



TO-THFN-53 Smooth Insert



TO-THFN-53F Carbon Fiber Insert



TO-THFN-53K Knurled Insert




REQUIRES ROUGH VALVE: for more details, see pages 496-498

THT75-R

695



3-17-25



DESCRIPTION FINISH PRICE



StyleTherm® Trim Only with Dual Volume Control

- · all brass construction
- $\bullet~$ 100° F safety stop button with manual override
- dual integral volume controls
- 7-1/4" round faceplate

See Shower & Luxury Drain Sections to complete shower.



TO-TH2L-52 Smooth Insert

Stick Handle



TO-TH2L-52F Carbon Fiber Insert Stick Handle



TO-TH2L-52K Knurled Insert



TO-TH2L-53 Smooth Insert



TO-TH2L-53F Carbon Fiber Insert Lever Handle



TO-TH2L-53K Knurled Insert



REQUIRES ONE OF THE FOLLOWING ROUG

for more details, see pages 496-498 for more details, see p

J		
H VALVES:	THT52-R	619
oages 496-498	THT52D2-R	779

THT52-R

THT52D2-R



StyleTherm® Trim Only with Dual Volume Control

- · all brass construction
- 100° F safety stop button with manual override
- · dual integral volume controls
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain Sections to complete shower.



TO-THC2L-52 Smooth Insert



TO-THC2L-52F

Carbon Fiber Insert Stick Handle



TO-THC2L-52K

Knurled Insert Stick Handle



TO-THC2L-53

Smooth Insert Lever Handle



TO-THC2L-53F Carbon Fiber Insert

Lever Handle

TO-THC2L-53K Knurled Insert

Lever Handle

for more details, see pages 496-498



- · all brass construction
- 100° F safety stop button with manual override
- dual integral volume controls
- 6-5/16" by 5-1/2" rectangular faceplate; flat profile

See Shower & Luxury Drain Sections to complete shower.







TO-THF2L-52F Carbon Fiber Insert Stick Handle



TO-THF2L-52K Knurled Insert



TO-THF2L-53 Smooth Insert



TO-THF2L-53F Carbon Fiber Insert Lever Handle



TO-THF2L-53K Knurled Insert Lever Handle



REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 496-498

THT52-R 619 THT52D2-R 779

619

779

DESCRIPTION PRICE FINISH Wall or Deck Handle Trim Only polished chrome 215 • base diameter 2" standard 269 · use for wall stop, wall diverter or deck diverter 301 special 355 premium TO-52-W TO-52F-W **TO-53F-W** TO-53K-W **TO-52K-W** TO-53-W Smooth Insert Carbon Fiber Insert Knurled Insert Smooth Insert Carbon Fiber Insert Knurled Insert Stick Handle Stick Handle Stick Handle Lever Handle Lever Handle Lever Handle REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: 50-W-R 169 for more details, see pages 496-498 75-W-R 215 WDV-R 339 WDV-NS-R 349 **Pressure Balance Trim Only** polished chrome 375 · for shower only standard 469 • screwless faceplate 525 special • 7-1/4" round faceplate premium 619 TO-PBL-52 TO-PBL-52F TO-PBL-52K TO-PBL-53 TO-PBL-53F TO-PBL-53K Smooth Insert Carbon Fiber Insert Knurled Insert Smooth Insert Carbon Fiber Insert Knurled Insert Stick Handle Stick Handle Stick Handle Lever Handle Lever Handle Lever Handle **REQUIRES ROUGH VALVE:** PBI-R 255 for more details, see pages 496-498 polished chrome 375 **Dual Pressure Balance Trim Only** • controls two independent outlet devices (e.g. tub/shower or shower/handshower) 469 standard • single handle with markings for dual outlets 525 special • screwless faceplate 619 premium • 7-1/4" round faceplate TO-PB2L-52 TO-PB2L-52F TO-PB2L-52K TO-PB2L-53 TO-PB2L-53F TO-PB2L-53K Smooth Insert Carbon Fiber Insert Knurled Insert Smooth Insert Carbon Fiber Insert Knurled Insert Stick Handle Stick Handle Stick Handle Lever Handle Lever Handle Lever Handle **REQUIRES ROUGH VALVE:** PB2-R 355

for more details, see pages 496-498





2 Handle Tub or Shower Trim Only

See Shower & Luxury Drain Sections to complete shower.

polished chrome 430 standard 538 602 special 710 premium

PRICE

TO-5206L Smooth Insert Stick Handle







TO-5206KL Knurled Insert Stick Handle

DESCRIPTION



TO-5306L Smooth Insert Lever Handle



TO-5306FL Carbon Fiber Insert Lever Handle



TO-5306KL Knurled Insert



REQUIRES ROUGH VALVE: 419 for more details, see pages 496-498



Wall Tub Spout

- for use with StyleTherm, PB2-R or 2-VR valves





D-52-52

TS-52-52

Deluxe Wall Tub Spout

- 8-9/16" wall to center
- 1/2" MIP inlet
- max flow rate: 16 gpm at 60 psi
- for series: 39, 40, 41, 52, 53 & E3
- for use with StyleTherm, PB2-R or 2-VR valves





Deluxe Wall Tub Spout

- 11-9/16" wall to center
- 1/2" MIP inlet
- max flow rate: 16 gpm at 60 psi
- for series: 39, 40, 41, 52, 53 & E3
- for use with StyleTherm, PB2-R or 2-VR valves





Complete Roman Tub Set

- 10-3/16" overall height
- 8-15/16" spout center to center
- max flow rate: 16 gpm at 60 psi
- · comes as complete set with trim and valves

Order drain separately. See page 483 for all drain options including ZeroDrain®. Installation of upstream tempering device may be required. Verify local codes.

FINISH PRICE
polished chrome 1265
standard 1581
special 1771
premium 2087

5208 Smooth Insert Stick Handle







5208K Knurled Insert Stick Handle

DESCRIPTION



5308 Smooth Insert Lever Handle



5308FCarbon Fiber Insert
Lever Handle



5308K Knurled Insert Lever Handle





Complete Roman Tub Set - Quad Spout

- 8-3/16" overall height
- 8-15/16" spout center to center
- max flow rate: 16 gpm at 60 psi
- · comes as complete set with trim and valves

Order drain separately. See page 483 for all drain options including ZeroDrain®. Installation of upstream tempering device may be required. Verify local codes.

polished chrome 1265 standard 1581 special 1771 premium 2087

5208Q Smooth Insert Stick Handle



5208QFCarbon Fiber Insert
Stick Handle



5208QKKnurled Insert
Stick Handle



5308Q Smooth Insert Lever Handle



5308QFCarbon Fiber Insert
Lever Handle



5308QK Knurled Insert Lever Handle





Complete Handshower & Diverter for Roman Tub

- HS-62 handshowe
- comes as a complete set with trim and valve
- replace .FR with desired max flow rate: XX.62.20 for 2.0 gpm XX.62.18 for 1.8 gpm

polished chrome 992 standard 1240 special 1389 premium 1637





52F.62.FRCarbon Fiber Insert
Stick Handle



52K.62.FR Knurled Insert Stick Handle



53.62.FR Smooth Insert Lever Handle



53F.62.FRCarbon Fiber Insert
Lever Handle



53K.62.FR Knurled Insert Lever Handle



5204-I



Single Hole Bidet

- 3-3/4" spout center to center
- ceramic mixing cartridge
- swivel end spray
- 1-1/4" all brass touch style pop-up drain assembly

polished chrome	50
standard	63
special	70
premium	83

MODEL	DESCRIPTION	FINISH	PRICE
9128-62	Slide Bar Handshower Kit • kit includes: I × SH-10-65 (wall supply elbow) I × HS-68 (68" handshower hose) I × SB-62 (wall mounted slide bar)	polished chrome standard special premium	754 944 1056 1245
9125-65	Wall Mounted Handshower Kit - Round • kit includes: x SH-10-65 (wall supply elbow) x SH-20-65 (wall handshower bracket) x HS-68 (68" handshower hose) suggested to match series: 38, 39, 40, 41, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5	polished chrome standard special premium	450 564 630 744
9125S-65	Swivel Wall Mounted Handshower Kit - Round • kit includes: × SH-10-65 (wall supply elbow) × SH-20S-65 (wall handshower holder) × HS-68 (68" handshower hose) suggested to match series: 38, 39, 40, 41, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5	polished chrome standard special premium	515 645 721 851
9126-65	Wall Mounted Handshower Kit - Round • kit includes: I × SH-25-65 (wall supply & handshower holder) I × H5-68 (68" handshower hose) suggested to match series: 38, 39, 40, 41, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5	polished chrome standard special premium	344 431 482 568
9126S-65	Swivel Wall Mounted Handshower Kit - Round • kit includes: I × SH-25S-65 (wall supply & handshower holder) I × HS-68 (68" handshower hose) suggested to match series: 38, 39, 40, 41, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5	polished chrome standard special premium	449 562 629 741

D STREET | 52/53 SERIES

	MODEL	DESCRIPTION	FINISH	PRICE
	52-9	9" Towel Bar	polished chrome	139
		, 10%01 241	standard	174
6			special	195
			premium	229
			premiani	ZL)
	52-18	18" Towel Bar	polished chrome	149
			standard	186
6			special	209
			premium	246
	52-24	24" Towel Bar	polished chrome	159
(5)			standard	199
			special	223
			premium	262
	52-30	30" Towel Bar	polished chrome	169
dia .			standard	211
			special	237
			premium	279
	52-TR	Towel Ring	polished chrome	115
(%)		_	standard	144
			special	161
()			premium	190
	52-RH	Robe Hook	polished chrome	79
			standard	99
			special	111
			premium	130
	52-STP	Single Post Toilet Paper / Hand Towel Holder	polished chrome	119
			standard	149
1			special	167
			premium	196
- n	74-VTP	Ventical Spans Tailet Banan Haldan	polished chrome	159
	/VIF	Vertical Spare Toilet Paper Holder	standard	199
				223
			special premium	262
			premium	202
	9401	Single Paper Holder with Shelf	polished chrome	258
		all brass construction	standard	323
		paper holder arm is in fixed position	special	361
		• 6-1/2" x 4" shelf	premium	426

NOTES:

- for coordinated deck, wall and floor mounted tub fillers, see Tub Fillers section starting on page 382
- \bullet for complete showerhead and handshower options, see Shower section starting on page 420
- for complete shower arm options, see Shower section starting on page 43 I
- coordinated cabinet hardware starting on page 487



D Street widespread lavatory faucet with quad spout and carbon fiber inserts in polished chrome finish 5202QF-PC

CORONADO™

56 SERIES







DESCRIPTION

8" Widespread Lavatory Faucet with ZeroDrain®

- 6" overall height
- 5" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- I-1/4" pop-down style ZeroDrain® assembly
- 1.2 gpm water saving aerator















special 1447 1705 premium

PRICE 1033

1291

FINISH

standard

polished chrome







- 6" overall height
- 5" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" all brass lift rod style pop-up drain assembly
- 1.2 gpm water saving aerator











969 polished chrome 1211 standard special 1357 premium 1599



5602X

standard

premium

special

polished chrome

polished chrome

standard

premium

special

PRICE

688

860

963

1135

789

986

1105

1302



Single Hole Lavatory/Bar/Prep Faucet - Low Spout

• 10-1/16" overall height

DESCRIPTION

- 5-5/16" spout center to center
- · ceramic mixing cartridge
- 1.2 gpm water saving aerator











Single Hole Lavatory/Bar/Prep Faucet - High Spout

- 14-3/16" overall height
- 5-5/16" spout center to center
- · ceramic mixing cartridge
- 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.











polished chrome 715 standard 894 1001 special 1180 premium



- 6-15/16" overall height
- 4-9/16" spout center to center
- · ceramic mixing cartridge
- 1.2 gpm water saving aerator
- lever can be chosen from series 33, 35, 60 & 61

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.











Single Hole Lavatory Faucet

- 12-13/16" overall height
- 4-9/16" spout center to center
- · ceramic mixing cartridge
- 1.2 gpm water saving aerator
- lever can be chosen from series 33, 35, 60 & 61

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.









polished chrome 823 standard 1029 1152 special 1358 premium

236

DESCRIPTION FINISH PRICE Single Handle Lavatory Wall Faucet Trim Only polished chrome 497 • 6-5/16" spout wall to center 621 standard • single handle allows for volume & temperature control at any position 696 special · 1.2 gpm water saving aerator 820 premium Order drain separately. See pages 480-482 for all drain options including ZeroDrain®. TO-V5601-7 TO-V5601-7-WP TO-V5601-7-ADC Lever Handle White Porcelain Handle Art Deco Lever Handle **REQUIRES ROUGH VALVE:** SHV-R 405 for more details, see pages 495-497 polished chrome 508 Single Handle Lavatory Wall Faucet Trim Only • 8-5/16" spout wall to center standard 635 • single handle allows for volume & temperature control at any position 711 · 1.2 gpm water saving aerator 838 premium Order drain separately. See pages 480-482 for all drain options including ZeroDrain®. TO-V5601-9-WP TO-V5601-9 TO-V5601-9-ADC Lever Handle White Porcelain Handle Art Deco Lever Handle **REOUIRES ROUGH VALVE:** SHV-R 405 for more details, see pages 495-497 Two Handle Lavatory Wall Faucet Trim Only polished chrome 670 • 6-5/16" spout wall to center 838 standard · 1.2 gpm water saving aerator 938 special Order drain separately. See pages 480-482 for all drain options including ZeroDrain®. premium 1106 TO-V5602-7 TO-V5602-7-WP TO-V5602-7-ADC TO-V5602X-7 Lever Handle White Porcelain Handle Art Deco Lever Handle Cross Handle **REQUIRES ROUGH VALVE:** 380 for more details, see pages 495-497 polished chrome 680 Two Handle Lavatory Wall Faucet Trim Only 850 • 8-5/16" spout wall to center standard · 1.2 gpm water saving aerator 952 special Order drain separately. See pages 480-482 for all drain options including ZeroDrain®. 1122 premium TO-V5602-9 TO-V5602-9-WP TO-V5602-9-ADC TO-V5602X-9 Lever Handle White Porcelain Handle Art Deco Lever Handle Cross Handle REQUIRES ROUGH VALVE: 380

for more details, see pages 495-497

Lever Handles polished chrome

standard

premium

Lever Handles polished chrome

standard

premium

Lever Handles

THT51-R

THT51D2-R

Lever Handles

polished chrome

polished chrome

special

special



DESCRIPTION FINISH PRICE

StyleTherm® 3/4" Thermostatic Trim Only

- · all brass construction
- $\bullet~$ 100° F safety stop button with manual override
- separate volume control required
- 7-1/4" round faceplate

See Shower & Luxury Drain sections to complete shower.

TO-THN-33 Lever Handle





TO-THN-35







Cross Handle polished chrome 448 standard 560 627 special premium 739

486

608

680

802

695

524

655

734

865

495

549

679

533

REQUIRES ROUGH VALVE: THT75-R for more details, see pages 495-497

StyleTherm® 3/4" Thermostatic Trim Only

- · all brass construction
- 100° F safety stop button with manual override
- separate volume control required
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain sections to complete shower.

TO-THCN-33 Lever Handle





TO-THCN-35





Cross Handle polished chrome 486 standard 608 680 special premium 802 THT75-R 695

for more details, see pages 495-497



StyleTherm® Trim Only with Single Volume Control

- · all brass construction
- 100° F safety stop button with manual override
- single integral volume control
- 7-1/4" round faceplate

See Shower & Luxury Drain sections to complete shower.

TO-THIL-33









REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

standard 619 693 special 817 premium Cross Handle polished chrome 457 standard 57 I 640 special premium 754

- · all brass construction
- 100° F safety stop button with manual override
- single integral volume control
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain sections to complete shower.

StyleTherm® Trim Only with Single Volume Control












standard	666
special	746
premium	879
Cross Handle	
polished chrome	495
standard	619
special	693
premium	817

REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 495-497

for more details, see pages 495-497

THT51-R 549 THT51D2-R 679



for more details, see pages 495-497

75-W-R

WDV-R

WDV-NS-R

215

339

349

430 538

602

710

299 374

419

Pressure Balance Trim Only



- screwless faceplate
- 7-1/4" round faceplate



PRICE



TO-PBL-33

DESCRIPTION











REQUIRES ROUGH VALVE:	PBI-R	255
for more details, see pages 495-497		

Dual Pressure Balance Trim Only


- controls two independent outlet devices (e.g. tub/shower or shower/handshower)
- · single handle with markings for dual outlets
- screwless faceplate
- 7-1/4" round faceplate

polished chrome	375
standard	469
special	525
premium	619













REQUIRES ROUGH VALVE:	PB2-R	355
for more details, see pages 495-497		

polished chrome

polished chrome

standard

special

standard

premium

special

2 Handle Tub or Shower Trim Only

See Shower & Luxury Drain sections to complete shower.











REQUIRES ROUGH VALVE: 419 2-VR for more details, see pages 495-497

TS-55-55 Wall Tub Spout with Line Base

- 6-5/16" wall to center
- 1/2" FIP inlet
- max flow rate: 16 gpm at 60 psi



3-17-25




	 max flow rate: 16 gpm at 60 psi for series: 56 & 60 for use with StyleTherm, PB2-R, or 2-VR valves 	premium	493
55-55	Deluxe Wall Tub Spout	polished chrome	324
	8-5/16" wall to center	standard	405
	• I/2" FIP inlet	special	454
	 max flow rate: 16 gpm at 60 psi for series: 56 & 60 for use with StyleTherm, PB2-R or 2-VR valves 	premium	535

DESCRIPTION

Complete Roman Tub Set

- 7-5/8" overall height
- 8-1/2" spout center to center
- max flow rate: 16 gpm at 60 psi
- · comes as a complete set with trim and valves

Order drain separately. See pages 483 for all drain options including ZeroDrain®.











5608-ADC



polished chrome 919 standard 1149 1287 special 1516 premium

PRICE

1477

1846

2068

2437


FINISH

standard

premium

special

polished chrome



- HS-15 handshower with grooved insert
- · comes as a complete set with trim and valve
- replace .FR with desired max flow rate: XX.15.20 for 2.0 gpm

XX.15.18 for 1.8 gpm









35.15.FR




33.15.FR-ADC



56X.15.FR

Complete Handshower & Diverter for Roman Tub



· comes as a complete set with trim and valve

• replace .FR with desired max flow rate: XX.13.20 for 2.0 gpm XX.13.18 for 1.8 gpm

polished chrome 919 standard 1149 1287 special 1516 premium



33.13.FR Lever Handle



35.13.FR White Porcelain Handle



33.13.FR-ADC Art Deco Lever Handle





Single Hole Bidet

- 3-3/4" spout center to center
- · ceramic mixing cartridge
- · swivel end spray
- 1-1/4" all brass touch style pop-up drain assembly

767 polished chrome standard 959 special 1074 premium 1266



5604-I Lever Handle



5604-I-WP White Porcelain Handle



5604-I-ADC Art Deco Lever Handle



DESCRIPTION FINISH PRICE

Slide Bar Handshower Kit

• kit includes:

I × SH-10-42 (wall supply elbow) I × HS-68 (68" handshower hose) I x slide bar with matching handle polished chrome 980 standard 1226 1372 special 1618 premium



Lever Handle



9129-35 White Porcelain Handle



9129-33-ADC Art Deco Lever Handle



9129-56X Cross Handle



24" Grab Bar Handshower Kit

• kit includes:

I × SH-10-42 (wall supply elbow) I x HS-68 (68" handshower hose)

 $I \times 24$ " grab bar with slide and matching handle

polished chrome 1180 standard 1476 1652 special 1948 premium



9129-GB24-56 Lever Handle



9129-GB24-35



9129-GB24-35-ADC 9129-GB24-56X Art Deco Lever Handle



Cross Handle





· kit includes:

I x SH-10-42 (wall supply elbow)

I × HS-68 (68" handshower hose)

 $I \times 30$ " grab bar with slide and matching handle

1243 polished chrome 1555 standard 1740 special 2052 premium



9129-GB30-56

Lever Handle



9129-GB30-35 White Porcelain Handle



9129-GB30-35-ADC 9129-GB30-56X Art Deco Lever Handle





CORONADO | 56 SERIES

	MODEL	DESCRIPTION	FINISH	PRICE
	9125-42	Wall Mounted Handshower Kit - Line	polished chrome	450
	7.25 .2	• kit includes:	standard	564
		I × SH-10-42 (wall supply elbow)	special	630
		I × SH-20-42 (wall handshower bracket)	premium	744
		I x HS-68 (68" handshower hose)	preman	,
		suggested to match series: 32, 33, 34, 35, 56, 60 & 61		
	9125S-42	Swivel Wall Mounted Handshower Kit - Line	polished chrome	515
		• kit includes:	standard	645
		I × SH-10-42 (wall supply elbow) I × SH-20S-42 (wall handshower holder)	special	721
3		I × HS-68 (68" handshower hose)	premium	85 I
		· · · · · · · · · · · · · · · · · · ·		
		suggested to match series: 32, 33, 34, 35, 56, 60 & 61		
	9126-60	W.II M	polished chrome	344
	7120-00	Wall Mounted Handshower Kit - Line	standard	431
		kit includes: L x SH-25-60 (wall supply & handshower holder)		482
		I × SH-25-60 (wall supply & handshower holder) I × HS-68 (68" handshower hose)	special	
		·	premium	568
		suggested to match series: 32, 33, 34, 35, 56, 60 & 61		
	9126S-42	Swivel Wall Mounted Handshower Kit - Line	polished chrome	449
	7.200 .2	• kit includes:	standard	562
		I x SH-25S-42 (wall supply & handshower holder)	special	629
		I x HS-68 (68" handshower hose)	premium	741
		suggested to match series: 32, 33, 34, 35, 56, 60 & 61	premiani	7 11
		, , , , ,		
Same				
	34-9	9" Hand Towel Bar	polished chrome	287
			standard	359
			special	402
000			premium	474
			P. S. S.	
	34-18	18" Towel Bar	polished chrome	298
			standard	373
(E)			special	417
000			premium	492
			•	
	34-24	24" Towel Bar	polished chrome	309
	34-24	24" Towel Bar	polished chrome standard	309 386
	34-24	24" Towel Bar	·	
	34-24	24" Towel Bar	standard	386
	34-24	24" Towel Bar	standard special	386 433
	34-24	24" Towel Bar 30" Towel Bar	standard special	386 433
			standard special premium	386 433 510
			standard special premium	386 433 510
			standard special premium polished chrome standard special	386 433 510 320 400
			standard special premium polished chrome standard	386 433 510 320 400 448
		30" Towel Bar	standard special premium polished chrome standard special	386 433 510 320 400 448
	34-30		standard special premium polished chrome standard special premium	386 433 510 320 400 448 528
	34-30	30" Towel Bar	standard special premium polished chrome standard special premium polished chrome standard	386 433 510 320 400 448 528
	34-30	30" Towel Bar	standard special premium polished chrome standard special premium polished chrome	386 433 510 320 400 448 528

 MODEL	DESCRIPTION	FINISH	PRICE
34-RH	Robe Hook	polished chrome standard special premium	154 193 216 254
34-DRH	Double Robe Hook	polished chrome standard special premium	176 220 246 290
34-TP	Two Post Toilet Paper Holder	polished chrome standard special premium	287 359 402 474
34-STP	Single Post Toilet Paper / Hand Towel Holder	polished chrome standard special premium	220 275 308 363
60-VTP	Vertical Spare Toilet Paper Holder	polished chrome standard special premium	198 248 277 327
9401	Single Paper Holder with Shelf • all brass construction • paper holder arm is in fixed position • 6-1/2" × 4" shelf	polished chrome standard special premium	258 323 361 426



To order add -MIDX at end of model no. e.g.: 5602X-MIDX



Metal Index Only



MIDX Metal Index Only

NOTES:

- for coordinated deck, wall and floor mounted tub fillers, see Tub Fillers section starting on page 384
- \bullet for complete showerhead and handshower options, see Shower section starting on page 420
- \bullet for complete shower arm options, see Shower section starting on page 43 l
- coordinated cabinet hardware starting on page 487

DEL MAR[™]

60 SERIES









8" Widespread Lavatory Faucet with ZeroDrain®



• 3-1/4" overall height

DESCRIPTION

- 5-7/16" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" pop-down style ZeroDrain® assembly

6002ZB

• 1.2 gpm water saving aerator



PRICE

6002XZB

Cross Handle



Metal Lever Handle

6002ZB-PP



6002ZB-WP



6002ZB-YP 6002ZB-RD Yellow Porcelain Handle



With ZeroDrain®



6002ZB-BP Blue Porcelain Handle





6002ZB-OP





8" Widespread Lavatory Faucet

- 3-3/4" overall height
- 5-7/16" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" all brass lift-rod style pop-up drain assembly
- · 1.2 gpm water saving aerator

907 polished chrome standard 1134 special 1270 premium 1497



6002X

6002-OP



6002 Metal Lever Handle



6002-WP White Porcelain Handle





6002-YP



6002-RD Red Lever Handle









6002-PP



Single Hole Lavatory/Bar/Prep Faucet - Low Spout

- 10-1/16" overall height
- 5-5/16" spout center to center
- · ceramic mixing cartridge
- 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.





6009X-I



6009-I



6009-I-WP



6009-I-ADC



6009-I-BP Blue Porcelain Handle



6009-I-OP Orange Porcelain Handle



6009-I-PP Pink Porcelain Handle



6009-I-YP Yellow Porcelain Handle



6009-I-RD Red Lever Handle





6009-2-BP

Blue Porcelain Handle

Single Hole Lavatory/Bar/Prep Faucet - High Spout

- 14-3/16" overall height
- 5-5/16" spout center to center
- ceramic mixing cartridge
- · 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.

789 polished chrome 986 standard 1105 special 1302 premium



6009X-2







6009-2



6009-2-PP



6009-2-WP



6009-2-YP



6009-2-ADC



6009-2-RD



246

polished chrome

standard

premium

special

823

1029

1152

1358

DEL MAR 60 SERIES



DESCRIPTION

· ceramic mixing cartridge

• 1.2 gpm water saving aerator

• lever can be chosen from series 33, 35, 60 & 61

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.

FINISH PRICE polished chrome 715 894 standard 1001 special 1180 premium

6001-1 Metal Lever Handle



6001-1-WP White Porcelain Handle



6001-I-ADC Art Deco Lever Handle



6001-I-BP Blue Porcelain Handle



6001-I-OP Orange Porcelain Handle Pink Porcelain Handle



600 I-I-PP



6001-I-YP Yellow Porcelain Handle



600 I-I-RD Red Lever Handle





- 12-13/16" overall height
- 4-9/16" spout center to center
- ceramic mixing cartridge
- 1.2 gpm water saving aerator
- lever can be chosen from series 33, 35, 60 & 61

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®



6001-2



6001-2-WP White Porcelain Handle



6001-2-ADC Art Deco Lever Handle



6001-2-BP Blue Porcelain Handle



6001-2-OP Orange Porcelain Handle Pink Porcelain Handle



600 I-2-PP




6001-2-YP Yellow Porcelain Handle



6001-2-RD Red Lever Handle

















REQUIRES ROUGH VALVE: for more details, see pages 496-498

SHV-R

405

60 SERIES **DEL MAR**

DESCRIPTION Two Handle Lavatory Wall Faucet Trim Only



• 6-5/16" wall to center

• 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.

polished chrome 670 standard 838 938 special 1106 premium

PRICE

TO-V6002X-7

Cross Handle

TO-V6002-7 Metal Lever Handle





Art Deco Lever Handle

TO-V6002-7-ADC

TO-V6002-7-BP Blue Porcelain Handle



TO-V6002-7-OP Orange Porcelain Handle



Pink Porcelain Handle

TO-V6002-7-PP

TO-V6002-7-YP Yellow Porcelain Handle



TO-V6002-7-RD Red Lever Handle



REQUIRES ROUGH VALVE: for more details, see pages 496-498

380

Two Handle Lavatory Wall Faucet Trim Only • 8-5/16" wall to center



· 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.

polished chrome 680 standard 850 special 952 premium 1122













TO-V6002-9-ADC Art Deco Lever Handle



TO-V6002-9-BP Blue Porcelain Handle



TO-V6002-9-OP



TO-V6002-9-PP



Pink Porcelain Handle



TO-V6002-9-YP Yellow Porcelain Handle



TO-V6002-9-RD Red Lever Handle



REQUIRES ROUGH VALVE: VL-R

for more details, see pages 496-498

380



StyleTherm® 3/4" Thermostatic Trim Only

• all brass construction

DESCRIPTION

- 100° F safety stop button with manual override
- separate volume control required
- 7-1/4" round faceplate

See Shower & Luxury Drain Sections to complete shower.

FINISH PRICE polished chrome 448 standard 560 627 special 739 premium

TO-THN-60X

Cross Handle



TO-THN-60 Metal Lever Handle



TO-THN-60-WP White Porcelain Handle



TO-THN-60-ADC Art Deco Lever Handle



TO-THN-60-BP Blue Porcelain Handle



TO-THN-60-OP Orange Porcelain Handle



TO-THN-60-PP Pink Porcelain Handle



TO-THN-60-YP Yellow Porcelain Handle



TO-THN-60-RD Red Lever Handle



REQUIRES ROUGH VALVE: for more details, see pages 496-498

THT75-R

695

StyleTherm® 3/4" Thermostatic Trim Only

- all brass construction
- 100° F safety stop button with manual override
- · separate volume control required
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain Sections to complete shower.





TO-THCN-60X

Cross Handle



TO-THCN-60





TO-THCN-60-WP TO-THCN-60-ADC

Art Deco Lever Handle



TO-THCN-60-OP

Orange Porcelain Handle



TO-THCN-60-PP



TO-THCN-60-YP Yellow Porcelain Handle



TO-THCN-60-RD



REQUIRES ROUGH VALVE:

THT75-R

695



250

TO-THCN-60-BP

Blue Porcelain Handle



DEL MAR 60 SERIES

DESCRIPTION



StyleTherm® Trim Only With Single Volume Control

- · all brass construction
- $\bullet\,$ 100° F safety stop button with manual override
- single integral volume control
- 7-1/4" round faceplate

See Shower & Luxury Drain Sections to complete shower.



PRICE







TO-THIL-60-PP

TO-THIL-60





TO-THIL-60-BP Blue Porcelain Handle



TO-THIL-60-YP Yellow Porcelain Handle Red Lever Handle

TO-THIL-60-RD

REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498

THT51D2-R 679 polished chrome 495 standard 619 special 693

549

817

THT51-R

premium



StyleTherm® Trim Only With Single Volume Control

- · all brass construction
- 100° F safety stop button with manual override
- single integral volume control
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain Sections to complete shower.



















TO-THCIL-60-RD Red Lever Handle

REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498

549 THT51-R THT51D2-R 679

25 I

DEL MAR | 60 SERIES DESCRIPTION PRICE FINISH StyleTherm® Trim Only with Dual Volume Control polished chrome 466 583 • all brass construction standard $\bullet\,$ 100° F safety stop button with manual override 652 special • dual integral volume controls 769 premium • 7-1/4" round faceplate See Shower & Luxury Drain Sections to complete shower. TO-TH2L-60X TO-TH2L-60 TO-TH2L-60-WP TO-TH2L-60-ADC Cross Handle White Porcelain Handle Metal Lever Handle Art Deco Lever Handle TO-TH2L-60-BP TO-TH2L-60-OP TO-TH2L-60-PP TO-TH2L-60-YP TO-TH2L-60-RD Blue Porcelain Handle Orange Porcelain Handle Pink Porcelain Handle Yellow Porcelain Handle Red Lever Handle REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: THT52-R 619 for more details, see pages 496-498 THT52D2-R 779 504 StyleTherm® Trim Only with Dual Volume Control polished chrome • all brass construction 630 standard • 100° F safety stop button with manual override 706 special · dual integral volume controls 832 premium • 7-7/8" by 5-7/8" rectangular faceplate See Shower & Luxury Drain Sections to complete shower. TO-THC2L-60X TO-THC2L-60 TO-THC2L-60-WP TO-THC2L-60-ADC Cross Handle Metal Lever Handle White Porcelain Handle Art Deco Lever Handle

















for more details, see pages 496-498

THT52-R THT52D2-R 619 779

800.822.8855 | californiafaucets.com

polished chrome

PRICE

215

269

301

355

FINISH

standard

premium

special

619



Wall or Deck Handle Trim Only

- base diameter 2-5/16"
- · use for wall stop, wall diverter or deck diverter TO-60-W



DESCRIPTION



Metal Lever Handle

TO-60-W-PP

TO-60-W-YP

Yellow Porcelain Handle

TO-60-W-WP

White Porcelain Handle





TO-60-W-ADC

Art Deco Lever Handle

TO-60-W-RD Red Lever Handle



TO-60-W-BP Blue Porcelain Handle





TO-60-W-OP





Pink Porcelain Handle



REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498

50-W-R 169 75-W-R 215 WDV-R 339 WDV-NS-R 349

375

469

525

619

polished chrome

standard

premium

special



Pressure Balance Trim Only

- for shower only
- screwless faceplate
- 7-1/4" round faceplate

TO-PBL-60-WP TO-PBL-60-ADC White Porcelain Handle Art Deco Lever Handle













TO-PBL-60X

Cross Handle



• controls two independent outlet devices (e.g. tub/shower or shower/handshower)

Dual Pressure Balance Trim Only

• single handle with markings for dual outlets

TO-PBL-60

Metal Lever Handle



REQUIRES ROUGH VALVE: for more details, see pages 496-498

PBI-R 255 polished chrome 375 standard 469 525 special

premium



TO-PB2L-60-BP Blue Porcelain Handle



TO-PB2L-60X TO-PB2L-60 Metal Lever Handle Cross Handle

· screwless faceplate

• 7-1/4" round faceplate



TO-PB2L-60-OP Orange Porcelain Handle



Pink Porcelain Handle









TO-PB2L-60-ADC

Art Deco Lever Handle

Red Lever Handle

REQUIRES ROUGH VALVE: for more details, see pages 496-498

PB2-R

DESCRIPTION

2 Handle Tub or Shower Trim Only



See Shower & Luxury Drains Sections to complete shower.

polished chrome 430 standard 538 602 special 710 premium

PRICE

FINISH



Cross Handle



TO-6006L Metal Lever Handle



TO-6006L-WP White Porcelain Handle



TO-6006L-ADC Art Deco Lever Handle



TO-6006L-BP Blue Porcelain Handle



TO-6006L-OP Orange Porcelain Handle



TO-6006L-PP Pink Porcelain Handle



TO-6006L-YP Yellow Porcelain Handle



TO-6006L-RD Red Lever Handle



REQUIRES ROUGH VALVE:

for more details, see pages 496-498

419



TS-55-55	Wall Tub Spout with Line Base

- 6-5/16" wall to center
 - 1/2" FIP inlet
 - max flow rate: 16 gpm at 60 psi
 - for series: 56 & 60
 - for use with StyleTherm, PB2-R, or 2-VR valves

299 polished chrome standard 374 special 419 493 premium



Deluxe Wall Tub Spout

- 8-5/16" wall to center
- 1/2" FIP inlet
- max flow rate: 16 gpm at 60 psi
- for series: 56 & 60
- for use with StyleTherm, PB2-R or 2-VR valves

polished chrome 324 standard 405 special 454 535 premium



FINISH



Complete Roman Tub Set

• 4-5/16" overall height

DESCRIPTION

- 8-3/4" spout center to center
- max flow rate: 16 gpm at 60 psi
- comes as a complete set with trim and valves

Order drain separately. See page 483 for all drain options including ZeroDrain®. Installation of upstream tempering device may be required. Verify local codes.



polished chrome

polished chrome

standard

premium

special

standard

special

premium

877

1096

1228

1447

877

1096

1228

1447

PRICE











6008-YP



6008-BP Blue Porcelain Handle





6008-OP



Yellow Porcelain Handle



60X.15.FR

Cross Handle

Complete Handshower & Diverter for Roman Tub

- HS-15 handshower with grooved insert
- comes as a complete set with trim and valve

60.15.FR Metal Lever Handle

• replace .FR with desired max flow rate: XX.15.20 for 2.0 gpm XX.15.18 for 1.8 gpm

60.15.FR-ADC Art Deco Lever Handle



60.15.FR-WP





60.15.FR-BP Blue Porcelain Handle





60.15.FR-OP







Red Lever Handle

Complete Handshower & Diverter for Roman Tub • HS-13 handshower with white porcelain insert

• comes as a complete set with trim and valve

60.13.FR

· replace .FR with desired max flow rate: XX.13.20 for 2.0 gpm XX.13.18 for 1.8 gpm

60X.13.FR Cross Handle





White Porcelain Handle

60.13.FR-WP



60.13.FR-ADC

Art Deco Lever Handle

60.13.FR-BP Blue Porcelain Handle



Orange Porcelain Handle

60.13.FR-OP



60.13.FR-YP Yellow Porcelain Handle

Red Lever Handle

800.822.8855 | californiafaucets.com



DESCRIPTION

Single Hole Bidet

- 6-5/16" overall height
- 3-3/4" spout center to center
- · ceramic mixing cartridge
- swivel end spray
- 1-1/4" all brass touch style pop-up drain assembly

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.

Metal Lever Handle



6004-I-WP White Porcelain Handle



6004-I-ADC Art Deco Lever Handle

FINISH

standard

premium

special

polished chrome

PRICE 767

959

1074

1266



6004-I-YP Yellow Porcelain Handle Red Lever Handle



6004-I-RD



6004-I-BP Blue Porcelain Handle



Orange Porcelain Handle Pink Porcelain Handle

6004-I-OP





Slide Bar Handshower Kit

· kit includes:

I x SH-10-42 (wall supply elbow) I x HS-68 (68" handshower hose) I x slide bar with matching handle

polished chrome	980
standard	1226
special	1372
premium	1618



9129-60X

Cross Handle



9129-60 Metal Lever Handle



9129-60-WP White Porcelain Handle



9129-60-ADC

Art Deco Lever Handle



9129-60-BP Blue Porcelain Handle



9129-60-OP



9129-60-PP



9129-60-YP



9129-60-RD Red Lever Handle



DEL MAR 60 SERIES

DESCRIPTION

24" Grab Bar Handshower Kit



I x SH-10-42 (wall supply elbow)

I x HS-68 (68" handshower hose)

I \times 24" grab bar with slide and matching handle



PRICE



9129-GB24-60X

Cross Handle



9129-GB24-60

Metal Lever Handle



White Porcelain Handle

9129-GB24-60-WP 9129-GB24-60-ADC Art Deco Lever Handle



9129-GB24-60-BP

Blue Porcelain Handle





9129-GB24-60-OP 9129-GB24-60-PP Orange Porcelain Handle Pink Porcelain Handle



9129-GB24-60-YP Yellow Porcelain Handle



9129-GB24-60-RD





30" Grab Bar Handshower Kit

- kit includes:
- I x SH-10-42 (wall supply elbow)
- I x HS-68 (68" handshower hose)
- $I \times 30$ " grab bar with slide and matching handle

polished chrome 1243 1555 standard 1740 special 2052 premium



9129-GB30-60X

Cross Handle



9129-GB30-60-OP 9129-GB30-60-PP Orange Porcelain Handle



9129-GB30-60 Metal Lever Handle



Pink Porcelain Handle



White Porcelain Handle



9129-GB30-60-YP Yellow Porcelain Handle



9129-GB30-60-WP 9129-GB30-60-ADC



9129-GB30-60-RD Red Lever Handle



9129-GB30-60-BP Blue Porcelain Handle

3-17-25



	MODEL	DESCRIPTION	FINISH	PRICE
	9125-42	Wall Mounted Handshower Kit - Line	polished chrome	450
		• kit includes:	standard	564
		I × SH-10-42 (wall supply elbow)	special	630
		I x SH-20-42 (wall handshower bracket)	premium	744
		I x HS-68 (68" handshower hose)		
		suggested to match series: 32, 33, 34, 35, 56, 60 & 61		
Salar				
	9125S-42	Swivel Wall Mounted Handshower Kit - Line	polished chrome	515
		kit includes:	standard	645
		I x SH-10-42 (wall supply elbow)	special	721
3		I × SH-20S-42 (wall handshower holder) I × HS-68 (68" handshower hose)	premium	851
		· · · · · · · · · · · · · · · · · · ·		
		suggested to match series: 32, 33, 34, 35, 56, 60 & 61		
				244
	9126-60	Wall Mounted Handshower Kit - Line	polished chrome	344
		 kit includes: I x SH-25-60 (wall supply & handshower holder) 	standard	431
		I x HS-68 (68" handshower hose)	special premium	482 568
		suggested to match series: 32, 33, 34, 35, 56, 60 & 61	premium	200
7				
	9126S-42	Swivel Wall Mounted Handshower Kit - Line	polished chrome	449
		• kit includes:	standard	562
		I × SH-25S-42 (wall supply & handshower holder)	special	629
		I x HS-68 (68" handshower hose)	premium	741
		suggested to match series: 32, 33, 34, 35, 56, 60 & 61		
	60-9	9" Hand Towel Bar	polished chrome	287
Occ			standard	359
			special	402
(in C			premium	474
6 -	60-18	18" Towel Bar	polished chrome	298
			standard	373
Cas			special	417
			premium	492
	60-24	24" Towel Bar	polished chrome	309
			standard	386
			special	433
			premium	510
	(0.20	2011 77 1 1 2	a a Balanda d	220
	60-30	30" Towel Bar	polished chrome standard	320 400
			standard special	400
Oic .			premium	528
				- =0
(Car	60-TR	Towel Ring	polished chrome	198
			standard	248
			special	277
			premium	327

 MODEL	DESCRIPTION	FINISH	PRICE
60-RH	Robe Hook	polished chrome standard special premium	154 193 216 254
60-DRH	Double Robe Hook	polished chrome standard special premium	176 220 246 290
60-TP	Two Post Toilet Paper Holder	polished chrome standard special premium	287 359 402 474
60-STP	Single Post Toilet Paper / Hand Towel Holder	polished chrome standard special premium	220 275 308 363
60-VTP	Vertical Spare Toilet Paper Holder	polished chrome standard special premium	198 248 277 327
9401	Single Paper Holder with Shelf • all brass construction • paper holder arm is in fixed position • 6-1/2" x 4" shelf	polished chrome standard special premium	258 323 361 426

Handle Options

To order add -MIDX at end of model no. e.g.: 6002X-MIDX



MIDX Metal Index Only

NOTES:

- for coordinated deck, wall and floor mounted tub fillers, see Tub Fillers section starting on page 384
- \bullet for complete showerhead and handshower options, see Shower section starting on page 420
- \bullet for complete shower arm options, see Shower section starting on page 43 l
- coordinated cabinet hardware starting on page 487

SALINAS®

61 SERIES











DESCRIPTION

8" Widespread Lavatory Faucet with ZeroDrain®

- 6-5/8" overall height
- 6-3/8" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" pop-down style ZeroDrain® assembly
- 1.2 gpm water saving aerator





6102ZB Lever Handle



6102XZB Cross Handle



6102XDZB



With ZeroDrain®





8" Widespread Lavatory Faucet

- 6-5/8" overall height
- 6-3/8" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" all brass lift rod style pop-up drain assembly
- 1.2 gpm water saving aerator

6102 Lever Handle



6102X Cross Handle



6102XD



polished chrome 929 standard 1161 special 1301 premium 1533

MODEL	DESCRIPTION	FINISH	PRICE
6009X-I	Single Hole Lavatory/Bar/Prep Faucet - Low Spout • 10-1/16" overall height • 5-5/16" spout center to center • ceramic mixing cartridge • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	688 860 963 1135
6009X-2	Single Hole Lavatory/Bar/Prep Faucet - High Spout • 14-3/16" overall height • 5-5/16" spout center to center • ceramic mixing cartridge • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	789 986 1105 1302
6109-1	Single Hole Lavatory/Bar/Prep Faucet - Low Spout • 10-1/16" overall height • 5-5/16" spout center to center • ceramic mixing cartridge • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	688 860 963 1135
6109-2	Single Hole Lavatory/Bar/Prep Faucet - High Spout • 14-3/16" overall height • 5-5/16" spout center to center • ceramic mixing cartridge • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	789 986 1105 1302
6101-1	Single Hole Lavatory Faucet • 6-5/16" overall height • 4-9/16" spout center to center • ceramic mixing cartridge • 1.2 gpm water saving aerator • lever can be chosen from series 33, 35, 60 & 61 Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	715 894 1001 1180
6101-2	Single Hole Lavatory Faucet 12-13/16" overall height 4-9/16" spout center to center ceramic mixing cartridge 1.2 gpm water saving aerator lever can be chosen from series 33, 35, 60 & 61 Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	823 1029 1152 1358

	MODEL	DESCRIPTION	FINISH	PRICE
TO-V6101-7		Single Handle Lavatory Wall Faucet Trim Only • 6-7/8" spout wall to center • single handle allows for volume & temperature control at any position • 1.2 gpm water saving aerator	polished chrome standard special premium	455 569 637 751
		Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	premiani	731
		REQUIRES ROUGH YALVE: for more details, see pages 496-498	SHV-R	405
	TO-V6101-9	Single Handle Lavatory Wall Faucet Trim Only	polished chrome	466
		• 9-7/8" spout wall to center	standard	583
		single handle allows for volume & temperature control at any position	special	652
		1.2 gpm water saving aerator	premium	769
		Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.		
		REQUIRES ROUGH YALVE: for more details, see pages 496-498	SHV-R	405
	Two Han	dle Lavatory Wall Faucet Trim Only	polished chrome	670
		spout wall to center	standard	838
	• 1.2 gpm	n water saving aerator	special	938
		premium	1106	
		Lever Handle Cross Handle Cross Drop Handle		
	<u></u>	REQUIRES ROUGH VALVE: for more details, see pages 496-498	VL-R	380
	Two Han	dle Lavatory Wall Faucet Trim Only	polished chrome	680
		spout wall to center	standard	850
	• 1.2 gpm	n water saving aerator	special	952
	Order di	rain separately. See pages 480-482 for all drain options including ZeroDrain®.	premium	1122
		TO-V6102-9 TO-V6102X-9 TO-V6102XD-9 Lever Handle Cross Handle Cross Drop Handle		
	<u></u>	REQUIRES ROUGH VALVE: for more details, see pages 496-498	VL-R	380

standard

special

PRICE

448

560

627

739

486

608

680

802

457

571

640

754

549

679

495 619

693

817





StyleTherm® 3/4" Thermostatic Trim Only

- · all brass construction
- $\bullet\,$ 100° F safety stop button with manual override
- separate volume control required
- 7-1/4" round faceplate

See Shower & Luxury Drain Sections to complete shower.









REQUIRES ROUGH VALVE:	THT75-R	695

polished chrome

standard

premium

special



StyleTherm® 3/4" Thermostatic Trim Only

- · all brass construction
- 100° F safety stop button with manual override
- · separate volume control required
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain Sections to complete shower.

Lever Handle

TO-THCN-61





	_/	TO S		
	1	0	J=	•
-				
-		U	/	

for more details, see pages 496-498

for more details, see pages 496-498

THT75-R 695

polished chrome

standard

premium

THT51D2-R

polished chrome

standard

premium

special

special

StyleTherm® Trim Only With Single Volume Control

- · all brass construction
- 100° F safety stop button with manual override
- single integral volume control
- 7-1/4" round faceplate

See Shower & Luxury Drain Sections to complete shower.







for more details, see pages 496-498

Cross Drop Handle







See Shower & Luxury Drain Sections to complete shower.

TO-THCIL-60X Lever Handle Cross Handle



for more details, see pages 496-498

REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

THT51-R	549
THT51D2-R	679

800.822.8855 | californiafaucets.com

DESCRIPTION PRICE FINISH StyleTherm® Trim Only with Dual Volume Control polished chrome 466 standard 583 • all brass construction $\bullet\,$ 100° F safety stop button with manual override 652 special dual integral volume controls 769 premium • 7-1/4" round faceplate See Shower & Luxury Drain Sections to complete shower. TO-TH2L-61 TO-TH2L-60X TO-TH2L-61XD Lever Handle Cross Handle Cross Drop Handle REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: 619 THT52-R for more details, see pages 496-498 THT52D2-R 779 StyleTherm® Trim Only with Dual Volume Control polished chrome 504 • all brass construction standard 630 • 100° F safety stop button with manual override special 706 • dual integral volume controls 832 premium • 7-7/8" by 5-7/8" rectangular faceplate See Shower & Luxury Drain Sections to complete shower. TO-THC2L-61 TO-THC2L-60X TO-THC2L-61XD Lever Handle Cross Handle Cross Drop Handle **REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:** THT52-R 619 for more details, see pages 496-498 THT52D2-R 779 Wall or Deck Handle Trim Only polished chrome 215 • base diameter 2-5/16" standard 269 · use for wall stop, wall diverter or deck diverter 301 special premium 355 TO-61-W TO-60X-W TO-61XD-W Lever Handle Cross Handle Cross Drop Handle REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: 50-W-R 169 for more details, see pages 496-498 75-W-R 215 WDV-R 339

349

WDV-NS-R

FINISH



Pressure Balance Trim Only

• for shower only

DESCRIPTION

- screwless faceplate
- 7-1/4" round faceplate




polished chrome

PRICE









REQUIRES ROUGH VALVE:	PBI-R	25.
for more details, see pages 496-498		



Dual Pressure Balance Trim Only

- controls two independent outlet devices (e.g. tub/show
- single handle with markings for dual outlets
- screwless faceplate
- 7-1/4" round faceplate

TO-PB2L-60X	TO-PB2L-61XD		
		premium	619
		special	525
tub/shower or shower/h	andshower)	standard	469
		polistica critoriic	373







REQUIRES ROUGH VALVE:	PB2-R	355
for more details, see pages 496-498		

2 Handle Tub or Shower Trim Only

See Shower & Luxury Drain Sections to complete shower.

polished chrome 430 538 standard 602 special 710 premium











REQUIRES ROUGH VALVE: 2-VR

	for more details, see pages 496-498		
TS-34	Wall Tub Spout • 6-7/8" wall to center • 1/2" FIP inlet • max flow rate: 16 gpm at 60 psi • for series: 32, 33, 34, 35 & 61 • for use with StyleTherm, PB2-R or 2-VR valves	polished chrome standard special premium	258 323 361 426
D-34	Deluxe Wall Tub Spout • 9-7/8" wall to center • 1/2" FIP inlet • max flow rate: 16 gpm at 60 psi • for series: 32, 33, 34, 35 & 61 • for use with StyleTherm, PB2-R or 2-VR valves	polished chrome standard special premium	284 355 398 469
DE-34	Deluxe Wall Tub Spout • 13-3/4" wall to center • 1/2" FIP inlet • max flow rate: 16 gpm at 60 psi • for series: 32, 33, 34, 35 & 61 • for use with StyleTherm, PB2-R or 2-VR valves	polished chrome standard special premium	289 361 405 477

DESCRIPTION FINISH PRICE

Complete Roman Tub Set

- 7-7/16" overall height
- 9-15/16" spout center to center
- max flow rate: 16 gpm at 60 psi
- comes as a complete set with trim and valves

Order drain separately. See page 483 for all drain options including ZeroDrain®. Installation of upstream tempering device may be required. Verify local codes.





6108 Lever Handle



6108X Cross Handle



6108XD Cross Drop Handle



Complete Handshower & Diverter for Roman Tub

- HS-15 handshower with grooved insert
- comes as a complete set with trim and valve
- replace .FR with desired max flow rate: XX.15.20 for 2.0 gpm XX.15.18 for 1.8 gpm

polished chrome 877 standard 1096 1228 special 1447 premium



61.15.FR Lever Handle



60X.15.FR Cross Handle



61XD.15.FR Cross Drop Handle



Complete Handshower & Diverter for Roman Tub

- HS-I3 handshower with porcelain insert
- · comes as a complete set with trim and valve
- replace .FR with desired max flow rate: XX.13.20 for 2.0 gpm XX.13.18 for 1.8 gpm

1096 standard1228 special premium 1447

polished chrome

877



61.13.FR Lever Handle



60X.13.FR Cross Handle



61XD.13.FR Cross Drop Handle



6104-1



Single Hole Bidet

- 3-3/4" spout center to center
- · ceramic mixing cartridge
- swivel end spray
- 1-1/4" all brass touch style pop-up drain assembly

polished chrome	767
standard	959
special	1074
premium	1266

DESCRIPTION FINISH

Slide Bar Handshower Kit



• kit includes: $I \times SH-10-42$ (wall supply elbow) I × HS-68 (68" handshower hose) I x slide bar with matching handle

polished chrome	980
standard	1226
special	1372
premium	1618









24" Grab Bar Handshower Kit

• kit includes:

I x SH-10-42 (wall supply elbow)

I × HS-68 (68" handshower hose)

 $I \times 24$ " grab bar with slide and matching handle

polished chrome 1222 standard1529 1711 premium 2017

polished chrome

standard

premium

special

1295

1620

1813

2138











30" Grab Bar Handshower Kit

• kit includes:

I x SH-10-42 (wall supply elbow)

I x HS-68 (68" handshower hose)

 $I \times 30$ " grab bar with slide and matching handle







9129-GB30-61XD Cross Drop Handle



	MODEL	DESCRIPTION	FINISH	PRICE
	9125-42	Wall Mounted Handshower Kit - Line	polished chrome	450
		• kit includes:	standard	564
		I × SH-10-42 (wall supply elbow)	special	630
		I × SH-20-42 (wall handshower bracket)	premium	744
		I × HS-68 (68" handshower hose)	premium	711
		suggested to match series: 32, 33, 34, 35, 56, 60, & 61		
	9125S-42	Swivel Wall Mounted Handshower Kit - Line	polished chrome	515
		• kit includes:	standard	645
		I x SH-10-42 (wall supply elbow)	special	721
		I × SH-20S-42 (wall handshower holder)	premium	851
		I × HS-68 (68" handshower hose)	r · ·	
		suggested to match series: 32, 33, 34, 35, 56, 60, & 61		
	9126-60	Wall Mounted Handshower Kit - Line	polished chrome	344
		• kit includes:	standard	431
		I × SH-25-60 (wall supply & handshower holder)	special	482
		I x HS-68 (68" handshower hose)	premium	568
		suggested to match series: 32, 33, 34, 35, 56, 60, & 61	'	
	9126S-42	Swivel Wall Mounted Handshower Kit - Line	polished chrome	449
		• kit includes:	standard	562
		I x SH-25S-42 (wall supply & handshower holder)	special	629
3000		I x HS-68 (68" handshower hose)	premium	741
		suggested to match series: 32, 33, 34, 35, 56, 60, & 61	r · ·	
9				
	60-9	9" Hand Towel Bar	polished chrome	287
			standard	359
			special	402
(Circo			premium	474
and a				
	60-18	18" Towel Bar	polished chrome	298
			standard	373
(EDS)			special	417
			premium	492
	60-24	24" Towel Bar	polished chrome	309
			standard	386
			special	433
			premium	510
	60-30	30" Towel Bar	polished chrome	320
			standard	400
			special	448
			premium	528
	60-TR	Towal Bins	polished chrome	100
(Vac-	00-1 K	Towel Ring	standard	198 248
and a second				
			special	277
()			premium	327

MODEL	DESCRIPTION	FINISH	PRICE
60-RH	Robe Hook	polished chrome standard special premium	154 193 216 254
60-DRH	Double Robe Hook	polished chrome standard special premium	176 220 246 290
60-TP	Two Post Toilet Paper Holder	polished chrome standard special premium	287 359 402 474
60-STP	Single Post Toilet Paper / Hand Towel Holder	polished chrome standard special premium	220 275 308 363
60-VTP	Vertical Spare Toilet Paper Holder	polished chrome standard special premium	198 248 277 327
9401	Single Paper Holder with Shelf • all brass construction • paper holder arm is in fixed position • 6-1/2" x 4" shelf	polished chrome standard special premium	258 323 361 426

Handle Options

To order add -MIDX at end of model no. e.g.: 6102XD-MIDX



MIDX Metal Index Only



MIDX Metal Index Only



MIDX Metal Index Only

NOTES:

- ullet for coordinated deck, wall and floor mounted tub fillers, see Tub Fillers section starting on page 384
- for complete showerhead and handshower options, see Shower section starting on page 420
- for complete shower arm options, see Shower section starting on page 43 I
- coordinated cabinet hardware starting on page 487

AVALON®

62 SERIES









 MODEL	DESCRIPTION	FINISH	PRICE
6202ZB	8" Widespread Lavatory Faucet with ZeroDrain® • 10-1/16" overall height • 6" spout center to center • 1/4 turn ceramic disc cartridge(s) • 1-1/4" pop-down style ZeroDrain® assembly • 1.2 gpm water saving aerator	polished chrome standard special premium With ZeroDrai	1043 1304 1461 1721
6202	8" Widespread Lavatory Faucet • 10-1/16" overall height • 6" spout center to center • 1/4 turn ceramic disc cartridge(s) • 1-1/4" all brass touch style pop-up drain assembly • 1.2 gpm water saving aerator	polished chrome standard special premium	979 1224 1371 1615

MODEL	DESCRIPTION	FINISH	PRICE
6209-1	Single Hole Lavatory/Bar/Prep Faucet - Low Spout • 10-3/16" overall height • 5-5/16" spout center to center • ceramic mixing cartridge • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	688 860 963 1135
6209-2	Single Hole Lavatory/Bar/Prep Faucet - High Spout • 14-5/16" overall height • 5-5/16" spout center to center • ceramic mixing cartridge • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	789 986 1105 1302
6201-1	Single Hole Lavatory Faucet • 6-1/4" overall height • 4-1/2" spout center to center • ceramic mixing cartridge • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	575 719 805 949
6201-2	Single Hole Lavatory Faucet 12-3/4" overall height 4-1/2" spout center to center ceramic mixing cartridge 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	679 849 951 1120
TO-V6201-7	Single Handle Lavatory Wall Faucet Trim Only • 6-7/8" spout wall to center • single handle allows for volume & temperature control at any position • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®. REQUIRES ROUGH VALVE: for more details, see pages 496-498	polished chrome standard special premium	455 569 637 751
TO-V6201-7-SST	Single Handle Lavatory Wall Faucet Trim Only • 6-7/8" spout wall to center • single handle allows for volume & temperature control at any position • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®. REQUIRES ROUGH VALVE: for more details, see pages 496-498	polished chrome standard special premium	455 569 637 751

3-17-25

TO-V6201-9 Single Handle Lavatory Wall Faucet Trim Only - 6-70° quot with recent - 10° gen water story - 10°	ı	MODE	DESCRIPTION	Eth US	20101
TO-V6201-9-SST TO-V6201-9-SST Single Handle Lavatory Wall Faucet Trim Only 1 6 707 spots well be to enter 1 1 2 gm water thanks, see pages 480-482 for all drain options including ZeroDrain*. TO-V6201-9-SST Single Handle Lavatory Wall Faucet Trim Only 1 6 707 spots well be center 1 707					PRICE 466
** single hand allow for volume & betraperative control at any position of the process of the pr		TO-V6201-9		•	583
TO-V6201-9-SST TO-V6201-9-SST TO-V6201-9-SST Single Handle Lavatory Wall Faucet Trim Only - A 70% (quit will be correct			·		652
TO-V\$201-9-SST TO-V\$201-9-SST Single Handle Lavatory Wall Faucet Trim Only 1-77 spoot well to certar 1-78 spoot well to certar 1-78 spoot well to certar 1-79 spoot well to certa				·	769
TO-V6201-9-SST Single Handle Lavatory Wall Faucet Trim Only - 8-1/8* speak work to certain - 9-99 hands allowed for vorume & temperature control at any position - 9-99 hands allowed for vorume & temperature control at any position - 9-99 hands allowed for vorume & temperature control at any position - 9-99 hands allowed for vorume & temperature control at any position - 9-99 hands allowed for vorume & temperature control at any position - 9-99 hands allowed for vorume & temperature control at any position - 9-99 hands allowed for vorume & temperature control at any position - 9-99 hands allowed for vorume & temperature control at any position - 9-99 hands allowed for vorume & temperature control at any position - 9-99 hands allowed for vorume & temperature - 1-12 ppm number over genetic - 1-12			Order drain separately. See pages 480-482 for all drain options		
TO-V6201-9-SST Single Handle Lavatory Wall Faucet Trim Only + 8-7/8 spots wall to certair - single handle Lavatory Wall Faucet Trim Only + 8-7/8 spots was marked - single handle Lavatory Wall Faucet Trim Only - 12 again water samp aretair Order drain separately. See pages 480-482 for all drain options including ZeroDrain*. TO-V6202-27 Two Handle Lavatory Wall Faucet Trim Only - 6-7/2 spots water sample seems of the standard separately. To possible diverse including ZeroDrain*. TO-V6202-27 Two Handle Lavatory Wall Faucet Trim Only - 6-7/2 spots water sample seems of the standard separately. The pages 480-482 for all drain options including ZeroDrain*. TO-V6202-29 Two Handle Lavatory Wall Faucet Trim Only - 8-1/2 spots water sample seems of the standard separately. The pages 480-482 for all drain options including ZeroDrain*. TO-V6202-29 Two Handle Lavatory Wall Faucet Trim Only - 8-1/2 spots water and seems of spots of seems of the standard separately. The pages 480-482 for all drain options including ZeroDrain*. TO-THN-42 TO-THN-42 Style Therm® 3/4" Thermostatic Trim Only - all brais construction - separate values canted requires - separate values canted requires - separate values canted requires - 1-1/16" cond departs before with manual overside - separate values canted requires - 1-1/16" cond departs before with manual overside - separate values canted requires - 1-1/16" cond departs of the manual overside - separate values canted requires - 1-1/16" local departs of the manual overside - separate values canted requires - 1-1/16" local departs of the standard canted separately separately seems of the standard seems of separately seems of the standard seems of separately seems of the standard separately seems of the standard seems of separately seems of the standard seems of separately seems of the standard separately seems of the standard seems of separately seems o			including ZeroDrain®.		
## 6-17/8 Stock wall to center ## ingle handle down for walnum & temperature control at any position ## 1-12 gmm vater sering sentator Order drain separately. See pages 480-492 for all drain options including ZeroDrain*. ## REQUIRES ROUGH VALVE: ## Provides Stock of the Control of the Cont			The state of the s	SHV-R	405
** 6 1/39 space valle to center or special or promote standard special products on the special products on the special products of the special product		TO-V6201-9-SST	Single Handle Layatory Wall Faucet Trim Only	polished chrome	466
** sigle handle allows for volume & temporature control at any position 12 gmm vater samp are ator ** order drain separately.** See pages 480-482 for all drain options including ZeroDrain*. **TO-V6202-27** **Two Handle Lavatory Wall Faucet Trim Only polished chrome standard 12 gmm vater awang areator 12 gmm vater awang awan		10-10201-7-551	•	·	583
Order drain separately. See pages 480-492 for all drain options including ZeroDrain*. TO-V6202-27 Two Handle Lavatory Wall Faucet Trim Only - 6-10** 2 point was to contrar - 1-2 gmin was been garactery. See pages 480-482 for all drain options including ZeroDrain*. TO-V6202-29 Two Handle Lavatory Wall Faucet Trim Only - 8-10** 2 pool was 100 contrar - (1-2 gmin was been garactery). See pages 480-482 for all drain options including ZeroDrain*. To-V6202-29 Two Handle Lavatory Wall Faucet Trim Only - 8-10** 2 sport was 100 center - 1-2 gmin was training amounts - 1-3 gmin was training amounts - 1-4 gmin was 1-4 gmin amounts - 1-4 gmin amounts			·	special	652
Including ZeroDrain*. REQUIRES ROUGH VAIVE: SHW.R 44 for more details, see pages 496-498 Provided the pages 496-498 TO-V6202-27 Two Handle Lavatory Wall Faucet Trim Only - 6-107* proof wall to renter - 1-12 gmm value and garation Order drain separately. See pages 480-482 for all drain options including ZeroDrain*. REQUIRES ROUGH VAIVE: promove details, see pages 496-498 TO-V6202-29 Two Handle Lavatory Wall Faucet Trim Only - 8-810* pages 490-492 for all drain options premium Provided and pages 490-492 for all drain options including ZeroDrain*. REQUIRES ROUGH VAIVE: 1-12 gmm values area gas partors Order drain separately. See pages 480-482 for all drain options including ZeroDrain*. REQUIRES ROUGH VAIVE: 1-12 gmm values area gas partors Order drain separately. See pages 480-482 for all drain options including ZeroDrain*. REQUIRES ROUGH VAIVE: 1-12 gmm values area gas pages 490-498 TO-THN-62 StyleTherm® 3/4" Thermostatic Trim Only - 1 all pages construction - 100° Fastley stop button with manual operated - separate welame control required - 1-12 for more details, see pages 490-498 TO-THCN-62 StyleTherm® 3/4" Thermostatic Trim Only - 1 all pages construction - 100° Fastley stop button with manual operated - 100° Fastley stop button with manual			1.2 gpm water saving aerator	premium	769
TO-V6202-27 Two Handle Lavatory Wall Faucet Trim Only - 6-10/7° spout wall to center - 1-3 gm value thong serable, See pages 480-482 for all drain options including ZeroDrain*. TO-V6202-29 Two Handle Lavatory Wall Faucet Trim Only - 6-10/2° spout wall to center - 1-2 gm value saving serable. REQUIRES ROUGH VALVE: for more details, see pages 490-492 - 1-2 gm value saving serable. REQUIRES ROUGH VALVE: permit and details, see pages 490-492 - 1-2 gm value saving serable. REQUIRES ROUGH VALVE: permit details, see pages 490-492 - 1-2 gm value saving serable. REQUIRES ROUGH VALVE: permit details, see pages 490-493 - 1-2 gm value details see pages 490-493 - 1-2 gm value see pages 490-493 - 1					
TO-V6202-27 Two Handle Lavatory Wall Faucet Trim Only - 6-107* speak well to center: - 1-2 grim water soning arentor Order drain separately. See pages 480-482 for all drain options including ZeroDrain*. TO-V6202-29 Two Handle Lavatory Wall Faucet Trim Only - 6-107* speak well to center - 1-12 grim water soning arentor Order drain separately. See pages 480-482 for all drain options including ZeroDrain*. TO-THN-62 StyleTherm® 3/4" Thermostatic Trim Only - 100° Failety stop button with named overrice - 100° Failety stop button with n			REQUIRES ROUGH VALVE:	SHV-R	405
*** 6-1/2* spout wall to center *** 1.2 gam water saving sention** Order drain separately. See pages 480-482 for all drain options including ZeroDrain**. **TO-V&202-29** Two Handle Lavatory Wall Faucet Trim Only *** standard special sp			for more details, see pages 496-498		
Post Value Center 1-12 grow water samp aerator* Order drain separately. See pages 480-482 for all drain options including ZeroDrain*. **TO-V6202-29** **To-V6202-29** **To-W Handle Lavatory Wall Faucet Trim Only standard special spe	8	TO-V6202-27	Two Handle Lavatory Wall Faucet Trim Only	polished chrome	658
Page 12 gpm water samp sentor Order drain separately. See pages 480-482 for all drain options including ZeroDrain**. TO-V6202-29 Two Handle Lavatory Wall Faucet Trim Only **6-1/2* spout wall to center 1-1 zgm water samp sentor Order drain separately. See pages 480-482 for all drain options including ZeroDrain*. TO-THN-62 StyleTherm® 3/4" Thermostatic Trim Only **all brass construction 100" Fusfey stop button with manual override **special special **premium To-THCN-62 TO-THCN-62 StyleTherm® 3/4" Thermostatic Trim Only **all brass construction 100" Fusfey stop button with manual override **premium To-THCN-62 StyleTherm® 3/4" Thermostatic Trim Only **all brass construction **all brass construction **Off Fusfey stop button with manual override **premium To-THCN-62 StyleTherm® 3/4" Thermostatic Trim Only **all brass construction **all brass				standard	823
TO-V6202-29 Two Handle Lavatory Wall Faucet Trim Only - 8-1/2* good wall to center - 1-2 gorn water samp aerator - Order drain separately. See pages 488-482 for all drain options including ZeroDrain*. TO-THN-62 TO-THN-62 StyleTherm® 3/4" Thermostatic Trim Only - all brass construction - 100°F safety spo botton with manual override - special sp	ALL THE PROPERTY OF THE PROPER		·	special	921
TO-V6202-29 Two Handle Lavatory Wall Faucet Trim Only - 8-1/2' spout wall to center - 1.72 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain*. TO-THN-62 StyleTherm* 3/4" Thermostatic Trim Only - 100" Fasfeys up button with manual override - 7.71/8" round faceplates See Shower & Luxury Drain Sections to complete shower. TO-THCN-62 TO-THCN-62 StyleTherm* 3/4" Thermostatic Trim Only - 100" Fasfeys up button with manual override - 100" Fasfeys up button with man	. Carl		Order drain separately. See pages 480-482 for all drain options	premium	1086
TO-V6202-29 Two Handle Lavatory Wall Faucet Trim Only - 8-1/2* spout wall to center - 1.2 gam water sample areator Order drain separately. See pages 480-482 for all drain options including ZeroDrain*. REQUIRES ROUGH VALVE: for more details, see pages 490-498 TO-THN-62 StyleTherm® 3/4" Thermostatic Trim Only - all brass construction - 100° F safety stop button with manual override - separate volume control required - 7-1/4" round faceples See Shower & Luxury Drain Sections to complete shower. TO-THCN-62 StyleTherm® 3/4" Thermostatic Trim Only - all brass construction - 100° F safety stop button with manual override - separate volume control required - 7-1/4" round faceples - See Shower & Luxury Drain Sections to complete shower. REQUIRES ROUGH VALVE: for more details, see pages 496-498 TO-THCN-62 StyleTherm® 3/4" Thermostatic Trim Only - all brass construction - 100° F safety stop button with manual override - separate volume control required - 7-7/8" by 5-7/8" recraigualer faceplate - See Shower & Luxury Drain Sections to complete shower. TO-THFN-62 StyleTherm® 3/4" Thermostatic Trim Only - all brass construction - 100° F safety stop button with manual override - separate volume control required - 100° F safety stop button with manual override - separate volume control required - 5-10° Safety Safety For Profile - separate volume control required - 5-10° Safety Safety For Profile - See Shower & Luxury Drain Sections to complete shower.			including ZeroDrain®.		
TO-V6202-29 Two Handle Lavatory Wall Faucet Trim Only - 8-1/2* spout wall to center - 1.2 gpm water samp aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain*. REQUIRES ROUGH VALVE: for more details, see pages 490-498 TO-THN-62 StyleTherm® 3/4" Thermostatic Trim Only - all brass construction - 100° F safey stop button with manual override - separate volume control required - 7-1/4" round faceples See Shower & Luxury Drain Sections to complete shower. TO-THCN-62 StyleTherm® 3/4" Thermostatic Trim Only - all brass construction - 100° F safey stop button with manual override - separate volume control required - 7-174" round faceples - See Shower & Luxury Drain Sections to complete shower. TO-THCN-62 StyleTherm® 3/4" Thermostatic Trim Only - all brass construction - 100° F safey stop button with manual override - separate volume control required - 7-778* by 5-778" recraiguals* faceplate See Shower & Luxury Drain Sections to complete shower. TO-THFN-62 StyleTherm® 3/4" Thermostatic Trim Only - all brass construction - 100° F safey stop button with manual override - separate volume control required - 7-78* by 5-778" recraiguals* faceplate See Shower & Luxury Drain Sections to complete shower. TO-THFN-62 StyleTherm® 3/4" Thermostatic Trim Only - all brass construction - 100° F safey stop button with manual override - separate volume control required - 5-12° square faceplate fat profile - separate volume control required - 5-12° square faceplate fat profile - See Shower & Luxury Drain Sections to complete shower.			DECLURES BOLICH VALVE.	VI P	200
StyleTherm 3/4" Thermostatic Trim Only **all prass construction **Properties** 100° F safety stop button with manual override **StyleTherm** 3/4" Thermostatic Trim Only **all brass construction **To-THCN-62** **Th-TT-N-62** **To-THCN-62** **To-THC			The state of the s	VL-N	300
Sel 1/2" spout wall to center 12 gpm water samp aerator 10 gpm water	TO-V	TO-V6202-29	Two Handle Lavatory Wall Faucet Trim Only	polished chrome	670
Order drain separately. See pages 480-482 for all drain options including ZeroDrain®. REQUIRES ROUGH VALVE: for more details, see pages 496-498 TO-THN-62 StyleTherm® 3/4" Thermostatic Trim Only - all brass construction - 100° F safety stop button with manual override - special premium - 7.1/4" round faceplate See Shower & Luxury Drain Sections to complete shower. TO-THCN-62 StyleTherm® 3/4" Thermostatic Trim Only - all brass construction - 100° F safety stop button with manual override - special premium - 7.2 TO-THCN-62 StyleTherm® 3/4" Thermostatic Trim Only - all brass construction - 100° F safety stop button with manual override - special premium - 100° F safety stop button with manual override - special premium - 100° F safety stop button with manual override - special premium - 100° F safety stop button with manual override - special premium - 100° F safety stop button with manual override - special premium - 100° F safety stop button with manual override - special premium - 100° F safety stop button with manual override - special premium - 100° F safety stop button with manual override - special premium - 100° F safety stop button with manual override - special premium - 100° F safety stop button with manual override - special premium - 100° F safety stop button with manual override - special premium - 100° F safety stop button with manual override - special premium - 100° F safety stop button with manual override - special premium - 100° F safety stop button with manual override - special premium - 100° F safety stop button with manual override - special premium - 100° F safety stop button with manual override - special premium - 100° F safety stop button with manual override - special premium - 100° F safety stop button with manual override - special premium - 100° F safety stop button with manual override - special premium - 100° F safety stop button with manual override - special premium - 100° F safety stop button with manual override - special premium - 100° F safety stop button with manual o				standard	838
TO-THN-62 StyleTherm® 3/4" Thermostatic Trim Only all brass construction real premium TO-THCN-62 TO-THCN-62 TO-THCN-62 TO-THCN-62 StyleTherm® 3/4" Thermostatic Trim Only all brass construction required remains for more details, see pages 496-498 polished chrome standard special remium To-THCN-62 StyleTherm® 3/4" Thermostatic Trim Only all brass construction all brass construction required remium TO-THCN-62 StyleTherm® 3/4" Thermostatic Trim Only all brass construction required remium To-THCN-62 StyleTherm® 3/4" Thermostatic Trim Only all brass construction ReQuires Rough Value: for more details, see pages 496-498 THT75-R 61 TO-THFN-62 StyleTherm® 3/4" Thermostatic Trim Only all brass construction ReQuires Rough Value: for more details, see pages 496-498 THT75-R 61 TO-THFN-62 StyleTherm® 3/4" Thermostatic Trim Only all brass construction a			1.2 gpm water saving aerator	special	938
TO-THN-62 StyleTherm® 3/4" Thermostatic Trim Only all brass construction loov F safety stop button with manual override separate volume control required 7.1/4" round faceplate See Shower & Luxury Drain Sections to complete shower. TO-THCN-62 StyleTherm® 3/4" Thermostatic Trim Only all brass construction loov F safety stop button with manual override special premium TO-THCN-62 StyleTherm® 3/4" Thermostatic Trim Only all brass construction loov F safety stop button with manual override see Shower & Luxury Drain Sections to complete shower. REQUIRES ROUGH VALVE: for more details, see pages 496-498 THT75-R 65 TO-THFN-62 StyleTherm® 3/4" Thermostatic Trim Only all brass construction loov F safety stop button with manual override see Shower & Luxury Drain Sections to complete shower. THT75-R 65 TO-THFN-62 StyleTherm® 3/4" Thermostatic Trim Only all brass construction loov F safety stop button with manual override separate volume control required separate volume control required separate volume control required separate volume control required See Shower & Luxury Drain Sections to complete shower. REQUIRES ROUGH VALVE: THT75-R 65	de la companya della companya della companya de la companya della			premium	1106
*** all brass construction *** 100° F safety stop button with manual override *** special			The state of the s	VL-R	380
**Premium **Prem		TO-THN-62	StyleTherm® 3/4" Thermostatic Trim Only	polished chrome	448
• separate volume control required • 7-1/4" round faceplate See Shower & Luxury Drain Sections to complete shower. REQUIRES ROUGH VALVE: for more details, see pages 496-498			•	standard	560
TO-THCN-62 TO-THCN-62 StyleTherm® 3/4" Thermostatic Trim Only all brass construction sees Shower & Luxury Drain Sections to complete shower. TO-THCN-62 StyleTherm® 3/4" Thermostatic Trim Only all brass construction 100° F safety stop button with manual override see Shower & Luxury Drain Sections to complete shower. TO-THFN-62 StyleTherm® 3/4" Thermostatic Trim Only all brass construction FREQUIRES ROUGH VALVE: for more details, see pages 496-498 THT75-R 65 StyleTherm® 3/4" Thermostatic Trim Only all brass construction 100° F safety stop button with manual override separate volume control required 5-1/2" square faceplate; flat profile See Shower & Luxury Drain Sections to complete shower. REQUIRES ROUGH VALVE: THT75-R 65				special	627
See Shower & Luxury Drain Sections to complete shower. REQUIRES ROUGH VALVE: for more details, see pages 496-498 THT75-R 65			·	premium	73
TO-THCN-62 StyleTherm® 3/4" Thermostatic Trim Only • all brass construction • 100° F safety stop button with manual override • separate volume control required • 7-7/8" by 5-7/8" rectangular faceplate See Shower & Luxury Drain Sections to complete shower. TO-THFN-62 StyleTherm® 3/4" Thermostatic Trim Only • all brass construction • 100° F safety stop button with manual override • separate volume control required • 7-7/8" by 5-7/8" rectangular faceplate REQUIRES ROUGH VALVE: for more details, see pages 496-498 TO-THFN-62 StyleTherm® 3/4" Thermostatic Trim Only • all brass construction • 100° F safety stop button with manual override • separate volume control required • 5-1/2" square faceplate; flat profile See Shower & Luxury Drain Sections to complete shower. REQUIRES ROUGH VALVE: THT75-R 65					
TO-THCN-62 StyleTherm® 3/4" Thermostatic Trim Only • all brass construction • 100° F safety stop button with manual override • separate volume control required • 7-7/8" by 5-7/8" rectangular faceplate See Shower & Luxury Drain Sections to complete shower. TO-THFN-62 StyleTherm® 3/4" Thermostatic Trim Only • all brass construction • 100° F safety stop button with manual override • see Shower & Luxury Drain Sections to complete shower. **THT75-R** 65 TO-THFN-62 StyleTherm® 3/4" Thermostatic Trim Only • all brass construction • 100° F safety stop button with manual override • separate volume control required • 5-1/2" square faceplate; flat profile See Shower & Luxury Drain Sections to complete shower. REQUIRES ROUGH VALVE: THT75-R** 65 THT75-R** 65			REQUIRES ROUGH VALVE:	THT75-R	695
• all brass construction • 100° F safety stop button with manual override • separate volume control required • 7-7/8" by 5-7/8" rectangular faceplate See Shower & Luxury Drain Sections to complete shower. REQUIRES ROUGH VALVE: for more details, see pages 496-498 TO-THFN-62 StyleTherm® 3/4" Thermostatic Trim Only • all brass construction • 100° F safety stop button with manual override • separate volume control required • 5-1/2" square faceplate; flat profile See Shower & Luxury Drain Sections to complete shower. REQUIRES ROUGH VALVE: THT75-R 659			•		
• all brass construction • 100° F safety stop button with manual override • separate volume control required • 7-7/8" by 5-7/8" rectangular faceplate See Shower & Luxury Drain Sections to complete shower. REQUIRES ROUGH VALVE: for more details, see pages 496-498 TO-THFN-62 StyleTherm® 3/4" Thermostatic Trim Only • all brass construction • 100° F safety stop button with manual override • separate volume control required • separate volume control required • 5-1/2" square faceplate; flat profile See Shower & Luxury Drain Sections to complete shower. REQUIRES ROUGH VALVE: THT75-R 659		TO-THCN-62	StyleTherm® 3/4" Thermostatic Trim Only	polished chrome	486
• separate volume control required • 7-7/8" by 5-7/8" rectangular faceplate See Shower & Luxury Drain Sections to complete shower. REQUIRES ROUGH VALVE: for more details, see pages 496-498 TO-THFN-62 StyleTherm® 3/4" Thermostatic Trim Only • all brass construction • 100° F safety stop button with manual override • separate volume control required • 5-1/2" square faceplate; flat profile See Shower & Luxury Drain Sections to complete shower. REQUIRES ROUGH VALVE: THT75-R 65 REQUIRES ROUGH VALVE: THT75-R				standard	608
*** T-7/8" by 5-7/8" rectangular faceplate See Shower & Luxury Drain Sections to complete shower. **REQUIRES ROUGH VALVE: for more details, see pages 496-498** **TO-THFN-62** **StyleTherm® 3/4" Thermostatic Trim Only ** all brass construction **I l00° F safety stop button with manual override ** separate volume control required ** separate volume control required ** 5-1/2" square faceplate; flat profile See Shower & Luxury Drain Sections to complete shower. **REQUIRES ROUGH VALVE: THT75-R 65				special	680
See Shower & Luxury Drain Sections to complete shower. REQUIRES ROUGH VALVE: for more details, see pages 496-498 TO-THFN-62 StyleTherm® 3/4" Thermostatic Trim Only				premium	802
TO-THFN-62 StyleTherm® 3/4" Thermostatic Trim Only • all brass construction • 100° F safety stop button with manual override • separate volume control required • 5-1/2" square faceplate; flat profile See Shower & Luxury Drain Sections to complete shower. REQUIRES ROUGH VALVE: THT75-R 65					
TO-THFN-62 StyleTherm® 3/4" Thermostatic Trim Only • all brass construction • 100° F safety stop button with manual override • separate volume control required • 5-1/2" square faceplate; flat profile See Shower & Luxury Drain Sections to complete shower. REQUIRES ROUGH VALVE: THT75-R 65	U.		DECIMPES POLICI VALVE	TUTTE D	/0
all brass construction 100° F safety stop button with manual override separate volume control required separate volume faceplate; flat profile See Shower & Luxury Drain Sections to complete shower. REQUIRES ROUGH VALVE: THT75-R 65				1 H 1 / 5-K	673
• all brass construction • 100° F safety stop button with manual override • separate volume control required • 5-1/2'' square faceplate; flat profile See Shower & Luxury Drain Sections to complete shower. REQUIRES ROUGH VALVE: THT75-R 65		TO-THFN-62	StyleTherm® 3/4" Thermostatic Trim Only	polished chrome	585
• separate volume control required • 5-1/2" square faceplate; flat profile See Shower & Luxury Drain Sections to complete shower. REQUIRES ROUGH VALVE: THT75-R 65				standard	73 I
• 5-1/2" square faceplate; flat profile See Shower & Luxury Drain Sections to complete shower. REQUIRES ROUGH VALVE: THT75-R 65	0		, ,	special	819
See Shower & Luxury Drain Sections to complete shower. REQUIRES ROUGH VALVE: THT75-R 65	100			premium	965
			REOUIRES ROUGH VALVE:	THT75-R	695
for more details, see pages 496-498	72		for more details, see pages 496-498		

	MODEL	DESCRIPTION	FINISH	PRICE
	TO-THIL-62	StyleTherm® Trim Only with Single Volume Control • all brass construction • 100° F safety stop button with manual override	polished chrome standard special	457 571 640
		 single integral volume control 7-1/4" round faceplate See Shower & Luxury Drain Sections to complete shower. 	premium	754
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	THT51-R	549
		for more details, see pages 496-498	THT51D2-R	679
	TO-THC1L-62	StyleTherm® Trim Only with Single Volume Control	polished chrome	495
		• all brass construction	standard	619
		100° F safety stop button with manual override single integral volume control	special	693
		• 7-7/8" by 5-7/8" rectangular faceplate	premium	817
		See Shower & Luxury Drain Sections to complete shower.		
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	THT51-R	549
		for more details, see pages 496-498	THT51D2-R	679
	TO-THF1L-62	StyleTherm® Trim Only with Single Volume Control	polished chrome	594
		all brass construction	standard	743
		100° F safety stop button with manual override	special	832
		 single integral volume control 5-1/2" square faceplate; flat profile 	premium	980
		See Shower & Luxury Drain Sections to complete shower.		
		DECLURES ONE OF THE FOLLOWING POLICH VALVES.	THT51-R	EΛΩ
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498	THT51-R	549 679
	TO-TH2L-62	StyleTherm® Trim Only with Dual Volume Control	polished chrome	466
		all brass construction	standard	583
		100° F safety stop button with manual override	special	652
		 dual integral volume controls 7-1/4" round faceplate 	premium	769
		See Shower & Luxury Drain Sections to complete shower.		
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	THT52-R	619
		for more details, see pages 496-498	THT52D2-R	779
	TO THESE (2)		n aliah a d ah ua ma	EO4
	TO-THC2L-62	StyleTherm® Trim Only with Dual Volume Control • all brass construction	polished chrome standard	504 630
		100° F safety stop button with manual override	special	706
(D)		dual integral volume controls	premium	832
		• 7-7/8" by 5-7/8" rectangular faceplate		
		See Shower & Luxury Drain Sections to complete shower.		
5		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	THT52-R	619
		for more details, see pages 496-498	THT52D2-R	779
	TO-THF2L-62	StyleTherm® Trim Only with Dual Volume Control	polished chrome	603
		all brass construction	standard	754
		100° F safety stop button with manual override dual integral volume controls	special .	844
100		6-5/16" by 5-1/2" rectangular faceplate; flat profile	premium	995
		See Shower & Luxury Drain Sections to complete shower.		
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	THT52-R	619
		THE THE TOTAL OF THE PARTY HAS NOT AND THE PARTY OF THE P		017

	MODEL	DESCRIPTION	FINISH	PRICE
	TO-62-W	Wall or Deck Handle Trim Only	polished chrome	215
		base diameter 2"	standard	269
		 use for wall stop, wall diverter or deck diverter 	special	301
			premium	355
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	50-W-R	169
		for more details, see pages 496-498	75-W-R	215
			WDV-R	339
v			WDV-NS-R	349
	TO-62-WC	Wall or Deck Handle Trim Only with Square Base Ring	polished chrome	215
		• base dimension 2-1/4" × 2-1/4"	standard	269
		use for wall stop, wall diverter or deck diverter	special	301
			premium	355
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	50-W-R	169
Ш		for more details, see pages 496-498	75-W-R	215
· U			WDV-R	339
			WDV-NS-R	349
	TO-PBL-62	Pressure Balance Trim Only	polished chrome	375
		• for shower only	standard	469
(2)		• screwless faceplate	special	525
		• 7-1/4" round faceplate	premium	619
		REQUIRES ROUGH VALVE: for more details, see pages 496-498	PBI-R	255
	TO-PB2L-62	Dual Pressure Balance Trim Only	polished chrome	375
		• controls two independent outlet devices (e.g. tub/shower or shower/handshower)	standard	469
		single handle with markings for dual outlets	special	525
		 screwless faceplate 7-1/4" round faceplate 	premium	619
		REQUIRES ROUGH VALVE: for more details, see pages 496-498	PB2-R	355
	TO-6206L	2 Handle Tub or Shower Trim Only	polished chrome	430
		See Shower & Luxury Drain Sections to complete shower.	standard	538
			special	602
			premium	710
		REQUIRES ROUGH VALVE: for more details, see pages 496-498	2-VR	419

	MODEL	DESCRIPTION	FINISH	PRICE
	TS-65	 Wall Tub Spout 6-1/2" wall to center max flow rate: 16 gpm at 60 psi for series: 62, 65 & 66 for use with StyleTherm, PB2-R or 2-VR valves 	polished chrome standard special premium	258 323 361 426
	D-65	Deluxe Wall Tub Spout • 8-1/2" wall to center • 1/2" FIP inlet • max flow rate: 16 gpm at 60 psi • for series: 62, 65 & 66 • for use with StyleTherm, PB2-R or 2-VR valves	polished chrome standard special premium	284 355 398 469
	DE-65	Deluxe Wall Tub Spout 12" wall to center 1/2" FIP inlet max flow rate: 16 gpm at 60 psi for series: 62, 65 & 66 for use with StyleTherm, PB2-R or 2-VR valves	polished chrome standard special premium	289 361 405 477
	6208	Complete Roman Tub Set • 12-3/16" overall height • 8-15/16" spout center to center • max flow rate: 16 gpm at 60 psi • comes as complete set with trim and valve Order drain separately. See page 483 for all drain options including ZeroDrain®. Installation of upstream tempering device may be required. Verify local codes.	polished chrome standard special premium	1381 1726 1933 2279
1	62.62.FR	Complete Handshower & Diverter Set for Roman Tub • HS-62 handshower • comes as a complete set with trim and valve • replace .FR with desired max flow rate: 62.62.20 for 2.0 gpm 62.62.18 for 1.8 gpm	polished chrome standard special premium	919 1149 1287 1516
	6204-I	Single Hole Bidet • 3-3/4" spout center to center • swivel end spray • ceramic mixing cartridge • 1-1/4" all brass touch style pop-up drain assembly	polished chrome standard special premium	656 820 918 1082

MODEL	DESCRIPTION	FINISH	PRICE
9128-62	Slide Bar Handshower Kit • kit includes: x SH-10-65 (wall supply elbow) x HS-68 (68" handshower hose) x SB-62 (wall mounted slide bar)	polished chrome standard special premium	754 944 1056 1245
9125-65	 Wall Mounted Handshower Kit - Round kit includes: X SH-10-65 (wall supply elbow) X SH-20-65 (wall handshower bracket) X HS-68 (68" handshower hose) suggested to match series: 38, 39, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5 	polished chrome standard special premium	450 564 630 744
9125S-65	Swivel Wall Mounted Handshower Kit - Round • kit includes: x SH-10-65 (wall supply elbow) x SH-20S-65 (wall handshower holder) x HS-68 (68" handshower hose) suggested to match series: 38, 39, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5	polished chrome standard special premium	515 645 721 851
9126-65	Wall Mounted Handshower Kit - Round • kit includes: I × SH-25-65 (wall supply & handshower holder) I × HS-68 (68" handshower hose) suggested to match series: 38, 39, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5	polished chrome standard special premium	344 431 482 568
9126S-65	Swivel Wall Mounted Handshower Kit - Round • kit includes: I × SH-25S-65 (wall supply & handshower holder) I × HS-68 (68" handshower hose) suggested to match series: 38, 39, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5	polished chrome standard special premium	449 562 629 741
65-9	9" Hand Towel Bar	polished chrome standard special premium	320 400 448 528
65-18	18" Towel Bar	polished chrome standard special premium	331 414 463 546
65-24	24" Towel Bar	polished chrome standard special premium	342 428 479 564
65-30	30" Towel Bar	polished chrome standard special premium	354 443 496 584

	MODEL	DESCRIPTION	FINISH	PRICE
	65-TR	Towel Ring	polished chrome standard special premium	220 275 308 363
The state of the s	65-RH	Robe Hook	polished chrome standard special premium	176 220 246 290
	65-DRH	Double Robe Hook	polished chrome standard special premium	198 248 277 327
	65-TP	Two Post Toilet Paper Holder	polished chrome standard special premium	320 400 448 528
	65-STP	Single Post Toilet Paper / Hand Towel Holder	polished chrome standard special premium	264 330 370 436
	74-VTP	Vertical Spare Toilet Paper Holder	polished chrome standard special premium	159 199 223 262
	9401	Single Paper Holder with Shelf • all brass construction • paper holder arm is in fixed position • 6-1/2" x 4" shelf	polished chrome standard special premium	258 323 361 426

NOTES:

- for coordinated deck, wall and floor mounted tub fillers, see Tub Fillers section starting on page 384
- for complete showerhead and handshower options, see Shower section starting on page 420
- for complete shower arm options, see Shower section starting on page 43 l
- coordinated cabinet hardware starting on page 487

TIBURON®

65/66 SERIES









DESCRIPTION

8" Widespread Lavatory Faucet with ZeroDrain®

- 10-1/16" overall height
- 6" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" pop-down style ZeroDrain® assembly
- 1.2 gpm water saving aerator









polished chrome 1043 standard 1304 special 1461 premium 1721

PRICE

FINISH

With ZeroDrain®



polished chrome 979 standard 1224 special 1371 premium 1615



8" Widespread Lavatory Faucet

- 10-1/16" overall height
- 6" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" all brass touch style pop-up drain assembly
- 1.2 gpm water saving aerator





6502 Cross Handle



FINISH

PRICE

789

986

1105

1302

TIBURON 65/66 SERIES

Single Hole Lavatory/Bar/Prep Faucet - Low Spout



• 10-3/16" overall height

DESCRIPTION

• 5-5/16" spout center to center

· ceramic mixing cartridge

• 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.





polished chrome 688 standard 860 special 963 premium 1135

polished chrome

standard

premium

special



Single Hole Lavatory/Bar/Prep Faucet - High Spout

- 14-5/16" overall height
- 5-5/16" spout center to center
- · ceramic mixing cartridge
- 1.2 gpm water saving aerator

Order drain separately.


See pages 480-482 for all drain options including ZeroDrain®.





for more details, see pages 496-498

TO-V6201-7	Single Handle Lavatory Wall Faucet Trim Only • 6-7/8" spout wall to center • single handle allows for volume & temperature control at any position • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	455 569 637 751
	REQUIRES ROUGH VALVE: for more details, see pages 496-498	SHV-R	405
TO-V6201-7-SST	Single Handle Lavatory Wall Faucet Trim Only • 6-7/8" spout wall to center • single handle allows for volume & temperature control at any position • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	455 569 637 751
	REQUIRES ROUGH VALVE: for more details, see pages 496-498	SHV-R	405
TO-V6201-9	Single Handle Lavatory Wall Faucet Trim Only • 8-7/8" spout wall to center • single handle allows for volume & temperature control at any position • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	466 583 652 769
	REQUIRES ROUGH VALVE: for more details, see pages 496-498	SHV-R	405
TO-V6201-9-SST	Single Handle Lavatory Wall Faucet Trim Only • 8-7/8" spout wall to center • single handle allows for volume & temperature control at any position • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	466 583 652 769
	REQUIRES ROUGH VALVE:	SHV-R	405





REQUIRES ROUGH VALVE:

for more details, see pages 496-498

FINISH

standard

polished chrome

585

73 I

457

571

640

754

495

619

693

817

549

679

594

743

832

980

DESCRIPTION

StyleTherm® 3/4" Thermostatic Trim Only

- all brass construction
- 100° F safety stop button with manual override
- · separate volume control required
- 5-1/2" square faceplate; flat profile

See Shower & Luxury Drain Sections to complete shower.



TO-THFN-66 Lever Handle









REQUIRES ROUG	GH VALVE: '
Commence describeration of	10/ 100

for more details, see pages 496-498

695 THT75-R

polished chrome

standard

premium

special

StyleTherm® Trim Only with Single Volume Control

- · all brass construction
- 100° F safety stop button with manual override
- single integral volume control
- 7-1/4" round faceplate

See Shower & Luxury Drain Sections to complete shower.

TO-THIL-66 Lever Handle







REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498

THT51-R	549
THT51D2-R	679

polished chrome

standard

premium

THT51-R

standard

premium

special

THT51D2-R

polished chrome

special

StyleTherm® Trim Only with Single Volume Control

- all brass construction
- 100° F safety stop button with manual override
- single integral volume control
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain Sections to complete shower.

TO-THCIL-66



TO-THCIL-65

Cross Handle



REQUIRES ONE OF THE FO	LLOWING ROUGH VALVES:
	for more details, see pages 496-498

StyleTherm® Trim Only with Single Volume Control

- · all brass construction
- 100° F safety stop button with manual override
- single integral volume control
- 5-1/2" square faceplate; flat profile

See Shower & Luxury Drain Sections to complete shower.





TO-THFIL-65 Cross Handle



REQUIRES ONE OF THE FO	LLOWING ROUGH VALVES:
	for more details, see pages 496-498

THT51-R	549
THT51D2-R	679





3-17-25

	DESCRIPTION	FINISH	PRICE
	StyleTherm® Trim Only with Dual Volume Control	polished chrome	466
	• all brass construction	standard	583
	100° F safety stop button with manual override	special	652
	 dual integral volume controls 7-1/4" round faceplate 	premium	769
	See Shower & Luxury Drain Sections to complete shower.		
	TO-TH2L-65		
	Lever Handle Cross Handle		
	REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	THT52-R	619
	for more details, see pages 496-498	THT52D2-R	779
	StyleTherm® Trim Only with Dual Volume Control	polished chrome	504
	all brass construction	standard	630
	 100° F safety stop button with manual override 	special	706
-11	 dual integral volume controls 7-7/8" by 5-7/8" rectangular faceplate 	premium	832
	See Shower & Luxury Drain Sections to complete shower.		
	TO-THC2L-65		
	Lever Handle Cross Handle		
	REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	THT52-R	619
	for more details, see pages 496-498	THT52D2-R	779
	StyleTherm® Trim Only with Dual Volume Control	polished chrome	603
	• all brass construction	standard	754
	100° F safety stop button with manual override	special	844
	 dual integral volume control 6-5/16" by 5-1/2" rectangular faceplate; flat profile 	premium	995
	See Shower & Luxury Drain Sections to complete shower.		
	TO-THF2L-65		
	Lever Handle Cross Handle		

REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: THT52-R

for more details, see pages 496-498 **THT52D2-R**

619

Wall or Deck Handle Trim Only • base diameter 2-3/8"

DESCRIPTION



· use for wall stop, wall diverter or deck diverter







polished chrome 248 standard 310 347 special 409 premium

REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 496-498

50-W-R 169 75-W-R 215 WDV-R 339 WDV-NS-R 349



Wall Trim Only with Square Base Ring

- base dimension 2-1/4" x 2-1/4"
- use for wall stop or wall diverter







polished chrome 248 310 standard 347 409 premium

REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 496-498

169 75-W-R 215 WDV-R 339 WDV-NS-R 349

375

469

525

619

375

469

525

619

polished chrome

polished chrome

standard

premium

special

standard

premium

special

50-W-R

Pressure Balance Trim Only

- for shower only
- · screwless faceplate
- 7-1/4" round faceplate



TO-PBL-65



255

REQUIRES ROUGH VALVE:	PBI-R
for more details, see pages 496-498	



Dual Pressure Balance Trim Only

- controls two independent outlet devices (e.g. tub/shower or shower/handshower)
- · single handle with markings for dual outlets
- · screwless faceplate
- 7-1/4" round faceplate



TO-PB2L-65 Cross Handle



QUIRES ROUGH VALVE:	PB2-R
nore details see hages 496-498	

REC for more details, see pages 496-498


TIBURON | 65/66 SERIES DESCRIPTION FINISH PRICE 2 Handle Tub or Shower Trim Only polished chrome 496 standard 620 See Shower & Luxury Drain Sections to complete shower. 694 special 818 premium TO-6506L TO-6606L Lever Handle Cross Handle **REQUIRES ROUGH VALVE:** 419 2-VR for more details, see pages 496-498 **TS-65 Wall Tub Spout** polished chrome 258 • 6-1/2" wall to center 323 standard • max flow rate: 16 gpm at 60 psi 361 special • for series: 62, 65 & 66 premium 426 • for use with StyleTherm, PB2-R or 2-VR valves D-65 polished chrome 284 **Deluxe Wall Tub Spout** • 8-1/2" wall to center standard 355 • 1/2" FIP inlet 398 special • max flow rate: 16 gpm at 60 psi 469 premium • for series: 62, 65 & 66 • for use with StyleTherm, PB2-R or 2-VR valves **DE-65** polished chrome 289 **Deluxe Wall Tub Spout** 361 • 12" wall to center standard • 1/2" FIP inlet 405 special • max flow rate: 16 gpm at 60 psi 477 premium • for series: 62, 65 & 66 • for use with StyleTherm, PB2-R or 2-VR valves polished chrome 1381 **Complete Roman Tub Set** 1726 • 12-3/16" overall height standard • 8-15/16" spout center to center 1933 special • max flow rate: 16 gpm at 60 psi 2279 premium · comes as a complete set with trim and valves Order drain separately. See page 483 for all drain options including ZeroDrain®. Installation of upstream tempering device may be required. Verify local codes. 6608 6508 Lever Handle Cross Handle polished chrome 919 Complete Handshower & Diverter Set for Roman Tub standard 1149 • HS-62 handshower • comes as a complete set with trim and valve 1287 special · replace .FR with desired max flow rate: 1516 premium



XX.62.20 for 2.0 gpm XX.62.18 for 1.8 gpm









• kit includes:

I x SH-10-65 (wall supply elbow)

I × HS-68 (68" handshower hose)

I x 24" grab bar with slide and matching handle

polished chrome 1180 standard 1476 special 1652 premium 1948







• kit includes:

I x SH-10-65 (wall supply elbow)

I × HS-68 (68" handshower hose)

I x 30" grab bar with slide and matching handle

polished chrome 1243 1555 standard 1740 special premium 2052



9127-GB30-66 Lever Handle





	MODEL	DESCRIPTION	FINISH	PRICE
	9125-65	Wall Mounted Handshower Kit - Round • kit includes: I × SH-10-65 (wall supply elbow) I × SH-20-65 (wall handshower bracket) I × HS-68 (68" handshower hose) suggested to match series: 38, 39, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5	polished chrome standard special premium	450 564 630 744
	9125S-65	Swivel Wall Mounted Handshower Kit - Round • kit includes: x SH-10-65 (wall supply elbow) x SH-20S-65 (wall handshower holder) x HS-68 (68" handshower hose) suggested to match series: 38, 39, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5	polished chrome standard special premium	515 645 721 851
	9126-65	Wall Mounted Handshower Kit - Round • kit includes: I × SH-25-65 (wall supply & handshower holder) I × HS-68 (68" handshower hose) suggested to match series: 38, 39, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5	polished chrome standard special premium	344 431 482 568
	9126S-65	Swivel Wall Mounted Handshower Kit - Round • kit includes: x SH-25S-65 (wall supply & handshower holder) x HS-68 (68" handshower hose) suggested to match series: 38, 39, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5	polished chrome standard special premium	449 562 629 741
	65-9	9" Hand Towel Bar	polished chrome standard special premium	320 400 448 528
-	65-18	18" Towel Bar	polished chrome standard special premium	331 414 463 546
	65-24	24" Towel Bar	polished chrome standard special premium	342 428 479 564
	65-30	30" Towel Bar	polished chrome standard special premium	354 443 496 584
	65-TR	Towel Ring	polished chrome standard special premium	220 275 308 363

MODEL	DESCRIPTION	FINISH	PRICE
65-RH	Robe Hook	polished chrome standard special premium	176 220 246 290
65-DRH	Double Robe Hook	polished chrome standard special premium	198 248 277 327
65-TP	Two Post Toilet Paper Holder	polished chrome standard special premium	320 400 448 528
65-STP	Single Post Toilet Paper / Hand Towel Holder	polished chrome standard special premium	264 330 370 436
74-VTP	Vertical Spare Toilet Paper Holder	polished chrome standard special premium	159 199 223 262
9401	Single Paper Holder with Shelf • all brass construction • paper holder arm is in fixed position • 6-1/2" x 4" shelf	polished chrome standard special premium	258 323 361 426

NOTES:

- for coordinated deck, wall and floor mounted tub fillers, see Tub Fillers section starting on page 384
- \bullet for complete showerhead and handshower options, see Shower section starting on page 420
- \bullet for complete shower arm options, see Shower section starting on page 43 l
- coordinated cabinet hardware starting on page 487

SOLIMAR®

70 SERIES







	MODEL	DESCRIPTION	FINISH	PRICE
111	7002ZB Updated Design	8" Widespread Lavatory Faucet with ZeroDrain® • 6-1/16" overall height • 5-1/4" spout center to center • 1/4 turn ceramic disc cartridge(s) • 1-1/4" pop-down style ZeroDrain® assembly • 1.2 gpm water saving aerator	polished chrome standard special premium With ZeroDra	1318 1648 1846 2175 ain®
11	7002 Updated Design	8" Widespread Lavatory Faucet • 6-I/16" overall height • 5-I/4" spout center to center • I/4 turn ceramic disc cartridge(s) • I-1/4" all brass touch style pop-up drain assembly • I.2 gpm water saving aerator	polished chrome standard special premium	1254 1568 1756 2069

	MODEL	DESCRIPTION	FINISH	PRICE
	TO-V7701-9	Single Handle Lavatory Wall Faucet Trim Only • 8" spout wall to center • single handle allows for volume & temperature control at any position • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®. REQUIRES ROUGH VALVE: for more details, see pages 496-498	polished chrome standard special premium	774 968 1084 1277 405
	TO-V7002-9 Updated Design	Two Handle Lavatory Wall Faucet Trim Only • 8" spout wall to center • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®. REQUIRES ROUGH VALVE:	polished chrome standard special premium	771 964 1079 1272
		for more details, see pages 496-498		
	TO-THN-70	StyleTherm® 3/4" Thermostatic Trim Only • all brass construction • 100° F safety stop button with manual override • separate volume control required • 7-1/4" round faceplate See Shower & Luxury Drain Sections to complete shower. REQUIRES ROUGH VALVE: for more details, see pages 496-498	polished chrome standard special premium	486 608 680 802
	TO-THCN-70 Updated Design	StyleTherm® 3/4" Thermostatic Trim Only • all brass construction • 100° F safety stop button with manual override • separate volume control required • 7-7/8" by 5-7/8" rectangular faceplate See Shower & Luxury Drain Sections to complete shower. REQUIRES ROUGH VALVE: for more details, see pages 496-498	polished chrome standard special premium	524 655 734 865
	TO-THFN-70	StyleTherm® 3/4" Thermostatic Trim Only • all brass construction • 100° F safety stop button with manual override • separate volume control required • 5-1/2" square faceplate; flat profile See Shower & Luxury Drain Sections to complete shower. REQUIRES ROUGH VALVE: for more details, see pages 496-498	polished chrome standard special premium	623 779 872 1028

	MODEL	DESCRIPTION	FINISH	PRICE
	TO-THIL-70	StyleTherm® Trim Only with Single Volume Control	polished chrome	495
		all brass construction	standard	619
		100° F safety stop button with manual override	special	693
		 single integral volume control 7-1/4" round faceplate 	premium	817
		·		
		See Shower & Luxury Drain Sections to complete shower.		
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	THT51-R	549
		for more details, see pages 496-498	THT51D2-R	679
100	TO-THCIL-70	StyleTherm® Trim Only with Single Volume Control	polished chrome	533
		all brass construction 100° F agents steep by the property as a service as	standard	666
		100° F safety stop button with manual override single integral volume control	special	746 879
		• 7-7/8" by 5-7/8" rectangular faceplate	premium	0/7
		See Shower & Luxury Drain Sections to complete shower.		
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	THT51-R	549
		for more details, see pages 496-498	THT51-R	5 49 679
				3,,
	TO-THFIL-70	StyleTherm® Trim Only with Single Volume Control	polished chrome	632
T		• all brass construction	standard	790
Town.		100° F safety stop button with manual override	special	885
		 single integral volume control 5-1/2" square faceplate; flat profile 	premium	1043
		See Shower & Luxury Drain Sections to complete shower.		
		See Shower & Luxury Brain Sections to complete shower.		
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	THT51-R	549
		for more details, see pages 496-498	THT51D2-R	679
	TO-TH2L-70	StyleTherm® Trim Only with Dual Volume Control	polished chrome	504
		• all brass construction	standard	630
		100° F safety stop button with manual override	special	706
		 dual integral volume controls 7-1/4" round faceplate 	premium	832
		See Shower & Luxury Drain Sections to complete shower.		
		See Shower a Laxary Brain Sections to complete shower		
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498	THT52-R	619
		for more details, see pages 470-476	THT52D2-R	779
	TO-THC2L-70	StyleTherm® Trim Only with Dual Volume Control	polished chrome	542
		• all brass construction	standard	678
		100° F safety stop button with manual override	special	759
		 dual integral volume controls 7-7/8" by 5-7/8" rectangular faceplate 	premium	894
		See Shower & Luxury Drain Sections to complete shower.		
Con		See Shower & Luxury Brain Sections to complete shower.		
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	THT52-R	619
		for more details, see pages 496-498	THT52D2-R	779
	TO-THF2L-70	StyleTherm® Trim Only with Dual Volume Control	polished chrome	641
		• all brass construction	standard	801
Tomas		100° F safety stop button with manual override	special	897
46		 dual integral volume controls 6-5/16" by 5-1/2" rectangular faceplate; flat profile 	premium	1058
64		See Shower & Luxury Drain Sections to complete shower.		
100				
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	THT52-R	619
		for more details, see pages 496-498	THT52D2-R	779

MODEL	DESCRIPTION	FINISH	PRICE
TO-70-W Updated Design	Wall or Deck Handle Trim Only • base dimension 2-1/4" × 2-1/4" • use for wall stop, wall diverter or deck diverter	polished chrome standard special premium	280 350 392 462
	REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498	50-W-R 75-W-R WDV-R WDV-NS-R	169 215 339 349
TO-PBL-70	Pressure Balance Trim Only • for shower only • screwless faceplate • 7-1/4" round faceplate	polished chrome standard special premium	419 524 587 691
	REQUIRES ROUGH VALVE: for more details, see pages 496-498	PBI-R	255
TO-PB2L-70	Dual Pressure Balance Trim Only controls two independent outlet devices (e.g. tub/shower or shower/handshower) single handle with markings for dual outlets screwless faceplate 7-1/4" round faceplate	polished chrome standard special premium	419 524 587 691
	REQUIRES ROUGH VALVE: for more details, see pages 496-498	PB2-R	355
TO-7006L Updated Design	2 Handle Tub or Shower Trim Only See Shower & Luxury Drain Sections to complete shower.	polished chrome standard special premium	560 700 784 924
	REQUIRES ROUGH VALVE: for more details, see pages 496-498	2-VR	419
TS-77-77	 Wall Tub Spout 6" wall to center includes decorative base ring and QC-70 quick connect with 1/2" FIP inlet max flow rate: 10 gpm at 60 psi for series: 70 & 77 for use with StyleTherm, PB2-R or 2-VR valves 	polished chrome standard special premium	495 619 693 817
D-77-77	Peluxe Wall Tub Spout 8" wall to center includes decorative base ring & QC-70 quick connect with 1/2" FIP inlet max flow rate: 10 gpm at 60 psi for series: 70 & 77 for use with StyleTherm, PB2-R or 2-VR valves	polished chrome standard special premium	519 649 727 856

	MODEL	DESCRIPTION	FINISH	PRICE
	7008 Updated Design	Complete Roman Tub Set 7-3/4" overall height 8-1/2" spout center to center max flow rate: 16 gpm at 60 psi comes as a complete set with trim and valves Order drain separately. See page 483 for all drain options including ZeroDrain®. Installation of upstream tempering device may be required.	polished chrome standard special premium	1824 2280 2554 3010
	70.72.FR	Verify local codes. Complete Handshower & Diverter Set for Roman Tub	polished chrome	1150
1	Updated Design	HS-72 handshower comes as a complete set with trim and valve replace .FR with desired max flow rate: 70.72.20 for 2.0 gpm 70.72.18 for 1.8 gpm	standard special premium	1438 1610 1898
	7704-1	Single Hole Bidet • 4-3/8" spout center to center • ceramic mixing cartridge • swivel end spray • I-1/4" all brass touch style pop-up drain assembly	polished chrome standard special premium	987 1234 1382 1629

 MODEL	DESCRIPTION	FINISH	PRICE
9128-77	Slide Bar Handshower Kit - Cylinder Handle with Square Base • kit includes: x SH-10-77 (wall supply elbow) x HS-68 (68" handshower hose) x SB-77 (wall mounted slide bar)	polished chrome standard special premium	1054 1319 1476 1740
9128-GB24-77	24" Grab Bar Handshower Kit • kit includes: I x SH-10-77 (wall supply elbow) I x HS-68 (68" handshower hose) I x 9424S-77 (24" grab bar with slide)	polished chrome standard special premium	1222 1529 1711 2017
9128-GB30-77	30" Grab Bar Handshower Kit • kit includes: I x SH-10-77 (wall supply elbow) I x HS-68 (68" handshower hose) I x 9430S-77 (30" grab bar with slide)	polished chrome standard special premium	1295 1620 1813 2138

SOLIMAR | 70 SERIES

 MODEL	DESCRIPTION	FINISH	PRICE
9125-72	Wall Mounted Handshower Kit - Rectangle • kit includes: x SH-10-72 (wall supply elbow) x SH-20-72 (wall handshower bracket) x HS-68 (68" handshower hose) suggested to match series: 70, 77, 78 & E3	polished chrome standard special premium	450 564 630 744
9125-77	Wall Mounted Handshower Kit - Square • kit includes: I × SH-10-77 (wall supply elbow) I × SH-20-77 (wall handshower bracket) I × HS-68 (68" handshower hose) suggested to match series: 70, 77, 78 & E3	polished chrome standard special premium	450 564 630 744
9125S-77	Swivel Wall Mounted Handshower Kit - Square • kit includes: x SH-10-77 (wall supply elbow) x SH-20S-77 (wall handshower holder) x HS-68 (68" handshower hose) suggested to match series: 70, 77, 78 & E3	polished chrome standard special premium	515 645 721 851
9126-77	Wall Mounted Handshower Kit - Square • kit includes: I × SH-25-77 (wall supply & handshower holder) I × HS-68 (68" handshower hose) suggested to match series: 70, 77, 78 & E3	polished chrome standard special premium	344 431 482 568
9126-78	Wall Mounted Handshower Kit - Rectangle • kit includes: x SH-25-78 (wall supply & handshower holder) x HS-68 (68" handshower hose) suggested to match series: 70, 77, 78 & E3	polished chrome standard special premium	344 431 482 568
9126S-77	Swivel Wall Mounted Handshower Kit - Square • kit includes: I × SH-25S-77 (wall supply & handshower holder) I × HS-68 (68" handshower hose) suggested to match series: 70, 77, 78 & E3	polished chrome standard special premium	449 562 629 741

MODEL	DESCRIPTION	FINISH	PRICE
78-18	18" Towel Bar	polished chrome standard special premium	264 330 370 436
78-24	24" Towel Bar	polished chrome standard special premium	275 344 385 454
78-30	30" Towel Bar	polished chrome standard special premium	287 359 402 474
78-TR	Towel Ring	polished chrome standard special premium	198 248 277 327
78-DRH	Double Robe Hook	polished chrome standard special premium	120 150 168 198
78-STP	Single Post Toilet Paper / Hand Towel Holder	polished chrome standard special premium	154 193 216 254
9401	Single Paper Holder with Shelf • all brass construction • paper holder arm is in fixed position • 6-1/2" × 4" shelf	polished chrome standard special premium	258 323 361 426

- for coordinated deck, wall and floor mounted tub fillers, see Tub Fillers section starting on page 384
- \bullet for complete showerhead and handshower options, see Shower section starting on page 420
- for complete shower arm options, see Shower section starting on page 43 l
- coordinated cabinet hardware starting on page 487

TAMALPAIS®

74/75 SERIES








	MODEL	DESCRIPTION	FINISH	PRICE
11	7402ZB	8" Widespread Lavatory Faucet with ZeroDrain® • 7-1/16" overall height • 6" spout center to center • 1/4 turn ceramic disc cartridge(s) • 1-1/4" pop-down style ZeroDrain® assembly • 1.2 gpm water saving aerator	polished chrome standard special premium With ZeroDra	1013 1266 1419 1672
11	7402	8" Widespread Lavatory Faucet • 7-1/16" overall height • 6" spout center to center • 1/4 turn ceramic disc cartridge(s) • 1-1/4" all brass touch style pop-up drain assembly • 1.2 gpm water saving aerator	polished chrome standard special premium	949 1186 1329 1566

	MODEL	DESCRIPTION	FINISH	PRICE
11	7502ZB	8" Widespread Lavatory Faucet with ZeroDrain® • 8-I/I6" overall height • 6" spout center to center • I/4 turn ceramic disc cartridge(s) • I-I/4" pop-down style ZeroDrain® assembly • I.2 gpm water saving aerator	polished chrome standard special premium With ZeroDra	1013 1266 1419 1672
1	7502	8" Widespread Lavatory Faucet • 8-I/I6" overall height • 6" spout center to center • I/4 turn ceramic disc cartridge(s) • I-I/4" all brass touch style pop-up drain assembly • I.2 gpm water saving aerator	polished chrome standard special premium	949 1186 1329 1566
	7509-I	Single Hole Lavatory/Bar/Prep Faucet - Low Spout • 10-3/16" overall height • 5-5/16" spout center to center • ceramic mixing cartridge • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	737 921 1032 1216
	7509-2	Single Hole Lavatory/Bar/Prep Faucet - High Spout • 14-5/16" overall height • 5-5/16" spout center to center • ceramic mixing cartridge • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	844 1055 1182 1393
55	TO-V7402-7	Two Handle Lavatory Wall Faucet Trim Only • 6-1/2" spout wall to center • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®. REQUIRES ROUGH VALVE:	polished chrome standard special premium	658 823 921 1086
85	TO-V7402-9	for more details, see pages 496-498 Two Handle Lavatory Wall Faucet Trim Only • 8-1/2" spout wall to center • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®. REQUIRES ROUGH VALVE:	polished chrome standard special premium	670 838 938 1106
		for more details, see pages 496-498		

TAMALPAIS | 74/75 SERIES

	MODEL	DESCRIPTION	FINISH	PRICE
	TO-THN-74	StyleTherm® 3/4" Thermostatic Trim Only	polished chrome	486
		all brass construction	standard	608
		 100° F safety stop button with manual override 	special	680
		separate volume control required	premium	802
		• 7-1/4" round faceplate	·	
		See Shower & Luxury Drain Sections to complete shower.		
		REQUIRES ROUGH VALVE: for more details, see pages 496-498	THT75-R	695
	TO-THCN-74	StyleTherm® 3/4" Thermostatic Trim Only	polished chrome	524
		all brass construction	standard	655
		100° F safety stop button with manual override	special	734
-		separate volume control required	premium	865
		• 7-7/8" by 5-7/8" rectangular faceplate	F	
		See Shower & Luxury Drain Sections to complete shower.		
		REQUIRES ROUGH VALVE:	THT75-R	695
		for more details, see pages 496-498		
TO-	TO-THFN-74	StyleTherm® 3/4" Thermostatic Trim Only	polished chrome	623
		all brass construction	standard	779
		100° F safety stop button with manual override	special	872
		separate volume control required	premium	1028
		• 5-1/2" square faceplate; flat profile		
		See Shower & Luxury Drain Sections to complete shower.		
		REQUIRES ROUGH VALVE:	THT75-R	695
		for more details, see pages 496-498		
	TO-THIL-74	StyleTherm® Trim Only with Single Volume Control	polished chrome	495
		all brass construction	standard	619
		100° F safety stop button with manual override	special	693
		single integral volume control	premium	817
		• 7-1/4" round faceplate See Shower & Luxury Drain Sections to complete shower.		
		See Shower & Luxury Brain Sections to complete shower.		
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	THT51-R	549
		for more details, see pages 496-498	THT51D2-R	679
	TO-THCIL-74	StyleTherm® Trim Only with Single Volume Control	polished chrome	533
		all brass construction	standard	666
		100° F safety stop button with manual override	special	746
		single integral volume control 7-7/8" by 5-7/8" rectangular faceplate	premium	879
		See Shower & Luxury Drain Sections to complete shower.		
		AFOUNDES ONE OF THE FOLLOWING BOLISH WANTED		F 40
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498	THT51-R THT51D2-R	549 679
an an				
	TO-THFIL-74	StyleTherm® Trim Only with Single Volume Control	polished chrome	632
		• all brass construction	standard	790
		100° F safety stop button with manual override single integral volume control	special .	885
		single integral volume control 5-1/2" square faceplate; flat profile	premium	1043
(60)		See Shower & Luxury Drain Sections to complete shower.		
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	THT51-R	549
		for more details, see pages 496-498		
		Joi Triore details, see pages 470-470	THT51D2-R	679



	MODEL	DESCRIPTION	FINISH	PRICE
	TO-7406L	2 Handle Tub or Shower Trim Only	polished chrome	496
		·	standard	620
		See Shower & Luxury Drain Sections to complete shower.	special	694
A STATE OF			premium	818
		REQUIRES ROUGH VALVE:	2-VR	419
		for more details, see pages 496-498		
	TS-74-74	Wall Tub Spout	polished chrome	258
A CONTRACTOR OF THE PARTY OF TH		• 6-1/2" wall to center	standard	323
		• I/2" FIP inlet	special	361
)//		max flow rate: 16 gpm at 60 psifor series: 74 & 75	premium	426
())		• for use with StyleTherm, PB2-R or 2-VR valves		
<u></u>	D-74-74	Deluxe Wall Tub Spout	polished chrome	284
		• 8-1/2" wall to center	standard	355
		max flow rate: 16 gpm at 60 psi	special	398
)10		• for series: 74 & 75	premium	469
U		for use with StyleTherm, PB2-R or 2-VR valves		
	DE-74-74	Deluxe Wall Tub Spout	polished chrome	289
	J= 1 1-17	• 12" wall to center	standard	361
		• max flow rate: 16 gpm at 60 psi	special	405
		• for series: 74 & 75	premium	477
1))		for use with StyleTherm, PB2-R or 2-VR valves	promisin	
	7408	Complete Roman Tub Set	polished chrome	1381
	7-100	8-3/16" overall height	standard	1726
		8-15/16" spout center to center	special	1933
		• max flow rate: 16 gpm at 60 psi	premium	2279
		comes as a complete set with trim and valves		
		Order drain separately. See page 483 for all drain options including		
		ZeroDrain [®] .		
40		Installation of upstream tempering device may be required.		
		Verify local codes.		
	7508	Complete Roman Tub Set	polished chrome	1381
		10-3/16" overall height 8-15/16" spout center to center	standard	1726
		max flow rate: 16 gpm at 60 psi	special	1933
		comes as a complete set with trim and valves	premium	2279
		Order drain separately. See page 483 for all drain options including		
		ZeroDrain®.		
-		Installation of upstream tempering device may be required.		
and and		Verify local codes.		
	74.62.FR	Complete Handshower & Diverter Set for Roman Tub	polished chrome	919
		HS-62 handshower	standard	1149
		comes as a complete set with trim and valve replace ER with desired may flow rate.	special	1287
		 replace .FR with desired max flow rate: 74.62.20 for 2.0 gpm 	premium	1516
		74.62.18 for 1.8 gpm		
4				
	6204-I	Single Hole Ridet	polished chrome	656
	J2UT-1	Single Hole Bidet • 3-3/4" spout center to center	standard	820
		swivel end spray	special	918
		ceramic mixing cartridge	premium	1082
		• I-1/4" all brass touch style pop-up drain assembly	premian	1002

	MODEL	DESCRIPTION	FINISH	PRICE
	9127-74	Slide Bar Handshower Kit • kit includes: I × SH-10-65 (wall supply elbow) I × HS-68 (68" handshower hose) I × SB-74 (wall mounted slide bar)	polished chrome standard special premium	980 1226 1372 1618
	9127-GB24-74	24" Grab Bar Handshower Kit • kit includes: Ix SH-10-65 (wall supply elbow) Ix HS-68 (68" handshower hose) Ix 9424S-74 (24" grab bar with slide)	polished chrome standard special premium	1180 1476 1652 1948
	9127-GB30-74	30" Grab Bar Handshower Kit • kit includes: I× SH-10-65 (wall supply elbow) I× HS-68 (68" handshower hose) I× 9430S-74 (30" grab bar with slide)	polished chrome standard special premium	1243 1555 1740 2052
	9125-65	Wall Mounted Handshower Kit - Round • kit includes: I × SH-10-65 (wall supply elbow) I × SH-20-65 (wall handshower bracket) I × HS-68 (68" handshower hose) suggested to match series: 38, 39, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5	polished chrome standard special premium	450 564 630 744
	9125S-65	Swivel Wall Mounted Handshower Kit - Round • kit includes: I × SH-10-65 (wall supply elbow) I × SH-20S-65 (wall handshower holder) I × HS-68 (68" handshower hose) suggested to match series: 38, 39, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5	polished chrome standard special premium	515 645 721 851
	9126-65	Wall Mounted Handshower Kit - Round • kit includes: x SH-25-65 (wall supply & handshower holder) x HS-68 (68" handshower hose) suggested to match series: 38, 39, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5	polished chrome standard special premium	344 431 482 568
9	9126S-65	Swivel Wall Mounted Handshower Kit - Round • kit includes: I × SH-25S-65 (wall supply & handshower holder) I × HS-68 (68" handshower hose) suggested to match series: 38, 39, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5	polished chrome standard special premium	449 562 629 741

TAMALPAIS | 74/75 SERIES

	MODEL	DESCRIPTION	FINISH	PRICE
	74-9	9" Hand Towel Bar	polished chrome	198
			standard	248
6			special	277
			premium	327
	74-18	I8" Towel Bar	polished chrome	210
			standard	263
			special	294
			premium	347
	74-24	24" Towel Bar	polished chrome	220
			standard	275
10			special	308
			premium	363
	74-TR	Towel Ring	polished chrome	164
		-	standard	205
(())			special	230
			premium	271
n	74-RH	Robe Hook	polished chrome	120
			standard	150
			special	168
			premium	198
	74-DRH	Double Robe Hook	polished chrome	143
			standard	179
			special	200
			premium	236
	74-STP	Single Post Toilet Paper / Hand Towel Holder	polished chrome	143
			standard	179
			special	200
			premium	236
N	74-VTP	Vertical Spare Toilet Paper Holder	polished chrome	159
			standard	199
			special	223
			premium	262
	9401	Single Paper Holder with Shelf	polished chrome	258
		all brass construction	standard	323
		 paper holder arm is in fixed position 6-1/2" x 4" shelf 	special	361
		- 0-1/2 X T SHEII	premium	426

- for coordinated deck, wall and floor mounted tub fillers, see Tub Fillers section starting on page 384
- \bullet for complete showerhead and handshower options, see Shower section starting on page 420
- for complete shower arm options, see Shower section starting on page 43 I
- coordinated cabinet hardware starting on page 487



MORRO BAY®

77 SERIES









DESCRIPTION


8" Widespread Lavatory Faucet with ZeroDrain®

- 3-15/16" overall height
- 5-1/2" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" pop-down style ZeroDrain® assembly
- 1.2 gpm water saving aerator

7702ZB 7702RZB







With ZeroDrain®



polished chrome 1179 standard 1474 special 1651 premium 1945





- 5-1/2" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" all brass touch style pop-up drain assembly
- 1.2 gpm water saving aerator









MODEL	DESCRIPTION	FINISH	PRICE
7701-1	Single Hole Lavatory Faucet • 5-5/16" overall height • 4-7/8" spout center to center • ceramic mixing cartridge • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	823 1029 1152 1358
7701-2	Single Hole Lavatory Faucet • 11-9/16" overall height • 4-7/8" spout center to center • ceramic mixing cartridge • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	1030 1288 1442 1700
TO-V7701-9	Single Handle Lavatory Wall Faucet Trim Only • 8" spout wall to center • single handle allows for volume & temperature control at any position • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®. REQUIRES ROUGH YALVE: for more details, see pages 495-497	polished chrome standard special premium	774 968 1084 1277
TO-V7702-9	Two Handle Lavatory Wall Faucet Trim Only • 8" spout wall to center • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®. REQUIRES ROUGH VALVE: for more details, see pages 495-497	polished chrome standard special premium	860 1075 1204 1419
TO-V7702R-9	Two Handle Lavatory Wall Faucet Trim Only • 8" spout wall to center • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®. REQUIRES ROUGH VALVE:	polished chrome standard special premium	860 1075 1204 1419

	MODEL	DESCRIPTION	FINISH	PRICE
	TO-THN-77	StyleTherm® 3/4" Thermostatic Trim Only	polished chrome	486
		all brass construction	standard	608
		100° F safety stop button with manual override	special	680
		separate volume control required	premium	802
		• 7-1/4" round faceplate	F	
		See Shower & Luxury Drain Sections to complete shower.		
		REQUIRES ROUGH VALVE: for more details, see pages 495-497	THT75-R	695
	TO THOM 77		n aliah a di abusana	E24
	TO-THCN-77	StyleTherm® 3/4" Thermostatic Trim Only	polished chrome	524
		• all brass construction	standard	655
		100° F safety stop button with manual override	special	734
		 separate volume control required 7-7/8" by 5-7/8" rectangular faceplate 	premium	865
		See Shower & Luxury Drain Sections to complete shower.		
		REQUIRES ROUGH VALVE:	THT75-R	695
		for more details, see pages 495-497		
	TO-THFN-77	StyleTherm® 3/4" Thermostatic Trim Only	polished chrome	623
CONTRACTOR OF THE STATE OF THE		all brass construction	standard	779
0		100° F safety stop button with manual override	special	872
		separate volume control required	premium	1028
		• 5-1/2" square faceplate; flat profile		
		See Shower & Luxury Drain Sections to complete shower.		
1.00 miles		REQUIRES ROUGH VALVE:	THT75-R	695
		for more details, see pages 495-497		
	TO-THIL-77	StyleTherm® Trim Only with Single Volume Control	polished chrome	495
		all brass construction	standard	619
		 100° F safety stop button with manual override 	special	693
		single integral volume control	premium	817
		• 7-1/4" round faceplate		
1		See Shower & Luxury Drain Sections to complete shower.		
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	THT51-R	549
		for more details, see pages 495-497	THT51D2-R	679
	TO-THCIL-77	StyleTherm® Trim Only with Single Volume Control	polished chrome	533
		all brass construction	standard	666
		100° F safety stop button with manual override	special	746
		• single integral volume control	premium	879
		 7-7/8" by 5-7/8" rectangular faceplate See Shower & Luxury Drain Sections to complete shower. 		
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	THT51-R	549
		for more details, see pages 495-497	THT51D2-R	679
	TO-THFIL-77	StyleTherm® Trim Only with Single Volume Control	polished chrome	632
		all brass construction	standard	790
		100° F safety stop button with manual override	special	885
O D		• single integral volume control	premium	1043
		5-1/2" square faceplate; flat profile		
		See Shower & Luxury Drain Sections to complete shower.		
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	THT51-R	549

	MODEL	DESCRIPTION	FINISH	PRICE
	TO-TH2L-77	StyleTherm® Trim Only with Dual Volume Control • all brass construction • 100° F safety stop button with manual override • dual integral volume controls • 7-1/4" round faceplate	polished chrome standard special premium	504 630 706 832
		See Shower & Luxury Drain Sections to complete shower.		
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	THT52-R	619
		for more details, see pages 495-497	THT52D2-R	779
	TO-THC2L-77	StyleTherm® Trim Only with Dual Volume Control	polished chrome	542
		• all brass construction	standard	678
		100° F safety stop button with manual override	special	759
		· ·	premium	894
		See Shower & Luxury Drain Sections to complete shower.		
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	THT52-R THT52D2-R	619
		for more details, see pages 175 177	1H132D2-K	//.
** all brass construction ** 100° F safety stop button with manual ove dual integral volume controls ** 7-1/4" round faceplate ** See Shower & Luxury Drain Sections** **REQUIRES ONE OF THE F** **To-THC2L-77** **StyleTherm® Trim Only with D** all brass construction ** 100° F safety stop button with manual ove dual integral volume controls ** 7-7/8" by 5-7/8" rectangular faceplate ** See Shower & Luxury Drain Sections** **REQUIRES ONE OF THE F** **To-THF2L-77** **StyleTherm® Trim Only with D** all brass construction ** 100° F safety stop button with manual ove dual integral volume controls ** 6-5/16" by 5-1/2" rectangular faceplate; fix ** See Shower & Luxury Drain Sections** **REQUIRES ONE OF THE F** See Shower & Luxury Drain Sections** **REQUIRES ONE OF THE F** To-77-W** **Wall or Deck Handle Trim Only ** use for wall stop, wall diverter or deck diversely see for wall stop, wall diverter or deck diversely see for wall stop or wall diverter or deck diversely see dimension 2-1/4" x 2-1/4" ** use for wall stop or wall diverter or wall div	TO-THF2L-77	StyleTherm® Trim Only with Dual Volume Control	polished chrome	64
			standard	80
			special	89
			premium	105
	See Shower & Luxury Drain Sections to complete shower.			
		StyleTherm® Trim Only with Dual Volume Control all brass construction 100° F safety stop button with manual override dual integral volume controls 7-1/4" round faceplate See Shower & Luxury Drain Sections to complete shower. REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 495-497 -THC2L-77 StyleTherm® Trim Only with Dual Volume Control all brass construction 100° F safety stop button with manual override dual integral volume controls 7-7/8" by 5-7/8" rectangular faceplate See Shower & Luxury Drain Sections to complete shower. REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 495-497 -THF2L-77 StyleTherm® Trim Only with Dual Volume Control all brass construction 100° F safety stop button with manual override dual integral volume controls 6-5/16" by 5-1/2" rectangular faceplate; flat profile See Shower & Luxury Drain Sections to complete shower. REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 495-497 -77-W Wall or Deck Handle Trim Only base dimension 2-1/4" x 2-1/4" use for wall stop, wall diverter or deck diverter REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 495-497 REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 495-497 REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 495-497	THT52-R	619
			THT52D2-R	77'
	TO-77-W	Wall on Dock Handle Trim Only	polished chrome	28
	10-77-44	· ·	standard	35
			special	39
		ass is man step, man error ter or each error ter	premium	46
			premian	10
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	50-W-R	16
		for more details, see pages 495-497	75-W-R	21
			WDV-R	33
			WDV-NS-R	34
	TO-77R-W	Wall Handle Trim Only	polished chrome	28
			standard	35
			special	39
			premium	46
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	50-W-R	16
		for more details, see pages 495-497	75-W-R	21
		for more details, see pages 495-497	75-W-R WDV-R	33

MORRO BAY | 77 SERIES

MODEL	DESCRIPTION	FINISH	PRICE
TO-PBL-77	Pressure Balance Trim Only	polished chrome	419
	• for shower only	standard	524
	• screwless faceplate	special	587
	• 7-1/4" round faceplate	premium	691
	REQUIRES ROUGH VALVE: for more details, see pages 495-497	PBI-R	255
TO-PB2L-77	Dual Pressure Balance Trim Only	polished chrome	419
	• controls two independent outlet devices (e.g. tub/shower or shower/handshower)	standard	524
	single handle with markings for dual outlets	special	587
	 screwless faceplate 7-1/4" round faceplate 	premium	691
	REQUIRES ROUGH VALVE:	PB2-R	355
	for more details, see pages 495-497		
2 Handle T	ub or Shower Trim Only	polished chrome	560
	er & Luxury Drain Sections to complete shower.	standard	700
	,,	special	784
	TO-7706L Lever Handle Rectangle Handle		
	REQUIRES ROUGH VALVE: for more details, see pages 495-497	2-VR	419
TC 77 77		polichod shapes	40E
TS-77-77	Wall Tub Spout • 6" wall to center	polished chrome standard	495 619
	 6 wall to center includes decorative base ring and QC-70 quick connect with 1/2" FIP inlet 	special	693
	 max flow rate: 10 gpm at 60 psi for series: 70 & 77 for use with StyleTherm, PB2-R or 2-VR valves 	premium	817
D-77-77	Deluxe Wall Tub Spout	polished chrome	519
	8-1/2" wall to center	standard	649
	includes decorative base ring & QC-70 quick connect with 1/2" FIP inlet	special	727
	 max flow rate: 10 gpm at 60 psi for series: 70 & 77 for use with StyleTherm, PB2-R or 2-VR valves 	premium	856

DESCRIPTION FINISH

Complete Roman Tub Set

- 5-13/16" overall height
- 8-1/16" spout center to center
- max flow rate: 10 gpm at 60 psi
- comes as a complete set with trim and valves

1824 polished chrome standard 2280 2554 special 3010 premium

PRICE



Order drain separately. See page 483 for all drain options including ZeroDrain®. Installation of upstream tempering device may be required. Verify local codes.

7708 Lever Handle







Complete Handshower & Diverter Set for Roman Tub

- comes as a complete set with trim and valve
- replace .FR with desired max flow rate: XX.72.20 for 2.0 gpm XX.72.18 for 1.8 gpm







polished chrome 1150 standard 1438 1610 special 1898 premium



7704-I

Single Hole Bidet

- 4-3/8" spout center to center
- ceramic mixing cartridge
- · swivel end spray
- 1-1/4" all brass touch style pop-up drain assembly

polished chrome	987
standard	1234
special	1382
premium	1629

	MODEL	DESCRIPTION	FINISH	PRICE
	9128-77	Slide Bar Handshower Kit - Cylinder Handle with Square Base • kit includes: x SH-10-77 (wall supply elbow) x HS-68 (68" handshower hose)	polished chrome standard special premium	1054 1319 1476 1740
	9128-GB24-77	I × SB-77 (wall mounted slide bar) 24" Grab Bar Handshower Kit - Lever Handle with	polished chrome	1222
		Square Base • kit includes: x SH-10-77 (wall supply elbow) x HS-68 (68" handshower hose) x 9424S-77 (24" grab bar with slide)	standard special premium	1529 1711 2017
9	9128-GB30-77	30" Grab Bar Handshower Kit - Lever Handle with Square Base • kit includes: x SH-10-77 (wall supply elbow) x HS-68 (68" handshower hose) x 9430S-77 (30" grab bar with slide)	polished chrome standard special premium	1295 1620 1813 2138
	9125-72	Wall Mounted Handshower Kit - Rectangle • kit includes: x SH-10-72 (wall supply elbow) x SH-20-72 (wall handshower bracket) x HS-68 (68" handshower hose) suggested to match series: E3, 70, 77 & 78	polished chrome standard special premium	450 564 630 744
	9125-77	Wall Mounted Handshower Kit - Square • kit includes: Ix SH-10-77 (wall supply elbow) Ix SH-20-77 (wall handshower bracket) Ix HS-68 (68" handshower hose) suggested to match series: E3, 70, 77 & 78	polished chrome standard special premium	450 564 630 744
9	9125S-77	Swivel Wall Mounted Handshower Kit - Square • kit includes: I× SH-10-77 (wall supply elbow) I× SH-205-77 (wall handshower holder) I× HS-68 (68" handshower hose) suggested to match series: E3, 70, 77 & 78	polished chrome standard special premium	515 645 721 851
9	9126-77	Wall Mounted Handshower Kit - Square • kit includes: I × SH-25S-77 (wall supply & handshower holder) I × HS-68 (68" handshower hose) suggested to match series: 77, 78 & E3	polished chrome standard special premium	344 431 482 568
9	9126-78	Wall Mounted Handshower Kit - Rectangle • kit includes: I × SH-25-72 (wall supply & handshower holder) I × HS-68 (68" handshower hose) suggested to match series: E3, 77 & 78	polished chrome standard special premium	344 431 482 568
9	9126S-77	Swivel Wall Mounted Handshower Kit - Square • kit includes: I × SH-25S-77 (wall supply & handshower holder) I × HS-68 (68" handshower hose) suggested to match series: E3, 70, 77 & 78	polished chrome standard special premium	449 562 629 741

	MODEL	DESCRIPTION	FINISH	PRICE
	77-9	9" Hand Towel Bar	polished chrome	342
			standard	428
E E			special	479
			premium	564
	77-18	18" Towel Bar	polished chrome	354
		To Tower Zui	standard	443
E. E.			special	496
R.			premium	584
	77-24	24" Towel Bar	polished chrome	364
g.,			standard	455
E. E.			special	510
R			premium	601
	77-30	30" Towel Bar	polished chrome	375
2			standard	469
			special	525
ř.			premium	619
	77-TR	Towel Ring	polished chrome	331
			standard	414
			special	463
			premium	546
	77-RH	Robe Hook	polished chrome	176
198			standard	220
1000			special	246
to control of			premium	290
	77-DRH	Double Robe Hook	polished chrome	198
			standard	248
			special .	277
710-			premium	327
	77-STP	Single Post Toilet Paper / Hand Towel Holder	polished chrome	220
			standard	275
			special	308
			premium	363
1	77-VTP	Vertical Spare Toilet Paper Holder	polished chrome	215
			standard	269
			special .	301
2			premium	355
	9401	Single Paper Holder with Shelf	polished chrome	258
		all brass construction	standard	323
		 paper holder arm is in fixed position 6-1/2" x 4" shelf 	special	361
		O-11/2 AT SHEII	premium	426

- for coordinated deck, wall and floor mounted tub fillers, see Tub Fillers section starting on page 384
- for complete showerhead and handshower options, see Shower section starting on page 420
- \bullet for complete shower arm options, see Shower section starting on page 43 l
- coordinated cabinet hardware starting on page 487

TERRA MAR®

78 SERIES









8" Wi • 8-| • 6" • |/2

DESCRIPTION

8" Widespread Lavatory Faucet with ZeroDrain®

- 8-1/8" overall height
- 6" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" pop-down style ZeroDrain® assembly
- 1.2 gpm water saving aerator



FINISH





7802RZB



PRICE





- 8-1/8" overall height
- 6" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" all brass touch style pop-up drain assembly
- 1.2 gpm water saving aerator





polished chrome 1295 standard 1619 special 1813 premium 2137



MODEL	DESCRIPTION	FINISH	PRICE
TO-V7801-7	Single Handle Lavatory Wall Faucet Trim Only	polished chrome	727
	• 6-5/16" spout wall to center	standard	909
	single handle allows for volume & temperature control at any position	special	1018
	1.2 gpm water saving aerator	premium	1200
	Order drain separately. See pages 480-482 for all drain options		
	including ZeroDrain®.		
	REQUIRES ROUGH VALVE:	SHV-R	405
	for more details, see pages 496-498		
TO-V7801-9	Single Handle Lavatory Wall Faucet Trim Only	polished chrome	737
	·	polished chrome standard special premium I VALVE: SHV-R polished chrome standard special premium I VALVE: VL-R polished chrome standard special premium	921
			1032
		premium	1216
	-	CHV B	405
	for more details, see pages 496-498	3H V-K	705
TO-V7802-7	Two Handle Lavatory Wall Faucet Trim Only	polished chrome	849
		•	1061
	1.2 gpm water saving aerator	special	1189
	Order drain separately. See pages 480-482 for all drain options	·	1401
		·	
	REQUIRES ROUGH YALVE:	VL-R	380
	for more details, see pages 496-498		
TO-V7802R-7	Two Handle Lavatory Wall Faucet Trim Only	polished chrome	849
	6-5/16" spout wall to center		1061
TO-V7801-9 Single Handle Lavatory Wall Faucet Trim Only • 8-5/16' spout wall to center • single handle allows for volume & temperature control at any position • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain*. TO-V7802-7 Two Handle Lavatory Wall Faucet Trim Only • 6-5/16' spout wall to center • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain*. TO-V7802R-7 Two Handle Lavatory Wall Faucet Trim Only • 6-5/16' spout wall to center • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain*. TO-V7802-9 Two Handle Lavatory Wall Faucet Trim Only • 8-5/16' spout wall to center • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain*. TO-V7802-9 Two Handle Lavatory Wall Faucet Trim Only • 8-5/16' spout wall to center • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain*. TO-V7802-9 Two Handle Lavatory Wall Faucet Trim Only • 8-5/16' spout wall to center • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain*.	•	1189	
	Order drain separately. See pages 480-482 for all drain options	premium	1401
	including ZeroDrain®.		
	REQUIRES ROUGH VALVE	VI -R	380
	for more details, see pages 496-498		500
TO 1/7000		polishod	0/0
1O-V7802-9		polished chrome	860
	· ·	standard	1075 1204
		special	1419
		premium	1417
	including ZeroDrain®.		
	REQUIRES ROUGH VALVE:	VL-R	380
	for more details, see pages 496-498		
TO-V7802R-9	Two Handle Lavatory Wall Faucet Trim Only	polished chrome	860
	•	standard	1075
	1.2 gpm water saving aerator	special	1204
	Order drain separately. See pages 480-482 for all drain options	premium	1419
	including ZeroDrain®.		
	REQUIRES ROUGH VALVE:	VL-R	380
	for more details, see pages 496-498		

	MODEL	DESCRIPTION	FINISH	PRICE
	TO-THN-77	StyleTherm® 3/4" Thermostatic Trim Only	polished chrome	486
		all brass construction	standard	608
		 100° F safety stop button with manual override 	special	680
		• separate volume control required	premium	802
		• 7-1/4" round faceplate		
		See Shower & Luxury Drain Sections to complete shower.		
		REQUIRES ROUGH VALVE: for more details, see pages 496-498	THT75-R	695
	TO-THCN-77	StyleTherm® 3/4" Thermostatic Trim Only	polished chrome	524
		all brass construction	standard	655
		100° F safety stop button with manual override	special	734
		separate volume control required	premium	865
		• 7-7/8" by 5-7/8" rectangular faceplate		
		See Shower & Luxury Drain Sections to complete shower.		
		REQUIRES ROUGH VALVE:	THT75-R	695
		for more details, see pages 496-498		
	TO-THFN-77	StyleTherm® 3/4" Thermostatic Trim Only	polished chrome	623
		all brass construction	standard	779
n n		100° F safety stop button with manual override	special	872
		separate volume control required 5-1/2" square faceplate; flat profile	premium	1028
		See Shower & Luxury Drain Sections to complete shower.		
The state of the s		REQUIRES ROUGH VALVE: for more details, see pages 496-498	THT75-R	695
_	TO-THIL-77		polished chrome	495
	10-11112-77	StyleTherm® Trim Only with Single Volume Control • all brass construction	standard	619
		100° F safety stop button with manual override	special	693
() n		single integral volume control	premium	817
2 (• 7-1/4" round faceplate	'	
		See Shower & Luxury Drain Sections to complete shower.		
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	THT51-R	549
		for more details, see pages 496-498	THT51D2-R	679
	TO-THCIL-77	StyleTherm® Trim Only with Single Volume Control	polished chrome	533
		all brass construction	standard	666
		100° F safety stop button with manual override integral values apartial	special	746
		 single integral volume control 7-7/8" by 5-7/8" rectangular faceplate 	premium	879
		See Shower & Luxury Drain Sections to complete shower.		
		DECLURES ONE OF THE FOLLOWING POLICY WAYES	TUTCIP	F40
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498	THT51-R THT51D2-R	549 679
	TO THE			
The second second	TO-THFIL-77	StyleTherm® Trim Only with Single Volume Control	polished chrome standard	632 790
		 all brass construction 100° F safety stop button with manual override 		790 885
		single integral volume control	special	1043
m			premium	1043
		5-1/2" square faceplate; flat profile		
		 5-1/2" square faceplate; flat profile See Shower & Luxury Drain Sections to complete shower. 		
			THT51-R	549

TO-TH2L-77 StyleTherm* Trim Only with Dual Volume Control a lorsas construction 1 (10) F safety spep bulbane with manual override 2 dual integral volume controls 3 L. 71 Ff result despites See Shower & Luxury Drain Sections to complete shower. REQUIRES ONE OF THE FOLLOWING ROUGH VALVES. If remore details, see pages 470-476 TH752D2.R TH752D2.R TH752D2.R TH752D2.R TH752D2.R TH752D2.R TH752D2.R TH752D2.R TH752D2.R TO-THE2L-77 StyleTherm* Trim Only with Dual Volume Control 1 (10) F safety seep bulbon with manual override 2 (10) F safety recompanie dualpalia See Shower & Luxury Drain Sections to complete shower. REQUIRES ONE OF THE FOLLOWING ROUGH VALVES. For more details, use pages 470-476 TH752D2.R TH752D		MODEL	DECORIDATION	FINISH	PRICE
a branz communication 1 (10) F selds year bullation with manual override 1 (10) F selds year bullation with manual override 1 (10) F selds year bullation with manual override 2 (17) F year of branze reminister 1 (10) F selds year bullation with manual override 2 (10) F selds year bullation with manual override 1 (10) F selds year bullation with manual override 1 (10) F selds year bullation with manual override 1 (10) F selds year bullation with manual override 1 (10) F selds year bullation with manual override 2 (10) F selds year bullation with manual override 2 (10) F selds year bullation with manual override 3 (10) F selds year bullation with manual override 2 (10) F selds year bullation with manual override 3 (10) F selds year bullation with manual override 4 (10) F selds year bullation with manual override 5 (10) F selds year bullation with manual override 4 (10) F selds year bullation with manual override 5 (10) F selds year bullation with manual override 5 (10) F selds year bullation with manual override 6 (10) F selds year bullation with manual override 1 (10) F selds year bullation with manual override 1 (10) F selds year bullation with manual override 2 (10) F selds year bullation with manual override 2 (10) F selds year bullation with manual override 3 (10) F selds year bullation with manual override 4 (10) F selds year bullation with manual override 5 (10) F selds year bullation with manual override 2 (10) F selds year bullation with manual override 3 (10) F selds year bullation with manual override 4 (10) F selds year bullation year bull year bullation year		MODEL	DESCRIPTION		
- 100P Falley stop before with minutal overrice - valid integra fourthment of the standard of		TO-TH2L-77	StyleTherm® Trim Only with Dual Volume Control	•	504
- dual integral volume controls - 7-1/14" count diseases See Shower & Luxury Drain Sections to complete shower. REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: For more decade, see pages 476-498 TO-THC2L-77 StyleTherm® Trim Only with Dual Volume Control - 100" leads special appearance controls - 101" leads control 102" by 780" rectangular fracepite - 103" by 780" rectangular fracepite for decade, see pages 476-498 TO-THF2L-77 StyleTherm® Trim Only with Dual Volume Control - 103" by 780" rectangular fracepite flat profile - 103" by 780" rectangular fracepite flat profile - 1040" by 780 trim or controls - 105" by 780" rectangular fracepite flat profile - 105" by 780" rectangular f					630
7-1-M Tourid faceplates See Shower & Luxury Drain Sections to complete shower. **REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 476-498 THT52D2-R **THT52D2-R **THT52D2				•	706
See Shower & Luxury Drain Sections to complete shower. REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 196-498 TO-THC2L-77 StyleTherm® Trim Only with Dual Volume Control - all brass construction - 100° F talety stop button with manual override - dual integral volume cornors - 1.778° by 3-788° rectangular faceplates See Shower & Luxury Drain Sections to complete shower. REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TO-THF2L-77 StyleTherm® Trim Only with Dual Volume Control - all brass construction - 1.00° F safety stop button with manual override - dual integral volume control - all brass construction - 1.00° F safety stop button with manual override - dual integral volume control - volume details, see pages 496-498 - SP-W-R - WOVAN - VOVAN - VOVA				premium	832
TO-THC2L-77 StyleTherm® Trim Only with Dual Volume Control 1 all brass construction 1 (100° F safety stop button with manual override 1 chall impair volume controls 2 To-THF2L-77 StyleTherm® Trim Only with Dual Volume Control 2 chall impair volume controls 3 chall impair volume controls 2 chall impair volume controls 3 chall impair volume controls 4 all brass construction 1 To-THF2L-77 StyleTherm® Trim Only with Dual Volume Control 2 all brass construction 1 100° F safety step button with manual override 2 chall impair volume controls 2 chall freight step button with manual override 3 chall impair volume controls 4 all brass construction 1 100° F safety step button with manual override 2 chall impair volume controls 3 chall freight step button with manual override 3 chall impair volume controls 4 chall impair volume controls 5 ces Shower & Luxury Drain Sections to complete shower. REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: 5 for more details, see pages 470-498 TO-77-W Wall or Deck Handle Trim Only 1 base dimension 2-1/41 x 2-1/4* 2 use for wall stop, wall diverser or deck diverter For more details, see pages 470-498 TO-77R-W Wall Handle Trim Only 2 butter for wall stop, wall diverser or deck diverter For more details, see pages 470-498 TO-77R-W Wall Handle Trim Only 2 base dimension 2-1/41 x 2-1/4 3 use for wall stop or wall overter For more details, see pages 470-498 TO-78R-V Pressure Balance Trim Only 3 for more details, see pages 470-498 TO-PBL-77 Pressure Balance Trim Only 5 for rinore details, see pages 470-498 TO-PBL-77 Pressure Balance Trim Only 5 for doorer only 5 for more details, see pages 470-498 To-PBL-77 Pressure Balance Trim Only 5 for rinore details, see pages 470-498 To-PBL-77 Pressure Balance Trim Only 5 for doorer only 5 f			·		
TO-THC2L-77 StyleTherm® Trim Only with Dual Volume Control • all breas construction • 100° F steley stop button with manual override • dual integral volume controls • 1778 by 578° rectungular disopate See Shower & Luxury Drain Sections to complete shower. REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: For more details, see pages 496-498 TO-THF2L-77 StyleTherm® Trim Only with Dual Volume Control • 101° F seley stop button with manual override • dual integral volume controls • 65716° by 5-10° rectangular faceplate; flat profile See Shower & Luxury Drain Sections to complete shower. REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: For more details, see pages 496-498 TO-77-W Wall or Deck Handle Trim Only • base dimension 2-147° x 2-147° • use for wall stop wall diverter or deck diverter REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: For more details, see pages 496-498 TO-77R-W Wall Handle Trim Only • base dimension 2-147° x 2-147° • use for wall stop or wall diverter or deck diverter REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: For more details, see pages 496-498 To-77R-W Wall Handle Trim Only • base dimension 2-147° x 2-147° • use for wall stop or wall diverter REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: For more details, see pages 496-498 To-77R-W Pressure Balance Trim Only • for shower only • for sh			See Shower & Luxury Stain Sections to complete shower.		
TO-THC2L-77 StyleTherm® Trim Only with Dual Volume Control • all breas construction • loft F safety sup button with manual overrice • description of the treat guider faceplate in the profile special premium TO-THF2L-77 TO-THF2L-77 TO-THF2L-77 StyleTherm® Trim Only with Dual Volume Control • all loars construction			REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	THT52-R	619
** all brass construction ** 100° Face stop button with manual override ** dold if integral volume controls ** 7-178 by 5-176 rectangular facepatic ** ** To-THF2L-77 ** The Third rectangular facepatic ** ** To-THF2L-77 ** Style-Therm® Trim Only with Dual Volume Control ** all brass construction ** 100° Facept yeap button with manual override ** double integral volume control			for more details, see pages 496-498	THT52D2-R	779
** all brass construction ** 100° Faige stop button with manual override ** dual integral volume controls ** 7-178 by 5-178′ rectangular facepatic ** To-THF2L-77 **To-THF2L-77 **StyleTherm® Trim Only with Dual Volume Control ** all brass construction ** 100° Faige y stop button with manual override ** dual integral volume control ** See Shower & Luxury Drain Sections to complete shower. ** REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: ** for more details, see pages 490-498 ** THT52D2-R ** TO-77-W ** Wall or Deck Handle Trim Only ** base dimension 2-14" x 2-14" ** use for wall stop, wall diverter or dock diverter ** REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: ** for more details, see pages 490-498 ** TS-W-R ** WOV-N-S-R ** TO-77R-W ** Wall Handle Trim Only ** base dimension 2-14" x 2-14" ** use for wall stop or wall diverter ** REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: ** for more details, see pages 490-498 ** TS-W-R ** WOV-N-S-R ** TO-PBL-77 ** Pressure Balance Trim Only ** for shower conty ** sortewiess facepates ** standard ** sortewiess facepates ** standard ** sortewiess facepates ** standard ** sortewiess facepates ** Sortewiess facepates ** standard ** special ** premium ** standard ** special ** standard ** special ** standard ** special ** special ** standard ** special ** special ** standard ** special ** sp		TO-THC21-77	StyleThorm® Trim Only with Dual Volume Central	polished chrome	542
** IQU'E Safety stop button with manual override ** due integral valueme controls ** 7-7/8" by 5-7/8" rectangular faceplate **See Shower & Luxury Drain Sections to complete shower. **REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: **pressive standard** **pressive st		10-111C2E-11		•	678
PIPE by 5-7/8" recapitate **PIPE by 5-7/8" recapitate **See Shower & Luxury Drain Sections to complete shower. **REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: **for more details, see pages 490-498 **THT52D-R **TO-THF2L-77 **StyleTherm® Trim Only with Dual Volume Control **all brass construction **100° Fasfey stop button with manual override **dual integral volume controls **for more details, see pages 490-498 **THT52D2-R **THT52					759
See Shower & Luxury Drain Sections to complete shower. REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TO-THF2L-77 StyleTherm® Trim Only with Dual Volume Control all brass construction - 100° F safety stop button with manual override - dual integral volume controls - 6-67 fof "by 5-110" rectangular faceplate. flat profile See Shower & Luxury Drain Sections to complete shower. REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 THT52D-R TO-77-W Wall or Deck Handle Trim Only - base dimension 2-1/4" x 2-1/4" - use for wall stop, wall diverter or deck diverter REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TO-77R-W Wall Handle Trim Only - base dimension 2-1/4" x 2-1/4" - use for wall stop or wall diverter REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: For more details, see pages 496-498 TO-77R-W Polished chrome standard special premium REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TO-78W-WDV-NS-R TO-PBL-77 Pressure Balance Trim Only - for shower only - screwless facepate - screwl	(n		, ,	•	894
TO-THF2L-77 StyleTherm® Trim Only with Dual Volume Control all brass construction - 100° F selfeys yasp button with manual override - dual integral volume controls - 6.041° by 5-1/2* rectangular faceplate, flat profile See Shower & Luxury Drain Sections to complete shower. REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TO-77-W Wall or Deck Handle Trim Only - base dimension 2-1/4" x 2-1/4" - use for wall stop, wall diverter or deck diverter REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TO-77R-W Wall Handle Trim Only - base dimension 2-1/4" x 2-1/4" - use for wall stop or wall diverter or deck diverter REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 WDV-NS-R TO-77R-W REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TO-77R-W Polished chrome standard special premium REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TO-77R-W Polished chrome standard special premium Polished chrome standard special premium REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TO-PBL-77 Pressure Balance Trim Only - sorewless faceplate - sorewless faceplat			• 7-7/8" by 5-7/8" rectangular faceplate	premian	071
TO-THF2L-77 Style Therm® Trim Only with Dual Volume Control • all brass construction • (100° F salety stop button with manual override • dual integral volume controls • 6-5/16° by 5-1/2" rectangular faceplate; flat profile See Shower & Luxury Drain Sections to complete shower. REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TO-77-W Wall or Deck Handle Trim Only • base dimension 2-1/4" x 2-1/4" • use for wall stop, wall diverter or deck diverter REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TS-W-R WDV-N-S-R TO-77R-W Wall Handle Trim Only • base dimension 2-1/4" x 2-1/4" • use for wall stop or wall diverter REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TS-W-R WDV-N-S-R TO-PBL-77 Pressure Balance Trim Only • for shower only • screwless faceplate • 2 x 10° in the step and stop as a standard special special special special special special			See Shower & Luxury Drain Sections to complete shower.		
TO-THF2L-77 Style Therm® Trim Only with Dual Volume Control • all brass construction • (100° F salety stop button with manual override • dual integral volume controls • 6-5/16° by 5-1/2" rectangular faceplate; flat profile See Shower & Luxury Drain Sections to complete shower. REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TO-77-W Wall or Deck Handle Trim Only • base dimension 2-1/4" x 2-1/4" • use for wall stop, wall diverter or deck diverter REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TS-W-R WDV-N-S-R TO-77R-W Wall Handle Trim Only • base dimension 2-1/4" x 2-1/4" • use for wall stop or wall diverter REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TS-W-R WDV-N-S-R TO-PBL-77 Pressure Balance Trim Only • for shower only • screwless faceplate • 2 x 10° in the step and stop as a standard special special special special special special					
TO-THF2L-77 StyleTherm® Trim Only with Dual Volume Control • all brass construction • loop* Fastey stop button with manual override • dual integral volume controls • 6-5/16* by 5-1/2" rectangular faceplate; flat profile See Shower & Luxury Drain Sections to complete shower. REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TO-77-W Wall or Deck Handle Trim Only • base dimension 2-1/4" x 2-1/4" • use for wall stop, wall diverter or deck diverter REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TO-77R-W Wall Handle Trim Only • base dimension 2-1/4" x 2-1/4" • use for wall stop or wall diverter TO-77R-W REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TO-77R-W TO-77R-W Polished chrome standard special premium REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TO-77R-W TO-77R-W TO-77R-W TO-77R-W Pressure Balance Trim Only • for shower only • screwless facepatise 1 of or shower only • screwless facepatise TO-PBL-77					619
all brass construction 1,00° Fs afety stop button with manual override special premium			for those details, see pages 470-470	1H132D2-K	779
**all brass construction 1.00° Fs afety stop button with manual override special premium		TO-THF2L-77	StyleTherm® Trim Only with Dual Volume Control	polished chrome	641
TO-77R-W Wall Handle Trim Only base dimension 2-1/4" x 2-1/4" cuse for wall stop or wall sto				standard	801
Bee Shower & Luxury Drain Sections to complete shower. **REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 THTS2D-2R **TO-77-W** **Wall or Deck Handle Trim Only** ** base dimension 2-1/4" x 2-1/4" ** use for wall stop, wall diverter or deck diverter **REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TS-W-R WDV-NS-R **TO-77R-W** **Wall Handle Trim Only** ** base dimension 2-1/4" x 2-1/4" ** use for wall stop or wall diverter **REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TS-W-R WDV-NS-R **REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TS-W-R WDV-NS-R **TO-77R-W** **PO-77R-W** **PO-77R-W-R WDV-NS-R **PO-77R-W-R			· ·	special	897
See Shower & Luxury Drain Sections to complete shower. REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 THT52D2-R Polished chrome standard special premium REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 T5-W-R WDV-NS-R TO-77R-W Wall Handle Trim Only • base dimension 2-1/4" x 2-1/4" • use for wall stop or wall diverter REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 T5-W-R WDV-NS-R REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: special premium REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 T5-W-R WDV-NS-R TO-PBL-77 Pressure Balance Trim Only • for shower only • screwless faceplate • 27.1/4" to must foresalte			· ·	premium	1058
TO-77-W Wall or Deck Handle Trim Only • base dimension 2-1/4* x 2-1/4* • use for wall stop, wall diverter or deck diverter REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TO-77R-W Wall Handle Trim Only • base dimension 2-1/4* x 2-1/4* • use for wall stop or wall diverter REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TO-PBL-77 Pressure Balance Trim Only • for shower only • screwless faceplate • 7.4 ** Company the standard special					
TO-77-W Wall or Deck Handle Trim Only • base dimension 2-1/4" x 2-1/4" • use for wall stop, wall diverter or deck diverter REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TO-77R-W Wall Handle Trim Only • base dimension 2-1/4" x 2-1/4" • use for wall stop or wall diverter TO-77R-W REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TO-PBL-77 Pressure Balance Trim Only • for shower only • screwless faceplate • Standard special polished chrome standard special polished chrome standard special polished chrome standard special			See Shower & Luxury Drain Sections to complete shower.		
TO-77-W Wall or Deck Handle Trim Only • base dimension 2-1/4" x 2-1/4" • use for wall stop, wall diverter or deck diverter REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TO-77R-W Wall Handle Trim Only • base dimension 2-1/4" x 2-1/4" • use for wall stop or wall diverter REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TO-PBL-77 Pressure Balance Trim Only • for shower only • screwless faceplate • 21/4" see pages 496-498 TO-PBL-77 Pressure Balance Trim Only • for shower only • screwless faceplate • 21/4" see pages 496-498 polished chrome standard special			REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	THT52-R	619
TO-PBL-77 • base dimension 2-1/4" x 2-1/4" • use for wall stop, wall diverter or deck diverter • use for wall stop, wall diverter or deck diverter REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TO-77R-W Wall Handle Trim Only • base dimension 2-1/4" x 2-1/4" • use for wall stop or wall diverter REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TO-PBL-77 Pressure Balance Trim Only • for shower only • screwless acceplate • special • special • special • special • special			for more details, see pages 496-498	THT52D2-R	779
** base dimension 2-1/4" x 2-1/4" ** use for wall stop, wall diverter or deck diverter ** special premium ** REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 ** TO-77R-W ** Wall Handle Trim Only ** base dimension 2-1/4" x 2-1/4" ** use for wall stop or wall diverter ** REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 ** REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 ** To-PBL-77 ** Pressure Balance Trim Only ** for shower only ** screwless faceplate ** Somewises facepl		TO-77-W	Wall or Dock Handle Trim Only	polished chrome	280
TO-77R-W Wall Handle Trim Only • use for wall stop, wall diverter or deck diverter REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 To-77R-W Wall Handle Trim Only • base dimension 2-1/4" x 2-1/4" • use for wall stop or wall diverter REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 To-PBL-77 Pressure Balance Trim Only • for shower only • screwless faceplate • screwless faceplate special premium Pressure Balance Trim Only • screwless faceplate • special premium polished chrome standard special special special		10-77-44	•	·	350
REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TO-77R-W Wall Handle Trim Only • base dimension 2-1/4" x 2-1/4" • use for wall stop or wall diverter REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TO-PBL-77 Pressure Balance Trim Only • for shower only • screwless faceplate • screwless faceplate • screwless faceplate • screwless faceplate • special premium					392
REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TO-77R-W Wall Handle Trim Only • base dimension 2-1/4" × 2-1/4" • use for wall stop or wall diverter REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TO-PBL-77 Pressure Balance Trim Only • for shower only • screwless faceplate • 7.1 Will "part forcelets" \$0.W-R WDV-R WDV-NS-R				·	462
TO-77R-W Wall Handle Trim Only • base dimension 2-1/4" x 2-1/4" • use for wall stop or wall diverter REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TO-PBL-77 Pressure Balance Trim Only • for shower only • screwless Fallonger • standard special premium TO-PBL-77 Pressure Balance Trim Only • for shower only • screwless Fallonger • 7, 1/4" paragrafeste To-PBL-77 Pressure Balance Trim Only • screwless Fallonger • 7, 1/4" paragrafeste • 7, 1/4" paragrafeste • 7, 1/4" paragrafeste				F	
TO-77R-W Wall Handle Trim Only • base dimension 2-1/4" × 2-1/4" • use for wall stop or wall diverter REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TO-PBL-77 Pressure Balance Trim Only • for shower only • screwless faceplate • 1/4" revue ficeplate • 2 1/4" revue ficeplate • 2 1/4" revue ficeplate • 3 1/4" revue ficeplate			REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	50-W-R	169
TO-77R-W Wall Handle Trim Only • base dimension 2-1/4" x 2-1/4" • use for wall stop or wall diverter REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TO-PBL-77 Pressure Balance Trim Only • for shower only • screwless for page formulate • 1/4" requested to the policy of			for more details, see pages 496-498	75-W-R	215
TO-77R-W Wall Handle Trim Only • base dimension 2-1/4" × 2-1/4" • use for wall stop or wall diverter REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TO-PBL-77 Pressure Balance Trim Only • for shower only • screwless faceplate • screwless faceplate • \$7.1/4" moved firesplate					339
base dimension 2-1/4" × 2-1/4" use for wall stop or wall diverter REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 WDV-NS-R TO-PBL-77 Pressure Balance Trim Only for shower only standard special premium TO-PBL-77 Pressure Balance Trim Only for shower only standard special				WDV-NS-R	349
base dimension 2-1/4" × 2-1/4" use for wall stop or wall diverter REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 WDV-NS-R TO-PBL-77 Pressure Balance Trim Only for shower only standard special premium TO-PBL-77 Pressure Balance Trim Only for shower only standard special					
* use for wall stop or wall diverter ** use for wall stop or wall diverter Premium		TO-77R-W	Wall Handle Trim Only	polished chrome	280
REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 TO-PBL-77 Pressure Balance Trim Only • for shower only • screwless faceplate • 7 I M!" payed formulate premium Premium To-W-R WDV-R WDV-NS-R Polished chrome standard special			• base dimension 2-1/4" × 2-1/4"	standard	350
TO-PBL-77 Pressure Balance Trim Only • for shower only • special • 7 J Mill provide feedbate • 7 J Mill provide feedbate • 1 J Mill provide feedbate • 1 J Mill provide feedbate • 2 J Mill provide feedbate • 3 J Mill provide feedbate • 3 J Mill provide feedbate			use for wall stop or wall diverter	special	392
TO-PBL-77 Pressure Balance Trim Only • for shower only • screwless faceplate • 7 I M!" round formlets				premium	462
TO-PBL-77 Pressure Balance Trim Only • for shower only • screwless faceplate • 7 I M!" round formlets				standard special premium VALVES: THT52-R THT52D2-R Fol polished chrome standard special premium VALVES: THT52-R THT52D2-R Fol polished chrome standard special premium VALVES: THT52-R THT52D2-R Fol polished chrome standard special premium VALVES: S0-W-R T5-W-R WDV-NS-R VALVES: S0-W-R T5-W-R WDV-NS-R VALVES: S0-W-R T5-W-R WDV-NS-R Polished chrome standard special premium VALVES: S0-W-R T5-W-R WDV-NS-R Polished chrome standard special premium VALVES: S0-W-R T5-W-R WDV-NS-R Polished chrome standard special premium VALVES: S0-W-R T5-W-R WDV-NS-R Polished chrome standard special premium Polished chrome standard special premium Polished chrome standard special premium Polished chrome standard special premium	
TO-PBL-77 Pressure Balance Trim Only • for shower only • screwless faceplate • 7 I M'' yound foreplate					169
TO-PBL-77 Pressure Balance Trim Only • for shower only • standard • special • T. I.M. pund formetts			for more details, see pages 476-478		215 339
TO-PBL-77 Pressure Balance Trim Only • for shower only • standard • special • 7 I M! pound formulate • 7 I M! pound formulate					349
• for shower only • screwless faceplate • 7 I M!" pound foculate				***************************************	317
• for shower only • screwless faceplate • 7 I M!" pound foculate					
• screwless faceplate special		TO-PBL-77	-	•	419
• 7 I/I'' mund faceplate	100		, ,		524
nremilim	610		·		587 691
pichilan				premium	671
REQUIRES ROUGH VALVE: PBI-R			REOUIRES ROUGH VALVE:	PBI-R	255
for more details, see pages 496-498					200
TO PROLITY Devices Bulletin Time C. I.		TO DESI 77	Dual Buranus Balance Tito Octo	polished chromo	419
Dual Pessare Bulance IIIII Siny		1O-PB2L-77	-	•	524
contains the mapper active access (e.g. tabismore)			, , , , , , , , , , , , , , , , , , , ,		
• agranulate fragalists	46		· ·	•	587 691
• 7-1/4" round faceplate			·	premium	ולס
REQUIRES ROUGH VALVE: PB2-R	The second second				
	1		REQUIRES ROUGH VAI VE-	PB2-R	355

DESCRIPTION FINISH PRICE 2 Handle Tub or Shower Trim Only polished chrome 560 standard 700 See Shower & Luxury Drain Sections to complete shower. 784 special TO-7706RL TO-7706L 924 premium Lever Handle Rectangle Handle **REQUIRES ROUGH VALVE:** 2-VR 419 for more details, see pages 496-498 TS-72 **Wall Tub Spout** polished chrome 382 6-5/16" wall to center standard 478 • 1/2" FIP inlet 535 special • max flow rate: 8 gpm at 60 psi 630 premium • for series: 78 • for use with StyleTherm, PB2-R or 2-VR valves D-72 **Deluxe Wall Tub Spout** polished chrome 406 • 8-5/16" wall to center standard 508 • 1/2" FIP inlet 568 special • max flow rate: 8 gpm at 60 psi premium 670 • for series: 78 • for use with StyleTherm, PB2-R or 2-VR valves polished chrome 1824 **Complete Roman Tub Set** • 10-7/16" overall height 2280 standard • 9" spout center to center 2554 special • max flow rate: 10 gpm at 60 psi 3010 premium • comes as a complete set with trim and valves Order drain separately. See page 483 for all drain options including ZeroDrain®. Installation of upstream tempering device may be required. Verify local codes. 7808 Rectangle Handle Lever Handle Complete Handshower & Diverter Set for Roman Tub polished chrome 1150 • HS-72 handshower standard 1438 · comes as a complete set with trim and valve special 1610 • replace .FR with desired max flow rate: premium 1898 XX.72.20 for 2.0 gpm 77.72.FR 77R.72.FR XX.72.18 for 1.8 gpm Lever Handle Rectangle Handle 7704-I Single Hole Bidet polished chrome 987 • 4-3/8" spout center to center standard 1234 · ceramic mixing cartridge special 1382 • swivel end spray premium 1629 • 1-1/4" all brass touch style pop-up drain assembly

	MODEL	DESCRIPTION	FINISH	PRICE
	9128-77	Slide Bar Handshower Kit - Cylinder Handle with Square Base • kit includes: x SH-10-77 (wall supply elbow) x HS-68 (68" handshower hose) x SB-77 (wall mounted slide bar)	polished chrome standard special premium	1054 1319 1476 1740
	9128-GB24-77	24" Grab Bar Handshower Kit - Lever Handle with Square Base • kit includes: x SH-10-77 (wall supply elbow) x HS-68 (68" handshower hose) x 9424S-77 (24" grab bar with slide)	polished chrome standard special premium	1222 1529 1711 2017
	9128-GB30-77	30" Grab Bar Handshower Kit - Lever Handle with Square Base • kit includes: x SH-10-77 (wall supply elbow) x HS-68 (68" handshower hose) x 9430S-77 (30" grab bar with slide)	polished chrome standard special premium	1295 1620 1813 2138
	9125-72	Wall Mounted Handshower Kit - Rectangle • kit includes: I × SH-10-72 (wall supply elbow) I × SH-20-72 (wall handshower bracket) I × HS-68 (68" handshower hose) suggested to match series: 70, 77, 78 & E3	polished chrome standard special premium	450 564 630 744
	9125-77	Wall Mounted Handshower Kit - Square • kit includes: I × SH-10-77 (wall supply elbow) I × SH-20-77 (wall handshower bracket) I × HS-68 (68" handshower hose) suggested to match series: 70, 77, 78 & E3	polished chrome standard special premium	450 564 630 744
	9125S-77	Swivel Wall Mounted Handshower Kit - Square • kit includes: I × SH-10-77 (wall supply elbow) I × SH-20S-77 (wall handshower holder) I × HS-68 (68" handshower hose) suggested to match series: 70, 77, 78 & E3	polished chrome standard special premium	515 645 721 851
9	9126-77	Wall Mounted Handshower Kit - Square • kit includes: I × SH-25-77 (wall supply & handshower holder) I × HS-68 (68" handshower hose) suggested to match series: 70, 77, 78 & E3	polished chrome standard special premium	344 431 482 568
9	9126-78	Wall Mounted Handshower Kit - Rectangle • kit includes: I × SH-25-78 (wall supply & handshower holder) I × HS-68 (68" handshower hose) suggested to match series: 70, 77, 78 & E3	polished chrome standard special premium	344 431 482 568
	9126S-77	Swivel Wall Mounted Handshower Kit - Square • kit includes: × SH-25S-77 (wall supply & handshower holder) × HS-68 (68" handshower hose) suggested to match series: 70, 77, 78 & E3	polished chrome standard special premium	449 562 629 741

TERRA MAR | 78 SERIES

MODEL	DESCRIPTION	FINISH	PRICE
78-18	18" Towel Bar	polished chrome standard special premium	264 330 370 436
78-24	24" Towel Bar	polished chrome standard special premium	275 344 385 454
78-30	30" Towel Bar	polished chrome standard special premium	287 359 402 474
78-TR	Towel Ring	polished chrome standard special premium	198 248 277 327
78-DRH	Double Robe Hook	polished chrome standard special premium	120 150 168 198
78-STP	Single Post Toilet Paper / Hand Towel Holder	polished chrome standard special premium	154 193 216 254

- for coordinated deck, wall and floor mounted tub fillers, see Tub Fillers section starting on page 384
- for complete showerhead and handshower options, see Shower section starting on page 420
- \bullet for complete shower arm options, see Shower section starting on page 43 l
- coordinated cabinet hardware starting on page 487



DESCANSO WORKS®

80/81 SERIES









DESCRIPTION

8" Widespread Lavatory Faucet with ZeroDrain®

- 4-5/16" overall height
- 5-7/16" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- I-1/4" pop-down style ZeroDrain® assembly
- 1.2 gpm water saving aerator





8002**Z**B

8002WZB Wheel Handle



8002WBZB Black Wheel Handle



8002WRZB Red Wheel Handle



1429 standard special 1601 premium 1886

PRICE 1143

FINISH

polished chrome

With ZeroDrain®





- 4-5/16" overall height
- 5-7/16" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" all brass touch style pop-up drain assembly
- 1.2 gpm water saving aerator

8002



8002W Wheel Handle



8002WB Black Wheel Handle



8002WR Red Wheel Handle



polished chrome 1079 standard 1349 special 1511 1780 premium

737

921

1032


1216

8" Widespread Lavatory Faucet with ZeroDrain®



DESCRIPTION

- 6" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" pop down style ZeroDrain® assembly










8102WBZB





PRICE

1079

1349

1511

1780

With ZeroDrain®



polished chrome

polished chrome

standard

premium

standard

premium

special

8" Widespread Lavatory Faucet

- 8-3/8" overall height
- 6" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- I-I/4" all brass touch style pop-up drain assembly

8102W

• 1.2 gpm water saving aerator















Single Hole Lavatory/Bar/Prep Faucet - Low Spout

- 10-1/16" overall height
- 5-5/16" spout center to center
- · ceramic mixing cartridge
- · 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.



8109-1 Ball Lever Handle









8109WR-I Red Wheel Handle



polished chrome 844 1055 standard special 1182 premium 1393

Single Hole Lavatory/Bar/Prep Faucet - High Spout

- 14-3/16" overall height
- 5-5/16" spout center to center
- · ceramic mixing cartridge
- 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.













800.822.8855 | californiafaucets.com

3-17-25



Single Handle Lavatory Wall Faucet Trim Only

- 6-5/16" spout wall to center
- single handle allows for volume & temperature control at any position
- · 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.



DESCRIPTION











	(II)	
•		
	-	

REQUIRES ROUGH VALVE:	SHV-R	405
for more details, see pages 496-498		

FINISH

standard

premium

special

polished chrome

PRICE

497

621

696

820



Single Handle Lavatory Wall Faucet Trim Only

- 8-5/16" spout wall to center
- single handle allows for volume & temperature control at any position
- 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.

polished chrome 508 635 standard 711 special premium 838











REQUIRES ROUGH VALVE:	S
for more details, see pages 496-498	

SHV-R 405



Two Handle Lavatory Wall Faucet Trim Only

- 6-5/16" spout wall to center
- 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.

polished chrome 886 standard 1240 special 1462 premium











REQUIRES ROUGH VALVE: for more details, see pages 496-498

380

Two Handle Lavatory Wall Faucet Trim Only

- 8-5/16" spout wall to center
- 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.

897 polished chrome standard 1121 special 1256 premium 1480



TO-V8002-9 Ball Lever Handle



TO-V8002W-9 Wheel Handle



TO-V8002WB-9 Black Wheel Handle



TO-V8002WR-9 Red Wheel Handle



REQUIRES ROUGH VALVE: for more details, see pages 496-498

VL-R

380

FINISH

standard

premium

special

polished chrome

polished chrome

polished chrome

standard

premium

special

standard

premium

special

PRICE

542

678

759

894

580

725

812

957

679

849

951

1120



StyleTherm® 3/4" Thermostatic Trim Only

- · all brass construction
- 100° F safety stop button with manual override
- separate volume control required
- 7-1/4" round faceplate

See Shower & Luxury Drain Sections to complete shower.

TO-THN-80 Ball Lever Handle

DESCRIPTION







TO-THN-80WB





REQUIRES ROUGH VALVE:	THT75-R	695
for more details, see pages 496-498		

StyleTherm® 3/4" Thermostatic Trim Only

- all brass construction
- 100° F safety stop button with manual override
- separate volume control required
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain Sections to complete shower.

TO-THCN-80











Co	

REQUIRES ROUGH VALVE:	THT75-R	695
for more details, see pages 496-498		



StyleTherm® 3/4" Thermostatic Trim Only

- all brass construction
- 100° F safety stop button with manual override
- separate volume control required
- 5-1/2" square faceplate; flat profile

See Shower & Luxury Drain Sections to complete shower.













REQUIRES ROUGH VALVE:
for more details, see pages 496-498

THT75-R

695

DESCANSO WORKS	5 80/81 SERIES		
	DESCRIPTION	FINISH	PRICE
	StyleTherm® Trim Only with Single Volume Control all brass construction 100° F safety stop button with manual override single integral volume control 7-1/4" round faceplate See Shower & Luxury Drain Sections to complete shower. TO-THIL-80 Ball Lever Handle Wheel Handle TO-THIL-80WR Red Wheel Handle Red Wheel Handle	polished chrome standard special premium	551 689 771 909
	REQUIRES ONE OF THE FOLLOWING ROUGH VALVES	: THT51-R	549
	for more details, see pages 496-498		679
	StyleTherm® Trim Only with Single Volume Control all brass construction 100° F safety stop button with manual override single integral volume control 7-7/8" by 5-7/8" rectangular faceplate See Shower & Luxury Drain Sections to complete shower.	polished chrome standard special premium	589 736 825 972
	TO-THCIL-80 Ball Lever Handle Wheel Handle Wheel Handle TO-THCIL-80WB Black Wheel Handle Red Wheel Handle		
	REQUIRES ONE OF THE FOLLOWING ROUGH VALVES for more details, see pages 496-498		549 679
de	StyleTherm® Trim Only with Single Volume Control • all brass construction • 100° F safety stop button with manual override • single integral volume control • 5-1/2" square faceplate; flat profile See Shower & Luxury Drain Sections to complete shower.	polished chrome standard special premium	688 860 963 1135
	TO-THFIL-80 Ball Lever Handle Wheel Handle TO-THFIL-80W Wheel Handle TO-THFIL-80WB Black Wheel Handle Red Wheel Handle		
	REQUIRES ONE OF THE FOLLOWING ROUGH YALVES for more details, see pages 496-498		549 679

FINISH

standard

premium

THT52-R

standard

premium

THT52D2-R

polished chrome

polished chrome

standard

premium

special

special

polished chrome

PRICE

560

700

784

924

619

779

598

748

837

987

697

87 I

976

1150




StyleTherm® Trim Only with Dual Volume Control

· all brass construction

DESCRIPTION

- $\bullet~$ 100° F safety stop button with manual override
- · dual integral volume controls
- 7-1/4" round faceplate



TO-TH2L-80W







TO-TH2L-80WB



TO-TH2L-80WR

100	The state of the s	-0
/		-

REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 496-498

- StyleTherm® Trim Only with Dual Volume Control • all brass construction
 - 100° F safety stop button with manual override
 - dual integral volume controls
 - 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain Sections to complete shower.













TO-THC2L-80WR Red Wheel Handle

REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	THT52-R	619
for more details, see pages 496-498	THT52D2-R	779

StyleTherm® Trim Only with Dual Volume Control

- all brass construction
- 100° F safety stop button with manual override
- · dual integral volume controls
- 6-5/16" by 5-1/2" rectangular faceplate; flat profile

See Shower & Luxury Drain Sections to complete shower.



TO-THF2L-80 Ball Lever Handle











REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 496-498

THT52-R 619 THT52D2-R 779


DESCRIPTION PRICE FINISH Wall or Deck Handle Trim Only polished chrome 301 • base diameter 2-5/16" standard 376 • use for wall stop, wall diverter or deck diverter 421 special 497 premium TO-80WB-W **TO-80-W TO-80W-W** TO-80WR-W Ball Lever Handle Wheel Handle Black Wheel Handle Red Wheel Handle REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: 50-W-R 169 for more details, see pages 496-498 75-W-R 215 WDV-R 339 WDV-NS-R 349 polished chrome 439 **Pressure Balance Trim Only** 549 · for shower only standard screwless faceplate special 615 • 7-1/4" round faceplate 724 premium TO-PBL-80 TO-PBL-80W TO-PBL-80WB TO-PBL-80WR Black Wheel Handle Ball Lever Handle Wheel Handle Red Wheel Handle **REOUIRES ROUGH VALVE:** PBI-R 255 for more details, see pages 496-498 polished chrome 439 **Dual Pressure Balance Trim Only** 549 • controls two independent outlet devices (e.g. tub/shower or shower/handshower) standard · single handle with markings for dual outlets 615 special • screwless faceplate 724 premium • 7-1/4" round faceplate TO-PB2L-80 TO-PB2L-80W TO-PB2L-80WB TO-PB2L-80WR Ball Lever Handle Wheel Handle Black Wheel Handle Red Wheel Handle **REQUIRES ROUGH VALVE:** PB2-R for more details, see pages 496-498 2 Handle Tub or Shower Trim Only polished chrome 602 standard 752 See Shower & Luxury Drain Sections to complete shower. 842 special 994 premium TO-8006L TO-8006WL **TO-8006WBL** TO-8006WRL Ball Lever Handle Wheel Handle Black Wheel Handle Red Wheel Handle **REQUIRES ROUGH VALVE:** 2-VR 419 for more details, see pages 496-498

1963

2198

2591

2591





Complete Roman Tub Set

- 6-5/16" overall height
- 8-5/8" spout center to center
- max flow rate: 16 gpm at 60 psi
- · comes as a complete set with trim and valves

Order drain separately. See page 483 for all drain options including ZeroDrain®. Installation of upstream tempering device may be required. Verify local codes.

8008 8008W 8008WB









1570 polished chrome standard 1963 2198 special

premium

standard

premium

special



Complete Roman Tub Set

- 12-3/16" overall height
- 8-15/16" spout center to center
- max flow rate: 16 gpm at 60 psi
- · comes as a complete set with trim and valves

W8018

Order drain separately. See page 483 for all drain options including ZeroDrain®. Installation of upstream tempering device may be required. Verify local codes.

8018 Ball Lever Handle











Complete Handshower & Diverter for Roman Tub

- HS-I5S handshower with smooth insert
- · comes as a complete set with trim and valve
- · replace .FR with desired max flow rate: XX.15S.20 for 2.0 gpm

XX.15S.18 for 1.8 gpm

80.15S.FR Ball Lever Handle





80W.15S.FR





polished chrome 1034 standard 1293 1448 special 1706 premium



80WR.15S.FR

328

DESCRIPTION PRICE FINISH Slide Bar Handshower Kit polished chrome 1054 standard 1319 · kit includes: $I \times SH-10-48$ (wall supply elbow) 1476 special I × HS-68 (68" handshower hose) 1740 premium I x slide bar with matching handle 9127-80 9127-80W 9127-80WB 9127-80WR Black Wheel Handle Red Wheel Handle Ball Lever Handle Wheel Handle 1180 24" Grab Bar Handshower Kit polished chrome kit includes: standard 1476 I x SH-10-45 (wall supply elbow) special 1652 I x HS-68 (68" handshower hose) premium 1948 I x 24" grab bar with slide and matching handle 9127-GB24-80 9127-GB24-80W 9127-GB24-80WB 9127-GB24-80WR Ball Lever Handle Wheel Handle Black Wheel Handle Red Wheel Handle polished chrome 1243 30" Grab Bar Handshower Kit kit includes: standard 1555 I x SH-10-45 (wall supply elbow) 1740 special I x HS-68 (68" handshower hose) premium 2052 I x 30" grab bar with slide and matching handle 9127-GB30-80WB 9127-GB30-80WR 9127-GB30-80 9127-GB30-80W Black Wheel Handle Ball Lever Handle Wheel Handle Red Wheel Handle 9125-45 Wall Mounted Handshower Kit - Concave polished chrome 450 kit includes standard 564 I x SH-10-45 (wall supply elbow) 630 special I × SH-20-45 (wall handshower holder) 744 premium $I \times HS$ -68 (68" handshower hose) suggested to match series: 30, 31, 45, 80 & 81 9125S-45 polished chrome 515 Swivel Wall Mounted Handshower Kit - Concave 645 standard kit includes I x SH-10-45 (wall supply elbow) 72 I special I x SH-20S-45 (wall handshower holder) premium 85 I I x HS-68 (68" handshower hose) suggested to match series: 30, 31, 45, 80 & 81 9126-45 polished chrome 344 Wall Mounted Handshower Kit - Concave 43 I standard kit includes: I × SH-25-45 (wall supply & handshower holder) 482 special I × HS-68 (68" handshower hose) 568 premium suggested to match series: 30, 31, 45, 48, 80 & 81 9126S-45 polished chrome 449 Swivel Wall Mounted Handshower Kit - Concave 562 kit includes: standard $I \times SH-25S-45$ (wall supply & handshower holder) 629 special I × HS-68 (68" handshower hose) 741 premium suggested to match series: 30, 31, 45, 80 & 81

	MODEL	DESCRIPTION	FINISH	PRICE
	80-18	18" Towel Bar	polished chrome standard special premium	474 593 664 782
	80-24	24" Towel Bar	polished chrome standard special premium	486 608 680 802
	80-RH	Robe Hook	polished chrome standard special premium	194 243 272 320
Go	80-STP	Single Post Toilet Paper / Hand Towel Holder	polished chrome standard special premium	316 395 442 521
	30-YTP	Vertical Spare Toilet Paper Holder	polished chrome standard special premium	198 248 277 327
	9401	Single Paper Holder with Shelf • all brass construction • paper holder arm is in fixed position • 6-1/2" × 4" shelf	polished chrome standard special premium	258 323 361 426

NOTES:

- \bullet for coordinated deck, wall and floor mounted tub fillers, see Tub Fillers section starting on page 384
- \bullet for complete showerhead and handshower options, see Shower section starting on page 420
- for complete shower arm options, see Shower section starting on page 43 I
- coordinated cabinet hardware starting on page 487

STEAMPUNK BAY®

85/86 SERIES











DESCRIPTION FINISH PRICE

8" Widespread Lavatory Faucet with ZeroDrain®

- 5" overall height
- 5-3/8" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- I-1/4" pop-down style ZeroDrain® assembly
- 1.2 gpm water saving aerator

lever or blade handle faucet
polished chrome 1863

standard 2329 special 2609

premium 3074







wheel handle faucetpolished chrome1963standard2454special2749premium3239

With ZeroDrain®



8" Widespread Lavatory Faucet

- 5" overall height
- 5-3/8" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" all brass touch style pop-up drain assembly
- 1.2 gpm water saving aerator












wheel handle faucet
polished chrome 1899
standard 2374
special 2659
premium 3133

DESCRIPTION FINISH PRICE



8" Widespread Lavatory Faucet with ZeroDrain®

- 9-1/16" overall height
- 6" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" pop-down style ZeroDrain® assembly
- · 1.2 gpm water saving aerator



8602**ZB**

Lever Handle







wheel handle faucet polished chrome 1963 standard 2454 2749 special premium 3239

With ZeroDrain®




8" Widespread Lavatory Faucet

- 9-1/16" overall height
- 6" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" all brass touch style pop-up drain assembly

8602

• 1.2 gpm water saving aerator



standard 2249 special 2519 premium 2968











wheel handle faucet polished chrome 1899 standard 2374 special 2659 premium 3133

lever or blade handle faucet

lever or blade handle faucet

polished chrome

1113

1391

1558

1919

1113

1391

1558

1836

polished chrome

standard

premium

standard

premium

special

special

Single Hole Lavatory/Bar/Prep Faucet

- 9-15/16" overall height
- 5-1/2" spout center to center
- 1/4 turn ceramic mixing cartridge
- · 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain $^{\circ}$.









premium 1836 8509W-I wheel handle faucet Wheel Handle (upcharge) polished chrome 1163 standard 1454 special 1628

Single Hole Lavatory/Bar/Prep Faucet

- 11-13/16" overall height
- 6-3/8" spout center to center
- 1/4 turn ceramic mixing cartridge
- · 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.









8609W-I wheel handle faucet polished chrome 1163 1454 standard special 1628 premium 1919

DESCRIPTION FINISH PRICE Two Handle Lavatory Wall Faucet Trim Only lever or blade handle faucet • 6-5/16" spout wall to center polished chrome • 1.2 gpm water saving aerator standard Order drain separately. See pages 480-482 for all drain options including ZeroDrain®. 1588 special 1871 premium TO-V8502-7 TO-V8502B-7 TO-V8502W-7 Lever Handle Blade Handle Wheel Handle (upcharge) wheel handle faucet polished chrome 1234 1543 standard 1728 special 2036 premium **REQUIRES ROUGH VALVE:** VL-R 380 for more details, see pages 496-498 Two Handle Lavatory Wall Faucet Trim Only lever or blade handle faucet polished chrome • 8-3/8" spout wall to center 1146 · 1.2 gpm water saving aerator 1433 standard Order drain separately. See pages 480-482 for all drain options including ZeroDrain®. 1604 special 1891 premium TO-V8502-9 TO-V8502B-9 TO-V8502W-9 Lever Handle Blade Handle Wheel Handle (upcharge) wheel handle faucet 1246 polished chrome standard 1558 1744 2056 premium

REQUIRES ROUGH VALVE:

for more details, see pages 496-498

VL-R

FINISH

standard

premium

special

lever or blade handle polished chrome

DESCRIPTION



StyleTherm® 3/4" Thermostatic Trim Only

- · all brass construction
- $\bullet~$ 100° F safety stop button with manual override
- · separate volume control required
- 7-1/4" round faceplate

See Shower & Luxury Drain Sections to complete shower.







wheel handle faucet polished chrome 706 883 standard 988 special premium 1165

PRICE

656

820

918

1082

REQUIRES ROUGH VALVE: for more details, see pages 496-498

THT75-R 695



StyleTherm® 3/4" Thermostatic Trim Only

- · all brass construction
- 100° F safety stop button with manual override
- separate volume control required
- 5-1/2" square faceplate; flat profile

See Shower & Luxury Drain Sections to complete shower.

TO-THQN-85 Lever Handle





lever or blade handle polished chrome 806 standard 1008 special 1128 1330 premium

wheel handle polished chrome

premium

standard special

REQUIRES ROUGH VALVE: for more details, see pages 496-498 THT75-R 695

lever or blade handle

polished chrome

standard

premium

special

856

1070 1198

1412

665

83 I

931

1097



StyleTherm® Trim Only with Single Volume Control

- · all brass construction
- 100° F safety stop button with manual override
- single integral volume control
- 7-1/4" round faceplate

See Shower & Luxury Drain Sections to complete shower.









wheel handle polished chrome 715 standard 894 1001 special 1180 premium

REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 496-498

THT51-R 549 THT51D2-R 679

lever or blade handle

polished chrome

standard

premium

special

StyleTherm® Trim Only with Single Volume Control

- · all brass construction
- 100° F safety stop button with manual override
- single integral volume control
- 6-5/16" by 5-1/2" rectangular faceplate; flat profile

See Shower & Luxury Drain Sections to complete shower.









wheel handle polished chrome 865 1081 standard 1211 special 1427 premium

REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 496-498

THT51-R 549 THT51D2-R 679

815

1019

1141

DESCRIPTION FINISH PRICE StyleTherm® Trim Only with Dual Volume Control lever or blade handle polished chrome 674 · all brass construction • 100° F safety stop button with manual override 843 standard • dual integral volume controls 944 special • 7-1/4" round faceplate 1112 premium See Shower & Luxury Drain Sections to complete shower. **TO-TH2L-85** TO-TH2L-85B TO-TH2L-85W Lever Handle Blade Handle Wheel Handle (upcharge) wheel handle 724 polished chrome 905 standard 1014 special 1195 premium **REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:** THT52-R 619 for more details, see pages 496-498 THT52D2-R 779 lever or blade handle StyleTherm® Trim Only with Dual Volume Control polished chrome 824 · all brass construction • 100° F safety stop button with manual override standard 1030 · dual integral volume controls special 1154 • 6-5/16" by 5-1/2" rectangular faceplate; flat profile 1360 premium See Shower & Luxury Drain Sections to complete shower. TO-THQ2L-85 TO-THQ2L-85B TO-THQ2L-85W Wheel Handle (upcharge) Blade Handle Lever Handle wheel handle polished chrome 874 1093 standard special 1224 premium 1442 **REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:** THT52-R 619 for more details, see pages 496-498 THT52D2-R 779 Wall or Deck Handle Trim Only lever or blade handle base dimension 2-1/2" x 2-1/2" 410 polished chrome • use for wall stop, wall diverter or deck diverter standard 513 574 special TO-85W-W TO-85-W TO-85B-W Lever Handle Blade Handle Wheel Handle (upcharge) premium 677 wheel handle polished chrome 460 575 standard 644 special 759 premium REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: 50-W-R 169 for more details, see pages 496-498 75-W-R 215 WDV-R 339 WDV-NS-R 349 2 Handle Tub or Shower Trim Only lever or blade handle faucet 820 polished chrome See Shower & Luxury Drain Sections to complete shower. standard 1026 special 1148 1354 premium TO-8506L TO-8506BL TO-8506WL Wheel Handle (upcharge) Lever Handle Blade Handle wheel handle faucet polished chrome 920 1150 standard 1288 special 1518 premium **REQUIRES ROUGH VALVE:** 2-VR 419 for more details, see pages 496-498

ES
SERI
85/86
85
\forall
STEAMPUNK BAY
Ž
린
7
出
S

MODEL	DESCRIPTION	FINISH	PRICE
TS-85-85	 Wall Tub Spout 6-5/16" wall to center max flow rate: 16 gpm at 60 psi for series: 85 & 86 for use with StyleTherm, PB2-R or 2-VR valves 	polished chrome standard special premium	491 614 687 810
D-85-85	 Wall Tub Spout 8-3/8" wall to center 1/2" FIP inlet max flow rate: 16 gpm at 60 psi for series: 85 & 86 for use with StyleTherm, PB2-R or 2-VR valves 	polished chrome standard special premium	516 645 722 851
Comp	elete Roman Tuh Set	lever or blade handle	faucet



omplete Roman Tub Set

- 6-1/8" overall height
- 8-11/16" spout center to center
- max flow rate: 16 gpm at 60 psi
- · comes as a complete set with trim and valves

Order drain separately. See page 483 for all drain options including ZeroDrain®. Installation of upstream tempering device may be required. Verify local codes.

polished chrome 1958 standard 2448 special 2741 premium 323 I







wheel handle faucet 2058 polished chrome standard 2573 2881 special premium 3396



Complete Roman Tub Set

- 12" overall height
- 8-15/16" spout center to center
- max flow rate: 16 gpm at 60 psi
- comes as a complete set with trim and valves

Order drain separately. See page 483 for all drain options including ZeroDrain®. Installation of upstream tempering device may be required. Verify local codes.

polished chrome 1958 standard 2448 special 2741

premium

lever or blade handle faucet

323 I







wheel handle faucet polished chrome 2058 2573 standard 2881 special 3396 premium



Complete Handshower & Diverter for Roman Tub

- HS-15 handshower with grooved insert
- · comes as a complete set with trim and valve
- · replace .FR with desired max flow rate: XX.15.20 for 2.0 gpm

XX.15.18 for 1.8 gpm







Wheel Handle (upcharge) wheel handle faucet polished chrome 1377 standard 1721 1928 special 2272 premium

PRICE FINISH Slide Bar Handshower Kit lever or blade handle faucet polished chrome · kit includes: $I \times SH-10-85$ (wall supply elbow) standard I x HS-68 (68" handshower hose) 1555 special I x slide bar with matching handle 1780 premium 9127-85 9127-85B 9127-85W Lever Handle Blade Handle Wheel Handle (upcharge) wheel handle faucet polished chrome 1161 standard 1625 special 1862 premium lever or blade handle faucet 24" Grab Bar Handshower Kit · kit includes: polished chrome I x SH-10-85 (wall supply elbow) standard 1570 I x HS-68 (68" handshower hose) special 1757 $I \times 24$ " grab bar with slide and matching handle 2071 premium 9127-GB24-85 9127-GB24-85B 9127-GB24-85W Lever Handle Blade Handle Wheel Handle (upcharge) wheel handle faucet polished chrome 1305 standard 1632 1827 premium 2154 lever or blade handle faucet 30" Grab Bar Handshower Kit • kit includes: polished chrome I x SH-10-85 (wall supply elbow) 1661 standard I x HS-68 (68" handshower hose) 1859 special $I \times 30$ " grab bar with slide and matching handle 2192 premium 9127-GB30-85 9127-GB30-85B 9127-GB30-85W Lever Handle Blade Handle Wheel Handle (upcharge) wheel handle faucet polished chrome 1378 standard 1723 1929 special 2274 premium polished chrome 9125-85 Wall Mounted Handshower Kit - Quad 516 kit includes: standard 646 $I \times SH-10-85$ (wall supply elbow) 722 special I x SH-20-85 (wall handshower bracket) 852 premium I × HS-68 (68" handshower hose) suggested to match series: 85 & 86 9125S-85 polished chrome 581 Swivel Wall Mounted Handshower Kit - Quad standard 727 kit includes: I x SH-10-85 (wall supply elbow) 813 special I x SH-20S-85 (wall handshower holder) premium 959 I x HS-68 (68" handshower hose) suggested to match series: 85 & 86 9126-85 Wall Mounted Handshower Kit - Quad polished chrome 376 471 standard I × SH-25-85 (wall supply & handshower holder) special 526 I x HS-68 (68" handshower hose) 62 I premium suggested to match series: 85 & 86 9126S-85 polished chrome 484 Swivel Wall Mounted Handshower Kit - Quad 606 standard I x SH-25S-85 (wall supply & handshower holder) special 678 I × HS-68 (68" handshower hose) premium 799 suggested to match series: 85 & 86

MODEL	DESCRIPTION	FINISH	PRICE
85-9	9" Hand Towel Bar	polished chrome standard special premium	325 406 455 536
85-18 85-24	18" Towel Bar 24" Towel Bar	polished chrome standard special premium polished chrome standard	335 419 469 553 345 431
		special premium	483 569
85-RH	Robe Hook	polished chrome standard special premium	179 224 251 295
85-DRH	Double Robe Hook	polished chrome standard special premium	195 244 273 322
85-STP	Single Post Toilet Paper Holder	polished chrome standard special premium	229 286 321 378
85-VTP	Vertical Spare Toilet Paper Holder	polished chrome standard special premium	229 286 321 378
9401	 Single Paper Holder with Shelf all brass construction paper holder arm is in fixed position 6-1/2" x 4" shelf 	polished chrome standard special premium	258 323 361 426

Cabinet Knob



9480-K85

Cabinet Knob

- I-1/4" x I-1/16"
- all brass construction
- includes mounting hardware

polished chrome	32
standard	40
special	45
premium	53

Cabinet & Appliance Pulls





9482-K85-4.0

4" Cabinet Pull

- 4" center to center
- all brass construction with coined ends
- · includes mounting hardware

polished chrome	74
standard	93
special	104
premium	122

9482-K85-6.0

6" Cabinet Pull

- 6" center to center
- · all brass construction with coined ends
- includes mounting hardware

polished chrome	86
standard	108
special	120
premium	142

9482-K85-8.0

8" Cabinet Pull

- 8" center to center
- all brass construction with coined ends
- includes mounting hardware

96
120
134
158

9484-K85-12

12" Appliance Pull

- 12" center to center
- all brass construction with coined ends
- includes mounting hardware

polished chrome	215
standard	269
special	301
premium	355

9484-K85-18

18" Appliance Pull

- 18" center to center
- · all brass construction with smooth ends
- · includes mounting hardware

polished chrome	248
standard	310
special	347
premium	409

9484-K85-24

24" Appliance Pull

- 24" center to center
- · all brass construction with coined ends
- includes mounting hardware

polished chrome	269
standard	336
special	377
premium	444

NOTES:

- for coordinated deck, wall and floor mounted tub fillers, see Tub Fillers section starting on page 384
- for complete showerhead and handshower options, see Shower section starting on page 420
- for complete shower arm options, see Shower section starting on page 43 I

TROUSDALE® CI SERIES













1259

DESCRIPTION FINISH PRICE

8" Widespread Lavatory Faucet with ZeroDrain®

- 10-9/16" overall height
- 6" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" pop-down style ZeroDrain® assembly
- 1.2 gpm water saving aerator







C102XZB Cross Handle



C102XSZB Smooth Top Cross Handle



With ZeroDrain®



8" Widespread Lavatory Faucet

- 10-9/16" overall height
- 6" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" all brass touch style pop-up drain assembly
- · 1.2 gpm water saving aerator



polished chrome



C102 Lever Handle



CI02X Cross Handle



CI02XS Smooth Top



Two Handle Lavatory Wall Faucet Trim Only

- 6-9/16" spout wall to center
- 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.





TO-VC102-7

Lever Handle



TO-VC102X-7

Cross Handle



TO-VC102XS-7 Smooth Top



REQUIRES ROUGH VALVE:

for more details, see pages 496-498

VL-R 380

784

980

1098

1294

polished chrome

standard

premium

special

Two Handle Lavatory Wall Faucet Trim Only

- 8-9/16" spout wall to center
- 1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.







TO-VC102XS-9 Smooth Top




REQUIRES ROUGH VALVE: V

/L-R	380



3-17-25

for more details, see pages 496-498



REQUIRES ROUGH VALVE:

for more details, see pages 496-498

695

THT75-R

FINISH

standard

premium

special

polished chrome

PRICE

570

713

798

941

549

679

608 760

85 I

1003

549

679

720 900

1008

1188



StyleTherm® Trim Only with Single Volume Control

• all brass construction

DESCRIPTION

- $\bullet~$ 100° F safety stop button with manual override
- · single integral volume control
- 7-1/4" round faceplate

See Shower & Luxury Drain Sections to complete shower.









REQUIRES ONE OF THE FOLLOWING

TO-THIL-CIXS



for more details, see pages 496-498

mooth Top	
Cross Handle	

THT51D2-R

polished chrome

polished chrome

standard

premium

special

standard

premium

special

StyleTherm® Trim Only with Single Volume Control

- all brass construction
- 100° F safety stop button with manual override
- single integral volume control
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain Sections to complete shower.









TO-THCIL-CIXS Smooth Top



REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: THT51-R for more details, see pages 496-498 THT51D2-R

StyleTherm® Trim Only with Single Volume Control



- 100° F safety stop button with manual override
- single integral volume control
- 6-5/16" by 5-1/2" rectangular faceplate, flat profile

See Shower & Luxury Drain Sections to complete shower.





TO-THQIL-CIX Cross Handle



TO-THQIL-CIXS Smooth Top




REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 496-498

THT51-R 549 THT51D2-R 679





REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 496-498

619

779

THT52-R

THT52D2-R

439

549

615

724

439

549

615

724

560 700

784

924

DESCRIPTION FINISH

Wall or Deck Handle Trim Only



· use for wall stop, wall diverter or deck diverter





TO-CIX-W



polished chrome	280
standard	350
special	392
premium	462

REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 496-498

15
39
19

polished chrome

Pressure Balance Trim Only

- · for shower only
- · screwless faceplate
- 7-1/4" round faceplate

		standard
		special
		premium
TO-PBL-CIX	TO-PBL-CIXS	
Cross Handle	Smooth Top	



TO-PBL-CI





REQUIRES ROUGH VALVE:

for more details, see pages 496-498

PBI-R 255

polished chrome

standard

premium

special

Dual Pressure Balance Trim Only

• controls two independent outlet devices (e.g. tub/shower or shower/handshower)

- single handle with markings for dual outlets
- screwless faceplate
- 7-1/4" round faceplate

TO-PB2L-CI

Lever Handle





TO-PB2L-CIXS Smooth Top Cross Handle



REQUIRES ROUGH VALVE: for more details, see pages 496-498

355 PB2-R

polished chrome

standard

special premium

2 Handle Tub or Shower Trim Only

See Shower & Luxury Drain Sections to complete shower.









TO-CI06XL Cross Handle



TO-C106XSL Smooth Top Cross Handle



REQUIRES I	ROUGH	VALVE:
for more details	see hares	496-498

2-VR

trousdale c	I SERIES					
	MODEL	DESCRIPTION			FINISH	PRICE
	TS-CI	• 6-9/16" wall to center • 1/2" MIP inlet • maximum flow rate: • for series: CI • for use with: StyleThe			polished chrome standard special premium	491 614 687 810
	D-CI	• 8-9/16" wall Tub \$ • 8-9/16" wall to center • 1/2" MIP inlet • maximum flow rate: • for series: C1 • for use with: StyleThe			polished chrome standard special premium	516 645 722 851
	DE-CI	• 11-9/16" wall to center 1/2" MIP inlet • maximum flow rate: • for series: CI • for use with: StyleThe	er		polished chrome standard special premium	541 676 757 893
	• I • 8 • n • c	aplete Roman Tub Set 3-9/16" overall height 3-15/16" spout center to center nax flow rate: 16 gpm at 60 psi omes as a complete set with trim and of der drain separately. See page 48 stallation of upstream tempering of C108 Lever Handle	3 for all drain options i	· ·	polished chrome standard special premium	1824 2280 2554 3010









Complete Handshower & Diverter for Roman Tub

- HS-15S handshower with smooth insert
 comes as a complete set with trim and valve
- replace .FR with desired max flow rate: XX.15S.20 for 2.0 gpm XX.15S.18 for 1.8 gpm

CI.I5S.FR Lever Handle



CIX.15S.FR Cross Handle



CIXS.15S.FR Smooth Top Cross Handle



1265 polished chrome 1581 standard 1771 special premium 2087



DESCRIPTION FINISH PRICE

Slide Bar Handshower Kit



I x SH-10-C1 (wall supply elbow) I × HS-68 (68" handshower hose) I x slidebar with matching handle





9127-CI Lever Handle



9127-CIX Cross Handle



9127-CIXS Smooth Top Cross Handle



24" Grab Bar Handshower Kit

• kit includes:

I x SH-10-C1 (wall supply elbow) I x HS-68 (68" handshower hose)

 $I \times 24$ " grab bar with slide and matching handle

polished chrome 1180 1476 standard 1652 special 1948 premium

1243

1555

1740

2052



9127-GB24-CI Lever Handle



9127-GB24-CIX Cross Handle



9127-GB24-CIXS Smooth Top







3-17-25

I x SH-10-C1 (wall supply elbow) I × HS-68 (68" handshower hose) $I \times 30$ " grab bar with slide and matching handle

> 9127-GB30-CI Lever Handle



9127-GB30-CIX Cross Handle



9127-GB30-CIXS Smooth Top



polished chrome

standard

premium

special

TROUSDALE | C1 SERIES

THOUSEN KEE OT	MODEL	DESCRIPTION	FINISH	PRICE
99	9125-CI	Wall Mounted Handshower Kit - Round • kit includes: x SH-10-C1 (wall supply elbow) x SH-20-C1 (wall handshower holder)	polished chrome standard special	450 564 630 744
		I x HS-68 (68" handshower hose)	premium	744
	9125S-CI	Swivel Wall Mounted Handshower Kit - Round • kit includes:	polished chrome standard	515 645
		I x SH-10-C1 (wall supply elbow) I x SH-20S-C1 (wall handshower holder) I x HS-68 (68" handshower hose)	special premium	721 851
	9126-CI	Wall Mounted Handshower Kit - Round • kit includes:	polished chrome standard	344 431
		I x SH-25-C1 (wall supply & handshower holder) I x HS-68 (68" handshower hose)	special premium	482 568
	9126S-CI	Swivel Wall Mounted Handshower Kit - Round • kit includes:	polished chrome standard	449 562
		I x SH-255-C1 (wall supply & handshower holder) I x HS-68 (68" handsower hose)	special premium	629 741
G	C1-9	9" Hand Towel Bar	polished chrome standard special premium	341 426 477 563
	C1-18	18" Towel Bar	polished chrome standard	352 440
Q. A.			special premium	493 581
6 -	C1-24	24" Towel Bar	polished chrome standard	364 455
6			special premium	510 601
	C1-30	30" Towel Bar	polished chrome	377 471
0			special premium	528 622
Ca	CI-TR	Towel Ring	polished chrome standard	218 273
			special premium	305 360

	MODEL	DESCRIPTION	FINISH	PRICE
	CI-RH	Robe Hook	polished chrome standard special premium	145 181 203 239
C-J	CI-DRH	Double Robe Hook	polished chrome standard special premium	218 273 305 360
	CI-TP	Two Post Toilet Paper Holder	polished chrome standard special premium	340 425 476 561
	CI-STP	Single Post Toilet Paper Holder	polished chrome standard special premium	218 273 305 360
	CI-VTP	Vertical Spare Toilet Paper Holder	polished chrome standard special premium	267 334 374 441

Cabinet Knob



9480-C1

Cabinet Knob

- |-|/4" x |-|/4"
- all brass construction includes mounting hardware
- polished chrome 38 standard 48 special 53 premium 63

Cabinet Pulls

9482-C1-4.0



4" Cabinet Pull 4" center to center all brass construction includes mounting hardware	
polished chrome	53
standard	66
special	74
premium	87

9482-C1-6.0	
6" Cabinet Pull	
6" center to center all brass construction includes mounting hardware	
polished chrome	62
standard	78
special	87
premium	102

9482-C1-8.0	
8" Cabinet Pull	
8" center to center all brass construction includes mounting hardware	
polished chrome	70 88
special	98
premium	116

NOTES:

- ullet for coordinated deck, wall and floor mounted tub fillers, see Tub Fillers section starting on page 384
- for complete showerhead and handshower options, see Shower section starting on page 420
- for complete shower arm options, see Shower section starting on page 43 I















DESCRIPTION

8" Widespread Lavatory Faucet with ZeroDrain®

- 6" overall height
- 5-1/4" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- I-1/4" pop-down style ZeroDrain® assembly
- 1.2 gpm water saving aerator



Lever Handle





polished chrome 1663 2079 standard special 2329 2744 premium

PRICE

FINISH





1599 polished chrome standard 1999 2239 special premium 2638



- 6" overall height
- 5-1/4" spout center to center
- 1/4 turn ceramic disc cartridge(s)
- 1-1/4" all brass touch style pop-up drain assembly
- 1.2 gpm water saving aerator



Lever Handle



C202B Block Handle






Two Handle Lavatory Wall Faucet Trim Only

• 8" spout wall to center

DESCRIPTION

1.2 gpm water saving aerator

Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.









		REQUIRES ROUGH VALVE: for more details, see pages 496-498	VL-R	380
Ca	TO-THON-C2	StyleTherm® 3/4" Thermostatic Trim Only • all brass construction • 100° F safety stop button with manual override • separate volume control required • 6-3/4" by 5-1/2" octagonal faceplate See Shower & Luxury Drain Sections to complete shower.	polished chrome standard special premium	788 985 1103 1300
		REQUIRES ROUGH VALVE: for more details, see pages 496-498	THT75-R	695
	TO-THOIL-C2	StyleTherm® Trim Only with Single Volume Control • all brass construction • 100° F safety stop button with manual override • single integral volume control • 6-3/4" by 5-1/2" octagonal faceplate See Shower & Luxury Drain Sections to complete shower.	polished chrome standard special premium	797 996 1116 1315
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498	THT51-R THT51D2-R	549 679
	TO-THO2L-C2	StyleTherm® Trim Only with Dual Volume Control • all brass construction • 100° F safety stop button with manual override • dual integral volume controls • 6-3/4" by 5-1/2" octagonal faceplate See Shower & Luxury Drain Sections to complete shower.	polished chrome standard special premium	806 1008 1128 1330
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498	THT52-R THT52D2-R	619 779
	base dime	eck Handle Trim Only ension I-15/16" x 3" all stop, wall diverter or deck diverter TO-C2-W Lever Handle Block Handle	polished chrome standard special premium	410 513 574 677






REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	50-V
for more details, see pages 496-498	75-V
	WD

169
215
339
349

DOHENY | C2 SERIES DESCRIPTION PRICE FINISH 2 Handle Tub or Shower Trim Only polished chrome 820 standard 1026 See Shower & Luxury Drain Sections to complete shower. 1148 special 1354 premium TO-C206L TO-C206BL Lever Handle Block Handle **REQUIRES ROUGH VALVE:** 419 2-VR for more details, see pages 496-498 TS-C2 **Wall Tub Spout** polished chrome 446 • 5-15/16" wall to center standard 558 • includes decorative base ring & QC-70 quick connect with 1/2" FIP inlet 624 special • max flow rate: 10 gpm at 60 psi premium 736 • for series: C2 • for use with: StyleTherm, PB2-R or 2-VR valves D-C2 polished chrome 491 **Deluxe Wall Tub Spout** • 7-15/16" wall to center standard 614 • includes decorative base ring & QC-70 quick connect with I/2" FIP inlet 687 special • max flow rate: 10 gpm at 60 psi 810 premium • for series: C2 • for use with: StyleTherm, PB2-R or 2-VR valves 1939 Complete Roman Tub Set polished chrome • 7-3/4" overall height 2424 standard • 8-1/2" spout center to center 2715 special • max flow rate: 16 gpm at 60 psi 3199 premium • comes as a complete set with trim and valves Order drain separately. See page 483 for all drain options including ZeroDrain®. Installation of upstream tempering device may be required. Verify local codes. C208 C208B Block Handle Lever Handle





- · comes as a complete set with trim and valve
- replace .FR with desired max flow rate: XX.72.20 for 2.0 gpm XX.72.18 for 1.8 gpm





polished chrome standard 1581 1771 special 2087 premium



	MODEL	DESCRIPTION	FINISH	PRICE
	9128-C2	Slide Bar Handshower Kit - Octagon Base • kit includes: I x SH-10-C2 (wall supply elbow) I x HS-68 (68" handshower hose) I x SB-C2 (wall mounted slide bar)	polished chrome standard special premium	1111 1389 1555 1833
	9125-C2	Wall Mounted Handshower Kit - Octagon • kit includes: x SH-10-C2 (wall supply elbow) x SH-20-C2 (wall handshower bracket) x HS-68 (68" handshower hose)	polished chrome standard special premium	516 646 722 852
	9126-C2	Wall Mounted Handshower Kit - Octagon • kit includes: I x SH-25-C2 (wall supply & handshower holder) I x HS-68 (68" handshower hose)	polished chrome standard special premium	376 471 526 621
	9126S-C2	Swivel Wall Mounted Handshower Kit - Octagon • kit includes: I x SH-25S-C2 (wall supply & handshower bracket) I x HS-68 (68" handshower hose)	polished chrome standard special premium	484 606 678 799
G B	C2-9	9" Hand Towel Bar	polished chrome standard special premium	395 494 553 652
8	C2-18	I8" Towel Bar	polished chrome standard special premium	400 500 560 660
8	C2-24	24" Towel Bar	polished chrome standard special premium	413 516 578 681
8	C2-30	30" Towel Bar	polished chrome standard special premium	427 534 598 705

DOHENY | C2 SERIES

MODEL	DESCRIPTION	FINISH	PRICE
C2-TR	Towel Ring	polished chrome standard special premium	364 455 510 601
C2-RH	Robe Hook	polished chrome standard special premium	194 243 272 320
C2-DRH	Double Robe Hook	polished chrome standard special premium	218 273 305 360
C2-STP	Single Post Toilet Paper Holder	polished chrome standard special premium	255 319 357 421
9401	Single Paper Holder with Shelf • all brass construction • paper holder arm is in fixed position • 6-1/2" x 4" shelf	polished chrome standard special premium	258 323 361 426

Cabinet Knob



9480-C2

Cabinet Knob

- I-5/8" x I-1/8" x I-3/16"
- · all brass construction
- includes mounting hardware

polished chrome 48 standard 60 special 67 premium 79

Cabinet Pulls



9482-C2-4.0

4" Cabinet Pull

- 4" center to center
- all brass construction
- includes mounting hardware

polished chrome 107 standard 134 special 150 premium 177

9482-C2-6.0

6" Cabinet Pull

- 6" center to center
- all brass construction
- includes mounting hardware

polished chrome 135 standard 169 special 189 premium 223

NOTES:

- for coordinated deck, wall and floor mounted tub fillers, see Tub Fillers section starting on page 384
- for complete showerhead and handshower options, see Shower section starting on page 420
- for complete shower arm options, see Shower section starting on page 43 I



BEL CANTO®

E3 SERIES







	MODEL	DESCRIPTION	FINISH	PRICE
	E302MZB	8" Widespread Lavatory Faucet with ZeroDrain® - Medium Spout • 6-3/4" overall height • 5-5/16" spout center to center • 1/4 turn ceramic disc cartridge(s) • 1-1/4" pop-down style ZeroDrain® assembly • 1.2 gpm water saving aerator	polished chrome standard special premium With ZeroDra	1004 1255 1406 1657
1	E302M	8" Widespread Lavatory Faucet - Medium Spout 6-3/4" overall height 5-5/16" spout center to center 1/4 turn ceramic disc cartridge(s) 1-1/4" all brass touch style pop-up drain assembly 1.2 gpm water saving aerator	polished chrome standard special premium	940 1175 1316 1551

	MODEL	DESCRIPTION	FINISH	PRICE
11	E302QZB	8" Widespread Lavatory Faucet with ZeroDrain® - Quad Spout • 5-7/8" overall height • 6" spout center to center • 1/4 turn ceramic disc cartridge(s) • 1-1/4" pop-down style ZeroDrain® assembly • 1.2 gpm water saving aerator	polished chrome standard special premium With ZeroDra	1004 1255 1406 1657 ain®
11	E302Q	8" Widespread Lavatory Faucet - Quad Spout • 5-7/8" overall height • 6" spout center to center • 1/4 turn ceramic disc cartridge(s) • 1-1/4" all brass touch style pop-up drain assembly • 1.2 gpm water saving aerator	polished chrome standard special premium	940 1175 1316 1551
	E309-I	Single Hole Lavatory/Bar/Prep Faucet - Low Spout • 10-3/16" overall height • 5-5/16" spout center to center • ceramic mixing cartridge • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	688 860 963 1135
	E309-2	Single Hole Lavatory/Bar/Prep Faucet - High Spout • 14-5/16" overall height • 5-5/16" spout center to center • ceramic mixing cartridge • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	789 986 1105 1302

MODEL	DESCRIPTION	FINISH	PRICE
E301-1	Single Hole Lavatory Faucet • 6-1/2" overall height • 4-3/4" spout center to center • 4-1/8" spout center to rear of water stream • ceramic mixing cartridge • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	823 1029 1152 1358
E301CY-I	Single Hole Lavatory Faucet - Finished Cylinder Handle • 8-1/2" overall height • 4-3/4" spout center to center • 4-1/8" spout center to rear of water stream • ceramic mixing cartridge • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	823 1029 1152 1358
E301BCY-1	Single Hole Lavatory Faucet - Matte Black Cylinder Handle • 8-1/2" overall height • 4-3/4" spout center to center • 4-1/8" spout center to rear of water stream • ceramic mixing cartridge • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	823 1029 1152 1358
E301-2	Single Hole Lavatory Faucet • 12-3/8" overall height • 8-5/16" spout center to center • 7-11/16" spout center to rear of water stream • ceramic mixing cartridge • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	957 1196 1340 1579
E301CY-2	Single Hole Lavatory Faucet - Finished Cylinder Handle • 14-5/16" overall height • 8-5/16" spout center to center • 7-11/16" spout center to rear of water stream • ceramic mixing cartridge • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	957 1196 1340 1579
E301BCY-2	Single Hole Lavatory Faucet - Matte Black Cylinder Handle • 14-5/16" overall height • 8-5/16" spout center to center • 7-11/16" spout center to rear of water stream • ceramic mixing cartridge • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	957 1196 1340 1579

	MODEL	DESCRIPTION	FINISH	PRICE
	TO-VE301-7	Single Handle Lavatory Wall Faucet Trim Only	polished chrome	615
		• 7-3/4" spout wall to center	standard	769
		 7-1/8" spout wall to rear of water stream single handle allows for volume & temperature control at any position 	special	861
		I.2 gpm water saving aerator	premium	1015
		Order drain separately. See pages 480-482 for all drain options		
		including ZeroDrain®.		
		REQUIRES ROUGH VALVE:	SHV-R	405
		for more details, see pages 495-497		
	TO-V5201-7-HE3	Single Handle Lavatory Wall Faucet Trim Only	polished chrome	455
		• 6-7/8" spout wall to center	standard	569
		single handle allows for volume & temperature control at any position I.2 gpm water saving aerator	special	637
		Order drain separately. See pages 480-482 for all drain options	premium	751
		including ZeroDrain®.		
		REQUIRES ROUGH VALVE:	SHV-R	405
		for more details, see pages 495-497		
	TO-V5201-9-HE3	Single Handle Lavatory Wall Faucet Trim Only	polished chrome	466
		8-7/8" spout wall to center single handle allows for volume & temperature control at any position	standard	583
		I.2 gpm water saving aerator	special premium	652 769
		Order drain separately. See pages 480-482 for all drain options	premium	767
		including ZeroDrain®.		
		REQUIRES ROUGH VALVE:	SHV-R	405
		for more details, see pages 495-497		
	TO-VE302-7	Two Handle Lavatory Wall Faucet Trim Only	polished chrome	789
		• 7-3/4" spout wall to center	standard	986
		6-7/8" spout wall to rear of water stream 1.2 gpm water saving aerator	special	1105
		Order drain separately. See pages 480-482 for all drain options	premium	1302
		including ZeroDrain®.		
		REQUIRES ROUGH VALVE:	VL-R	380
		for more details, see pages 495-497		
	TO-VE302C-7	Two Handle Lavatory Wall Faucet Trim Only	polished chrome	789
		• 7-13/16" spout wall to center	standard	986
		6-15/16" spout wall to rear of water stream 1.2 gpm water saving aerator	special	1105
		Order drain separately. See pages 480-482 for all drain options	premium	1302
		including ZeroDrain®.		
		REQUIRES ROUGH VALVE:	VL-R	380
		for more details, see pages 495-497		
	TO-V5202-7-E3	Two Handle Lavatory Wall Faucet Trim Only	polished chrome	658
		6-9/16" spout wall to center 1.2 gpm water saving aerator	standard special	823 921
		Order drain separately. See pages 480-482 for all drain options	premium	1086
		including ZeroDrain®.	p. S	
		REQUIRES ROUGH VALVE:	VL-R	380
		for more details, see pages 495-497	P.L. T.	,
	TO-V5202-9-E3	Two Handle Lavatory Wall Faucet Trim Only	polished chrome standard	670 838
		8-9/16" spout wall to center 1.2 gpm water saving aerator	standard	938
		Order drain separately. See pages 480-482 for all drain options	premium	1106
		including ZeroDrain®.		
		REQUIRES ROUGH VALVE:	VL-R	380
		for more details, see pages 495-497		
		.822.8855 californiafaucets.com		3.59

	MODEL	DESCRIPTION	FINISH	PRICE
	TO-THN-E3	StyleTherm® 3/4" Thermostatic Trim Only	polished chrome	486
		all brass construction	standard	608
		• 100° F safety stop button with manual override	special	680
		separate volume control required	premium	802
		• 7-1/4" round faceplate		
		See Shower & Luxury Drain Sections to complete shower.		
		REQUIRES ROUGH VALVE: for more details, see pages 495-497	THT75-R	695
	TO-THCN-E3	StyleTherm® 3/4" Thermostatic Trim Only	polished chrome	524
		all brass construction	standard	655
		100° F safety stop button with manual override	special	734
6		• separate volume control required	premium	865
		• 7-7/8" by 5-7/8" rectangular faceplate		
		See Shower & Luxury Drain Sections to complete shower.		
		REQUIRES ROUGH VALVE:	THT75-R	695
		for more details, see pages 495-497		
	TO-THFN-E3	StyleTherm® 3/4" Thermostatic Trim Only	polished chrome	623
100000000000000000000000000000000000000		all brass construction	standard	779
0		100° F safety stop button with manual override	special	872
		separate volume control required 5-1/2" square faceplate; flat profile	premium	1028
		See Shower & Luxury Drain Sections to complete shower.		
		, , , , , , , , , , , , , , , , , , , ,		
		REQUIRES ROUGH VALVE:	THT75-R	695
		for more details, see pages 495-497		
	TO-THIL-E3	StyleTherm® Trim Only with Single Volume Control	polished chrome	495
		all brass construction	standard	619
		100° F safety stop button with manual override	special	693
		single integral volume control7-1/4" round faceplate	premium	817
		See Shower & Luxury Drain Sections to complete shower.		
		DECLINES ONE OF THE FOLLOWING POLICE WALVES	THT51-R	F40
		REQUIRES ONE OF THE FOLLOWING ROUGH VALYES: for more details, see pages 495-497	THT51-R	549 679
		Joi Thore details, see pages +75-477	IHI3ID2-K	0/7
	TO-THCIL-E3	StyleTherm® Trim Only with Single Volume Control	polished chrome	533
		all brass construction	standard	666
4		100° F safety stop button with manual override ingle integral volume control	special	746
		 single integral volume control 7-7/8" by 5-7/8" rectangular faceplate 	premium	879
		See Shower & Luxury Drain Sections to complete shower.		
		PEOURPES ONE OF THE FOLLOWING POLICE WALVES		Г40
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 495-497	THT51-R	549
		for Thure details, see pages 475-477	THT51D2-R	679
	TO-THFIL-E3	StyleTherm® Trim Only with Single Volume Control	polished chrome	632
6		• all brass construction	standard	790
		100° F safety stop button with manual override single integral volume control	special	885
100		single integral volume control 5-1/2" square faceplate; flat profile	premium	1043
ILE		See Shower & Luxury Drain Sections to complete shower.		
		DECLINES ONE OF THE FOLLOWING POLICITYATIVES	TUTCI P	549
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 495-497	THT51-R THT51D2-R	5 49 679
100		por more details, see pages 475-477	I II I 31 DZ-K	0/7

	MODEL	DESCRIPTION	FINISH	PRICE
	TO-TH2L-E3	StyleTherm® Trim Only with Dual Volume Control	polished chrome	504
	10-11121-13	• all brass construction	standard	630
		100° F safety stop button with manual override	special	706
		dual integral volume controls	premium	832
		• 7-1/4" round faceplate	,	
		See Shower & Luxury Drain Sections to complete shower.		
1		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 495-497	THT52-R THT52D2-R	619 779
		for more details, see pages 175 177	1H132D2-K	///
	TO-THC2L-E3	StyleTherm® Trim Only with Dual Volume Control	polished chrome	542
		all brass construction	standard	678
2		100° F safety stop button with manual override	special	759
		 dual integral volume controls 7-7/8" by 5-7/8" rectangular faceplate 	premium	894
		See Shower & Luxury Drain Sections to complete shower.		
5				
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	THT52-R	619
		for more details, see pages 495-497	THT52D2-R	779
	TO-THF2L-E3	StyleTherm® Trim Only with Dual Volume Control	polished chrome	641
		all brass construction	standard	801
		100° F safety stop button with manual override	special	897
		dual integral volume controls C FULL by F Volume that the forested that the first true forested to the first true fores	premium	1058
		6-5/16" by 5-1/2" rectangular faceplate; flat profile		
		See Shower & Luxury Drain Sections to complete shower.		
5		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	THT52-R	619
		for more details, see pages 495-497	THT52D2-R	779
	TO-E3-W	Wall or Deck Handle Trim Only	polished chrome	248
		base diameter 2"	standard	310
		 use for wall stop, wall diverter or deck diverter 	special	347
			premium	409
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	50-W-R	169
		for more details, see pages 495-497	75-W-R	215
			WDV-R	339
			WDV-NS-R	349
	TO-E3-WC	Wall or Deck Handle Trim Only	polished chrome	248
		• base dimension 2-1/4" × 2-1/4"	standard	310
		 use for wall stop, wall diverter or deck diverter 	special	347
			premium	409
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	50-W-R	169
		for more details, see pages 495-497	75-W-R	215
			WDV-R	339
			WDV-NS-R	349
	TO-77R-W	Wall or Deck Handle Trim Only	polished chrome	280
	TO-77R-W	• base dimension 2-1/4" × 2-1/4"	standard	350
	TO-77R-W	·	standard special	350 392
	TO-77R-W	• base dimension 2-1/4" × 2-1/4"	standard	350
	TO-77R-W	• base dimension 2-1/4" × 2-1/4"	standard special	350 392
	TO-77R-W	 base dimension 2-1/4" x 2-1/4" use for wall stop, wall diverter or deck diverter 	standard special premium 50-W-R 75-W-R	350 392 462 169 215
	TO-77R-W	base dimension 2-1/4" × 2-1/4" use for wall stop, wall diverter or deck diverter REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	standard special premium	350 392 462

	MODEL	DESCRIPTION	FINISH	PRICE
	TO-PBL-E3	Pressure Balance Trim Only	polished chrome	419
		• for shower only	standard	524
		• screwless faceplate	special	587
6		• 7-1/4" round faceplate	premium	691
1				
		REQUIRES ROUGH VALVE:	PBI-R	255
		for more details, see pages 495-497		
	TO DDG! 53		nalishad shuarra	410
	TO-PB2L-E3	Dual Pressure Balance Trim Only	polished chrome standard	419 524
		 controls two independent outlet devices (e.g. tub/shower or shower/ handshower) 	special	587
6-31		• single handle with markings for dual outlets	premium	691
		• screwless faceplate	P. S. S.	
100		• 7-1/4" round faceplate		
		DECLURES POLICII VALVE.	DD2 D	255
		REQUIRES ROUGH VALVE: for more details, see pages 495-497	PB2-R	355
		· · · · · · ·		
	TO-E306L	2 Handle Tub or Shower Trim Only	polished chrome	496
		See Shower & Luxury Drain Sections to complete shower.	standard	620 694
			special premium	69 4 818
			premium	010
			2.1/2	410
		REQUIRES ROUGH VALVE: for more details, see pages 495-497	2-VR	419
		for more details, see pages 173-177		
	TO-E306CL	2 Handle Tub or Shower Trim Only	polished chrome	496
		See Shower & Luxury Drain Sections to complete shower.	standard	620
		,	special	694
6			premium	818
		REQUIRES ROUGH VALVE: for more details, see pages 495-497	2-VR	419
		l		
	TO-7706RL	2 Handle Tub or Shower Trim Only	polished chrome	560
		See Shower & Luxury Drain Sections to complete shower.	standard	700
			special	784
			premium	924
				······································
		REQUIRES ROUGH VALVE:	2-VR	419
		for more details, see pages 495-497		
	TS-E3-E3	Wall Tub Spout	polished chrome	495
		• 6-3/8" wall to center	standard	619
P		 5-3/4" wall to rear of water stream includes decorative base ring & QC-E3 quick connect with 1/2" FIP inlet 	special	693
		max flow rate: 7.5 gpm at 60 psi	premium	817
		• for series: E3		
		• for use with StyleTherm, PB2-R or 2-VR valves		
	D-E3-E3	Deluxe Wall Tub Spout	polished chrome	519
(m)		 7-3/4" wall to center 7-1/8" wall to rear of water stream 	standard	649
		 7-178 Wall to rear of water stream includes decorative base ring & QC-E3 quick connect with 1/2" FIP inlet 	special	727
		max flow rate: 7.5 gpm at 60 psi	premium	856
		• for series: E3		
		for use with StyleTherm, PB2-R or 2-VR valves		

	MODEL	DESCRIPTION	FINISH	PRICE
	TS-52-52	Wall Tub Spout	polished chrome	235
	10 02 02	• 6-9/16" wall to center	standard	294
		• 1/2" MIP inlet	special	329
		• max flow rate: 16 gpm at 60 psi	premium	388
-		for series: 39, 40, 41, 52, 53 & E3for use with StyleTherm, PB2-R or 2-VR valves		
	D-52-52	Deluxe Wall Tub Spout	polished chrome	257
		8-9/16" wall to center 1/2" MIP inlet	standard	321
		• max flow rate: 16 gpm at 60 psi	special premium	360 424
iii		• for series: 39, 40, 41, 52, 53 & E3	premium	727
		for use with StyleTherm, PB2-R or 2-VR valves		
	DE-52-52	Deluxe Wall Tub Spout	polished chrome	263
		• 11-9/16" wall to center	standard	329
		• 1/2" MIP inlet	special	368
		 max flow rate: 16 gpm at 60 psi for series: 39, 40, 41, 52, 53 & E3 	premium	434
		• for use with StyleTherm, PB2-R or 2-VR valves		
	TS-E3-77	Wall Tub Spout	polished chrome	495
	15-25-77	Wall Tub Spout • 6-7/16" wall to center	standard	619
		• 5-13/16" wall to rear of water stream	special	693
		includes decorative base ring & QC-E3 quick connect with 1/2" FIP inlet	premium	817
		max flow rate: 7.5 gpm at 60 psi for series: E3		
		• for use with StyleTherm, PB2-R or 2-VR valves		
	D-E3-77	Deluxe Wall Tub Spout	polished chrome	519
		• 7-13/16" wall to center	standard	649
		• 7-3/16" wall to rear of water stream	special	727
		 includes decorative base ring & QC-E3 quick connect with 1/2" FIP inlet max flow rate: 7.5 gpm at 60 psi 	premium	856
		• for series: E3		
		for use with StyleTherm, PB2-R or 2-VR valves		
	E308	Complete Roman Tub Set	polished chrome	1381
		10-3/16" overall height 8-15/16" spout center to center	standard	1726
		• max flow rate: 16 gpm at 60 psi	special premium	1933 2279
		comes as complete set with trim and valves	premium	22/7
		Order drain separately. See page 483 for all drain options including		
		ZeroDrain®.		
_		Installation of upstream tempering device may be required.		
		Verify local codes.		
	F300G		Cala - C	1201
	E308Q	Complete Roman Tub Set - Quad Spout	polished chrome standard	1381 1726
		8-1/8" overall height 8-15/16" spout center to center	standard special	1726
		• max flow rate: 16 gpm at 60 psi	premium	2279
		comes as complete set with trim and valves		
		Order drain separately. See page 483 for all drain options including		
		ZeroDrain [®] .		
		Installation of upstream tempering device may be required.		
The same		Verify local codes.		
	E3.62.FR	Complete Handshower & Diverter for Roman Tub	polished chrome	919
		HS-62 handshower	standard	1149
and the same of th		comes as a complete set with trim and valve	special	1287
		• replace .FR with desired max flow rate:	premium	1516
		E3.62.20 for 2.0 gpm E3.62.18 for 1.8 gpm		
		op		

	MODEL	DESCRIPTION	FINISH	PRICE
	E304-I	Single Hole Bidet	polished chrome	877
		• 6-7/16" overall height	standard	1096
		• 4-3/8" spout center to center	special	1228
		 ceramic mixing cartridge I-1/4" all brass touch style pop-up drain assembly 	premium	1447
		• 1-174 all brass touch style pop-up drain assembly		
ren.	E304CY-I	Single Hole Bidet - Finished Cylinder Handle	polished chrome	877
- 1		8-1/2" overall height	standard	1096
Į III.		• 4-3/8" spout center to center	special	1228
		 ceramic mixing cartridge I-1/4" all brass touch style pop-up drain assembly 	premium	1447
		, in the state code style pop up drain assembly		
_	E304BCY-I	Single Hole Bidet - Matte Black Cylinder Handle	polished chrome	877
		8-1/2" overall height	standard	1096
		• 4-3/8" spout center to center	special	1228
		 ceramic mixing cartridge I-1/4" all brass touch style pop-up drain assembly 	premium	1447
		- 1-174 ali bi assi couch style pop-up di alii assembly		
91	9128-62	Slide Bar Handshower Kit	polished chrome	754
		• kit includes:	standard	944
		1 x SH-10-65 (wall supply elbow)	special	1056
		I × HS-68 (68" handshower hose) I × SB-62 (wall mounted slide bar)	premium	1245
T		1 × 3B-02 (Wall Hourited slide ball)		
8				
M	9128-72	Slide Bar Handshower Kit - Rectangle Handle with	polished chrome	980
		Rectangle Base	standard	1226
		• kit includes:	special	1372
		I × SH-10-72 (wall supply elbow) I × HS-68 (68" handshower hose)	premium	1618
		I x SB-72 (wall mounted slide bar)		
		, , ,		
2				
ы	9128-77	Slide Bar Handshower Kit - Cylinder Handle with	polished chrome	1054
		Square Base	standard	1319
		• kit includes:	special	1476
		I x SH-10-77 (wall supply elbow)	premium	1740
+		I x HS-68 (68" handshower hose) I x SB-77 (wall mounted slide bar)		
		1 X 3b-77 (Wall Hourited slide bal)		
10	9128-GB24-77	24" Grab Bar Handshower Kit - Lever Handle with	polished chrome	1222
		Square Base	standard	1529
		• kit includes:	special	1711
		I × SH-10-77 (wall supply elbow)	premium	2017
		I x HS-68 (68" handshower hose) I x 9424S-77 (24" grab bar with slide)		
		י איז איז (ביד אומט שמו אותראושל)		
15	9128-GB30-77	30" Grab Bar Handshower Kit - Lever Handle with	polished chrome	1295
		Square Base	standard	1620
		• kit includes:	special	1813
		I × SH-10-77 (wall supply elbow)	premium	2138
		I × HS-68 (68" handshower hose)		, -
		I × 9430S-77 (30" grab bar with slide)		
25				

	MODEL	DESCRIPTION	FINISH	PRICE
	9125-65	Wall Mounted Handshower Kit - Round	polished chrome	450
		• kit includes:	standard	564
		I × SH-10-65 (wall supply elbow)	special	630
		I x SH-20-65 (wall handshower bracket)	premium	744
		I × HS-68 (68" handshower hose)	preman	, , ,
		suggested to match series: 38, 39, 40, 41, 52, 53, 62, 65, 66, 74, 75,		
		E3, E4 & E5		
b b	9125-72	Wall Mounted Handshower Kit - Rectangle	polished chrome	450
		• kit includes:	standard	564
		I × SH-10-72 (wall supply elbow)	special	630
		I × SH-20-72 (wall handshower bracket)	premium	744
		I x HS-68 (68" handshower hose)	,	
		suggested to match series: 70, 77, 78 & E3		
	9125-77	Wall Mounted Handshower Kit - Square	polished chrome	450
		• kit includes:	standard	564
		I x SH-10-77 (wall supply elbow)	special	630
		I x SH-20-77 (wall handshower bracket)	premium	744
		I x HS-68 (68" handshower hose)	preman	, , ,
		suggested to match series: 70, 77, 78 & E3		
LEADER	9125S-65	Swivel Wall Mounted Handshower Kit - Round	polished chrome	515
	, i 233-03	• kit includes:	standard	645
		I x SH-10-65 (wall supply elbow)	special	721
3		I x SH-20S-65 (wall handshower holder)	premium	851
		I x HS-68 (68" handshower hose)	premium	031
		suggested to match series: 38, 39, 40, 41, 52, 53, 62, 65, 66, 74, 75,		
		E3, E4 & E5		
	9125S-77	Swivel Wall Mounted Handshower Kit - Square	polished chrome	515
		• kit includes:	standard	645
		I x SH-10-77 (wall supply elbow)	special	721
		I x SH-20S-77 (wall handshower holder)	premium	851
		I x HS-68 (68" handshower hose)	·	
		suggested to match series: 70, 77, 78 & E3		
	9126-65	Wall Mounted Handshower Kit - Round	polished chrome	344
		• kit includes:	standard	431
		I × SH-25-65 (wall supply & handshower holder)	special	482
		I x HS-68 (68" handshower hose)	premium	568
		suggested to match series: 39, 40, 41, 52, 53, 62, 65, 66, 74, 75, E3,	'	
		E4 & E5		
	9126-77	Wall Mounted Handshower Kit - Square	polished chrome	344
		• kit includes:	standard	431
		I × SH-25-77 (wall supply & handshower holder) I × HS-68 (68" handshower hose)	special	482
		1 X H3-68 (68 nandsnower nose)	premium	568
		suggested to match series: 70, 77, 78 & E3		
•				
	9126S-65	Swivel Wall Mounted Handshower Kit - Round	polished chrome	449
0		• kit includes:	standard	562
		I x SH-25S-65 (wall supply & handshower holder)	special	629
		I x HS-68 (68" handshower hose)	premium	741
		suggested to match series: 38, 39, 40, 41, 52, 53, 62, 65, 66, 74, 75,		
7		E3, E4 & E5		
	9126S-77	Surjual Wall Mountard Handshouser Vit Sauran	polished chrome	449
	/1203-1/	Swivel Wall Mounted Handshower Kit - Square • kit includes:	standard	562
				629
		X 3D-733-77 (Wall SUDDIV & Dandshower holder)		
955		I × SH-25S-77 (wall supply & handshower holder) I × HS-68 (68" handshower hose)	special	
			premium	741

BEL CANTO | E3 SERIES

	MODEL	DESCRIPTION	FINISH	PRICE
	E3-9	9" Hand Towel Bar	polished chrome	309
			standard	386
A			special	433
			premium	510
	E3-18	18" Towel Bar	polished chrome	320
			standard	400
			special	448
			premium	528
	E3-24	24" Towel Bar	polished chrome	331
			standard	414
			special	463
			premium	546
	E3-30	30" Towel Bar	polished chrome	342
			standard	428
A			special	479
			premium	564
	E3-TR	Towal Bing	polished chrome	331
	L3-1K	Towel Ring	standard	414
			special	463
			premium	546
			premium	310
	E3-RH	Robe Hook	polished chrome	143
			standard	179
			special	200
			premium	236
	E3-DRH	Double Robe Hook	polished chrome	164
		Double Nobe 1100K	standard	205
			special	230
			premium	271
			P. L. L. L.	220
	E3-STP	Single Post Toilet Paper / Hand Towel Holder	polished chrome standard	220
				275
			special premium	308 363
			premium	263
N	74-VTP	Vertical Spare Toilet Paper Holder	polished chrome	159
			standard	199
			special	223
			premium	262
	9401	Single Paper Holder with Shelf	polished chrome	258
		all brass construction	standard	323
		paper holder arm is in fixed position	special	361
		• 6-1/2" x 4" shelf	premium	426

NOTES:

- for coordinated deck, wall and floor mounted tub fillers, see Tub Fillers section starting on page 384
- for complete showerhead and handshower options, see Shower section starting on page 420
- \bullet for complete shower arm options, see Shower section starting on page 43 l
- coordinated cabinet hardware starting on page 487



ARPEGGIO®

MODEL

E4 SERIES





FINISH

PRICE



		BESSELLI HOLL		TTACL
	E401-I	Single Hole Lavatory Faucet • 6-5/16" overall height • 4-11/16" spout center to center • ceramic mixing cartridge • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	619 774 867 1021
	E401-2	Single Hole Lavatory Faucet • 12-3/16" overall height • 7-7/16" spout center to center • ceramic mixing cartridge • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	725 906 1015 1196
P	TO-VE401-7	Single Handle Lavatory Wall Faucet Trim Only • 7-11/16" spout wall to center • single handle allows for volume & temperature control at any position • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	595 744 833 982
		REQUIRES ROUGH VALVE: for more details, see pages 496-498	SHV-R	405

DESCRIPTION

	MODEL	DESCRIPTION	FINISH	PRICE
	TO-VE402-7	Two Handle Lavatory Wall Faucet Trim Only	polished chrome	789
		• 7-11/16" spout wall to center	standard	986
		1.2 gpm water saving aerator	special	1105
		Order drain separately. See pages 480-482 for all drain options	premium	1302
		including ZeroDrain®.	'	
		REQUIRES ROUGH VALVE: for more details, see pages 496-498	VL-R	380
	TO-THN-E4	StyleTherm® 3/4" Thermostatic Trim Only	polished chrome	486
		• all brass construction	standard	608
		 100° F safety stop button with manual override separate volume control required 	special	680
		• 7-1/4" round faceplate	premium	802
		See Shower & Luxury Drain Sections to complete shower.		
		REQUIRES ROUGH VALVE: for more details, see pages 496-498	THT75-R	695
	TO-THCN-E4	StyleTherm® 3/4" Thermostatic Trim Only	polished chrome	524
		all brass construction	standard	655
		100° F safety stop button with manual override separate values control required.	special	734
		 separate volume control required 7-7/8" by 5-7/8" rectangular faceplate 	premium	865
		See Shower & Luxury Drain Sections to complete shower.		
100000000000000000000000000000000000000		DECLUDES DOLIGH VALVE.	THT75-R	695
		REQUIRES ROUGH VALVE: for more details, see pages 496-498	111173-N	673
	TO-THFN-E4	StyleTherm® 3/4" Thermostatic Trim Only	polished chrome	623
100000000000000000000000000000000000000		all brass construction	standard	779
		100° F safety stop button with manual override	special	872
		separate volume control required	premium	1028
		 5-1/2" square faceplate; flat profile See Shower & Luxury Drain Sections to complete shower. 		
		REQUIRES ROUGH VALVE:	THT75-R	695
		for more details, see pages 496-498	111173-K	073
	TO-THIL-E4	StyleTherm® Trim Only with Single Volume Control	polished chrome	495
		• all brass construction	standard	619
		 100° F safety stop button with manual override single integral volume control 	special	693
		• 7-1/4" round faceplate	premium	817
(C)		See Shower & Luxury Drain Sections to complete shower.		
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	THT51-R	549
		for more details, see pages 496-498	THT51D2-R	679
	TO-THCIL-E4	StyleTherm® Trim Only with Single Volume Control	polished chrome	533
		• all brass construction	standard	666
=		100° F safety stop button with manual override	special	746
		 single integral volume control 7-7/8" by 5-7/8" rectangular faceplate 	premium	879
		See Shower & Luxury Drain Sections to complete shower.		
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	THT51-R	549
		for more details, see pages 496-498	THT51D2-R	679
	TO-THFIL-E4	StyleTherm® Trim Only with Single Volume Control	polished chrome	632
E		all brass construction	standard	790
0		 100° F safety stop button with manual override single integral volume control 	special	885
100		Single integral volume control 5-1/2" square faceplate; flat profile	premium	1043
		See Shower & Luxury Drain Sections to complete shower.		
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	THT51-R	549

	MODEL	DESCRIPTION	FINISH	PRICE
	TO-TH2L-E4	StyleTherm® Trim Only with Dual Volume Control	polished chrome	504
		all brass construction	standard	630
		100° F safety stop button with manual override	special	706
		dual integral volume controls 7 1/4" any and formulate.	premium	832
		• 7-1/4" round faceplate		
		See Shower & Luxury Drain Sections to complete shower.		
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	THT52-R	619
		for more details, see pages 496-498	THT52D2-R	779
	TO-THC2L-E4	StyleTherm® Trim Only with Dual Volume Control	polished chrome	542
		all brass construction	standard	678
4		100° F safety stop button with manual override	special	759
		 dual integral volume controls 7-7/8" by 5-7/8" rectangular faceplate 	premium	894
		See Shower & Luxury Drain Sections to complete shower.		
3		See Shower & Lavary Drain Sections to complete shower.		
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	THT52-R	619
		for more details, see pages 496-498	THT52D2-R	779
	TO-THF2L-E4	StyleTherm® Trim Only with Dual Volume Control	polished chrome	641
-		• all brass construction	standard	801
		100° F safety stop button with manual override	special	897
		dual integral volume controls (E/I/C) by E/I/C) restantials for specific to the speci	premium	1058
		6-5/16" by 5-1/2" rectangular faceplate; flat profile See Shower & Luxury Drain Sections to complete shower.		
0		See Shower & Luxury Drain Sections to complete shower.		
5		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	THT52-R	619
		for more details, see pages 496-498	THT52D2-R	779
	TO-E4-W	Wall or Deck Handle Trim Only	polished chrome	248
		• base diameter 2"	standard	310
		use for wall stop, wall diverter or deck diverter	special	347
			premium	409
		REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:	50-W-R	169
		for more details, see pages 496-498	75-W-R	215
		for more detailed, dee pages 170 170	WDV-R	339
			WDV-NS-R	349
	TO-PBL-E4	Pressure Balance Trim Only	polished chrome	419
		• for shower only	standard	524
		 screwless faceplate 7-1/4" round faceplate 	special	587
		• 7-174 Tourid racepiate	premium	691
1				
		REQUIRES ROUGH VALVE:	PBI-R	255
		for more details, see pages 496-498		
	TO-PB2L-E4	Dual Pressure Balance Trim Only	polished chrome	419
		controls two independent outlet devices (e.g. tub/shower or shower/handshower)	standard	524
FRE		 single handle with markings for dual outlets screwless faceplate 	special	587
		• 7-1/4" round faceplate	premium	691
				255
		REQUIRES ROUGH VALVE: for more details, see pages 496-498	PB2-R	355
	TO-E406L	2 Handle Tub or Shower Tring Only	polished chrome	496
	10-L700L	2 Handle Tub or Shower Trim Only	standard	620
		See Shower & Luxury Drain Sections to complete shower.	special	694
			premium	818
		REQUIRES ROUGH VALVE:	2-VR	419
		for more details, see pages 496-498		
		,		

MODEL	DESCRIPTION	FINISH	PRICE
TS-E4-E4	 Wall Tub Spout 6-1/2" wall to center includes decorative base ring & QC-E3 quick connect with 1/2" FIP inlet max flow rate: 10 gpm at 60 psi for series: E4 for use with StyleTherm, PB2-R or 2-VR valves 	polished chrome standard special premium	495 619 693 817
D-E4-E4	Deluxe Wall Tub Spout • 7-1 1/16" wall to center • includes decorative base ring and QC-E3 quick connect with 1/2" FIP inlet • max flow rate: 10 gpm at 60 psi • for series: E4 • for use with StyleTherm, PB2-R or 2-VR valves	polished chrome standard special premium	519 649 727 856
E404-1	Single Hole Bidet • 6-5/16" overall height • 3-7/8" spout center to center • ceramic mixing cartridge • swivel end spray • 1-1/4" all brass touch style pop-up drain assembly	polished chrome standard special premium	767 959 1074 1266
9128-62	Slide Bar Handshower Kit • kit includes: x SH-10-65 (wall supply elbow) x HS-68 (68" handshower hose) x SB-62 (wall mounted slide bar)	polished chrome standard special premium	754 944 1056 1245
9125-65	Wall Mounted Handshower Kit - Round • kit includes: x SH-10-65 (wall supply elbow) x SH-20-65 (wall handshower bracket) x HS-68 (68" handshower hose) suggested to match series: 38, 39, 40, 41, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5	polished chrome standard special premium	450 564 630 744
9125S-65	Swivel Wall Mounted Handshower Kit - Round • kit includes: I × SH-10-65 (wall supply elbow) I × SH-20S-65 (wall handshower holder) I × HS-68 (68" handshower hose) suggested to match series: 38, 39, 40, 41, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5	polished chrome standard special premium	515 645 721 851
9126-65	Wall Mounted Handshower Kit - Round • kit includes: x SH-25-65 (wall supply & handshower holder) x HS-68 (68" handshower hose) suggested to match series: 38, 39, 40, 41, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5	polished chrome standard special premium	344 431 482 568
9126S-65	Swivel Wall Mounted Handshower Kit - Round • kit includes: I × SH-25S-65 (wall supply & handshower holder) I × HS-68 (68" handshower hose) suggested to match series: 38, 39, 40, 41, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5	polished chrome standard special premium	449 562 629 741

ARPEGGIO | E4 SERIES

	MODEL	DESCRIPTION	FINISH	PRICE
	E4-9	9" Hand Towel Bar	polished chrome	309
Part Control			standard	386
8			special	433
			premium	510
	E4-18	18" Towel Bar	polished chrome	320
8			standard	400
			special	448
			premium	528
	E4-24	24" Towel Bar	polished chrome	331
			standard	414
A			special	463
			premium	546
	E4-RH	Robe Hook	polished chrome	342
			standard	428
			special	479
			premium	564
	E4-STP	Single Post Toilet Paper / Hand Towel Holder	polished chrome	143
			standard	179
			special	200
			premium	236
N	74-VTP	Vertical Spare Toilet Paper Holder	polished chrome	159
			standard	199
			special	223
			premium	262
	9401	Single Paper Holder with Shelf	polished chrome	258
		all brass construction	standard	323
		• paper holder arm is in fixed position	special	361
		• 6-1/2" × 4" shelf	premium	426

NOTES:

- for coordinated deck, wall and floor mounted tub fillers, see Tub Fillers section starting on page 384
- for complete showerhead and handshower options, see Shower section starting on page 420
- for complete shower arm options, see Shower section starting on page 43 I
- coordinated cabinet hardware starting on page 487



LIBRETTO®

E5 SERIES









MODEL	DESCRIPTION	FINISH	PRICE
E501-I	Single Hole Lavatory Faucet • 6-3/8" overall height • 4-7/16" spout center to center • ceramic mixing cartridge • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	823 1029 1152 1358
New Design	Single Hole Lavatory Faucet • 6-3/8" overall height • 4-7/16" spout center to center • ceramic mixing cartridge • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	823 1029 1152 1358

 MODEL	DESCRIPTION	FINISH	PRICE
E501-2	Single Hole Lavatory Faucet • 12-5/16" overall height • 4-7/16" spout center to center • ceramic mixing cartridge • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	957 1196 1340 1579
E501FB-2	Single Hole Lavatory Faucet • 12-5/16" overall height • 4-7/16" spout center to center • ceramic mixing cartridge • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	957 1196 1340 1579
TO-VE501-7	Single Handle Lavatory Wall Faucet Trim Only • 6-1/2" spout wall to center • single handle allows for volume & temperature control at any position • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®. REQUIRES ROUGH VALVE: for more details, see pages 496-498	polished chrome standard special premium	615 769 861 1015
TO-VE502-7	Two Handle Lavatory Wall Faucet Trim Only • 6-1/2" spout wall to center • 1.2 gpm water saving aerator Order drain separately. See pages 480-482 for all drain options including ZeroDrain®.	polished chrome standard special premium	789 986 1105 1302
	REQUIRES ROUGH VALVE: for more details, see pages 496-498	VL-R	380



StyleTherm® 3/4" Thermostatic Trim Only

• all brass construction

DESCRIPTION

- 100° F safety stop button with manual override
- separate volume control required
- 7-1/4" round faceplate

See Shower & Luxury Drain Sections to complete shower.

TO-THN-E5 Lever Handle







REQUIRES ROUGH VALVE: THT75-R for more details, see pages 496-498

FINISH

standard

premium

special

polished chrome

polished chrome

polished chrome

standard

premium

special

standard

premium

special

PRICE

486

608

680

802

695

524 655

734

865

623 779

872

1028

StyleTherm® 3/4" Thermostatic Trim Only

- · all brass construction
- 100° F safety stop button with manual override
- separate volume control required
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain Sections to complete shower.

TO-THCN-E5







REQUIRES ROUGH VALVE: THT75-R 695 for more details, see pages 496-498

StyleTherm® 3/4" Thermostatic Trim Only

- all brass construction
- 100° F safety stop button with manual override
- separate volume control required
- 5-1/2" square faceplate; flat profile

See Shower & Luxury Drain Sections to complete shower.

TO-THFN-E5



TO-THFN-E3



REQUIRES ROUGH VALVE: for more details, see pages 496-498

THT75-R

695

polished chrome

standard

premium

special

495

619

693

817

549

549

679

632 790

885

1043



DESCRIPTION FINISH PRICE

StyleTherm® Trim Only with Single Volume Control

- all brass construction
- 100° F safety stop button with manual override
- single integral volume control
- 7-1/4" round faceplate

See Shower & Luxury Drain Sections to complete shower.









	for more details, see pages 496-498	THT51D2-R	679
Frim Only with Single Volume (Control	polished chrome	533
action		standard	666
op button with manual override		special	746
blume control		premium	879

REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: THT51-R



StyleTherm® T all brass construct

- 100° F safety stop
- · single integral vol
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain Sections to complete shower.

TO-THCIL-E5 Lever Handle

REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:



THT51-R

standard

premium

special

THT51D2-R

polished chrome

TO-THCIL-E3

for more details, see pages 496-498

StyleTherm® Trim Only with Single Volume Control

- · all brass construction
- 100° F safety stop button with manual override
- single integral volume control
- 5-1/2" square faceplate; flat profile

See Shower & Luxury Drain Sections to complete shower.

TO-THFIL-E5 Lever Handle





REQUIRES ON	NE OF THE FO	DLLOWII	NG R	OUGH	VALVES:

for more details, see pages 496-498

THT51-R 549 THT51D2-R 679



StyleTherm® Trim Only with Dual Volume Control

• all brass construction

DESCRIPTION

- 100° F safety stop button with manual override
- dual integral volume controls
- 7-1/4" round faceplate

See Shower & Luxury Drain Sections to complete shower.

TO-TH2L-E5







REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 496-498 THT52D2-R

polished chrome 542 standard 678 759 special

PRICE

504

630

706

832

619

779

894

FINISH

standard

premium

THT52-R

premium

special

polished chrome



StyleTherm® Trim Only with Dual Volume Control

- · all brass construction
- 100° F safety stop button with manual override
- dual integral volume controls
- 7-7/8" by 5-7/8" rectangular faceplate

See Shower & Luxury Drain Sections to complete shower.

TO-THC2L-E5 Lever Handle



TO-THC2L-E3

Lever Handle



REQUIRES ONE OF THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498

THT52-R THT52D2-R

polished chrome

standard

premium

special

108

897

1058



StyleTherm® Trim Only with Dual Volume Control

- · all brass construction
- 100° F safety stop button with manual override
- · dual integral volume controls
- 6-5/16" by 5-1/2" rectangular faceplate; flat profile

See Shower & Luxury Drain Sections to complete shower.

TO-THF2L-E5



TO-THF2L-E3



REQUIRES ONE OF THE FOLLOWING ROUGH VALVES:

for more details, see pages 496-498

THT52-R THT52D2-R

619 779

FINISH

419



Wall or Deck Handle Trim Only

• base diameter 2"

DESCRIPTION

• use for wall stop, wall diverter or deck diverter

Lever Handle





polished chrome	248
standard	310
special	347
premium	409

PRICE

REQUIRES ONE OF TH	E FOLLOWING	ROUGH VALV
--------------------	-------------	-------------------

for more details, see pages 496-498

169
215
339
349



Pressure Balance Trim Only

- for shower only
- screwless faceplate
- 7-1/4" round faceplate





for



REQUIRE ROUGH VALVE:	PBI-R	255
more details, see pages 496-498		

polished chrome



Pressure Balance Trim Only

- controls two independent outlet devices (e.g. tub/shower or shower/handshower)
- single handle with markings for dual outlets
- · screwless faceplate
- 7-1/4" round faceplate

standard 524 587 special premium 691





		REQUIRES ROUGH VALVE: for more details, see pages 496-498	PB2-R	355
	TO-E506L	2 Handle Tub or Shower Trim Only See Shower & Luxury Drain Sections to complete shower.	polished chrome standard special premium	496 620 694 818
		REQUIRES ROUGH VALVE: for more details, see pages 496-498	2-VR	419
6	TO-E306L	2 Handle Tub or Shower Trim Only See Shower & Luxury Drain Sections to complete shower.	polished chrome standard special premium	496 620 694 818
		REQUIRES ROUGH VALVE: for more details, see pages 496-498	2-VR	419

LIBRETTO | E5 SERIES

MODEL	DESCRIPTION	FINISH	PRICE
TS-E5-E5	Wall Tub Spout • 6-1/2" wall to center • includes decorative base ring and QC-E3 quick connect with 1/2" FIP inlet • max flow rate: 10 gpm at 60 psi • for series: E5 • for use with StyleTherm, PB2-R or 2-VR valves	polished chrome standard special premium	448 560 627 739
E504-I	Single Hole Bidet • 6-7/16" overall height • 4" spout center to center • ceramic mixing cartridge • swivel end spray • 1-1/4" all brass touch style pop-up drain assembly	polished chrome standard special premium	877 1096 1228 1447
E304-I	Single Hole Bidet • 6-7/16" overall height • 4-3/8" spout center to center • ceramic mixing cartridge • swivel end spray • 1-1/4" all brass touch style pop-up drain assembly	polished chrome standard special premium	877 1096 1228 1447
9128-62	Slide Bar Handshower Kit • kit includes: I x SH-10-65 (wall supply elbow) I x HS-68 (68" handshower hose) I x SB-62 (wall mounted slide bar)	polished chrome standard special premium	754 944 1056 1245
9125-65	Wall Mounted Handshower Kit - Round • kit includes: I × SH-10-65 (wall supply elbow) I × SH-20-65 (wall handshower bracket) I × HS-68 (68" handshower hose) suggested to match series: 38, 39, 40, 41, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5	polished chrome standard special premium	450 564 630 744
9125S-65	Swivel Wall Mounted Handshower Kit - Round • kit includes: x SH-10-65 (wall supply elbow) x SH-20S-65 (wall handshower holder) x HS-68 (68" handshower hose) suggested to match series: 38, 39, 40, 41, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5	polished chrome standard special premium	515 645 721 851
9126-65	Wall Mounted Handshower Kit - Round • kit includes: x SH-25-65 (wall supply & handshower holder) x HS-68 (68" handshower hose) suggested to match series: 38, 39, 40, 41, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5	polished chrome standard special premium	344 431 482 568
9126S-65	Swivel Wall Mounted Handshower Kit - Round • kit includes: I x SH-25S-65 (wall supply & handshower holder) I x HS-68 (68" handshower hose) suggested to match series: 38, 39, 40, 41, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5	polished chrome standard special premium	449 562 629 741

	MODEL	DESCRIPTION	FINISH	PRICE
	E3-9	9" Hand Towel Bar	polished chrome	309
			standard	386
			special	433
0			premium	510
	E3-18	18" Towel Bar	polished chrome	320
			standard	400
			special	448
8			premium	528
	E3-24	24" Towel Bar	polished chrome	331
			standard	414
A			special	463
9			premium	546
	E3-30	30" Towel Bar	polished chrome	342
			standard	428
			special	479
			premium	564
<u></u>	E3-TR	Towel Ring	polished chrome	331
		_	standard	414
			special	463
			premium	546
	E3-RH	Robe Hook	polished chrome	143
			standard	179
			special	200
			premium	236
			'	
	E3-DRH	Double Robe Hook	polished chrome	164
			standard	205
			special	230
			premium	271
	E3-STP	Single Post Toilet Paper / Hand Towel Holder	polished chrome	220
		3	standard	275
			special	308
			premium	363
N	74-VTP	Vertical Spare Toilet Paper Holder	polished chrome	159
		·	standard	199
			special	223
			premium	262

NOTES:

- ullet for coordinated deck, wall and floor mounted tub fillers, see Tub Fillers section starting on page 384
- for complete showerhead and handshower options, see Shower section starting on page 420
- for complete shower arm options, see Shower section starting on page 43 I
- coordinated cabinet hardware starting on page 487







TUB FILLERS







 MODEL	DESCRIPTION	FINISH	PRICE
0811-XX.FR	Contemporary Single Hole Floor Mount Tub Filler – Quad Arc Spout • 40-15/16" overall height • 8-7/8" spout center to center • ceramic mixing cartridge • spout max flow rate: 10 gpm at 60 psi • handshower holder may be adjusted forward during installation • replace .FR with desired max flow rate: 0811-XX.20 for 2.0 gpm 0811-XX.18 for 1.8 gpm Replace XX with desired handle shown on the next page. Installation of upstream tempering device may be required. Verify local codes.	polished chrome standard special premium Hammered, Pinstripe I and Rivulet Intaglio* ho polished chrome standard special premium	
	REQUIRES ROUGH VALVE: for more details, see pages 496-498	9511	509

See page 386 for two-hole tub fillers

*Intaglio handles are available in the following finishes only:

Chrome: PC Standard: SN

Special: ABF, ACF, ANF, PB, PBU, PN, SC, USS **Premium:** FRG, GRP, LPG, LSG, SB, SBZ

Due to the finishing process, Pinstripe and Rivulet handles are only available in Intaglio versions in ABF, ACF, ANF finishes.

Single Handle Tub Filler Handle Options Replace XX with desired handle style number in **bold** below



37/38 Series Lever Handle



37/38 Series Teak* Lever Handle



H39 39 Series Cylinder Handle



39 Series Knurled Cylinder Handle Pinstripe Cylinder Handle



39 Series



H39R 39 Series Rivulet Cylinder Handle



H₄0X 40 Series Cross Handle



45 Series Lever Handle



41 41 Series Lever Handle



41-WP 41 Series White Porcelain Handle



41-ADC 41 Series Art Deco Lever Handle



41-BP 41 Series Blue Porcelain Handle



41-OP 41 Series Orange Porcelain Handle



41-PP 41 Series Pink Porcelain Handle



4I-RD 41 Series Red Lever Handle



41-YP 41 Series Yellow Porcelain Handle



52 52 Series Lever Handle



53 Series Lever Handle



62 62 Series Lever Handle



H65 65 Series Cross Handle



H66 66 Series Lever Handle



H70 70 Series Lever Handle



H74 74 Series Lever Handle



H77 77 Series Lever Handle



E3 F3 Series Lever Handle



HE4 E4 Series Lever Handle



E5 E5 Series Lever Handle

Hammered, Pinstripe Intaglio and Rivulet Intaglio







H39PI 39 Series Pinstripe Intaglio Cylinder Handle



H39RI 39 Series Rivulet Intaglio Cylinder Handle

^{*}Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.

SAN ELIJO® 08 SERIES





	MODEL	DESCRIPTION	FINISH	PRICE
	0803-XX.FR	Contemporary Floor Mount Tub Filler • 40-9/16" overall height • 8-7/8" spout center to center • 7" floor leg center to center • 1/4 turn ceramic disc cartridge(s) • spout max flow rate: 15 gpm at 60 psi • handshower bracket may be placed on COLD or HOT side of body • replace .FR with desired max flow rate: 0803-XX.20 for 2.0 gpm 0803-XX.18 for 1.8 gpm Replace XX with desired handle shown on the next page.	polished chrome standard special premium Hammered, Pinstripe and Rivulet Intaglio* h	
		Installation of upstream tempering device may be required. Verify local codes.	polished chrome standard special premium	3044 3805 4262 5023
		REQUIRES ROUGH VALVE: for more details, see pages 496-498	9516	379
	0806-XX.FR	Contemporary Wall Mount Tub Filler • 11-1/4" to 11-5/8" spout wall to center • 6-1/16" to 7-7/8" inlet center to center • 1/4 turn ceramic disc cartridge(s) • spout max flow rate: 15 gpm at 60 psi • handshower bracket mounts to wall • replace .FR with desired max flow rate: 0806-XX.20 for 2.0 gpm 0806-XX.18 for 1.8 gpm	polished chrome standard special premium	1815 2269 2541 2949
		Replace XX with desired handle shown on the next page. Installation of upstream tempering device may be required. Verify local codes.	Hammered, Pinstripe and Rivulet Intaglio* h polished chrome standard special premium	
	0808-XX.FR	Contemporary Deck Mount Tub Filler 17-7/16" overall height 8-7/8" spout center to center 7" deck leg center to center 1/4 turn ceramic disc cartridge(s) spout max flow rate: 15 gpm at 60 psi handshower bracket may be placed on COLD or HOT side of body replace .FR with desired max flow rate: 0808-XX.18 for 1.8 gpm	polished chrome standard special premium	1930 2413 2702 3185
		0808-XX.18 for 1.8 gpm Replace XX with desired handle shown on the next page. Installation of upstream tempering device may be required. Verify local codes.	Hammered, Pinstripe and Rivulet Intaglio* h polished chrome standard special premium	

*Intaglio handles are available in the following finishes only:

Chrome: PC Standard: SN

Special: ABF, ACF, ANF, PB, PBU, PN, SC, USS **Premium:** FRG, GRP, LPG, LSG, SB, SBZ

Due to the finishing process, Pinstripe and Rivulet handles are only available in Intaglio versions in ABF, ACF, ANF finishes.

Two Handle Tub Filler Handle Options

Replace XX with desired handle style number in **bold** below



37/38 Series Lever Handle



37/38 Series Teak* Lever Handle



37X 37/38 Series Cross Handle



37XT 37/38 Series Teak* Cross Handle



39 Series Cylinder Handle



39 Series Knurled Cylinder Handle



39P 39 Series Pinstripe Cylinder Handle



39R 39 Series Rivulet Cylinder Handle



40 Series Lever Handle



40X 40 Series Cross Handle



41 Series Lever Handle



41 Series White Porcelain Handle



41-ADC 41 Series Art Deco Lever Handle



41-BP 41 Series Blue Porcelain Handle



41 Series Orange Porcelain Handle



41 Series Pink Porcelain Handle



41 Series Red Lever Handle



41-YP 41 Series Yellow Porcelain Handle



45 Series Lever Handle



45 Series Cross Handle



52 Series Lever Handle



52 Series Carbon Fiber Handle



52 Series Knurled Handle



53 53 Series Lever Handle



53F 53 Series Carbon Fiber Handle



53K 53 Series Knurled Handle



62 Series Lever Handle



65 Series Cross Handle



66 66 Series Lever Handle



70 70 Series Lever Handle



74 Series Lever Handle



77 Series Lever Handle



E3 Series Lever Handle



E4 Series Lever Handle



Lever Handle

Hammered, Pinstripe Intaglio and Rivulet Intaglio



39H 39 Series Hammered Cylinder Handle



39PI 39 Series Pinstripe Intaglio Cylinder Handle



39RI 39 Series Rivulet Intaglio Cylinder Handle

^{*}Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.

DESCANSO®

09 SERIES





	MODEL	DESCRIPTION	FINISH	PRICE
	0911-XX.FR	Industrial Single Hole Floor Mount Tub Filler - Quad Spout • 38-13/16" overall height • 9" spout center to center • ceramic mixing cartridge • spout max flow rate: 10 gpm at 60 psi • handshower holder may be adjusted forward during installation • replace .FR with desired max flow rate: 0911-XX.20 for 2.0 gpm 0911-XX.18 for 1.8 gpm Replace XX with desired handle shown on the next page. Installation of upstream tempering device may be required. Verify local codes. REQUIRES ROUGH VALVE:	polished chrome standard special premium	2888 3610 4043 4765
	0903-XX.FR	Industrial Floor Mount Tub Filler - Low Quad Spout 35-5/16" overall height 8-5/8" spout center to center 7" floor leg center to center 1/4 turn ceramic disc cartridge(s) spout max flow rate: 15 gpm at 60 psi handshower bracket may be placed on COLD or HOT side of body replace.FR with desired handshower max flow rate: 0903-XX.20 for 2.0 gpm 0903-XX.18 for 1.8 gpm Replace XX with desired handle shown on the next page. Installation of upstream tempering device may be required. Verify local codes	polished chrome standard special premium	2866 3583 4012 4729
	0906-XX.FR	Industrial Wall Mount Tub Filler - Low Quad Spout • 11" to 11-5/8" spout wall to center • 6-1/16" to 7-15/16" inlet center to center • 1/4 turn ceramic disc cartridge(s) • spout max flow rate: 15 gpm at 60 psi • handshower bracket mounts to wall • replace.FR with desired max handshower flow rate: 0906-XX.20 for 2.0 gpm 0906-XX.18 for 1.8 gpm Replace XX with desired handle shown on the next page. Installation of upstream tempering device may be required. Verify local codes	polished chrome standard special premium	1827 2284 2558 3015
H	0908-XX.FR	Industrial Deck Mount Tub Filler - Low Quad Spout 12-1/4" overall height 8-5/8" spout center to center 7" deck leg center to center 1/4 turn ceramic disc cartridge(s) spout max flow rate: 15 gpm at 60 psi handshower bracket may be placed on COLD or HOT side of body replace .FR with desired max handshower flow rate: 0908-XX.20 for 2.0 gpm 0908-XX.18 for 1.8 gpm Replace XX with desired handle shown on the next page. Installation of upstream tempering device may be required. Verify local codes.	polished chrome standard special premium	1946 2433 2724 3211

Single Handle Tub Filler Handle Options

Replace XX with desired handle style number in **bold** below



30 Series Smooth Lever Handle



30 X 30 Series Smooth Cross Handle



30F 30 Series Carbon Fiber Lever Handle



30XF 30 Series Carbon Fiber Cross Handle



30K 30 Series Knurled Lever Handle



30XK 30 Series Knurled Cross Handle



30 T 30 Series Teak* Lever Handle



30XT 30 Series Teak* Cross Handle



80 80 Series Lever Handle



80W 80 Series Wheel Handle



80WB 80 Series Black Wheel Handle



80WR 80 Series Red Wheel Handle

Two Handle Tub Filler Handle Options

Replace XX with desired handle style number in **bold** below



30 Series Smooth Lever Handle



30X 30 Series Smooth Cross Handle



30F 30 Series Carbon Fiber Lever Handle



30XF 30 Series Carbon Fiber Cross Handle



30K 30 Series Knurled Lever Handle



30XK 30 Series Knurled Cross Handle



30 T 30 Series Teak* Lever Handle



30XT 30 Series Teak* Cross Handle



80 80 Series Lever Handle



80W 80 Series Wheel Handle



80WB 80 Series Black Wheel Handle



80WR 80 Series Red Wheel Handle

^{*}Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.

DESCANSO®

10 SERIES





	MODEL	DESCRIPTION	FINISH	PRICE
	1011-XX.FR	Industrial Single Hole Floor Mount Tub Filler - Arc Spout 43-1/4" overall height 9" spout center to center ceramic mixing cartridge spout max flow rate: 10 gpm at 60 psi handshower holder may be adjusted forward during installation replace.FR with desired max flow rate: 1011-XX.20 for 2.0 gpm 1011-XX.18 for 1.8 gpm Replace XX with desired handle shown on the next page. Installation of upstream tempering device may be required. Verify local codes REQUIRES ROUGH VALVE: for more details, see pages 496-498	polished chrome standard special premium	2888 3610 4043 4765
	1003-XX.FR	Industrial Floor Mount Tub Filler - Arc Spout • 41-1/4" overall height • 8-15/16" spout center to center • 7" floor leg center to center • 1/4 turn ceramic disc cartridge(s) • spout max flow rate: 15 gpm at 60 psi • handshower bracket may be placed on COLD or HOT side of body • replace. FR with desired max handshower flow rate: 1003-XX.20 for 2.0 gpm 1003-XX.18 for 1.8 gpm Replace XX with desired handle shown on the next page. Installation of upstream tempering device may be required. Verify local codes REQUIRES ROUGH VALVE: for more details, see pages 496-498	polished chrome standard special premium	2866 3583 4012 4729
	1006-XX.FR	Industrial Wall Mount Tub Filler - Arc Spout • 11-5/16" to 11-15/16" spout wall to center • 6-1/16" to 7-15/16" inlet center to center • 1/4 turn ceramic disc cartridge(s) • spout max flow rate: 15 gpm at 60 psi • handshower bracket mounts to wall • replace .FR with desired max flow rate: 1006-XX.20 for 2.0 gpm 1006-XX.18 for 1.8 gpm Replace XX with desired handle shown on the next page. Installation of upstream tempering device may be required. Verify local codes	polished chrome standard special premium	1827 2284 2558 3015
H	1008-XX.FR	Industrial Deck Mount Tub Filler - Arc Spout 18-3/16" overall height 8-15/16" spout center to center 7" deck leg center to center 1/4 turn ceramic disc cartridge(s) spout max flow rate: 15 gpm at 60 psi handshower bracket may be placed on COLD or HOT side of body replace .FR with desired max flow rate: 1008-XX.20 for 2.0 gpm 1008-XX.18 for 1.8 gpm Replace XX with desired handle shown on the next page. Installation of upstream tempering device may be required. Verify local codes.	polished chrome standard special premium	1946 2433 2724 3211

Single Handle Tub Filler Handle Options

Replace XX with desired handle style number in **bold** below



30 Series Smooth Lever Handle



30X 30 Series Smooth Cross Handle



30F 30 Series Carbon Fiber Lever Handle



30XF 30 Series Carbon Fiber Cross Handle



30K 30 Series Knurled Lever Handle



30XK 30 Series Knurled Cross Handle



30T 30 Series Teak* Lever Handle



30XT 30 Series Teak* Cross Handle



80 80 Series Lever Handle



80W 80 Series Wheel Handle



80WB 80 Series Black Wheel Handle



80WR 80 Series Red Wheel Handle

Two Handle Tub Filler Handle Options

Replace XX with desired handle style number in **bold** below



30 Series Smooth Lever Handle



30X 30 Series Smooth Cross Handle



30F 30 Series Carbon Fiber Lever Handle



30XF 30 Series Carbon Fiber Cross Handle



30K 30 Series Knurled Lever Handle



30XK 30 Series Knurled Cross Handle



30 T 30 Series Teak* Lever Handle



30XT 30 Series Teak* Cross Handle



80 80 Series Lever Handle



80W 80 Series Wheel Handle



80WB 80 Series Black Wheel Handle



80WR 80 Series Red Wheel Handle

^{*}Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.







 MODEL	DESCRIPTION	FINISH	PRICE
IIII-XX.FR	Contemporary Single Hole Floor Mount Tub Filler - Arc Spout 43-1/4" overall height 9" spout center to center ceramic mixing cartridge spout max flow rate: 10 gpm at 60 psi handshower holder may be adjusted forward during installation replace .FR with desired max flow rate: 1111-XX.20 for 2.0 gpm 1111-XX.18 for 1.8 gpm Replace XX with desired handle shown on the next page. Installation of upstream tempering device may be required. Verify local codes.	polished chrome standard special premium Hammered, Pinstripe I and Rivulet Intaglio* ha polished chrome standard special premium	
	REQUIRES ROUGH VALVE: for more details, see pages 496-498	9511	509

See page 394 for two-hole tub fillers

*Intaglio handles are available in the following finishes only:

Chrome: PC **Standard:** SN

Special: ABF, ACF, ANF, PB, PBU, PN, SC, USS **Premium:** FRG, GRP, LPG, LSG, SB, SBZ

Due to the finishing process, Pinstripe and Rivulet handles are only available in Intaglio versions in ABF, ACF, ANF finishes.

Single Handle Tub Filler Handle Options

Replace XX with desired handle style number in **bold** below



37/38 Series Lever Handle



37/38 Series Teak* Lever Handle



H39 39 Series Cylinder Handle



39 Series Knurled Cylinder Handle Pinstripe Cylinder Handle



39 Series



H39R 39 Series Rivulet Cylinder Handle



H₄0X 40 Series Cross Handle



45 Series Lever Handle



41 41 Series Lever Handle



41-WP 41 Series White Porcelain Handle



41-ADC 41 Series Art Deco Lever Handle



41-BP 41 Series Blue Porcelain Handle



41-OP 41 Series Orange Porcelain Handle



41-PP 41 Series Pink Porcelain Handle



4I-RD 41 Series Red Lever Handle



41-YP 41 Series Yellow Porcelain Handle



52 52 Series Lever Handle



53 Series Lever Handle



62 62 Series Lever Handle



H65 65 Series Cross Handle



H66 66 Series Lever Handle



H70 70 Series Lever Handle



H74 74 Series Lever Handle



H77 77 Series Lever Handle



E3 F3 Series Lever Handle



E4 Series Lever Handle



E5 E5 Series Lever Handle

Hammered, Pinstripe Intaglio and Rivulet Intaglio







H39PI 39 Series Pinstripe Intaglio Cylinder Handle



H39RI 39 Series Rivulet Intaglio Cylinder Handle

^{*}Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.

ASILOMAR® I I SERIES





 MODEL	DESCRIPTION	FINISH	PRICE
1103-XX.FR	Contemporary Floor Mount Tub Filler • 41-1/4" overall height • 8-15/16" spout center to center • 7" floor leg center to center • 1/4 turn ceramic disc cartridge(s) • spout max flow rate: 15 gpm at 60 psi • handshower bracket may be placed on COLD or HOT side of body • replace. FR with desired max flow rate: 1103-XX.20 for 2.0 gpm 1103-XX.18 for 1.8 gpm	polished chrome standard special premium	2866 3583 4012 4729
	Replace XX with desired handle shown on the next page. Installation of upstream tempering device may be required. Verify local codes.	and Rivulet Intaglio* h polished chrome standard special premium	
	REQUIRES ROUGH VALVE: for more details, see pages 496-498	9516	379
II06-XX.FR	Contemporary Wall Mount Tub Filler 11-5/16" to 11-11/16" spout wall to center 6-1/16" to 7-15/16" inlet center to center 1/4 turn ceramic disc cartridge(s) spout max flow rate: 15 gpm at 60 psi handshower bracket mounts to wall replace .FR with desired max flow rate: 1106-XX.20 for 2.0 gpm 1106-XX.18 for 1.8 gpm Replace XX with desired handle shown on the next page. Installation of upstream tempering device may be required. Verify local codes.	polished chrome standard special premium Hammered, Pinstripe and Rivulet Intaglio* h polished chrome standard special premium	
II08-XX.FR	Contemporary Deck Mount Tub Filler 18-1/8" overall height 8-15/16" spout center to center 7" deck leg center to center 1/4 turn ceramic disc cartridge(s) spout max flow rate: 15 gpm at 60 psi handshower bracket may be placed on COLD or HOT side of body replace.FR with desired max flow rate: 1108-XX.20 for 2.0 gpm 1108-XX.18 for 1.8 gpm Replace XX with desired handle shown on the next page. Installation of upstream tempering device may be required. Verify local codes.	polished chrome standard special premium Hammered, Pinstripe and Rivulet Intaglio* h polished chrome standard special premium	0

 ${
m *Intaglio}$ handles are available in the following finishes only:

Chrome: PC Standard: SN

Special: ABF, ACF, ANF, PB, PBU, PN, SC, USS **Premium:** FRG, GRP, LPG, LSG, SB, SBZ

Due to the finishing process, Pinstripe and Rivulet handles are only available in Intaglio versions in ABF, ACF, ANF finishes.

Two Handle Tub Filler Handle Options

Replace XX with desired handle style number in **bold** below



37/38 Series Lever Handle



37/38 Series Teak* Lever Handle



37/X 37/38 Series Cross Handle



37XT 37/38 Series Teak* Cross Handle



39 Series Cylinder Handle



39 Series Knurled Cylinder Handle



39 Series Pinstripe Cylinder Handle



39R 39 Series Rivulet Cylinder Handle



40 Series Lever Handle



40X 40 Series Cross Handle



41 Series Lever Handle



41 Series White Porcelain Handle



41-ADC 41 Series Art Deco Lever Handle



41-BP 41 Series Blue Porcelain Handle



41 Series Orange Porcelain Handle



41 Series Pink Porcelain Handle



41 Series Red Lever Handle



41-YP 41 Series Yellow Porcelain Handle



45 Series Lever Handle



45 Series Cross Handle



52 Series Lever Handle



52 Series Carbon Fiber Handle



52K 52 Series Knurled Handle



53 53 Series Lever Handle



53F 53 Series Carbon Fiber Handle



53K 53 Series Knurled Handle



62 Series Lever Handle



65 Series Cross Handle



66 66 Series Lever Handle



70 70 Series Lever Handle



74
74 Series
Lever Handle



77 Series Lever Handle



E3 Series Lever Handle



E4 Series Lever Handle



Lever Handle

Hammered, Pinstripe Intaglio and Rivulet Intaglio



39H 39 Series Hammered Cylinder Handle



39PI 39 Series Pinstripe Intaglio Cylinder Handle



39RI 39 Series Rivulet Intaglio Cylinder Handle

^{*}Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.







MODEL	DESCRIPTION	FINISH	PRICE
1211-XX.FR	Contemporary Single Hole Floor Mount Tub Filler - Quad Spout • 38-5/8" overall height • 9" spout center to center • ceramic mixing cartridge • spout max flow rate: 10 gpm at 60 psi • handshower holder may be adjusted forward during installation • replace .FR with desired max flow rate: 1211-XX.20 for 2.0 gpm 1211-XX.18 for 1.8 gpm Replace XX with desired handle shown on the next page. Installation of upstream tempering device may be required. Verify local codes.	polished chrome standard special premium Hammered, Pinstripe and Rivulet Intaglio* h polished chrome standard special premium	
	REQUIRES ROUGH VALVE: for more details, see pages 496-498	9511	509

See page 398 for two-hole tub fillers

*Intaglio handles are available in the following finishes only:

Chrome: PC **Standard:** SN

Special: ABF, ACF, ANF, PB, PBU, PN, SC, USS **Premium:** FRG, GRP, LPG, LSG, SB, SBZ

Due to the finishing process, Pinstripe and Rivulet handles are only available in Intaglio versions in ABF, ACF, ANF finishes.

Single Handle Tub Filler Handle Options

Replace XX with desired handle style number in **bold** below



37/38 Series Lever Handle



37/38 Series Teak* Lever Handle



H39 39 Series Cylinder Handle



39 Series Knurled Cylinder Handle Pinstripe Cylinder Handle



39 Series



H39R 39 Series Rivulet Cylinder Handle



H₄0X 40 Series Cross Handle



45 Series Lever Handle



41 41 Series Lever Handle



41-WP 41 Series White Porcelain Handle



41-ADC 41 Series Art Deco Lever Handle



41-BP 41 Series Blue Porcelain Handle



41-OP 41 Series Orange Porcelain Handle



41-PP 41 Series Pink Porcelain Handle



4I-RD 41 Series Red Lever Handle



41-YP 41 Series Yellow Porcelain Handle



52 52 Series Lever Handle



53 Series Lever Handle



62 62 Series Lever Handle



H65 65 Series Cross Handle



H66 66 Series Lever Handle



H70 70 Series Lever Handle



H74 74 Series Lever Handle



H77 77 Series Lever Handle



E3 F3 Series Lever Handle



F4 Series Lever Handle



E5 E5 Series Lever Handle

Hammered, Pinstripe Intaglio and Rivulet Intaglio



H39H 39 Series Hammered Cylinder Handle



H39PI 39 Series Pinstripe Intaglio Cylinder Handle



H39RI 39 Series Rivulet Intaglio Cylinder Handle

^{*}Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.







	MODEL	DESCRIPTION	FINISH	PRICE
	1203-XX.FR	Contemporary Floor Mount Tub Filler - Quad Spout • 39-1/8" overall height • 8-15/16" spout center to center • 7" floor leg center to center • 1/4 turn ceramic disc cartridge(s) • spout max flow rate: 15 gpm at 60 psi • handshower bracket may be placed on COLD or HOT side of body • replace .FR with desired max flow rate: 1203-XX.20 for 2.0 gpm 1203-XX.18 for 1.8 gpm	polished chrome standard special premium	2866 3583 4012 4729
		Replace XX with desired handle shown on the next page. Installation of upstream tempering device may be required. Verify local codes.	Hammered, Pirstripe and Rivulet Intaglio* I polished chrome standard special premium	
		REQUIRES ROUGH VALVE: for more details, see pages 496-498	9516	379
	1206-XX.FR	Contemporary Wall Mount Tub Filler - Quad Spout 11-5/16" to 11-11/16" spout wall to center 6-1/16" to 7-15/16" inlet center to center 1/4 turn ceramic disc cartridge(s) spout max flow rate: 15 gpm at 60 psi handshower bracket mounts to wall replace.FR with desired max flow rate: 1206-XX.20 for 2.0 gpm 1206-XX.18 for 1.8 gpm Replace XX with desired handle shown on the next page. Installation of upstream tempering device may be required.	polished chrome standard special premium	
		Verify local codes.	and Rivulet Intaglio* I polished chrome standard special premium	2027 2534 2838 3345
	1208-XX.FR	Contemporary Deck Mount Tub Filler - Quad Spout 16-1/16" overall height 8-5/16" spout center to center 7" deck leg center to center 1/4 turn ceramic disc cartridge(s) spout max flow rate: 15 gpm at 60 psi handshower bracket may be placed on COLD or HOT side of body replace.FR with desired max flow rate: 1208-XX.20 for 2.0 gpm 1208-XX.18 for 1.8 gpm	polished chrome standard special premium	1946 2433 2724 3211
		Replace XX with desired handle shown on the next page. Installation of upstream tempering device may be required. Verify local codes.	Hammered, Pinstripe and Rivulet Intaglio* I polished chrome standard special premium	

*Intaglio handles are available in the following finishes only:

Chrome: PC Standard: SN

Special: ABF, ACF, ANF, PB, PBU, PN, SC, USS **Premium:** FRG, GRP, LPG, LSG, SB, SBZ

Due to the finishing process, Pinstripe and Rivulet handles are only available in Intaglio versions in ABF, ACF, ANF finishes.

Two Handle Tub Filler Handle Options

Replace XX with desired handle style number in bold below



37/38 Series Lever Handle



37/38 Series Teak* Lever Handle



37/38 Series Cross Handle



37/38 Series Teak* Cross Handle



39 Series Cylinder Handle



39 Series Knurled Cylinder Handle



39 Series Pinstripe Cylinder Handle



39 Series Rivulet Cylinder Handle



40 Series Lever Handle



40X 40 Series Cross Handle



41 Series Lever Handle



41 Series White Porcelain Handle



41-ADC 41 Series Art Deco Lever Handle



41 Series Blue Porcelain Handle



41 Series Orange Porcelain Handle



41 Series Pink Porcelain Handle



41 Series Red Lever Handle



41 Series Yellow Porcelain Handle



45 Series Lever Handle



45 Series Cross Handle



52 Series Lever Handle



52 Series Carbon Fiber Handle



52K 52 Series Knurled Handle



53 53 Series Lever Handle



53F 53 Series Carbon Fiber Handle



53K 53 Series Knurled Handle



62 Series Lever Handle



65 Series Cross Handle



66 Series Lever Handle



70 Series Lever Handle



74 74 Series



77 77 Series Lever Handle



E3 Series Lever Handle



E4 Series Lever Handle



Lever Handle

Hammered, Pinstripe Intaglio and Rivulet Intaglio



39 Series Hammered Cylinder Handle



39 Series Pinstripe Intaglio Cylinder Handle



39RI 39 Series Rivulet Intaglio Cylinder Handle

^{*}Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.







	MODEL	DESCRIPTION	FINISH	PRICE
	1311-XX.FR	Traditional Single Hole Floor Mount Tub Filler - Arc Spout • 43-1/4" overall height • 9" spout center to center • ceramic mixing cartridge • spout max flow rate: 10 gpm at 60 psi • handshower holder may be adjusted forward during installation • replace .FR with desired max flow rate: 1311-XX.20 for 2.0 gpm 1311-XX.18 for 1.8 gpm Replace XX with desired handle shown on the next page. Installation of upstream tempering device may be required. Verify local codes.	polished chrome standard special premium	2965 3706 4151 4892
U.J.		REQUIRES ROUGH YALVE: for more details, see pages 496-498	9511	509

See page 402 for two-hole tub fillers

Single Handle Tub Filler Handle Options

Replace XX with desired handle style number in bold below



33 33 Series Lever Handle



33-ADC 33 Series Art Deco Lever Handle



H34 34 Series Cross Handle



35 35 Series White Porcelain Handle



H46 46 Series Lever Handle



H46-ADC 46 Series Art Deco Lever Handle



H47 47 Series Cross Handle



48 48 Series Lever Handle



48 Series Cross Handle



60 60 Series Lever Handle



60-WP 60 Series White Porcelain Handle



60-ADC 60 Series Art Deco Lever Handle



60-BP 60 Series Blue Porcelain Handle



60-OP 60 Series Orange Porcelain Handle



60-PP 60 Series Pink Porcelain Handle



60-RD 60 Series Red Lever Handle



60-YP 60 Series Yellow Porcelain Handle



H60X 60 Series Cross Handle



61 61 Series Lever Handle



H61XD 61 Series Cross Drop Handle

PALOMAR® 13 SERIES





	MODEL	DESCRIPTION	FINISH	PRICE
	1303-XX.FR	Traditional Floor Mount Tub Filler - Arc Spout 41-5/8" overall height 8-15/16" spout center to center 7" floor leg center to center 1/4 turn ceramic disc cartridge(s) spout max flow rate: 15 gpm at 60 psi handshower bracket may be placed on COLD or HOT side of body replace .FR with desired max flow rate: 1303-XX.20 for 2.0 gpm 1303-XX.18 for 1.8 gpm Replace XX with desired handle shown on the next page. Installation of upstream tempering device may be required. Verify local codes.	polished chrome standard special premium	2944 3680 4122 4858
1 W		REQUIRES ROUGH YALVE: for more details, see pages 496-498	9516	379
	I306-XX.FR	Traditional Wall Mount Tub Filler - Arc Spout 11-5/16" to 11-11/16" spout wall to center 6-1/16" to 7-15/16" inlet center to center 1/4 turn ceramic disc cartridge(s) spout max flow rate: 15 gpm at 60 psi handshower bracket mounts to wall replace. FR with desired max flow rate: 1306-XX.20 for 2.0 gpm 1306-XX.18 for 1.8 gpm Replace XX with desired handle shown on the next page. Installation of upstream tempering device may be required. Verify local codes	polished chrome standard special premium	1879 2349 2631 3100
H	I308-XX.FR	Traditional Deck Mount Tub Filler - Arc Spout 18-11/16" overall height 8-15/16" spout center to center 7" deck leg center to center 1/4 turn ceramic disc cartridge(s) spout max flow rate: 15 gpm at 60 psi handshower bracket may be placed on COLD or HOT side of body replace .FR with desired max flow rate: 1308-XX.20 for 2.0 gpm 1308-XX.18 for 1.8 gpm Replace XX with desired handle shown on the next page. Installation of upstream tempering device may be required. Verify local codes.	polished chrome standard special premium	1998 2498 2797 3297

Two Handle Tub Filler Handle Options

Replace XX with desired handle style number in **bold** below



33 Series Lever Handle



33-ADC 33 Series Art Deco Lever Handle



34 34 Series Cross Handle



35 35 Series White Porcelain Handle



46 Series Lever Handle



46-ADC 46 Series Art Deco Lever Handle



47 Series Cross Handle



48 48 Series Lever Handle



48 Series Cross Handle



60 Series Lever Handle



60 Series White Porcelain Handle



60 Series Art Deco Lever Handle



60-BP 60 Series Blue Porcelain Handle



60-OP 60 Series Orange Porcelain Handle



60-PP 60 Series Pink Porcelain Handle



60-RD 60 Series Red Lever Handle



60-YP 60 Series Yellow Porcelain Handle



60X 60 Series Cross Handle



61 61 Series Lever Handle



6IXD 61 Series Cross Drop Handle

HERMOSA®14 SERIES





	MODEL	DESCRIPTION	FINISH	PRICE
	1411-XX.FR	Traditional Single Hole Floor Mount Tub Filler - Quad Spout 38-5/8" overall height 9" spout center to center ceramic mixing cartridge spout max flow rate: 10 gpm at 60 psi handshower holder may be adjusted forward during installation replace .FR with desired max flow rate: 1411-XX.20 for 2.0 gpm 1411-XX.18 for 1.8 gpm Replace XX with desired handle shown on the next page. Installation of upstream tempering device may be required. Verify local codes.	polished chrome standard special premium	2965 3706 4151 4892
U.S.		REQUIRES ROUGH VALVE: for more details, see pages 496-498	9511	509

See page 406 for two-hole tub fillers

Single Handle Tub Filler Handle Options

Replace XX with desired handle style number in bold below



33 33 Series Lever Handle



33-ADC 33 Series Art Deco Lever Handle



H34 34 Series Cross Handle



35 35 Series White Porcelain Handle



H46 46 Series Lever Handle



H46-ADC 46 Series Art Deco Lever Handle



H47 47 Series Cross Handle



48 48 Series Lever Handle



48 Series Cross Handle



60 60 Series Lever Handle



60-WP 60 Series White Porcelain Handle



60-ADC 60 Series Art Deco Lever Handle



60-BP 60 Series Blue Porcelain Handle



60-OP 60 Series Orange Porcelain Handle



60-PP 60 Series Pink Porcelain Handle



60-RD 60 Series Red Lever Handle



60-YP 60 Series Yellow Porcelain Handle



H60X 60 Series Cross Handle



61 61 Series Lever Handle



H61XD 61 Series Cross Drop Handle

HERMOSA®

14 SERIES





	MODEL	DESCRIPTION	FINISH	PRICE
	1403-XX.FR	Traditional Floor Mount Tub Filler - Quad Spout 39-1/8" overall height 8-15/16" spout center to center 7" floor leg center to center 1/4 turn ceramic disc cartridge(s) spout max flow rate: 15 gpm at 60 psi handshower bracket may be placed on COLD or HOT side of body replace .FR with desired max flow rate: 1403-XX.20 for 2.0 gpm 1403-XX.18 for 1.8 gpm Replace XX with desired handle shown on the next page. Installation of upstream tempering device may be required. Verify local codes.	polished chrome standard special premium	2944 3680 4122 4858
		REQUIRES ROUGH VALVE: for more details, see pages 496-498	9516	379
	1406-XX.FR	Traditional Wall Mount Tub Filler - Quad Spout 11-5/16" to 11-13/16" spout wall to center 6-1/16" to 7-15/16" inlet center to center 1/4 turn ceramic disc cartridge(s) spout max flow rate: 15 gpm at 60 psi handshower bracket mounts to wall replace .FR with desired max flow rate: 1406-XX.20 for 2.0 gpm 1406-XX.18 for 1.8 gpm Replace XX with desired handle shown on the next page. Installation of upstream tempering device may be required. Verify local codes.	polished chrome standard special premium	1879 2349 2631 3100
H	I408-XX.FR	Traditional Deck Mount Tub Filler - Quad Spout 16-1/16" overall height 8-15/16" spout center to center 7" deck leg center to center 1/4 turn ceramic disc cartridge(s) spout max flow rate: 15 gpm at 60 psi handshower bracket may be placed on COLD or HOT side of body replace .FR with desired max flow rate: 1408-XX.20 for 2.0 gpm 1408-XX.18 for 1.8 gpm Replace XX with desired handle shown on the next page. Installation of upstream tempering device may be required. Verify local codes.	polished chrome standard special premium	1998 2498 2797 3297

Two Handle Tub Filler Handle Options

Replace XX with desired handle style number in **bold** below



33 Series Lever Handle



33-ADC 33 Series Art Deco Lever Handle



34 34 Series Cross Handle



35 35 Series White Porcelain Handle



46 Series Lever Handle



46-ADC 46 Series Art Deco Lever Handle



47 Series Cross Handle



48 48 Series Lever Handle



48 Series Cross Handle



60 Series Lever Handle



60 Series White Porcelain Handle



60 Series Art Deco Lever Handle



60-BP 60 Series Blue Porcelain Handle



60-OP 60 Series Orange Porcelain Handle



60-PP 60 Series Pink Porcelain Handle



60-RD 60 Series Red Lever Handle



60-YP 60 Series Yellow Porcelain Handle



60X Cross Handle



61 Series Lever Handle



61 Series Cross Drop Handle







MODEL	DESCRIPTION	FINISH	PRICE
I503-XX.FR	Traditional Floor Mount Tub Filler 43" overall height 5-7/16" spout center to center 7" floor center to center 1/4 turn ceramic disc cartridge(s) spout max flow rate: 13 gpm at 60 psi handshower cradle outlet may be placed on left or right side of body replace .FR with desired max flow rate: 1503-XX.20 for 2.0 gpm 1503-XX.18 for 1.8 gpm Replace XX with desired handle shown on the next page. Installation of upstream tempering device may be required. Verify local codes.	polished chrome standard special premium	3079 3849 4311 5080
	REQUIRES ROUGH VALVE: for more details, see pages 496-498	9516	379
I506-XX.FR	Traditional Wall Mount Tub Filler 7-13/16" to 8-3/16" spout wall to center 6-1/16" to 7-15/16" inlet center to center 1/4 turn ceramic disc cartridge(s) spout max flow rate: 13 gpm at 60 psi handshower cradle outlet may be on placed left or right side of body replace. FR with desired max flow rate: 1506-XX.20 for 2.0 gpm 1506-XX.18 for 1.8 gpm Replace XX with desired handle shown on the next page. Installation of upstream tempering device may be required. Verify local codes.	polished chrome standard special premium	1858 2323 2601 3066
I508-XX.FR	Traditional Deck Mount Tub Filler 18-3/16" overall height 5-7/16" spout center to center 7" deck leg center to center 1/4 turn ceramic disc cartridge(s) spout max flow rate: 13 gpm at 60 psi handshower cradle outlet may be on placed left or right side of body replace.FR with desired max flow rate: 1508-XX.20 for 2.0 gpm 1508-XX.18 for 1.8 gpm Replace XX with desired handle shown on the next page. Installation of upstream tempering device may be required. Verify local codes.	polished chrome standard special premium	2168 2710 3035 3577

Two Handle Tub Filler Handle Options

Replace XX with desired handle style number in **bold** below



33 33 Series Lever Handle



33-ADC 33 Series Art Deco Lever Handle



34 34 Series Cross Handle



35 35 Series White Porcelain Handle



46 Series Lever Handle



46-ADC 46 Series Art Deco Lever Handle



47 Series Cross Handle



48 48 Series Lever Handle



48X 48 Series Cross Handle



60 Series Lever Handle



60-WP 60 Series White Porcelain Handle



60 Series Art Deco Lever Handle



60-BP 60 Series Blue Porcelain Handle



60-OP 60 Series Orange Porcelain Handle



60-PP 60 Series Pink Porcelain Handle



60-RD 60 Series Red Lever Handle



60-YP 60 Series Yellow Porcelain Handle



60X 60 Series Cross Handle



61 61 Series Lever Handle



61 Series Cross Drop Handle

MORRO BAY®







MODEL	DESCRIPTION	FINISH	PRICE
7711-XX.FR	 Modern Single Hole Floor Mount Tub Filler 37-3/4" overall height 8-1/16" spout center to center ceramic mixing cartridge spout max flow rate: 10 gpm at 60 psi handshower holder may be adjusted forward during installation replace .FR with desired max flow rate: 7711-XX.20 gpm 7711-XX.18 gpm Replace XX with desired handle shown on the next page. Installation of upstream tempering device may be required. Verify local codes. 	polished chrome standard special premium	3151 3939 4411 5199
	REQUIRES ROUGH YALVE: for more details, see pages 496-498	9511	509

Single Handle Tub Filler Handle Options

Replace XX with desired handle style number in **bold** below



H37 37/38 Series Lever Handle



H37T 37/38 Series Teak* Lever Handle



H45 45 Series Lever Handle



H70 70 Series Lever Handle



H77 77 Series Lever Handle



E3 E3 Series Lever Handle



HE4 E4 Series Lever Handle



E5 Series Lever Handle

^{*}Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.

STEAMPUNK BAY®

85/86 SERIES









	MODEL	DESCRIPTION	FINISH	PRICE
Quad Spout	8511.FR Lever Handle 8511B.FR Blade Handle	Single Hole Floor Mount Tub Filler • overall height: 38-5/8" (85 Series) 43-1/4" (86 Series) • 9" spout center to center • ceramic mixing cartridge • spout max flow rate: 10 gpm at 60 psi • handshower holder may be adjusted forward during installation • replace .FR with desired max flow rate: 8511.20 for 2.0 gpm 8511.18 for 1.8 gpm	polished chrome standard special premium	3151 3939 4411 5199
	8611.FR Lever Handle 8611B.FR Blade Handle	Installation of upstream tempering device may be required. Verify local codes.		
Arc Spout		REQUIRES ROUGH VALVE: for more details, see pages 496-498	9511	509
Quad Spout	8511 W.FR Wheel Handle	Single Hole Floor Mount Tub Filler - Wheel Handles • overall height: 38-5/8" (85 Series) 43-1/4" (86 Series • 9" spout center to center • ceramic mixing cartridge • spout max flow rate: 10 gpm at 60 psi • handshower holder may be adjusted forward during installation • replace .FR with desired max flow rate: 8511W.20 for 2.0 gpm	polished chrome standard special premium	3201 4001 4481 5282
	8611 W.FR Wheel Handle	8511W.18 for 1.8 gpm Installation of upstream tempering device may be required. Verify local codes.		
Arc Spout		REQUIRES ROUGH VALVE: for more details, see pages 496-498	9511	509












	MODEL	DESCRIPTION	FINISH	PRICE
	8508-ETW.FR Lever Handle	Wall Mount Tub Filler	polished chrome	2286 2858
	Ecver Flandic	• spout wall to center	special	3200
		-5/4" to - 3/ 6" (86 series)	premium	3772
		6-1/16" to 7-15/16" inlet center to center1/4 turn ceramic disc cartridge(s)		
		spout max flow rate: 15 gpm at 60 psi		
a + 16 (G)		handshower bracket mounts to wall replace .FR with desired max handshower flow rate:		
Carlo Co	8508B-ETW.FR	8508-ETW.20 for 2.0 gpm		
	Blade Handle	8508-ETW.18 for 1.8 gpm		
1 1		Installation of upstream tempering device may be required. Verify local codes.		
1 1				
Low Quad Spout				
	8608-ETW.FR Lever Handle			
	Lever manule			
N P				
1 " 1				
The Contract of the Contract o	8608B-ETW.FR			
Carried Co.	Blade Handle			
Arc Spout				
	8508W-ETW.FR	Wall Mount Tub Filler - Wheel Handles	polished chrome	2386
	Wheel Handle	• spout wall to center	standard special	2983 3340
		-5/ 6" to - 3/ 6" (86 series)	premium	3937
		6-1/16" to 7-15/16" inlet center to center 1/4 turn ceramic disc cartridge(s)	·	
		• spout max flow rate: 15 gpm at 60 psi		
46		handshower bracket mounts to wall replace .FR with desired max handshower flow rate:		
G 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6		8508W-ETW.20 for 2.0 gpm		
		8508W-ETW.18 for 1.8 gpm Installation of upstream tempering device may be required.		
1 1		Verify local codes.		
1 1				
Low Quad Spout				
·				
	8608W-ETW.FR			
	Wheel Handle			
1 1 4				
The second				
999				
Arc Spout				



Handle Options







Blade Handle

CHRISTOPHER GRUBB®

CI & C2 SERIES





	MODEL	DESCRIPTION	FINISH	PRICE
	C108X-ETS.FR Cross Handle C108XS-ETS.FR Cross Handle C108XS-ETS.FR Smooth Cross Handle	Single Hole Floor Mount Tub Filler • 43-1/4" overall height • 9-1/16" spout center to center • ceramic mixing cartridge • spout max flow rate: 10 gpm at 60 psi • handshower holder may be adjusted forward during installation • replace .FR with desired max flow rate: C108-ETS.20 for 2.0 gpm C108-ETS.18 for 1.8 gpm Installation of upstream tempering device may be required. Verify local codes.	polished chrome standard special premium	3151 3939 4411 5199
		REQUIRES ROUGH YALVE: for more details, see pages 496-498	9511	509
	C108-ETF.FR Lever Handle	Floor Mount Tub Filler • 41-1/8" overall height • 8-15/16" spout center to center • 7" floor leg center to center • 1/4 turn ceramic disc cartridge(s) • spout max flow rate: 15 gpm at 60 psi	polished chrome standard special premium	3351 4189 4691 5529
	C108X-ETF.FR Cross Handle	 handshower bracket may be placed on COLD or HOT side of body replace .FR with desired max flow rate: C108-ETF.20 for 2.0 gpm C108-ETF.18 for 1.8 gpm Installation of upstream tempering device may be required. Verify local codes. 		
	C108XS-ETF.FR Smooth Cross Handle	PEOURDES DOUGHWAIVE	OFIA	379
٧		REQUIRES ROUGH VALVE: for more details, see pages 496-498	9516	3/9
0.	C108-ETW.FR Lever Handle	Wall Mount Tub Filler • 11-5/16" to 11-13/16" spout wall to center • 6-1/16" to 7-15/16" inlet center to center • 1/4 turn ceramic disc cartridge(s) • spout max flow rate: 15 gpm at 60 psi	polished chrome standard special premium	2286 2858 3200 3772
	C108X-ETW.FR Cross Handle	 handshower bracket mounts to wall replace .FR with desired max flow rate: C108-ETW.20 for 2.0 gpm C108-ETW.18 for 1.8 gpm Installation of upstream tempering device may be required. Verify local codes. 		
	C108XS-ETW.FR Smooth Cross Handle			

PRICE

2405

3006

3367

3968

CHRISTOPHER GRUBB | C1 SERIES

FINISH

standard

premium

special

polished chrome

C108-ETD.FR **Deck Mount Tub Filler** Lever Handle • 18-3/16" overall height • 8-15/16" spout center to center • 7" deck leg center to center • 1/4 turn ceramic disc cartridge(s) • spout max flow rate: 15 gpm at 60 psi • handshower bracket may be placed on COLD or HOT side of body C108X-ETD.FR Cross Handle • replace .FR with desired max flow rate: C108-ETD.20 for 2.0 gpm C108-ETD.18 for 1.8 gpm Installation of upstream tempering device may be required. Verify local codes. C108XS-ETD.FR Smooth Cross Handle

DESCRIPTION

Handle Options

MODEL







Lever Handle

andle Smooth Cross Handle

CHRISTOPHER GRUBB | C2 SERIES

MODEL	DESCRIPTION	FINISH	PRICE
C208-ETS.FR	Single Hole Floor Mount Tub Filler • 37-3/4" overall height • 8-1/16" spout center to center • ceramic mixing cartridge • spout max flow rate: 10 gpm at 60 psi • handshower holder may be adjusted forward during installation • replace .FR with desired max flow rate: C208-ETS.20 for 2.0 gpm C208-ETS.18 for 1.8 gpm Installation of upstream tempering device may be required. Verify local codes.	polished chrome standard special premium	3390 4238 4746 5594
	REQUIRES ROUGH VALVE: for more details, see pages 496-498	9511	509








SHOWERS

	MODEL	DESCRIPTION	FINISH	PRICE
	9120.04.FR	6 Jet Showerhead Kit	polished chrome	365
		• 1/2" FIP inlet	standard	456
	aterSene	SH-01 one piece shower arm & SH-04 6 jet showerhead	special	511
90	(z v č	replace .FR with desired max flow rate: 9120.04.25 for 2.5 gpm	premium	602
209	EPA CITI	9120.04.20 for 2.0 gpm		
	Certified at 2.0	9120.04.18 for 1.8 gpm		
	& 1.5 gpm	9120.04.15 for 1.5 gpm		
	9120.04T.FR	6 Jet Showerhead Kit - Traditional	polished chrome	398
		• 1/2" FIP inlet	standard	497
	aterSea	SH-01 one piece shower arm & SH-04T 6 jet showerhead	special	557
N. N.	Z v ve	replace .FR with desired max flow rate: 9120.04T.25 for 2.5 gpm	premium	656
600	To EDA CHIEF	9120.04T.20 for 2.0 gpm		
	Certified at 2.0	9120.04T.18 for 1.8 gpm		
	& 1.5 gpm	9120.04T.15 for 1.5 gpm		
	9120.05.FR	8 Jet Showerhead Kit	polished chrome	504
		• 1/2" FIP inlet	standard	630
	aterSea	SH-01 one piece shower arm & SH-05 8 jet showerhead	special	706
	7. 3.	replace .FR with desired max flow rate: 9120.05.25 for 2.5 gpm	premium	83 I
200	To EPA CHAP	9120.05.20 for 2.0 gpm		
8000	Certified at 2.0	9120.05.18 for 1.8 gpm		
		9120.05.15 for 1.5 gpm		
	9120.061-30K.FR	8 Jet Showerhead Kit - Knurled	polished chrome	394
		• I/2" FIP inlet	standard	492
	Later Sens	SH-01 one piece shower arm & SH-061-30K showerhead	special	552
	(2 6 3)	replace .FR with desired max flow rate: 9120.061-30K.25 for 2.5 gpm	premium	650
	EPA CITY	9120.061-30K.20 for 2.0 gpm		
1.33333	Certified at 2.0	9120.061-30K.18 for 1.8 gpm		
Carlot Land	& 1.8 gpm			
	9120.061-60.FR	8 Jet Showerhead Kit - Lined	polished chrome	394
		• 1/2" FIP inlet	standard	492
	Later Sence	SH-01 one piece shower arm & SH-061-60 showerhead	special	552
	(2 ()	• replace .FR with desired max flow rate: 9120.061-60.25 for 2.5 gpm	premium	650
	EPA CITY	9120.061-60.20 for 2.0 gpm		
1. 33.33	Certified at 2.0	9120.061-60.18 for 1.8 gpm		
C. C. S. E. S. S.	& 1.8 gpm			
	9120.061-65.FR	8 Jet Showerhead Kit - Smooth	polished chrome	394
		• I/2" FIP inlet	standard	492
1	SaterSens	SH-01 one piece shower arm & SH-061-65 showerhead	special	552
	(2 0	replace .FR with desired max flow rate: 9120.061-65.25 for 2.5 gpm	premium	650
	EPA CIN	9120.061-65.25 for 2.5 gpm 9120.061-65.20 for 2.0 gpm		
12333	Certified at 2.0	9120.061-65.18 for 1.8 gpm		
(: 18 18 2 a.s.	& 1.8 gpm			
	9120.061-85.FR	8 Jet Showerhead Kit - Coined	polished chrome	394
		• 1/2" FIP inlet	standard	492
	aterSea	SH-01 one piece shower arm & SH-061-85 showerhead	special	552
	Zao V. Se	• replace .FR with desired max flow rate:	premium	650
	To EDA CO	9120.061-85.25 for 2.5 gpm 9120.061-85.20 for 2.0 gpm		
16. 3.3.4.5	Certified at 2.0	9120.061-85.18 for 1.8 gpm		
C. S.	& 1.8 gpm	<u>.</u>		

	MODEL	DESCRIPTION	FINISH	PRICE
	9120.071.FR	Traditional 5-5/8" Single-Function Showerhead Kit 1/2" FIP inlet SH-01 one piece shower arm & SH-071 single-function showerhead replace .FR with desired max flow rate: 9120.071.25 for 2.5 gpm 9120.071.18 for 1.8 gpm	polished chrome standard special premium	350 437 490 577
	9120.073.FR Plant of the control of	Traditional 5-5/8" Multi-Function Showerhead Kit 1/2" FIP inlet SH-01 one piece shower arm & SH-073 multi-function showerhead replace. FR with desired max flow rate: 9120.073.25 for 2.5 gpm 9120.073.20 for 2.0 gpm 9120.073.18 for 1.8 gpm	polished chrome standard special premium	420 525 588 693
	9120.081.FR	Contemporary 5-5/8" Single-Function Showerhead Kit 1/2" FIP inlet SH-01 one piece shower arm & SH-081 single-function showerhead replace .FR with desired max flow rate: 9120.081.25 for 2.5 gpm 9120.081.18 for 1.8 gpm	polished chrome standard special premium	350 437 490 577
	9120.083.FR Place of the second of the seco	Contemporary 5-5/8" Multi-Function Showerhead Kit 1/2" FIP inlet SH-01 one piece shower arm & SH-083 multi-function showerhead replace. FR with desired max flow rate: 9120.083.25 for 2.5 gpm 9120.083.20 for 2.0 gpm 9120.083.18 for 1.8 gpm	polished chrome standard special premium	420 525 588 693
	9120.091.FR	Transitional 5-5/8" Single-Function Showerhead Kit 1/2" FIP inlet SH-01 one piece shower arm & SH-091 showerhead replace .FR with desired max flow rate: 9120.091.25 for 2.5 gpm 9120.091.18 for 1.8 gpm suggested to match series: C1	polished chrome standard special premium	350 437 490 577
	9120.093.FR Place of the second of the seco	Transitional 5-5/8" Multi-Function Showerhead Kit • 1/2" FIP inlet • SH-01 one piece shower arm & SH-093 showerhead • replace .FR with desired max flow rate: 9120.093.25 for 2.5 gpm 9120.093.20 for 2.0 gpm 9120.093.18 for 1.8 gpm suggested to match series: CI	polished chrome standard special premium	420 525 588 693
	9120.504.FR State September 1997 Certified at 2.0 gpm	Styleflow® Contemporary - IKO Showerhead Kit 1/2" FIP inlet SH-01 one piece shower arm & SH-504 showerhead replace. FR with desired max flow rate: 9120.504.25 for 2.5 gpm 9120.504.20 for 2.0 gpm 9120.504.18 for 1.8 gpm available in PC, SN & PN only	polished chrome satin nickel polished nickel	350 437 490
3 17 25		800.822.8855 californiafaucets.com		421

	MODEL	DESCRIPTION	FINISH	PRICE
	SH-04.FR	2-1/2" 6 Jet Showerhead	polished chrome	280
N.	276	• 1/2" FIP swivel inlet	standard	350
00	Hatel Sens	replace .FR with desired max flow rate:	special	392
6 4	(S. O. 3)	SH-04.25 for 2.5 gpm	premium	462
60	EPA CIN	SH-04.20 for 2.0 gpm SH-04.18 for 1.8 gpm		
	Certified at 2.0 & 1.5 gpm	SH-04.15 for 1.5 gpm		
•	α 1.5 gpill	5., 6.115 to 15.		
	SH-04T.FR	3-5/16" 6 Jet Showerhead - Traditional	polished chrome	313
	axerSea.	• 1/2" FIP swivel inlet	standard	391
00	(Z	 replace .FR with desired max flow rate: SH-04T.25 for 2.5 gpm 	special	438
10.011	The EDA COM	SH-04T.20 for 2.0 gpm	premium	516
00	Certified at 2.0	SH-04T.18 for 1.8 gpm		
	& 1.5 gpm	SH-04T.15 for 1.5 gpm		
100	SH-05.FR	3-1/2" 8 Jet Showerhead	polished chrome	419
		• 1/2" FIP swivel inlet	standard	524
	ater Seno	replace .FR with desired max flow rate:	special	587
		SH-05.25 for 2.5 gpm	premium	691
	Repa Charles	SH-05.20 for 2.0 gpm SH-05.18 for 1.8 gpm		
	Certified at 2.0 gpm	SH-05.15 for 1.5 gpm		
	SH-061-30K.FR	2" Buses Simple Europhism Sharranhard Manuala	poliched shapes	309
	3H-001-3UK.FK	3" Brass Single-Function Showerhead - Knurled • 1/2" FIP swivel inlet	polished chrome standard	309
	aterSea	self-cleaning rubber jets	special	433
	Z20 (5°)	• 3" diameter brass faceplate	premium	510
4 4 4 4 4	The same of the sa	replace .FR with desired max flow rate:	premium	310
0 2 2 3 8 2 2 2	Certified at 2.0	SH-061-30K.25 for 2.5 gpm		
C. B. C.	& 1.8 gpm	SH-061-30K.20 for 2.0 gpm SH-061-30K.18 for 1.8 gpm		
	CI 1 0 / 1 / 0 FD	"	P. L. L. L.	200
	SH-061-60.FR	3" Brass Single-Function Showerhead - Lined	polished chrome	309
0.00	, set Sea	1/2" FIP swivel inlet self-cleaning rubber jets	standard	386
	Z20 1750	3" diameter brass faceplate	special	433 510
111	The second of	replace .FR with desired max flow rate:	premium	310
000000000000000000000000000000000000000	Certified at 2.0	SH-061-60.25 for 2.5 gpm		
6 500	& 1.8 gpm	SH-061-60.20 for 2.0 gpm SH-061-60.18 for 1.8 gpm		
	SH-061-65.FR	3" Brass Single-Function Showerhead - Smooth	polished chrome	309
		• 1/2" FIP swivel inlet	standard	386
	Later Sens	self-cleaning rubber jets	special	433
(200	()	• 3" diameter brass faceplate	premium	510
23333	Berg EPA CH	• replace .FR with desired max flow rate: SH-061-65.25 for 2.5 gpm		
1 3 4 3 4	Certified at 2.0	SH-061-65.20 for 2.0 gpm		
	& 1.8 gpm	SH-061-65.18 for 1.8 gpm		
	SH-061-85.FR	3" Brass Single-Function Showerhead - Coined	polished chrome	309
		• 1/2" FIP swivel inlet	standard	386
	Rater Sens	self-cleaning rubber jets diameter brees frequents	special	433
1 2000	(2	3" diameter brass faceplate replace .FR with desired max flow rate:	premium	510
00000000	P/a EPA ON	SH-061-85.25 for 2.5 gpm		
6 6 6 6 9	Certified at 2.0 & 1.8 gpm	SH-061-85.20 for 2.0 gpm SH-061-85.18 for 1.8 gpm		
	SH-071.FR	G	polished chrome	265
44	3H-0/1.FK	Traditional 5-5/8" Brass Single-Function Showerhead • 1/2" FIP swivel inlet	standard	331
		I/Z FIF swivel inlet self-cleaning rubber jets	special	371
		• all brass pivot ball & body	premium	437
111112		• 5-5/8" diameter, gray face	premian	157
The state of the s		 replace .FR with desired max flow rate: SH-071.25 for 2.5 gpm 		
		SH-071.18 for 1.8 gpm		
		<u> </u>		




MODEL	DESCRIPTION	FINISH	PRICE
SH-003-30K.FR Ref Server Certified at 2.0 & 1.8 gpm	WaterSconce™ Multi-Function Showerhead - Knurled • 1/2" FIP inlet via quick connect • 3 function showerhead: rain, air, & massage • self-cleaning rubber jets • brass body • 4-1/8" diameter, black face • replace .FR with desired max flow rate: SH-003-30K.25 for 2.5 gpm SH-003-30K.20 for 2.0 gpm SH-003-30K.18 for 1.8 gpm	polished chrome standard special premium	1595 1994 2233 2632
SH-003-85.FR Certified at 2.0 & 1.8 gpm	WaterSconce™ Multi-Function Showerhead - Coined • 1/2" FIP inlet via quick connect • 3 function showerhead: rain, air, & massage • self-cleaning rubber jets • brass body • 4-1/8" diameter, black face • replace .FR with desired max flow rate: SH-003-85.25 for 2.5 gpm SH-003-85.20 for 2.0 gpm SH-003-85.18 for 1.8 gpm	polished chrome standard special premium	1595 1994 2233 2632
SH-165.FR Certified at 2.0 gpm	8" Self-Cleaning Showerhead • 1/2" FIP non-swivel inlet • 8" diameter • self-cleaning rubber jets • replace .FR with desired max flow rate: SH-165.25 for 2.5 gpm SH-165.20 for 2.0 gpm SH-165.18 for 1.8 gpm	polished chrome standard special premium	559 699 783 922
SH-113	Optional Swivel • 1/2" FIP inlet • 1/2" MIP outlet • for use with SH-165 or any non-swivel showerhead	polished chrome standard special premium	75 94 105 124
SH-148-8.FR Certified at 2.0 gpm	8" Diameter Showerhead • 1/2" FIP swivel inlet • 8" diameter • self-cleaning rubber jets • replace .FR with desired max flow rate: SH-148-8.25 for 2.5 gpm SH-148-8.20 for 2.0 gpm SH-148-8.15 for 1.8 gpm SH-148-8.15 for 1.5 gpm	polished chrome standard special premium	562 703 787 927
SH-148-10.FR Certified at 2.0 gpm	 IO" Diameter Showerhead 1/2" FIP swivel inlet 10" diameter self-cleaning rubber jets replace .FR with desired max flow rate: SH-148-10.25 for 2.5 gpm SH-148-10.20 for 2.0 gpm SH-148-10.18 for 1.8 gpm 	polished chrome standard special premium	752 940 1053 1241
SH-148-12.FR SH-148-12.FR Certified at 2.0	 I Diameter Showerhead I/2" FIP swivel inlet I2" diameter self-cleaning rubber jets replace .FR with desired max flow rate: SH-148-12.25 for 2.5 gpm SH-148-12.20 for 2.0 gpm SH-148-12.18 for 1.8 gpm 	polished chrome standard special premium	1044 1305 1462 1723

	MODEL	DESCRIPTION	FINISH	PRICE
MANAGASSIA III	SH-162-6.FR	6" Diameter Ultra-Thin Round Showerhead • 1/2" FIP swivel inlet • 6" diameter • self-cleaning rubber jets • replace .FR with desired max flow rate: SH-162-6.25 for 2.5 gpm SH-162-6.00 for 2.0 gpm SH-162-6.18 for 1.8 gpm SH-162-6.15 for 1.5 gpm	polished chrome standard special premium	259 324 363 427
#147428911111202A10	SH-162-8.FR Certified at 2.0 gpm	8" Diameter Ultra-Thin Round Showerhead • 1/2" FIP swivel inlet • 8" diameter • self-cleaning rubber jets • replace .FR with desired max flow rate: SH-162-8.25 for 2.5 gpm SH-162-8.20 for 2.0 gpm SH-162-8.18 for 1.8 gpm SH-162-8.15 for 1.5 gpm	polished chrome standard special premium	369 461 517 609
######################################	SH-162-10.FR Certified at 2.0 gpm	 IO" Diameter Ultra-Thin Round Showerhead 1/2" FIP swivel inlet 10" diameter self-cleaning rubber jets replace .FR with desired max flow rate: SH-162-10.25 for 2.5 gpm SH-162-10.20 for 2.0 gpm SH-162-10.18 for 1.8 gpm 	polished chrome standard special premium	509 636 713 840
THE PARTY OF THE P	SH-162-12.FR Ref Service Certified at 2.0 gpm	 I 2" Diameter Ultra-Thin Round Showerhead 1/2" FIP swivel inlet 12" diameter self-cleaning rubber jets replace. FR with desired max flow rate: SH-162-12.25 for 2.5 gpm SH-162-12.20 for 2.0 gpm SH-162-12.18 for 1.8 gpm 	polished chrome standard special premium	775 969 1085 1279
THE STREET OF STREET OF STREET	SH-162-16.FR Certified at 2.0 & 1.8 gpm	 I6" Diameter Ultra-Thin Round Showerhead 1/2" FIP swivel inlet 16" diameter self-cleaning rubber jets replace .FR with desired max flow rate: SH-162-16.25 for 2.5 gpm SH-162-16.20 for 2.0 gpm SH-162-16.18 for 1.8 gpm 	polished chrome standard special premium	1279 1599 1791 2110

RAIN SHOWERHEADS

	MODEL	DESCRIPTION	FINISH	PRICE
, R	SH-177-6.FR	6" Ultra-Thin Square Showerhead • 1/2" FIP swivel inlet • 6" square • self-cleaning rubber jets • replace .FR with desired max flow rate: SH-177-6.25 for 2.5 gpm SH-177-6.00 for 2.0 gpm SH-177-6.18 for 1.8 gpm SH-177-6.15 for 1.5 gpm	polished chrome standard special premium	319 399 447 526
# 	SH-177-8.FR Certified at 2.0	8" Ultra-Thin Square Showerhead • 1/2" FIP swivel inlet • 8" square • self-cleaning rubber jets • replace .FR with desired max flow rate: SH-177-8.25 for 2.5 gpm SH-177-8.10 for 1.8 gpm SH-177-8.15 for 1.5 gpm	polished chrome standard special premium	435 544 609 718
A	SH-177-10.FR SH-177-10.FR Certified at 2.0	 IO" Ultra-Thin Square Showerhead 1/2" FIP swivel inlet 10" square self-cleaning rubber jets replace .FR with desired max flow rate: SH-177-10.25 for 2.5 gpm SH-177-10.20 for 2.0 gpm SH-177-10.18 for 1.8 gpm 	polished chrome standard special premium	609 761 853 1005
	SH-177-12.FR Certified at 2.0	I 2" Ultra-Thin Square Showerhead • 1/2" FIP swivel inlet • 12" square • self-cleaning rubber jets • replace .FR with desired max flow rate: SH-177-12.25 for 2.5 gpm SH-177-12.20 for 2.0 gpm SH-177-12.18 for 1.8 gpm	polished chrome standard special premium	829 1036 1161 1368
	SH-177-16.FR Certified at 2.0 & 1.8 gpm	I6" Ultra-Thin Square Showerhead • 1/2" FIP swivel inlet • 16" square • self-cleaning rubber jets • replace .FR with desired max flow rate: SH-177-16.25 for 2.5 gpm SH-177-16.20 for 2.0 gpm SH-177-16.18 for 1.8 gpm	polished chrome standard special premium	1399 1749 1959 2308



 MODEL	DESCRIPTION	FINISH	PRICE
HS-061-30K.FR Certified at 2.0 & 1.8 gpm	Industrial 3" Brass Single-Function Handshower • 1/2" MIP inlet • self-cleaning rubber jets • 3" diameter brass faceplate • replace .FR with desired max flow rate: HS-061-30K.25 for 2.5 gpm HS-061-30K.20 for 2.0 gpm HS-061-30K.18 for 1.8 gpm	polished chrome standard special premium	369 461 517 609
Certified at 2.0 & 1.8 gpm	Traditional 3" Brass Single-Function Handshower • 1/2" MIP inlet • self-cleaning rubber jets • 3" diameter brass faceplate • replace .FR with desired max flow rate: HS-061-60.25 for 2.5 gpm HS-061-60.20 for 2.0 gpm HS-061-60.18 for 1.8 gpm	polished chrome standard special premium	369 461 517 609
HS-061-65.FR Certified at 2.0 & 1.8 gpm	Contemporary 3" Brass Single-Function Handshower • 1/2" MIP inlet • self-cleaning rubber jets • 3" diameter brass faceplate • replace .FR with desired max flow rate: HS-061-65.25 for 2.5 gpm HS-061-65.20 for 2.0 gpm HS-061-65.18 for 1.8 gpm	polished chrome standard special premium	369 461 517 609
HS-061-85.FR Certified at 2.0 & 1.8 gpm	Industrial 3" Brass Single-Function Handshower • 1/2" MIP inlet • self-cleaning rubber jets • 3" diameter brass faceplate • replace .FR with desired max flow rate: HS-061-85.25 for 2.5 gpm HS-061-85.20 for 2.0 gpm HS-061-85.18 for 1.8 gpm	polished chrome standard special premium	369 461 517 609
HS-13.FR Certified at 2.0 gpm	Traditional Handshower 1/2" MIP inlet brass body porcelain handle insert 2-3/4" diameter face replace .FR with desired max flow rate: HS-13.25 for 2.5 gpm HS-13.20 for 2.0 gpm HS-13.18 for 1.8 gpm	polished chrome standard special premium	215 269 301 355
HS-13M.FR Certified at 2.0 gpm	Traditional Handshower 1/2" MIP inlet brass body smooth brass handle insert 2-3/4" diameter face replace .FR with desired max flow rate: HS-13M.25 for 2.5 gpm HS-13M.20 for 2.0 gpm HS-13M.18 for 1.8 gpm	polished chrome standard special premium	215 269 301 355

	MODEL	DESCRIPTION	FINISH	PRICE
	HS-15.FR Certified at 2.0 gpm	Cobra Handshower • 1/2" MIP inlet • brass body • grooved brass handle insert • self-cleaning rubber jets • 2-1/16" diameter, black face • replace .FR with desired max flow rate: HS-15.25 for 2.5 gpm HS-15.20 for 2.0 gpm HS-15.18 for 1.8 gpm	polished chrome standard special premium	215 269 301 355
	HS-15S.FR Certified at 2.0 gpm	Cobra Handshower • 1/2" MIP inlet • brass body • smooth brass handle insert • self-cleaning rubber jets • 2-1/16" diameter, black face • replace .FR with desired max flow rate: HS-15S.25 for 2.5 gpm HS-15S.20 for 2.0 gpm HS-15S.18 for 1.8 gpm	polished chrome standard special premium	215 269 301 355
O i i i i i i i i i i i i i i i i i i i	HS-62.FR Certified at 2.0 gpm	Contemporary Handshower 1/2" MIP inlet brass body self-cleaning rubber jets replace. FR with desired max flow rate: HS-62.25 for 2.5 gpm HS-62.20 for 2.0 gpm HS-62.18 for 1.8 gpm	polished chrome standard special premium	215 269 301 355
	HS-72.FR	Contemporary Handshower • 1/2" MIP inlet • brass body • self-cleaning rubber jets • replace .FR with desired max flow rate: HS-72.25 for 2.5 gpm HS-72.20 for 2.0 gpm HS-72.18 for 1.8 gpm	polished chrome standard special premium	215 269 301 355
	HS-073.FR Certified at 2.0 gpm	Traditional 4-1/8" Brass Multi-Function Handshower 1/2" MIP inlet 3 function handshower: rain, air, & massage self-cleaning rubber jets all brass body 4-1/8" diameter, gray face replace .FR with desired max flow rate: HS-073.25 for 2.5 gpm HS-073.18 for 1.8 gpm	polished chrome standard special premium	459 574 643 757
	HS-083.FR Certified at 2.0 gpm	Contemporary 4-1/16" Brass Multi-Function Handshower 1/2" MIP inlet 3 function handshower: rain, air & massage self-cleaning rubber jets brass body 4-1/16" diameter, gray face replace .FR with desired max flow rate: HS-083.25 for 2.5 gpm HS-083.20 for 2.0 gpm HS-083.18 for 1.8 gpm	polished chrome standard special premium	459 574 643 757

 MODEL	DESCRIPTION	FINISH	PRICE
HS-083-30K.FR Reference of the control of the cont	Industrial 4-I/16" Brass Multi-Function Handshower 1/2" MIP inlet 3 function handshower: rain, air & massage self-cleaning rubber jets brass body with knurled accents 4-I/16" diameter, gray face replace .FR with desired max flow rate: HS-083-30K.25 for 2.5 gpm HS-083-30K.20 for 2.0 gpm HS-083-30K.18 for 1.8 gpm	polished chrome standard special premium	459 574 643 757
HS-083-85.FR Representation of the control of the	Industrial 4-I/8" Brass Multi-Function Handshower 1/2" MIP inlet 3 function handshower: rain, air & massage self-cleaning rubber jets brass body with coined accents 4-I/8" diameter, gray face replace .FR with desired max flow rate: HS-083-85.25 for 2.5 gpm HS-083-85.20 for 2.0 gpm HS-083-85.18 for 1.8 gpm	polished chrome standard special premium	459 574 643 757
HS-093.FR Certified at 2.0 gpm	Transitional 4-1/8" Brass Multi-Function Handshower 1/2" MIP inlet 3 function handshower: rain, air & massage self-cleaning rubber jets brass body 4-1/8" diameter, gray face replace .FR with desired max flow rate: HS-093.25 for 2.5 gpm HS-093.18 for 1.8 gpm	polished chrome standard special premium	459 574 643 757
HS-553.FR Certified at 2.0 gpm	Styleflow® Air - Contemporary, 5-1/8" Multi-Function - IKO 1/2" MIP inlet air induction technology 3 function handshower: rain, air & massage self-cleaning rubber jets ABS body 5-1/8" diameter, gray face replace .FR with desired max flow rate: HS-553.25 for 2.5 gpm HS-553.18 for 1.8 gpm available in PC, SN & PN only	polished chrome satin nickel polished nickel	248 310 347
HS-504.FR Certified at 2.0 gpm	Styleflow® - Contemporary, 5" Multi-Function - IKO 1/2" MIP inlet 4 functions: rain, air, booster massage & blade self-cleaning rubber jets ABS body 5" diameter, gray face replace. FR with desired max flow rate: HS-504.25 for 2.5 gpm HS-504.20 for 2.0 gpm HS-504.18 for 1.8 gpm available in PC, SN & PN only	polished chrome satin nickel polished nickel	269 336 377

	MODEL	DESCRIPTION	FINISH	PRICE
	HS-403.FR	Styleflow® - Contemporary,	polished chrome	215
		3-3/4" Multi-Function - IKO	satin nickel	269
		• 1/2" MIP inlet	polished nickel	301
10.00 St. 10.00		• 3 functions: rain, hard rain & booster massage		
E - 13		self-cleaning rubber jets		
The state of the s		• ABS body		
		3-3/4" diameter, gray face replace .FR with desired max flow rate:		
	Let Sa	HS-403.25 for 2.5 gpm		
	Faces	HS-403.20 for 2.0 gpm		
	(N. 30)	HS-403.18 for 1.8 gpm		
	Certified at 2.0 gpm	available in PC, SN & PN only		
	HS-323.FR	Styleflow® - Traditional,	polished chrome	215
		2-5/8" Multi-Function - BËL	satin nickel	269
		• 1/2" MIP inlet	polished nickel	301
		3 functions: rain, hard rain & booster massage	polisited flicter	30.
		self-cleaning rubber jets		
A COLON		• ABS body		
The state of the s		• 2-5/8" diameter, gray face		
		 replace .FR with desired max flow rate: HS-323.25 for 2.5 gpm 		
	Later Sens	HS-323.20 for 2.0 gpm		
	(2 0 6)	HS-323.18 for 1.8 gpm		
	EPA CITAL	available in PC, SN & PN only		
	Certified at 2.0 gpm	,		
~	SH-01	One Piece 4" Shower Arm & Flange	polished chrome	85
		• 1/2" FIP inlet	standard	106
		• I/2" MIP outlet	special	119
			premium	140
	SH-01.6	One Piece 6" Shower Arm & Flange	polished chrome	140
		• I/2" FIP inlet	standard	175
		• 1/2" MIP outlet	special	196
			premium	231
	SH-572	Square Shower Arm	polished chrome	369
		• 1/2" FIP inlet	standard	461
		• 1/2" MIP outlet	special	517
		15-9/16" overall length 15-1/16" to center	premium	609
v.		• 2-1/4" square brass flange		
	9100	Shower Arm Flange	polished chrome	38
	,100	• 2-1/4" diameter, brass	standard	48
		secured in position with O-ring	special	53
		• for use with 9103, 9104 or 9105	premium	63
			premium	05
	9103	6" Brass Shower Arm	polished chrome	60
		• I/2" MIP inlet	standard	75
		• 1/2" MIP outlet	special	84
4		• use with flange 9100 (above), 9130-37, 9130-60, 9130-65, 9130-77, 9130-85,	premium	99
		9130-C1 or 9130-C2 on page 436		
	9104	8" Brass Shower Arm	polished chrome	64
		• I/2" MIP inlet	standard	80
		• 1/2" MIP outlet	special	90
4		 use with flange 9100 (above), 9130-37, 9130-60, 9130-65, 9130-77, 9130-85, 9130-C1 or 9130-C2 on page 436 	premium	106
	9105	I0" Brass Shower Arm	polished chrome	75
		• 1/2" MIP inlet	standard	94
		• 1/2" MIP outlet	special	105
		• use with flange 9100 (above), 9130-37, 9130-60, 9130-65, 9130-77, 9130-85,	premium	124
All .		9130-C1 or 9130-C2 on page 436		

DESCRIPTION FINISH PRICE 12" Wall Shower Arm 193 polished chrome • 1/2" MIP inlet standard 241 • 1/2" MIP outlet 270 special 9112-65 9112-77 9112-CI 318 9112-37 9112-60 premium Rounded Square Base Line Base Round Base Square Base Round Base 9112-85 9112-C2 polished chrome 215 Quad Base Octagon Base standard 269 301 special 355 premium 20" Wall Shower Arm polished chrome 248 • 1/2" MIP inlet standard 310 • 1/2" MIP outlet 347 special premium 409 9113-65 9113-77 9113-CI 9113-37 9113-60 Rounded Square Base Line Base Round Base Square Base Round Base 9113-85 9113-C2 polished chrome 268 Quad Base Octagon Base standard 335 special 375 442 premium 9114-7 7" Traditional Shower Arm 172 polished chrome • 1/2" FIP inlet 215 standard • 1/2" MIP outlet 241 special premium 284 9114-10 10" Traditional Shower Arm polished chrome 183 • 1/2" FIP inlet 229 standard • 1/2" MIP outlet 256 special 302 premium 9114-13 13" Traditional Shower Arm 193 polished chrome • 1/2" FIP inlet 241 standard • 1/2" MIP outlet 270 special 318 premium

MODEL	DESCRIPTION	FINISH	PRICE
9107-37	Curved Shower Arm - Rounded Square Base • all brass construction • 1/2" FIP inlet via quick connect • 1/2" MIP outlet • 20" wall to center • 16-5/16" overall height • secure quick connect prevents rotation of arm • supports showerhead weight of 14 LBS. max • includes all mounting hardware	polished chrome standard special premium	540 675 756 891
9107-47	Curved Shower Arm - Hex Base • all brass construction • 1/2" FIP inlet via quick connect • 1/2" MIP outlet • 20" wall to center • 16-5/16" overall height • secure quick connect prevents rotation of arm • supports showerhead weight of 14 LBS. max • includes all mounting hardware	polished chrome standard special premium	540 675 756 891
9107-48	Curved Shower Arm - Concave Base • all brass construction • 1/2" FIP inlet via quick connect • 1/2" MIP outlet • 20" wall to center • 16-5/16" overall height • secure quick connect prevents rotation of arm • supports showerhead weight of 14 LBS. max • includes all mounting hardware	polished chrome standard special premium	540 675 756 891
9107-60	Curved Shower Arm - Line Base • all brass construction • 1/2" FIP inlet via quick connect • 1/2" MIP outlet • 20" wall to center • 16-5/16" overall height • secure quick connect prevents rotation of arm • supports showerhead weight of 14 LBS. max • includes all mounting hardware	polished chrome standard special premium	540 675 756 891
9107-65	Curved Shower Arm - Round Base • all brass construction • 1/2" FIP inlet via quick connect • 1/2" MIP outlet • 20" wall to center • 16-5/16" overall height • secure quick connect prevents rotation of arm • supports showerhead weight of 14 LBS. max • includes all mounting hardware	polished chrome standard special premium	540 675 756 891
9107-77	Curved Shower Arm - Square Base • all brass construction • 1/2" FIP inlet via quick connect • 1/2" MIP outlet • 20" wall to center • 16-5/16" overall height • secure quick connect prevents rotation of arm • supports showerhead weight of 14 LBS. max • includes all mounting hardware	polished chrome standard special premium	572 715 801 944



MODEL	DESCRIPTION	FINISH	PRICE
9116-XX-4	4" Ceiling Shower Arm	polished chrome	131
	• 1/2" MIP inlet	standard	164
	I/2" MIP outlet	special	183
	includes adjustable flange; replace XX with selected style shown below	premium	216
9116-XX-6	6" Ceiling Shower Arm	polished chrome	158
	• 1/2" MIP inlet	standard	198
	• I/2" MIP outlet	special	221
	includes adjustable flange; replace XX with selected style shown below	premium	261
9116-XX-12	12" Ceiling Shower Arm	polished chrome	196
	• 1/2" MIP inlet	standard	245
	• 1/2" MIP outlet	special	274
	• includes adjustable flange; replace XX with selected style shown below	premium	323
9116-XX-18	18" Ceiling Shower Arm	polished chrome	275
	• 1/2" MIP inlet	standard	344
	• 1/2" MIP outlet	special	385
	includes adjustable flange; replace XX with selected style shown below	premium	454
9116-XX-24	24" Ceiling Shower Arm	polished chrome	315
,, ,	• 1/2" MIP inlet	standard	394
	• I/2" MIP outlet	special	441
	includes adjustable flange; replace XX with selected style shown below	premium	520
9116-XX-30	30" Ceiling Shower Arm	polished chrome	354
	• I/2" MIP inlet	standard	443
	• I/2" MIP outlet	special	496
	includes adjustable flange; replace XX with selected style shown below	premium	584
9116-XX-C	Custom Length Ceiling Shower Arm	polished chrome	226
	Custom Size from 3" to 11"	standard	283
	• replace XX with selected style shown below and add specific length	special	316
	in full I" increments after C (e.g. 9116-65-C3-PC)	premium	373
9116-XX-C	Custom Length Ceiling Shower Arm	polished chrome	309
	Custom Size from 13" to 17"	standard	386
	• replace XX with selected style shown below and add specific length	special	433
	in full 1" increments after C (e.g. 9116-65-C13-PC)	premium	510
9116-XX-C	Custom Length Ceiling Shower Arm	polished chrome	352
	Custom Size from 19" to 23"	standard	440
	• replace XX with selected style shown below and add specific length	special	493
	in full I" increments after C (e.g. 9116-65-C19-PC)	premium	581
9116-XX-C	Custom Length Ceiling Shower Arm	polished chrome	442
	Custom Size from 25" to 36"	standard	553
	replace XX with selected style shown below and add specific length	special	619
	in full I" increments after C (e.g. 9116-65-C25-PC)	premium	729
		•	

9116-37 Rounded Square Base



9116-60 Line Base



9116-65 Round Base



9116-77 Square Base



9116-C1 Round Base





MODEL	DESCRIPTION	FINISH	PRICE
9116-XX-4	 4" Ceiling Shower Arm 1/2" MIP inlet 1/2" MIP outlet includes adjustable flange; replace XX with selected style shown below 	polished chrome standard special premium	168 210 235 277
9116-XX-6	6" Ceiling Shower Arm • 1/2" MIP inlet • 1/2" MIP outlet • includes adjustable flange; replace XX with selected style shown below	polished chrome standard special premium	194 243 272 320
9116-XX-12	 12" Ceiling Shower Arm 1/2" MIP inlet 1/2" MIP outlet includes adjustable flange; replace XX with selected style shown below 	polished chrome standard special premium	233 291 326 384
9116-XX-18	 18" Ceiling Shower Arm 1/2" MIP inlet 1/2" MIP outlet includes adjustable flange; replace XX with selected style shown below 	polished chrome standard special premium	312 390 437 515
9116-XX-24	 24" Ceiling Shower Arm 1/2" MIP inlet 1/2" MIP outlet includes adjustable flange; replace XX with selected style shown below 	polished chrome standard special premium	352 440 493 581
9116-XX-30	 30" Ceiling Shower Arm 1/2" MIP inlet 1/2" MIP outlet includes adjustable flange; replace XX with selected style shown below 	polished chrome standard special premium	391 489 547 645
9116-XX-C	Custom Length Ceiling Shower Arm Custom Size from 3" to 11" • replace XX with selected style shown below and add specific length in full 1" increments after C (e.g. 9116-85-C3-PC)	polished chrome standard special premium	263 329 368 434
9116-XX-C	Custom Length Ceiling Shower Arm Custom Size from 13" to 17" • replace XX with selected style shown below and add specific length in full 1" increments after C (e.g. 9116-85-C13-PC)	polished chrome standard special premium	345 431 483 569
9116-XX-C	Custom Length Ceiling Shower Arm Custom Size from 19" to 23" • replace XX with selected style shown below and add specific length in full 1" increments after C (e.g. 9116-85-C19-PC)	polished chrome standard special premium	389 486 545 642
9116-XX-C	Custom Length Ceiling Shower Arm Custom Size from 25" to 36" • replace XX with selected style shown below and add specific length in full 1" increments after C (e.g. 9116-85-C25-PC)	polished chrome standard special premium	479 599 671 790

9116-85 Quad Base



9116-C2 Octagon Base



 MODEL	DESCRIPTION	FINISH	PRICE
9115	• use with 9112, 9113 • maximum distance to ceiling - 30"	polished chrome standard special premium	211 264 295 348
9130-37	Rounded Square Adjustable Flange Only • 2-1/4" square • secured in position with O-ring • use with arms 9103, 9104, 9105, 9112-37, 9113-37 or 9116-37	polished chrome standard special premium	92 115 129 152
9130-60	Traditional Adjustable Flange Only • 2-1/8" diameter • secured in position with O-ring • use with arms 9103, 9104, 9105, 9112-60, 9113-60 or 9116-60	polished chrome standard special premium	92 115 129 152
9130-65	Round Adjustable Flange Only • 2-3/8" diameter • secured in position with O-ring • use with arms 9103, 9104, 9105, 9112-65, 9113-65 or 9116-65	polished chrome standard special premium	92 115 129 152
9130-77	Square Adjustable Flange Only • 2-1/4" square • secured in position with O-ring • use with arms 9103, 9104, 9105, 9112-77, 9113-77 or 9116-77	polished chrome standard special premium	92 115 129 152
9130-85	Quad Adjustable Flange Only • 2-5/16" square • secured in position with O-ring • use with arms 9103, 9104, 9105, 9112-85, 9113-85 or 9116-85	polished chrome standard special premium	129 161 181 213
9130-C1	Round Adjustable Flange Only • 2-1/4" diameter • secured in position with O-ring • use with arms 9103, 9104, 9105, 9112-C1, 9113-C1 or 9116-C1	polished chrome standard special premium	92 115 129 152
9130-C2	Octagon Adjustable Flange Only • 1-15/16" x 3" octagon base • secured in position with O-ring • use with arms 9103, 9104, 9105, 9112-C2, 9113-C2 or 9116-C12	polished chrome standard special premium	129 161 181 213

	MODEL	DESCRIPTION	FINISH	PRICE
	9150	Exposed Shower Column - Round Base • 1/2" MIP inlet • showerhead not included • not available in Burnished Brass Uncoated (BBU), Burnished Nickel Uncoated (BNU), Black Nickel (PVD), Carbon (PVD) and Graphite (PVD)	polished chrome standard special premium	679 849 951 1120
	9150C	Exposed Shower Column - Square Base • 1/2" MIP inlet • showerhead not included • not available in Burnished Brass Uncoated (BBU), Burnished Nickel Uncoated (BNU), Black Nickel (PVD), Carbon (PVD) and Graphite (PVD)	polished chrome standard special premium	759 949 1063 1252
	9152	Exposed Shower Column with Diverter and Sliding Bracket - Round Base • 1/2" MIP inlet • showerhead and handshower not included • not available in Burnished Brass Uncoated (BBU), Burnished Nickel Uncoated (BNU), Black Nickel (PVD), Carbon (PVD) and Graphite (PVD)	polished chrome standard special premium	1037 1296 1452 1711
4	9152C	Exposed Shower Column with Diverter and Sliding Bracket - Square Base • 1/2" MIP inlet • showerhead and handshower not included • not available in Burnished Brass Uncoated (BBU), Burnished Nickel Uncoated (BNU), Black Nickel (PVD), Carbon (PVD) and Graphite (PVD)	polished chrome standard special premium	1117 1396 1564 1843
	9153	Exposed Shower Column with Diverter and Wall Bracket - Round Base • 1/2" MIP inlet • showerhead and handshower not included • not available in Burnished Brass Uncoated (BBU), Burnished Nickel Uncoated (BNU), Black Nickel (PVD), Carbon (PVD) and Graphite (PVD)	polished chrome standard special premium	975 1219 1365 1609
	9153C	Exposed Shower Column with Diverter and Wall Bracket - Square Base • 1/2" MIP inlet • showerhead and handshower not included • not available in Burnished Brass Uncoated (BBU), Burnished Nickel Uncoated (BNU), Black Nickel (PVD), Carbon (PVD) and Graphite (PVD)	polished chrome standard special premium	1055 1319 1477 1741

BODY SPRAYS

	MODEL	DESCRIPTION	FINISH	PRICE
	BS-60	Traditional Self-Cleaning Jet Body Spray - Lined Base • I/2" FIP inlet • 2-I/8" diameter base	polished chrome standard special premium	229 286 321 378
60 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6	BS-65	Contemporary Self-Cleaning Jet Body Spray - Round Base • 1/2" FIP inlet • 2-1/8" diameter base	polished chrome standard special premium	229 286 321 378
666 666 666 666	BS-77	Contemporary Self-Cleaning Jet Body Spray - Flat Square Base • 1/2" FIP inlet • 2-1/4" × 2-1/4" base	polished chrome standard special premium	259 324 363 427
	BS-85	Industrial Self-Cleaning Jet Body Spray - Quad Base • 1/2" FIP inlet • 2-5/16" × 2-5/16" base	polished chrome standard special premium	289 361 405 477

PRICE

680

850

952

1122

FINISH

standard

premium

special

polished chrome

680

Wall Mounted Slide Bar - Industrial Concave Base

- · all brass construction
- · adjustable position slide with positive lock swivel holder
- accepts most conical handshower hoses

SB-30 Smooth Lever Handle

DESCRIPTION



SB-30X Smooth Cross Handle



SB-30F Carbon Fiber Lever Handle



SB-30XF Carbon Fiber Cross Handle



SB-30K Knurled Lever Handle



SB-30XK Knurled Cross Handle



SB-30T Teak* Lever Handle



SB-30XT Teak* Cross Handle



SB-80

Ball Lever Handle







SB-80WB Black Wheel Handle



SB-80WR Red Wheel Handle



polished chrome 754 943 standard 1056 special 1244 premium



Wall Mounted Slide Bar - Concave Base

- · all brass construction
- · adjustable position slide with positive lock swivel holder
- · accepts most conical handshower hoses

standard	850
special	952
premium	1122

polished chrome

SB-45 Metal Lever Handle



SB-45X Cross Handle







- · adjustable position slide with positive lock swivel holder
- accepts most conical handshower hoses

polished chrome 754 standard 943 special 1056 1244 premium



SB-37 Metal Lever Handle



SB-37T Teak* Lever Handle



SB-37X Cross Handle




SB-37XT Teak* Cross Handle



^{*}Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.

DESCRIPTION FINISH PRICE Wall Mounted Slide Bar - Round Base polished chrome 680 standard 850 · all brass construction · adjustable position slide with positive lock swivel holder 952 special • accepts most conical handshower hoses 1122 premium **SB-65 SB-66 SB-74** Metal Lever Handle Metal Lever Handle Cross Handle polished chrome 754 **SB-38 SB-38T SB-38X** SB-38XT 943 standard Metal Lever Handle Teak* Lever Handle Metal Cross Handle Teak* Cross Handle 1056 special 1244 premium SB-39 SB-39K SB-39P SB-39R Smooth Handle Knurled Handle Pinstripe Handle Rivulet Handle **SB-40** SB-40X SB-41 SB-41-WP Metal Lever Handle Metal Cross Handle Metal Lever Handle White Porcelain Handle SB-41-ADC SB-41-BP SB-41-OP SB-41-PP Blue Porcelain Handle Orange Porcelain Handle Pink Porcelain Handle Art Deco Lever Handle SB-41-RD SB-41-YP Red Lever Handle Yellow Porcelain Handle SB-39PI



Standard: SN Special: ABF, ACF, ANF, PB, PBU, PN, SC, USS Premium: FRG, GRP, LPG, LSG, SB, SBZ

Due to the finishing process, Pinstripe and Rivulet handles are only available in Intaglio versions in ABF, ACF, ANF finishes.









Hammered, Pinstripe Intaglio & Rivulet Intaglio Handles polished chrome 854 standard 1068 1196 special premium 1409

^{*}Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.

DESCRIPTION FINISH Wall Mounted Slide Bar - Industrial Quad Base Lever or Blade Handle polished chrome 778 · all brass construction · adjustable position slide with positive lock swivel holder 973 standard • accepts most conical handshower hoses 1089 special 1284 premium **SB-85** SB-85B **SB-85W** Wheel Handle Lever Handle Blade Handle Wheel Handle (upcharge) polished chrome 828 standard 1035 1159 special premium 1366 Wall Mounted Slide Bar - Round Base polished chrome 754 · all brass construction standard 943 · adjustable position slide with positive lock swivel holder 1056 special • accepts most conical handshower hoses premium 1244 SB-CI SB-CIX SB-CIXS Lever Handle Cross Handle Smooth Cross Handle SB-62 polished chrome 454 Wall Mounted Slide Bar - Round 568 standard · all brass construction · adjustable position slide with positive detent swivel holder special 636 · accepts most conical handshower hoses premium 749 suggested to match series: 39, 40, 41, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5 SB-72 Wall Mounted Slide Bar - Rectangle polished chrome 680 850 • all brass construction · adjustable position slide with swivel holder special 952 • accepts most conical handshower hoses 1122 premium suggested to match series: 70, 77, 78 & E3 **SB-77** Wall Mounted Slide Bar - Square polished chrome 754 943 · all brass construction standard · adjustable position slide with positive detent swivel holder 1056 special • accepts most conical handshower hose 1244 premium suggested to match series: 70, 77, 78 & E3 g. SB-C2 Wall Mounted Slide Bar - Octagon polished chrome 778 standard 973 • all brass construction · adjustable position slide with positive detent swivel holder 1089 special • accepts most conical handshower hoses 1284 premium suggested to match series: C2

DESCRIPTION FINISH PRICE Wall Mounted Slide Bar - Line Base polished chrome 680 • all brass construction standard 850 • adjustable position slide with positive lock swivel holder 952 special • accepts most conical handshower hoses 1122 premium **SB-33** SB-33-ADC Lever Handle Art Deco Lever Handle 123 **SB-34** SB-35 SB-56X Cross Handle White Porcelain Handle Cross Handle Wall Mounted Slide Bar - Hex Base 680 polished chrome • all brass construction standard 850 • adjustable position slide with positive lock swivel holder 952 special · accepts most conical handshower hoses premium 1122 **SB-46** SB-46-ADC **SB-47** Lever Handle Art Deco Lever Handle Cross Handle Wall Mounted Slide Bar - Concave Base polished chrome 680 · all brass construction standard 850 · adjustable position slide with positive lock swivel holder 952 special • accepts most conical handshower hoses 1122 premium SB-48 **SB-48X** Lever Handle Cross Handle

SLIDE BARS GRAB BAR WITH SLIDE

Wall Mounted Slide Bar - Line Base

• all brass construction

DESCRIPTION

- · adjustable position slide with positive lock swivel holder
- accepts most conical handshower hoses





SB-60X Cross Handle



SB-61 Lever Handle



SB-61XD Drop Cross Handle



SB-60-WP Metal Lever Handle White Porcelain Handle

SB-60-PP



SB-60-ADC Art Deco Lever Handle



SB-60-RD Red Lever Handle



SB-60-OP



SB-60-YP Orange Porcelain Handle Yellow Porcelain Handle



24" Grab Bar

standard

premium

30" Grab Bar

standard

special premium

polished chrome

special

polished chrome

880

1100

1232

1452

943

1179 1320

1556

SB-60-BP

SB-60



Pink Porcelain Handle

Grab Bar with Slide - Concave Base

REPLACE XX with 24 for 24" or 30 for 30" Grab Bar

- · all brass construction
- · ADA compliant grab bar
- I-I/4" diameter bar
- · adjustable position slide with positive lock swivel holder
- accepts most conical handshower hoses





94XXS-30F Carbon Fiber Lever



94XXS-30XF

Carbon Fiber Cross

94XXS-30K Knurled Lever



94XXS-30XK

Knurled Cross

94XXS-48

94XXS-30T Teak* Lever



94XXS-30XT

Teak* Cross





94XXS-80WR





94XXS-30X Smooth Cross



94XXS-45



94XXS-80 Ball Lever



94XXS-45X Metal Cross Handle



94XXS-80W



94XXS-80WB

Black Wheel Handle



Red Wheel Handle

DESCRIPTION PRICE FINISH Grab Bar with Slide - Round Base 24" Grab Bar polished chrome 880 REPLACE XX with 24 for 24" or 30 for 30" Grab Bar 1100 standard · all brass construction ADA compliant grab bar 1232 special • I-I/4" diameter bar 1452 premium · adjustable position slide with positive lock swivel holder • accepts most conical handshower hoses 30" Grab Bar 94XXS-38 94XXS-38T 94XXS-38X 94XXS-38XT 94XXS-40 polished chrome 943 Metal Lever Handle Teak* Cross Handle Teak* Lever Handle Metal Cross Handle Metal Lever Handle 1179 standard 1320 special premium 1556 94XXS-40X 94XXS-41 94XXS-41-WP 94XXS-41-ADC 94XXS-41-RD Metal Cross Handle Metal Lever Handle White Porcelain Handle Art Deco Lever Handle Red Lever Handle 94XXS-41-BP 94XXS-41-OP 94XXS-41-PP 94XXS-41-YP 94XXS-65 Blue Porcelain Handle Orange Porcelain Handle Pink Porcelain Handle Yellow Porcelain Handle Cross Handle 94XXS-CI 94XXS-CIX 94XXS-66 94XXS-74 94XXS-CIXS Metal Lever Handle Metal Lever Handle Lever Handle Cross Handle Smooth Cross Handle 39 series Smooth, Knurled, 94XXS-39 94XXS-39K 94XXS-39P 94XXS-39R Pinstripe & Rivulet Handles Smooth Handle Knurled Handle Pinstripe Handle Rivulet Handle 24" Grab Bar polished chrome 922 standard 1153 1291 special 1521 premium 30" Grab Bar polished chrome 995 1244 standard 1393 special premium 1642 Hammered, Pinstripe Intaglio 94XXS-39H 94XXS-39PI 94XXS-39RI Pinstripe Intaglio* Handle Rivulet Intaglio* Handle & Rivulet Intaglio Handles Hammered Handle 24" Grab Bar polished chrome 1022 Premium: FRG, GRP, LPG, LSG, SB, SBZ 1278

*Intaglio handles are available in the following finishes only:

Chrome: PC Standard: SN

444

Special: ABF, ACF, ANF, PB, PBU, PN, SC, USS

Due to the finishing process, Pinstripe and Rivulet handles are only available in Intaglio versions in ABF, ACF, ANF finishes.







standard special 1431 1686 premium 30" Grab Bar polished chrome 1095 standard 1369 special 1533 premium 1807

FINISH



24" Grab Bar polished chrome 922 1153 standard 1291 special 1521 premium 30" Grab Bar

PRICE











polished chrome 995 standard 1244 1393 special 94XXS-37XT 1642 premium



Grab Bar with Slide - Square Base

REPLACE XX with 24 for 24" or 30 for 30" Grab Bar

- · all brass construction
- ADA compliant grab bar
- I-I/4" diameter bar
- · adjustable position slide with positive lock swivel holder
- · accepts most conical handshower hoses

24" Grab Bar polished chrome 922 standard 1153 1291 special 1521 premium





94XXS-77 Lever Handle



Grab Bar with Slide - Industrial Quad Base

REPLACE XX with 24 for 24" or 30 for 30" Grab Bar

- · all brass construction
- · ADA compliant grab bar
- 1-1/4" diameter bar
- · adjustable position slide with positive lock swivel holder
- · accepts most conical handshower hoses







24" Grab Bar Lever or Blade Handle polished chrome 922 standard 1153 1291 special premium 1521

30" Grab Bar Lever or Blade Handle polished chrome 995 standard 1244 special 1393 premium 1642





24" Grab Bar Wheel Handle polished chrome 1215 standard 1361 special 1604 premium

30" Grab Bar Wheel Handle polished chrome standard 1306 1463 special 1724 premium

^{*}Teak wood is a natural product and there can be variation from piece to piece in wood color, brightness and grain pattern. Color changes also may result from exposure to light, water and other elements that are part of the natural aging process. These material variations and changes are not a defect and not covered by warranty.

GRAB BAR WITH SLIDE DESCRIPTION FINISH PRICE Grab Bar with Slide - Lined Base 24" Grab Bar polished chrome 880 REPLACE XX with 24 for 24" or 30 for 30" Grab Bar 1100 standard · all brass construction ADA compliant grab bar 1232 special • I-I/4" diameter bar 1452 premium • adjustable position slide with positive lock swivel holder • accepts most conical handshower hoses 30" Grab Bar polished chrome 943 94XXS-34 94XXS-35 94XXS-35-ADC 94XXS-56X 1179 standard Cross Handle White Porcelain Handle Art Deco Lever Handle Cross Handle 1320 special 1556 premium 94XXS-60X 94XXS-60 94XXS-60-WP 94XXS-60-ADC Cross Handle Lever Handle White Porcelain Handle Art Deco Lever Handle 94XXS-60-BP 94XXS-60-OP 94XXS-60-PP 94XXS-RD 94XXS-60-YP Orange Porcelain Handle Pink Porcelain Handle Yellow Porcelain Handle Blue Porcelain Handle Red Lever Handle 24" Grab Bar Grab Bar with Slide - Lined Base 922 polished chrome REPLACE XX with 24 for 24" or 30 for 30" Grab Bar 1153 standard • all brass construction ADA compliant grab bar 1291 special • I-I/4" diameter bar premium 1521 • adjustable position slide with positive lock swivel holder • accepts most conical handshower hoses 30" Grab Bar 995 polished chrome 94XXS-33-ADC 94XXS-61 94XXS-61XD 1244 standard At Deco Lever Handle Lever Handle Cross Drop Handle 1393 special premium 1642



94XXS-33 Lever Handle
7 10









DESCRIPTION FINISH

Grab Bar with Slide - Hex Base

REPLACE XX with 24 for 24" or 30 for 30" Grab Bar

- all brass construction
- ADA compliant grab bar
- I-I/4" diameter bar
- adjustable position slide with positive lock swivel holder
- accepts most conical handshower hoses





94XXS-46 Lever Handle







	MODEL	DESCRIPTION	FINISH	PRICE
	SH-10-37	Supply Elbow - Rounded Square Base	polished chrome	150
		all brass construction	standard	188
		• 1/2" FIP inlet	special	210
1		• 1/2" standard hose connection	premium	248
		suggested to match: all rounded square series fittings (series 37)		
	SH-10-42	Supply Elbow - Line Base	polished chrome	150
		all brass construction	standard	188
		• 1/2" FIP inlet	special	210
		 I/2" standard hose connection suggested to match: all lined base ring fittings 	premium	248
		(series 32, 33, 34, 35, 56, 60 & 61)		
	SH-10-45	Supply Elbow - Concave Base	polished chrome	150
		all brass construction	standard	188
		I/2" FIP inlet I/2" standard hose connection	special	210
		suggested to match: all concave series fittings	premium	248
		(series 30, 31, 45, 80 & 81)		
	SH-10-47	Supply Elbow - Hex Base	polished chrome	150
		all brass construction	standard	188
		I/2" FIP inlet I/2" standard hose connection	special	210
		suggested to match: all hexagonal series fittings (series 46 & 47)	premium	248
3		,		
	SH-10-48	Supply Elbow - Concave Base	polished chrome	150
		all brass construction	standard	188
		• I/2" FIP inlet	special	210
		 I/2" standard hose connection suggested to match: all concave series fittings 	premium	248
3		(series 48)		
	SH-10-65	Supply Elbow - Round Base	polished chrome	150
		all brass construction	standard	188
		I/2" FIP inlet I/2" standard hose connection	special	210
		suggested to match: all round contemporary series fittings (series 39, 40, 41, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5)	premium	248
	SH-10-72	Supply Elbow - Rectangle Base	polished chrome	150
		• all brass construction	standard	188
		• 1/2" FIP inlet	special	210
		• 1/2" standard hose connection	premium	248
		suggested to match: all square contemporary series fittings (series 70, 77, 78 & E3)		
	SH-10-77	Supply Elbow - Square Base	polished chrome	150
		all brass construction	standard	188
		• 1/2" FIP inlet	special	210
		 I/2" standard hose connection suggested to match: all square contemporary series fittings 	premium	248
8		(series 70, 77, 78 & E3)		
•	SH-10-85	Supply Elbow - Quad Base	polished chrome	183
		all brass construction	standard	229
		• 1/2" FIP inlet	special	256
		 I/2" standard hose connection suggested to match: all quad series fittings 	premium	302
		(series 85 & 86)		

SUPPLY OUTLETS | SWIVEL HANDSHOWER HOLDERS

	MODEL	DESCRIPTION	FINISH	PRICE
	SH-10-CI	Supply Elbow - Round Base	polished chrome	150 188
		 all brass construction I/2" FIP inlet 	standard special	210
		• 1/2" standard hose connection	premium	248
1		suggested to match: all round series fittings (series CI)	premium	210
	SH-10-C2	Supply Elbow - Octagon Base	polished chrome	183
		all brass construction	standard	229
		1/2" FIP inlet 1/2" standard hose connection	special	256
		suggested to match: all octagon series fittings (series C2)	premium	302
	SH-20S-37	Swivel Handshower Holder - Rounded Square Base	polished chrome	215
		all brass construction	standard	269
		positive-lock swivel holder	special	301
		 accepts most conical handshower hoses includes all mounting hardware 	premium	355
		suggested to match: all rounded square series fittings (series 37)		
	SH-20S-42	Swivel Handshower Holder - Line Base	polished chrome	215
		all brass construction	standard	269
		positive-lock swivel holder	special	301
		 accepts most conical handshower hoses includes all mounting hardware 	premium	355
		suggested to match: all lined base ring fittings (series 32, 33, 34, 35, 56, 60 & 61)		
	SH-20S-45	Swivel Handshower Holder - Concave Base	polished chrome	215
		all brass construction	standard	269
		adjustable positive-lock swivel holder	special	301
		accepts most conical handshower hoses includes all magneting handshower	premium	355
		 includes all mounting hardware suggested to match: all concave series fittings (series 30, 31, 45, 80 & 81) 		
	SH-20S-47	Swivel Handshower Holder - Hex Base	polished chrome	215
		all brass construction	standard	269
660		positive-lock swivel holder	special	301
		accepts most conical handshower hoses	premium	355
		 includes all mounting hardware suggested to match: all hexagonal series fittings (series 46 & 47) 		
	SH-20S-48	Swivel Handshower Holder - Concave Base	polished chrome	215
		• all brass construction	standard	269
		positive-lock swivel holder	special	301
		 accepts most conical handshower hoses includes all mounting hardware 	premium	355
		suggested to match: all concave series fittings (series 48)		
	SH-20S-65	Swivel Handshower Holder - Round Base	polished chrome	215
		• all brass construction	standard	269
		positive-lock swivel holder	special	301
		 accepts most conical handshower hoses includes all mounting hardware 	premium	355
		suggested to match: all round contemporary series fittings (series 39, 40, 41, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5)		
	SH-20S-77	Swivel Handshower Holder - Square Base	polished chrome	215
		• all brass construction	standard	269
		positive-lock swivel holder	special	301
		 accepts most conical handshower hoses includes all mounting hardware 	premium	355
		suggested to match: all square contemporary series fittings (series 70, 77, 78 & E3)		
		800 822 8855 californiafaucets com		449

HANDSHOWER HOLDERS | SWIVEL & FIXED

	MODEL	DESCRIPTION	FINISH	PRICE
	SH-20S-85	Swivel Handshower Holder - Quad Base	polished chrome	248
	0.1. 200 00	• all brass construction	standard	310
		positive-lock swivel holder	special	347
		accepts most conical handshower hoses	premium	409
		includes all mounting hardware suggested to match all good sories fittings.	·	
		suggested to match: all quad series fittings (series 85 & 86)		
6	SH-20S-CI	Swivel Handshower Holder - Round Base	polished chrome	215
		all brass construction	standard	269
		positive-lock swivel holder	special	301
		accepts most conical handshower hoses includes all mounting hardware	premium	355
		suggested to match: all round series fittings (series CI)		
	SH-20-37	Wall Bracket - Rounded Square Base	polished chrome	150
		all brass construction	standard	188
		fixed holder accepts most conical handshower hoses	special	210
0)		includes all mounting hardware	premium	248
		suggested to match: all rounded square series fittings (series 37)		
	SU 20 42	Well Booker Live Book	nalishad abusasa	LEO
	SH-20-42	Wall Bracket - Line Base • all brass construction	polished chrome standard	150 188
		• fixed holder	special	210
		accepts most conical handshower hoses	premium	248
		includes all mounting hardware	premium	210
		 suggested to match: all lined base ring fittings (series 32, 33, 34, 35, 56, 60 & 61) 		
	SH-20-45	Wall Bracket - Concave Base	polished chrome	150
		all brass construction	standard	188
		• fixed holder	special	210
		accepts most conical handshower hoses includes all mounting hardware	premium	248
		suggested to match: all concave series fittings (30, 31, 45, 80 & 81)		
	SH-20-47	Wall Bracket - Hex Base	polished chrome	150
	5.1. 25	• all brass construction	standard	188
		• fixed holder	special	210
		accepts most conical handshower hoses	premium	248
		 includes all mounting hardware suggested to match: all hexagonal series fittings (series 46 & 47) 	,	
	S11 20 40	W.II.P. and an Community Provided in the Com	nalishad shuana	IEO
	SH-20-48	Wall Bracket - Concave Base • all brass construction	polished chrome standard	150 188
		fixed holder	special	210
		accepts most conical handshower hoses	premium	248
		 includes all mounting hardware suggested to match: all smooth series fittings (series 48) 	F. 5	
	SH-20-65	Well Burglet - Bound Book	polished chrome	LEO
	3∏-4U-03	Wall Bracket - Round Base • all brass construction	standard	150 188
		fixed holder	special	210
		accepts most conical handshower hoses	premium	248
		 includes all mounting hardware suggested to match: all round contemporary series fittings (series 39, 40, 41, 62, 65, 66, 74, 75, E3, E4 & E5) 		
	SH-20-72	Wall Bracket - Rectangle Base	polished chrome	150
		all brass construction	standard	188
		fixed holder accents most copical handshower hoses	special	210
		accepts most conical handshower hoses includes all mounting hardware	premium	248
		suggested to match: all square contemporary series fittings		

FIXED HANDSHOWER HOLDERS | SWIVEL SUPPLY ELBOWS


	MODEL	DESCRIPTION	FINISH	PRICE
	SH-20-77	Wall Bracket - Square Base	polished chrome	150
		all brass construction	standard	188
		• fixed holder	special	210
		accepts most conical handshower hoses	premium	248
		includes all mounting hardware	premium	210
		suggested to match: all square contemporary series fittings		
		(series 70, 77, 78 & E3)		
	SH-20-85	Wall Bracket - Quad Base	polished chrome	183
		all brass construction	standard	229
		• fixed holder	special	256
		accepts most conical handshower hoses includes all resourcing to address.	premium	302
		 includes all mounting hardware suggested to match: all quad series fittings 		
		(series 85 & 86)		
	SH-20-C1	Wall Bracket - Round Base	polished chrome	150
		all brass construction	standard	188
		fixed holder	special	210
Car		 accepts most conical handshower hoses 	premium	248
6-11		includes all mounting hardware	proman	2.0
		suggested to match: all round series fittings (series CI)		
	SH-20-C2	Wall Brooket Ostogon Poss	polished chrome	183
	3H-2U-C2	Wall Bracket - Octagon Base		229
		all brass construction fixed holder	standard	
The same		accepts most conical handshower hoses	special	256
The state of the s		includes all mounting hardware	premium	302
		suggested to match: all octagon series fittings (series C2)		
		,		
	SH-25S-30	Supply Elbow with Swivel Handshower Holder -	polished chrome	299
		Concave Base & Hex Cap	standard	374
		all brass construction	special	419
		1/2" FIP inlet connection	premium	493
The same of the sa		• 1/2" standard hose connection		
		adjustable positive lock swivel holder		
		 accepts most conical handshower hoses suggested to match: all industrial series fittings 		
		(series 30, 31, 80 & 81)		
	CLI 255 27		P. L. L. L.	200
	SH-25S-37	Supply Elbow with Swivel Handshower Holder -	polished chrome	299
		Rounded Square Base	standard	374
		all brass construction	special	419
		• 1/2" FIP inlet connection	premium	493
		 1/2" standard hose connection adjustable positive lock swivel holder 		
		accepts most conical handshower hoses		
		suggested to match: all rounded square series fittings (series 37)		
	SH-25S-42	Supply Elbow with Swivel Handshower Holder -	polished chrome	299
		Line Base	standard	374
		all brass construction	special	419
		1/2" FIP inlet connection	premium	493
		1/2" standard hose connection	premum	T/3
8		adjustable positive lock swivel holder		
The second secon		accepts most conical handshower hoses		
		suggested to match: all lined series fittings		
		(series 32, 33, 34, 35, 56, 60 & 61)		

	MODEL	DESCRIPTION	FINISH	PRICE
	SH-25S-45	Supply Elbow with Swivel Handshower Holder -	polished chrome	299
		Concave Base	standard	374
		all brass construction	special	419
		• 1/2" FIP inlet connection	premium	493
		 I/2" standard hose connection 	P · ·	
50.0		adjustable positive lock swivel holder		
		accepts most conical handshower hoses		
		suggested to match: all smooth series fittings (series 45)		
	SH-25S-47	Supply Elbow with Swivel Handshower Holder -	polished chrome	299
		Hex Base	standard	374
		all brass construction	special	419
		• 1/2" FIP inlet connection	premium	493
		 I/2" standard hose connection 	,	
1000		adjustable positive lock swivel holder		
		 accepts most conical handshower hoses suggested to match: all hexagonal series fittings (series 46 & 47) 		
		suggested to match. all nexagonal series fittings (series 40 & 47)		
	SH-25S-48	Supply Elbow with Swivel Handshower Holder -	polished chrome	299
		Concave Base	standard	374
		all brass construction	special	419
		• 1/2" FIP inlet connection	premium	493
		1/2" standard hose connection adjustable positive legislavial holder.		
		 adjustable positive lock swivel holder accepts most conical handshower hoses 		
		suggested to match: all concave series fittings (series 48)		
		, , , , , , , , , , , , , , , , , , ,		
	SH-25S-65	Supply Elbow with Swivel Handshower Holder -	polished chrome	299
		Round Base	standard	374
		• all brass construction	special	419
		 I/2" FIP inlet connection I/2" standard hose connection 	premium	493
		adjustable positive lock swivel holder		
		accepts most conical handshower hoses		
		suggested to match: all round contemporary series fittings		
		(series 39, 40, 41, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5)		
	SH-25S-77	Supply Elbow with Swivel Handshower Holder -	polished chrome	299
		Square Base	standard	374
		all brass construction	special	419
		I/2" FIP inlet connection	premium	493
		• 1/2" standard hose connection		
		 adjustable positive lock swivel holder accepts most conical handshower hoses 		
		suggested to match: all square contemporary series fittings		
		(series 70, 77, 78 & E3)		
	SH-25S-85	Supply Elbow with Swivel Handshower Holder -	polished chrome	334
		Quad Base	standard	418
		• all brass construction	special	468
		 I/2" FIP inlet connection I/2" standard hose connection 	premium	551
		adjustable positive lock swivel holder		
		accepts most conical handshower hoses		
		suggested to match: all quad series fittings (series 85 & 86)		
	SH-25S-C1	Supply Elbow with Swivel Handshower Holder -	polished chrome	299
		Round Base	standard	374
		• all brass construction	special	419
		1/2" FIP inlet connection	premium	493
		1/2" standard hose connection	F. G	173
		adjustable positive lock swivel holder		
		accepts most conical handshower hoses		
		suggested to match: all round series fittings (series CI)		

	MODEL	DESCRIPTION	FINISH	PRICE
	SH-25S-C2	Supply Elbow with Swivel Handshower Holder -	polished chrome	334
		Octagon Base	standard	418
		all brass construction	special	468
		• 1/2" FIP inlet connection	premium	551
		• 1/2" standard hose connection	·	
		adjustable positive lock swivel holder		
		 accepts most conical handshower hoses suggested to match: all octagon series fittings (series C2) 		
		suggested to match, all octagon series fittings (series C2)		
	SH-25-37	Supply Elbow with Handshower Holder - Rounded	polished chrome	194
		Square Base	standard	243
		all brass construction	special	272
		• 1/2" FIP inlet connection	premium	320
()		1/2" standard hose connection		
		fixed holder accepts most copical handshower hoses		
		 accepts most conical handshower hoses suggested to match: all rounded square series fittings (series 37) 		
	SH-25-45	Supply Elbow with Handshower Holder - Concave Base	polished chrome	194
		all brass construction	standard	243
		fixed holder	special	272
		• 1/2" FIP inlet connection	premium	320
		• 1/2" standard hose connection		125
		accepts most conical handshower hoses		
		suggested to match: all concave series fittings (series 30, 31, 45, 48, 80 & 81)		
	SH-25-60	Supply Elbow with Handshower Holder - Line Base	polished chrome	194
		• all brass construction	standard	243
		fixed holder	special	272
		• 1/2" FIP inlet connection	premium	320
		1/2" standard hose connection		
West of the last o		accepts most conical handshower hoses		
		suggested to match: all lined series fittings (series 32, 33, 34, 35, 56, 60 & 61)		
	SH-25-65	Supply Elbow with Handshower Holder - Round Base	polished chrome	194
		• all brass construction	standard	243
		fixed holder	special	272
		• 1/2" FIP inlet connection	premium	320
		• 1/2" standard hose connection	·	
		accepts most conical handshower hoses		
		suggested to match: all round contemporary series fittings (series 39, 40, 41, 52, 53, 62, 65, 66, 74, 75, E3, E4 & E5)		
	SH-25-77	Supply Elbow with Handshower Holder - Square Base	polished chrome	194
		• all brass construction	standard	243
		fixed holder	special	272
		• 1/2" FIP inlet connection	premium	320
		• 1/2" standard hose connection	·	
		accepts most conical handshower hoses		
43		suggested to match: all square contemporary series fittings (series 70, 77, 78 & E3)		
	SH-25-78	Supply Elbow with Handshower Holder - Rectangle Base	polished chrome	194
		• all brass construction	standard	243
-		• fixed holder	special	272
-		• 1/2" FIP inlet connection	premium	320
all		1/2" standard hose connection		
		accepts most conical handshower hoses		
		suggested to match: all square contemporary series fittings (series 70, 77, 78 & E3)		
	SH-25-85	Supply Elbow with Handshower Holder - Quad Base	polished chrome	226
		• all brass construction	standard	283
		fixed holder	special	316
46		• 1/2" FIP inlet connection	premium	373
		1/2" standard hose connection accepts most copical handshower hoses		
		accepts most conical handshower hoses		
		suggested to match: all quad series fittings (series 85 & 86)		

FIXED SUPPLY ELBOWS & SHOWER COMPONENTS

	MODEL	DESCRIPTION	FINISH	PRICE
	SH-25-C1	Supply Elbow with Handshower Holder - Round Base	polished chrome	194
		• all brass construction	standard	243
		• fixed holder	special	272
		• 1/2" FIP inlet connection	premium	320
		• 1/2" standard hose connection		
		accepts most conical handshower hoses		
		suggested to match: all round series fittings (series CI)		
	SH-25-C2	Supply Elbow with Handshower Holder - Octagon Base	polished chrome	226
		all brass construction	standard	283
		• fixed holder	special	316
200		1/2" FIP inlet connection 1/2" standard hose connection	premium	373
		accepts most conical handshower hoses		
		suggested to match: all octagon series fittings (series C2)		
	HS-68	68" Brass Hose for Handshower	polished chrome	150
		• 1/2" FIP inlet	standard	188
		• 1/2" FIP outlet	special	210
		double spiral for added durability	premium	248
S. Allertan			premium	210
	9146C	In-Line Dual Check for Handshowers - Contemporary	polished chrome	75
		all brass construction	standard	94
		for in-line use with wall-hung handshowers and exposed tub faucets with	special	105
C. A.		handshower	premium	124
		backflow prevention device		
2	9146T	In-Line Dual Check for Handshowers - Traditional	polished chrome	75
		all brass construction	standard	94
		for in-line use with wall-hung handshowers and exposed tub faucets with	special	105
		handshower • backflow prevention device	premium	124
	THARAC	C 1 T1 ®	- Calcada da se	45
	THADAC	Contemporary StyleTherm® Optional ADA Compliant Volume Control Lever	polished chrome standard	45 56
		• 2-1/2" in length	special	63
		add-on to TO-THIL-XX, TO-THCIL-XX, TO-THFIL-XX, TO-THOIL-XX,	premium	74
		TO-THQ1L-XX, TO-TH2L-XX, TO-THC2L-XX, TO-THF2L-XX,	premum	7 7
		TO-THO2L-XX, or TO-THQ2L-XX to complete your ADA compliant shower		
	THADAT	Traditional StyleTherm®	polished chrome	45
117		Optional ADA Compliant Volume Control Lever	standard	56
		• 2-1/2" in length	special	63
		add-on to TO-THIL-XX, TO-THCIL-XX, TO-THFIL-XX, TO-THOIL-XX,	premium	74
(/ BBO		TO-THQ1L-XX, TO-TH2L-XX, TO-THC2L-XX, TO-THF2L-XX,		
		TO-THO2L-XX or TO-THQ2L-XX to complete your ADA compliant shower		
1				





SHOWER KITS

SHOWER KITS | DESCANSO | 30 SERIES

	MODEL	DESCRIPTION	FINISH	PRICE
	KT01-30K.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	1100
A. A	(MCroon	Single Showerhead	standard	1372
2000	(CA/Green COMPLIANT	• kit contains:	special	1537
	at 1.8 gpm	$I \times SH-083.FR$ (multi-function showerhead)	premium	1812
	LOT SO	I x SH-01.6 (6" shower arm)		
-	Forcesche	I x TO-THF1L-30K (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455		
186		REQUIRES ROUGH VALVE:	THT51-R	549
	Certified at 2.0 gpm	for more details, see pages 496-498	111131-1	347
	KT02-30K.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	2009
H	(MCroon	Showerhead and Handshower	standard	2510
	(CALGreen COMPLIANT)	kit contains:	special	2810
7	at 1.8 gpm	I x SH-083.FR (multi-function showerhead)	premium	3313
	verSa.	I × SH-01.6 (6" shower arm) I × HS-083-30K.FR (multi-function handshower)		
	Zor Jose	I x 9125-45 (handshower wall mount kit)		
		I x TO-THF I L-30K (thermostatic shower trim)		
	Contified at 2.0 man	replace .FR with REQUIRED flow rate, see page 455		
9	Certified at 2.0 gpm	REQUIRES ROUGH VALVE:	THT51D2-R	679
		for more details, see pages 496-498		
	KT12-30K.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	2018
	xerSe.	Showerhead and Handshower on Hook	standard	2521
Contract of the Contract of th	Zo Trop	• kit contains:	special	2822
-		I × SH-083.FR (multi-function showerhead)	premium	3328
	Certified at 2.0 gpm	I x SH-01.6 (6" shower arm)	·	
6.	Cer tilled at 2.0 gpill	I × HS-083-30K.FR (multi-function handshower) I × 9125-45 (handshower wall mount kit)		
		I x TO-THF2L-30K (thermostatic shower trim)		
		replace .FR with REQUIRED flow rate, see page 455		
©		REQUIRES ROUGH VALVE:	THT52-R	619
		for more details, see pages 496-498		
	KT03-30K.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	2539
		StyleTherm® I/2" Thermostatic Shower System with Handshower Slide Bar	standard	3172
	CALGreen COMPLIANT	Handshower Slide Bar • kit contains:	standard special	3172 3552
	CALGreen	Handshower Slide Bar • kit contains: I x SH-083.FR (multi-function showerhead)	standard	3172
	CALGreen COMPLIANT	Handshower Slide Bar • kit contains:	standard special	3172 3552
	CALGreen COMPLIANT	Handshower Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083-30K.FR (multi-function handshower) I × 9127-30K (handshower slide bar kit)	standard special	3172 3552
	CALGreen COMPLIANT	Handshower Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083-30K.FR (multi-function handshower) I × 9127-30K (handshower slide bar kit) I × TO-THFIL-30K (thermostatic shower trim)	standard special	3172 3552
	CALGreen COMPLIANT	Handshower Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083-30K.FR (multi-function handshower) I × 9127-30K (handshower slide bar kit) I × TO-THFIL-30K (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455	standard special premium	3172 3552 4187
	CAL Green COMPLIANT at 18 gpm	Handshower Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083-30K.FR (multi-function handshower) I × 9127-30K (handshower slide bar kit) I × TO-THFIL-30K (thermostatic shower trim)	standard special	3172 3552
	CALGreen COMPLIANT at 1.8 gpm	Handshower Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083-30K.FR (multi-function handshower) I × 9127-30K (handshower slide bar kit) I × TO-THF IL-30K (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498	standard special premium	3172 3552 4187 679
	CAL Green COMPLIANT at 18 gpm	Handshower Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083-30K.FR (multi-function handshower) I × 9127-30K (handshower slide bar kit) I × TO-THF IL-30K (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with	standard special premium THT51D2-R polished chrome	3172 3552 4187 679
	CALGreen COMPLIANT at 1.8 gpm	Handshower Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083-30K.FR (multi-function handshower) I × 9127-30K (handshower slide bar kit) I × TO-THFI L-30K (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar	standard special premium THT51D2-R polished chrome standard	3172 3552 4187 679 2548 3183
	CALGreen COMPLIANT at 1.8 gpm	Handshower Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083-30K.FR (multi-function handshower) I × 9127-30K (handshower slide bar kit) I × TO-THFIL-30K (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains:	standard special premium THT51D2-R polished chrome standard special	3172 3552 4187 679 2548 3183 3564
	CAL Green COMPLIANT at 1.8 gpm Certified at 2.0 gpm KT13-30K.FR	Handshower Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083-30K.FR (multi-function handshower) I × 9127-30K (handshower slide bar kit) I × TO-THFI L-30K (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar	standard special premium THT51D2-R polished chrome standard	3172 3552 4187 679 2548 3183
	CALGreen COMPLIANT at 1.8 gpm	Handshower Slide Bar • kit contains: I x SH-083.FR (multi-function showerhead) I x SH-01.6 (6" shower arm) I x H5-083-30K.FR (multi-function handshower) I x 9127-30K (handshower slide bar kit) I x TO-THFIL-30K (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: I x SH-083.FR (multi-function showerhead) I x SH-01.6 (6" shower arm) I x H5-083-30K.FR (multi-function handshower)	standard special premium THT51D2-R polished chrome standard special	3172 3552 4187 679 2548 3183 3564
	CAL Green COMPLIANT at 1.8 gpm Certified at 2.0 gpm KT13-30K.FR	Handshower Slide Bar • kit contains: I x SH-083.FR (multi-function showerhead) I x SH-01.6 (6" shower arm) I x H5-083-30K.FR (multi-function handshower) I x 9127-30K (handshower slide bar kit) I x TO-THFIL-30K (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: I x SH-083.FR (multi-function showerhead) I x SH-01.6 (6" shower arm) I x H5-083-30K.FR (multi-function handshower) I x 9127-30K (handshower slide bar kit)	standard special premium THT51D2-R polished chrome standard special	3172 3552 4187 679 2548 3183 3564
	CAL Green COMPLIANT at 1.8 gpm Certified at 2.0 gpm KT13-30K.FR	Handshower Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083-30K.FR (multi-function handshower) I × 9127-30K (handshower slide bar kit) I × TO-THFIL-30K (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083-30K.FR (multi-function handshower) I × 9127-30K (handshower slide bar kit) I × TO-THF2L-30K (thermostatic shower trim)	standard special premium THT51D2-R polished chrome standard special	3172 3552 4187 679 2548 3183 3564
	CAL Green COMPLIANT at 1.8 gpm Certified at 2.0 gpm KT13-30K.FR	Handshower Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083-30K.FR (multi-function handshower) I × 9127-30K (handshower slide bar kit) I × TO-THFIL-30K (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083-30K.FR (multi-function handshower) I × 9127-30K (handshower slide bar kit) I × TO-THF2L-30K (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455	standard special premium THT51D2-R polished chrome standard special premium	3172 3552 4187 679 2548 3183 3564 4202
	CAL Green COMPLIANT at 1.8 gpm Certified at 2.0 gpm KT13-30K.FR	Handshower Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083-30K.FR (multi-function handshower) I × 9127-30K (handshower slide bar kit) I × TO-THFIL-30K (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083-30K.FR (multi-function handshower) I × 9127-30K (handshower slide bar kit) I × TO-THF2L-30K (thermostatic shower trim)	standard special premium THT51D2-R polished chrome standard special	3172 3552 4187 679 2548 3183 3564
	CAL Green COMPLIANT at 1.8 gpm Certified at 2.0 gpm KT13-30K.FR	Handshower Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083-30K.FR (multi-function handshower) I × 9127-30K (handshower slide bar kit) I × TO-THF1L-30K (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083-30K.FR (multi-function handshower) I × 9127-30K (handshower slide bar kit) I × TO-THF2L-30K (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498	standard special premium THT51D2-R polished chrome standard special premium	3172 3552 4187 679 2548 3183 3564 4202
	CALGreen COMPLIANT at 1.8 gpm Certified at 2.0 gpm KT13-30K.FR Certified at 2.0 gpm	Handshower Slide Bar • kit contains: I x SH-083.FR (multi-function showerhead) I x SH-01.6 (6" shower arm) I x HS-083-30K.FR (multi-function handshower) I x 9127-30K (handshower slide bar kit) I x TO-THF1L-30K (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: I x SH-083.FR (multi-function showerhead) I x SH-01.6 (6" shower arm) I x HS-083-30K.FR (multi-function handshower) I x 9127-30K (handshower slide bar kit) I x TO-THF2L-30K (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE:	standard special premium THT51D2-R polished chrome standard special premium THT52-R	3172 3552 4187 679 2548 3183 3564 4202
	CALGreen COMPLIANT at 1.8 gpm Certified at 2.0 gpm KT13-30K.FR Certified at 2.0 gpm KT04-30K.FR COMPLIANT	Handshower Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083-30K.FR (multi-function handshower) I × 9127-30K (handshower slide bar kit) I × TO-THF1L-30K (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-083-30K.FR (multi-function handshower) I × 9127-30K (handshower slide bar kit) I × TO-THF2L-30K (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with	standard special premium THT51D2-R polished chrome standard special premium THT52-R polished chrome	3172 3552 4187 679 2548 3183 3564 4202
	CALGreen COMPLIANT at 1.8 gpm Certified at 2.0 gpm KT13-30K.FR Certified at 2.0 gpm KT04-30K.FR CALGREEN	Handshower Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083-30K.FR (multi-function handshower) x 9127-30K (handshower slide bar kit) x TO-THF1L-30K (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® 1/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083-30K.FR (multi-function handshower) x 9127-30K (handshower slide bar kit) x TO-THF2L-30K (thermostatic shower trim) replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® 1/2" Thermostatic Shower System with Showerhead and Tub Spout kit contains: x SH-083.FR (multi-function showerhead)	standard special premium THT51D2-R polished chrome standard special premium THT52-R polished chrome standard	3172 3552 4187 679 2548 3183 3564 4202 619
	CALGreen COMPLIANT at 1.8 gpm Certified at 2.0 gpm KT13-30K.FR Certified at 2.0 gpm KT04-30K.FR COMPLIANT	Handshower Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083-30K.FR (multi-function handshower) x 9127-30K (handshower slide bar kit) x TO-THF1L-30K (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® 1/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083-30K.FR (multi-function handshower) x 9127-30K (handshower slide bar kit) x TO-THF2L-30K (thermostatic shower trim) replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® 1/2" Thermostatic Shower System with Showerhead and Tub Spout kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm)	standard special premium THT51D2-R polished chrome standard special premium THT52-R polished chrome standard special	3172 3552 4187 679 2548 3183 3564 4202 619 1399 1746 1956
	CALGreen COMPLIANT at 1.8 gpm Certified at 2.0 gpm KT13-30K.FR Certified at 2.0 gpm KT04-30K.FR COMPLIANT	Handshower Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083-30K.FR (multi-function handshower) I × 9127-30K (handshower slide bar kit) I × TO-THFIL-30K (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® 1/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083-30K.FR (multi-function handshower) I × 9127-30K (handshower slide bar kit) I × TO-THF2L-30K (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® 1/2" Thermostatic Shower System with Showerhead and Tub Spout • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × SH-01.6 (6" shower arm) I × SH-01.6 (6" shower arm) I × SSH-01.6 (6" shower arm) I × SH-01.6 (6" shower arm)	standard special premium THT51D2-R polished chrome standard special premium THT52-R polished chrome standard special	3172 3552 4187 679 2548 3183 3564 4202 619 1399 1746 1956
	CALGreen COMPLIANT at 1.8 gpm Certified at 2.0 gpm KT13-30K.FR Certified at 2.0 gpm KT04-30K.FR COMPLIANT	Handshower Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083-30K.FR (multi-function handshower) x 9127-30K (handshower slide bar kit) x TO-THF1L-30K (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® 1/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083-30K.FR (multi-function handshower) x 9127-30K (handshower slide bar kit) x TO-THF2L-30K (thermostatic shower trim) replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® 1/2" Thermostatic Shower System with Showerhead and Tub Spout kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm)	standard special premium THT51D2-R polished chrome standard special premium THT52-R polished chrome standard special	3172 3552 4187 679 2548 3183 3564 4202 619 1399 1746 1956
	CALGreen COMPLIANT at 1.8 gpm Certified at 2.0 gpm KT13-30K.FR Certified at 2.0 gpm KT04-30K.FR COMPLIANT at 1.8 gpm	Handshower Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083-30K.FR (multi-function handshower) x 9127-30K (handshower slide bar kit) x TO-THFIL-30K (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083-30K.FR (multi-function handshower) x 9127-30K (handshower slide bar kit) x TO-THF2L-30K (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Tub Spout • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x TS-30K-30 (tub spout) x TS-30K-30 (tub spout) x TO-THF1L-30K (thermostatic shower trim)	standard special premium THT51D2-R polished chrome standard special premium THT52-R polished chrome standard special	3172 3552 4187 679 2548 3183 3564 4202 619 1399 1746 1956
	CALGreen COMPLIANT at 1.8 gpm Certified at 2.0 gpm KT13-30K.FR Certified at 2.0 gpm KT04-30K.FR COMPLIANT	Handshower Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083-30K.FR (multi-function handshower) x 9127-30K (handshower slide bar kit) x TO-THFIL-30K (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083-30K.FR (multi-function handshower) x 9127-30K (handshower slide bar kit) x TO-THF2L-30K (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Tub Spout • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x TS-30K-30 (tub spout) x TS-30K-30 (tub spout) x TO-THF1L-30K (thermostatic shower trim)	standard special premium THT51D2-R polished chrome standard special premium THT52-R polished chrome standard special	3172 3552 4187 679 2548 3183 3564 4202 619 1399 1746 1956

SHOWER KITS | MONTECITO | 32/33 SERIES

	MODEL	DESCRIPTION	FINISH	PRICE
	KT01-33.FR	StyleTherm® I/2" Thermostatic Shower System with Single Showerhead • kit contains:	polished chrome standard special	963 1201 1345
	at 1.8 gpm	I x SH-073.FR (multi-function showerhead) I x SH-01.6 (6" shower arm) I x TO-THIL-33 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455	premium	1586
	Certified at 2.0 gpm	REQUIRES ROUGH VALVE: for more details, see pages 496-498	THT51-R	519
	KT02-33.FR	StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Hook	polished chrome standard	1872 2339
	CAL Green COMPLIANT at 1.8 gpm	 kit contains: I × SH-073.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-073.FR (multi-function handshower) I × 9125-42 (handshower wall mount kit) 	special premium	2618 3087
99	Certified at 2.0 gpm	I x TO-THIL-33 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE:	THT51D2-R	645
1		for more details, see pages 496-498		
	KT12-33.FR	StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Hook	polished chrome standard	1881 2350
	Certified at 2.0 gpm	kit contains: x SH-073.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-073.FR (multi-function handshower) x 9125-42 (handshower wall mount kit) x TO-TH2L-33 (thermostatic shower trim) replace .FR with REQUIRED flow rate, see page 455	special premium	263 I 3 I 0 2
62		REQUIRES ROUGH VALVE: for more details, see pages 496-498	THT52-R	569
	KT03-33.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	2402
	CAL Green COMPLIANT at 1.8 gpm	Handshower Slide Bar • kit contains: I × SH-073.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-073.FR (multi-function handshower) I × 9129-33 (handshower slide bar kit) I × TO-THIL-33 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455	standard special premium	3001 3360 3961
	Certified at 2.0 gpm	REQUIRES ROUGH VALVE: for more details, see pages 496-498	THT51D2-R	645
	KT13-33.FR	StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar	polished chrome	2411 3012
	Certified at 2.0 gpm	 kit contains: x SH-073.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-073.FR (multi-function handshower) x 9129-33 (handshower slide bar kit) x TO-TH2L-33 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 	special premium	3373 3976
		REQUIRES ROUGH VALVE: for more details, see pages 496-498	THT52-R	569
	KT04-33.FR	StyleTherm® I/2" Thermostatic Shower System with Showerhead and Tub Spout	polished chrome standard	1221 1524
((CALGreen COMPLIANT	kit contains: I × SH-073.FR (multi-function showerhead)	special premium	1706 2012
	at I.8 gpm		premium	2012
	at 18 gpm	I x SH-01.6 (6" shower arm) I x TS-34 (traditional tub spout) I x TO-THIL-33 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455		

	MODEL	DESCRIPTION	FINISH	PRICE
	KT05-33.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	1230
	0A/Croop	Showerhead and Tub Spout	standard	1535
A STATE OF THE PARTY OF THE PAR	CALGreen COMPLIANT	• kit contains:	special	1719
	at 1.8 gpm	I x SH-073.FR (multi-function showerhead)	premium	2027
	versa	I × SH-01.6 (6" shower arm) I × TS-34 (traditional tub spout)		
	Xatci Sense	I x TO-TH2L-33 (thermostatic shower trim)		
30		replace .FR with REQUIRED flow rate, see page 455		
	Certified at 2.0 gpm	REQUIRES ROUGH VALVE:	THT52-R	619
₩	Cortined at 2.0 Spin	for more details, see pages 496-498		
69	KT06-33.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	2201
	CALGreen	Handshower Slide Bar and Tub Spout	standard	2753
	COMPLIANT at 1.8 gpm	• kit contains:	special	3082
(5)	with spirit	I × HS-073.FR (multi-function handshower) I × 9129-33 (handshower slide bar kit)	premium	3633
FIF G	aterSen	I x TS-34 (traditional tub spout)		
9	Z (c)	I x TO-TH2L-33 (thermostatic shower trim)		
	Epa Cities	replace .FR with REQUIRED flow rate, see page 455		
ed a	Certified at 2.0 gpm	REQUIRES ROUGH VALVE:	THT52-R	619
		for more details, see pages 496-498		
	KT07-33.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	2139
	CALGreen	Handshower Hook and Tub Spout	standard	2673
Contract of the second	COMPLIANT at 1.8 gpm	• kit contains:	special	2992
	at 1.0 gpill	I × SH-073.FR (multi-function showerhead) I × SH-01.6 (6" shower arm)	premium	3528
	aterSea	I x HS-073.FR (multi-function handshower)		
	Z. C.	I x 9125-42 (handshower wall mount kit)		
	Egys EDA CHES	I x TS-34 (traditional tub spout)		
0 0	Certified at 2.0 gpm	I x TO-TH2L-33 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455		
62	OI .	REQUIRES ROUGH VALVE:	THT52D2-R	779
4		for more details, see pages 496-498		,,,
	KT08-33.FR	StyleTherm® 3/4" Thermostatic Shower System with	polished chrome	3919
		Body Spray, Handshower on Slide Bar, and Showerhead	standard	4897
		• kit contains:	special	5485
and the same		I × SH-43.FR (jet showerhead)	premium	6465
		I × SH-01.6 (6" shower arm)		
		· · · · · · · · · · · · · · · · · · ·		
Ø 9 9 9		I x HS-073.FR (multi-function handshower)		
9999		· · · · · · · · · · · · · · · · · · ·		
999		I × HS-073.FR (multi-function handshower) I × 9129-33 (handshower slide bar kit) 3 × BS-60 (body sprays) I × TO-THN-33 (thermostatic shower trim)		
		I x HS-073.FR (multi-function handshower) I x 9129-33 (handshower slide bar kit) 3 x BS-60 (body sprays) I x TO-THN-33 (thermostatic shower trim) 3 x TO-33-W (wall stop trims)		
		I × HS-073.FR (multi-function handshower) I × 9129-33 (handshower slide bar kit) 3 × BS-60 (body sprays) I × TO-THN-33 (thermostatic shower trim)		
		I × HS-073.FR (multi-function handshower) I × 9129-33 (handshower slide bar kit) 3 × BS-60 (body sprays) I × TO-THIN-33 (thermostatic shower trim) 3 × TO-33-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES:	THT75-R	
		I × HS-073.FR (multi-function handshower) I × 9129-33 (handshower slide bar kit) 3 × BS-60 (body sprays) I × TO-THIN-33 (thermostatic shower trim) 3 × TO-33-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455	THT75-R 3 x 75-W-R	
	KT09-33.FR	I × HS-073.FR (multi-function handshower) I × 9129-33 (handshower slide bar kit) 3 × BS-60 (body sprays) I × TO-THIN-33 (thermostatic shower trim) 3 × TO-33-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES:		645
		I × HS-073.FR (multi-function handshower) I × 9129-33 (handshower slide bar kit) 3 × BS-60 (body sprays) I × TO-THIN-33 (thermostatic shower trim) 3 × TO-33-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead • kit contains:	3 x 75-W-R	645 769
	CALGreen COMPLIANT	I × HS-073.FR (multi-function handshower) I × 9129-33 (handshower slide bar kit) 3 × BS-60 (body sprays) I × TO-THIN-33 (thermostatic shower trim) 3 × TO-33-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead • kit contains: I × SH-04T.FR (traditional showerhead)	3 x 75-W-R polished chrome	769 959
	CAlGreen	I × HS-073.FR (multi-function handshower) I × 9129-33 (handshower slide bar kit) 3 × BS-60 (body sprays) I × TO-THIN-33 (thermostatic shower trim) 3 × TO-33-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead • kit contains: I × SH-04T.FR (traditional showerhead) I × SH-01 (4" shower arm)	3 x 75-W-R polished chrome standard	769 959 1074
	CALGreen COMPLIANT	I × HS-073.FR (multi-function handshower) I × 9129-33 (handshower slide bar kit) 3 × BS-60 (body sprays) I × TO-THIN-33 (thermostatic shower trim) 3 × TO-33-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead • kit contains: I × SH-04T.FR (traditional showerhead)	3 x 75-W-R polished chrome standard special	769 959 1074
	CALGreen COMPLIANT	X HS-073.FR (multi-function handshower) X 9129-33 (handshower slide bar kit) X 9129-33 (handshower slide bar kit) X BS-60 (body sprays) X TO-THN-33 (thermostatic shower trim) X X TO-33-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead kit contains: X SH-04T.FR (traditional showerhead) X SH-01 (4" shower arm) X TO-PBL-33 (pressure balance shower trim)	3 x 75-W-R polished chrome standard special premium	695 645 769 959 1074 1267
	CALGreen COMPLIANT	I × HS-073.FR (multi-function handshower) I × 9129-33 (handshower slide bar kit) 3 × BS-60 (body sprays) I × TO-THIN-33 (thermostatic shower trim) 3 × TO-33-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead • kit contains: I × SH-04T.FR (traditional showerhead) I × SH-01 (4" shower arm) I × TO-PBL-33 (pressure balance shower trim) • replace .FR with REQUIRED flow rate, see page 455	3 x 75-W-R polished chrome standard special	645 769 959 1074 1267
	CALGreen COMPLIANT at 1.8 gpm	X HS-073.FR (multi-function handshower) X 9129-33 (handshower slide bar kit) X 85-60 (body sprays) X TO-THN-33 (thermostatic shower trim) X TO-33-W (wall stop trims) To-33-W (wall stop trims) Teplace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead kit contains: X SH-04T.FR (traditional showerhead) X SH-01 (4" shower arm) X TO-PBL-33 (pressure balance shower trim) TO-PBL-33 (pressure balance shower trim) REQUIRES ROUGH VALVE: for more details, see pages 496-498	3 x 75-W-R polished chrome standard special premium PBI-R	645 769 959 1074 1267 255
	CALGreen COMPLIANT	X HS-073.FR (multi-function handshower) X 9129-33 (handshower slide bar kit) X 85-60 (body sprays) X TO-THN-33 (thermostatic shower trim) X TO-33-W (wall stop trims) To-33-W (wall stop trims) Teplace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES:	3 x 75-W-R polished chrome standard special premium PB1-R polished chrome	645 769 959 1074 1267 255
	CA/Green COMPLIANT at 1.8 gpm KT10-33.FR CA/Green	X HS-073.FR (multi-function handshower) X 9129-33 (handshower slide bar kit) X 85-60 (body sprays) X TO-THN-33 (thermostatic shower trim) X X TO-33-W (wall stop trims) To-23-W (wall stop trims) To-23-W (wall stop trims) The Following ROUGH VALVES: For more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead Kit contains: X SH-04T.FR (traditional showerhead) X SH-01 (4" shower arm) X TO-PBL-33 (pressure balance shower trim) To-PBL-33 (pressure balance shower trim) To-PBL-34 (pressure balance shower trim) To-PBL-35 (pressure balance shower trim) To-PBL-36 (pressure balance shower trim) To-PBL-37 (pressure balance shower trim) To-PBL-38 (pressure balance shower trim) To-PBL-39	3 x 75-W-R polished chrome standard special premium PB1-R polished chrome standard	645 769 959 1074 1267 255
	CALGreen COMPLIANT at 1.8 gpm	X HS-073.FR (multi-function handshower) X 9129-33 (handshower slide bar kit) X 85-60 (body sprays) X TO-THN-33 (thermostatic shower trim) X X TO-33-W (wall stop trims) To-glace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498	3 x 75-W-R polished chrome standard special premium PBI-R polished chrome standard special	645 769 959 1074 1267 255 1027 1282 1435
	CA/Green COMPLIANT at 1.8 gpm KT10-33.FR CA/Green	X HS-073.FR (multi-function handshower) X 9129-33 (handshower slide bar kit) 3 x BS-60 (body sprays) X TO-THIN-33 (thermostatic shower trim) 3 x TO-33-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498	3 x 75-W-R polished chrome standard special premium PB1-R polished chrome standard	645 769 959 1074 1267 255 1027 1282 1435
	CALGreen COMPLIANT at 1.8 gpm	X HS-073.FR (multi-function handshower) X 9129-33 (handshower slide bar kit) X 85-60 (body sprays) X TO-THN-33 (thermostatic shower trim) X X TO-33-W (wall stop trims) To-glace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498	3 x 75-W-R polished chrome standard special premium PBI-R polished chrome standard special	645 769 959 1074 1267 255 1027 1282 1435
	CALGreen COMPLIANT at 1.8 gpm	X HS-073.FR (multi-function handshower) X 9129-33 (handshower slide bar kit) 3 x BS-60 (body sprays) X TO-THIN-33 (thermostatic shower trim) 3 x TO-33-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498	3 x 75-W-R polished chrome standard special premium PBI-R polished chrome standard special	645 769 959 1074 1267 255 1027 1282 1435
	CALGreen COMPLIANT at 1.8 gpm	X HS-073.FR (multi-function handshower) X 9129-33 (handshower slide bar kit) 3 x BS-60 (body sprays) X TO-THIN-33 (thermostatic shower trim) 3 x TO-33-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498	polished chrome standard special premium PB1-R polished chrome standard special premium	645 769 959 1074 1267 255 1027 1282 1435 1693
	CALGreen COMPLIANT at 1.8 gpm	X HS-073.FR (multi-function handshower) X 9129-33 (handshower slide bar kit) 3 x BS-60 (body sprays) X TO-THIN-33 (thermostatic shower trim) 3 x TO-33-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498	3 x 75-W-R polished chrome standard special premium PBI-R polished chrome standard special	645 769 959 1074 1267 255 1027 1282 1435

SHOWER KITS | RINCON BAY | 45 SERIES

	MODEL	DESCRIPTION	FINISH	PRICE
	KT01-45.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	1100
	OA/Croon	Single Showerhead	standard	1372
A STATE OF THE STA	(CALGreen COMPLIANT	kit contains:	special	1537
	at I.8 gpm	I x SH-083.FR (multi-function showerhead)	premium	1812
_	LOT SO	I x SH-01.6 (6" shower arm) I x TO-THFIL-45 (thermostatic shower trim)		
4	Zote Sense	replace .FR with REQUIRED flow rate, see page 455		
		REQUIRES ROUGH VALVE:	THT51-R	549
	Certified at 2.0 gpm	for more details, see pages 496-498	111131-K	317
	KT02-45.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	2009
H	01/0	Showerhead and Handshower	standard	2510
Carlos and	(CALGreen COMPLIANT	• kit contains:	special	2810
7	at I.8 gpm	$I \times SH$ -083.FR (multi-function showerhead)	premium	3313
		1 x SH-01.6 (6" shower arm)		
6	Hatersenge	I x HS-083.FR (multi-function handshower) I x 9125-45 (handshower wall mount kit)		
	· (1 x TO-THF1L-45 (thermostatic shower trim)		
	eye EPA CIE	replace .FR with REQUIRED flow rate, see page 455		
	Certified at 2.0 gpm	REQUIRES ROUGH VALVE:	THT51D2-R	679
		for more details, see pages 496-498		
—	KT12-45.FR	Stude The work 1/2" The ware extent of the course Sustains with	polished chrome	2018
	N11243.FK	StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Hook	standard	2521
	Zoter Sens	• kit contains:	special	2822
	() () () () () () () () () ()	I x SH-083.FR (multi-function showerhead)	premium	3328
	eye EPA CIE	I x SH-01.6 (6" shower arm)	premium	3320
6	Certified at 2.0 gpm	I x HS-083.FR (multi-function handshower)		
		I x 9125-45 (handshower wall mount kit) I x TO-THF2L-45 (thermostatic shower trim)		
		• replace .FR with REQUIRED flow rate, see page 455		
©		REQUIRES ROUGH VALVE:	THT52-R	619
		5.0.000 datable 20.0 h 20.0 40.0		
		for more details, see pages 496-498		
	KT03-45.FR		polished chrome	2539
61		StyleTherm® I/2" Thermostatic Shower System with Handshower Slide Bar	polished chrome standard	2539 3172
7	CA/Green COMPLIANT	StyleTherm® 1/2" Thermostatic Shower System with Handshower Slide Bar • kit contains:	•	
	<i>CAl</i> Green	StyleTherm® I/2" Thermostatic Shower System with Handshower Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead)	standard	3172
	CA/Green COMPLIANT	StyleTherm® I/2" Thermostatic Shower System with Handshower Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm)	standard special	3172 3552
	CA/Green COMPLIANT	StyleTherm® I/2" Thermostatic Shower System with Handshower Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead)	standard special	3172 3552
	CA/Green COMPLIANT	StyleTherm® I/2" Thermostatic Shower System with Handshower Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083.FR (multi-function handshower) x 9127-45 (handshower slide bar kit) x TO-THFIL-45 (thermostatic shower trim)	standard special	3172 3552
	CA/Green COMPLIANT at 1.8 gpm	StyleTherm® I/2" Thermostatic Shower System with Handshower Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083.FR (multi-function handshower) x 9127-45 (handshower slide bar kit)	standard special	3172 3552
	CA/Green COMPLIANT	StyleTherm® I/2" Thermostatic Shower System with Handshower Slide Bar • kit contains: × SH-083.FR (multi-function showerhead) × SH-01.6 (6" shower arm) × HS-083.FR (multi-function handshower) × 9127-45 (handshower slide bar kit) × TO-THF IL-45 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE:	standard special premium	3172 3552
	CA/Green COMPLIANT at 1.8 gpm	StyleTherm® I/2" Thermostatic Shower System with Handshower Slide Bar • kit contains: × SH-083.FR (multi-function showerhead) × SH-01.6 (6" shower arm) × HS-083.FR (multi-function handshower) × 9127-45 (handshower slide bar kit) × TO-THF L-45 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455	standard special premium	3172 3552 4187
	CA/Green COMPLIANT at 1.8 gpm	StyleTherm® I/2" Thermostatic Shower System with Handshower Slide Bar • kit contains: × SH-083.FR (multi-function showerhead) × SH-01.6 (6" shower arm) × HS-083.FR (multi-function handshower) × 9127-45 (handshower slide bar kit) × TO-THF IL-45 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with	standard special premium THT51D2-R polished chrome	3172 3552 4187 679
	CALGreen COMPLIANT at 1.8 gpm Certified at 2.0 gpm	StyleTherm® I/2" Thermostatic Shower System with Handshower Slide Bar • kit contains: × SH-083.FR (multi-function showerhead) × SH-01.6 (6" shower arm) × HS-083.FR (multi-function handshower) × 9127-45 (handshower slide bar kit) × TO-THF1L-45 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar	standard special premium	3172 3552 4187 679 2548 3183
	CALGreen COMPLIANT at 1.8 gpm Certified at 2.0 gpm KT13-45.FR CALGreen COMPLIANT	StyleTherm® 1/2" Thermostatic Shower System with Handshower Slide Bar • kit contains: × SH-083.FR (multi-function showerhead) × SH-01.6 (6" shower arm) × HS-083.FR (multi-function handshower) × 9127-45 (handshower slide bar kit) × TO-THF1L-45 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® 1/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains:	standard special premium THT51D2-R polished chrome standard special	3172 3552 4187 679 2548 3183 3564
	CALGreen COMPLIANT at 1.8 gpm Certified at 2.0 gpm KT13-45.FR CALGreen	StyleTherm® I/2" Thermostatic Shower System with Handshower Slide Bar • kit contains: × SH-083.FR (multi-function showerhead) × SH-01.6 (6" shower arm) × HS-083.FR (multi-function handshower) × 9127-45 (handshower slide bar kit) × TO-THF IL-45 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: × SH-083.FR (multi-function showerhead)	standard special premium THT51D2-R polished chrome standard	3172 3552 4187 679 2548 3183
	CALGreen COMPLIANT at 1.8 gpm Certified at 2.0 gpm KT13-45.FR CALGreen COMPLIANT	StyleTherm® 1/2" Thermostatic Shower System with Handshower Slide Bar • kit contains: × SH-083.FR (multi-function showerhead) × SH-01.6 (6" shower arm) × HS-083.FR (multi-function handshower) × 9127-45 (handshower slide bar kit) × TO-THF1L-45 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® 1/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains:	standard special premium THT51D2-R polished chrome standard special	3172 3552 4187 679 2548 3183 3564
	CALGreen COMPLIANT at 1.8 gpm Certified at 2.0 gpm KT13-45.FR CALGreen COMPLIANT	StyleTherm® I/2" Thermostatic Shower System with Handshower Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × H5-083.FR (multi-function handshower) I × 9127-45 (handshower slide bar kit) I × TO-THFIL-45 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × H5-083.FR (multi-function handshower) I × 9127-45 (handshower slide bar kit)	standard special premium THT51D2-R polished chrome standard special	3172 3552 4187 679 2548 3183 3564
	CALGreen COMPLIANT at 1.8 gpm Certified at 2.0 gpm KT13-45.FR CALGreen COMPLIANT	StyleTherm® I/2" Thermostatic Shower System with Handshower Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x H5-083.FR (multi-function handshower) x 9127-45 (handshower slide bar kit) x TO-THF IL-45 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x H5-083.FR (multi-function handshower) x 9127-45 (handshower slide bar kit) x TO-THF2L-45 (thermostatic shower trim)	standard special premium THT51D2-R polished chrome standard special	3172 3552 4187 679 2548 3183 3564
	CALGreen COMPLIANT at 1.8 gpm Certified at 2.0 gpm KT13-45.FR CALGreen COMPLIANT	StyleTherm® I/2" Thermostatic Shower System with Handshower Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × H5-083.FR (multi-function handshower) I × 9127-45 (handshower slide bar kit) I × TO-THFIL-45 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × H5-083.FR (multi-function handshower) I × 9127-45 (handshower slide bar kit) I × TO-THF2L-45 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455	standard special premium THT51D2-R polished chrome standard special premium	3172 3552 4187 679 2548 3183 3564 4202
	CALGreen COMPLIANT at 1.8 gpm Certified at 2.0 gpm KT13-45.FR CALGreen COMPLIANT	StyleTherm® I/2" Thermostatic Shower System with Handshower Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x H5-083.FR (multi-function handshower) x 9127-45 (handshower slide bar kit) x TO-THF IL-45 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x H5-083.FR (multi-function handshower) x 9127-45 (handshower slide bar kit) x TO-THF2L-45 (thermostatic shower trim)	standard special premium THT51D2-R polished chrome standard special	3172 3552 4187 679 2548 3183 3564
	Certified at 2.0 gpm KT13-45.FR CA/Green COMPLIANT at 1.8 gpm Certified at 2.0 gpm Certified at 2.0 gpm	Style Therm® 1/2" Thermostatic Shower System with Handshower Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x H5-083.FR (multi-function handshower) x 9127-45 (handshower slide bar kit) x TO-THF IL-45 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 Style Therm® 1/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x H5-083.FR (multi-function handshower) x 9127-45 (handshower slide bar kit) x TO-THF2L-45 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498	standard special premium THT51D2-R polished chrome standard special premium THT52-R	3172 3552 4187 679 2548 3183 3564 4202
	CA/Green COMPLIANT at 1.8 gpm Certified at 2.0 gpm KT13-45.FR CA/Green COMPLIANT at 1.8 gpm	StyleTherm® I/2" Thermostatic Shower System with Handshower Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x H5-083.FR (multi-function handshower) x 9127-45 (handshower slide bar kit) x TO-THF IL-45 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x H5-083.FR (multi-function handshower) x 9127-45 (handshower slide bar kit) x TO-THF2L-45 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with	standard special premium THT51D2-R polished chrome standard special premium	3172 3552 4187 679 2548 3183 3564 4202
	CALGreen COMPLIANT at 1.8 gpm Certified at 2.0 gpm KT13-45.FR CALGreen COMPLIANT at 1.8 gpm Certified at 2.0 gpm	Style Therm® 1/2" Thermostatic Shower System with Handshower Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x H5-083.FR (multi-function handshower) x 9127-45 (handshower slide bar kit) x TO-THF IL-45 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 Style Therm® 1/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x H5-083.FR (multi-function handshower) x 9127-45 (handshower slide bar kit) x TO-THF2L-45 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498	standard special premium THT51D2-R polished chrome standard special premium THT52-R polished chrome standard	3172 3552 4187 679 2548 3183 3564 4202 619
	Certified at 2.0 gpm KT13-45.FR CAGreen COMPLIANT at 1.8 gpm Certified at 2.0 gpm KT04-45.FR	Style Therm® 1/2" Thermostatic Shower System with Handshower Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x H5-083.FR (multi-function handshower) x 9127-45 (handshower slide bar kit) x TO-THF1L-45 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 Style Therm® 1/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x H5-083.FR (multi-function handshower) x 9127-45 (handshower slide bar kit) x TO-THF2L-45 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 Style Therm® 1/2" Thermostatic Shower System with Showerhead and Tub Spout	standard special premium THT51D2-R polished chrome standard special premium THT52-R polished chrome standard special	3172 3552 4187 679 2548 3183 3564 4202
	Certified at 2.0 gpm KT13-45.FR CALGREEN COMPLIANT at 1.8 gpm Certified at 2.0 gpm KT04-45.FR CALGREEN COMPLIANT	StyleTherm® I/2" Thermostatic Shower System with Handshower Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083.FR (multi-function handshower) I × 9127-45 (handshower slide bar kit) I × TO-THF IL-45 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083.FR (multi-function handshower) I × 9127-45 (handshower slide bar kit) I × TO-THF2L-45 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Tub Spout • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm)	standard special premium THT51D2-R polished chrome standard special premium THT52-R polished chrome standard	3172 3552 4187 679 2548 3183 3564 4202 619 1358 1695 1898
	Certified at 2.0 gpm KT13-45.FR CALGREEN COMPLIANT at 1.8 gpm Certified at 2.0 gpm KT04-45.FR CALGREEN COMPLIANT	Style Therm® 1/2" Thermostatic Shower System with Handshower Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083.FR (multi-function handshower) x 9127-45 (handshower slide bar kit) x TO-THFIL-45 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 Style Therm® 1/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083.FR (multi-function handshower) x 9127-45 (handshower slide bar kit) x TO-THF2L-45 (thermostatic shower trim) replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 Style Therm® 1/2" Thermostatic Shower System with Showerhead and Tub Spout kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x SH-01.6 (6" shower arm)	standard special premium THT51D2-R polished chrome standard special premium THT52-R polished chrome standard special	3172 3552 4187 679 2548 3183 3564 4202 619 1358 1695 1898
	Certified at 2.0 gpm KT13-45.FR CALGREEN COMPLIANT at 1.8 gpm Certified at 2.0 gpm KT04-45.FR CALGREEN COMPLIANT	StyleTherm® I/2" Thermostatic Shower System with Handshower Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083.FR (multi-function handshower) I × 9127-45 (handshower slide bar kit) I × TO-THFIL-45 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083.FR (multi-function handshower) I × 9127-45 (handshower slide bar kit) I × TO-THF2L-45 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Tub Spout • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × TS-45 (tub spout) I × TS-45 (tub spout) I × TO-THFIL-45 (thermostatic shower trim)	standard special premium THT51D2-R polished chrome standard special premium THT52-R polished chrome standard special	3172 3552 4187 679 2548 3183 3564 4202 619 1358 1695 1898
	Certified at 2.0 gpm KT13-45.FR CACGREEN COMPLIANT at 1.8 gpm Certified at 2.0 gpm KT04-45.FR CACGREEN COMPLIANT at 1.8 gpm	Style Therm® 1/2" Thermostatic Shower System with Handshower Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083.FR (multi-function handshower) x 9127-45 (handshower slide bar kit) x TO-THFIL-45 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 Style Therm® 1/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083.FR (multi-function handshower) x 9127-45 (handshower slide bar kit) x TO-THF2L-45 (thermostatic shower trim) replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 Style Therm® 1/2" Thermostatic Shower System with Showerhead and Tub Spout kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x SH-01.6 (6" shower arm)	standard special premium THT51D2-R polished chrome standard special premium THT52-R polished chrome standard special	3172 3552 4187 679 2548 3183 3564 4202 619 1358 1695 1898
	Certified at 2.0 gpm KT13-45.FR CALGREEN COMPLIANT at 1.8 gpm Certified at 2.0 gpm KT04-45.FR CALGREEN COMPLIANT	StyleTherm® I/2" Thermostatic Shower System with Handshower Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083.FR (multi-function handshower) I × 9127-45 (handshower slide bar kit) I × TO-THFIL-45 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083.FR (multi-function handshower) I × 9127-45 (handshower slide bar kit) I × TO-THF2L-45 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Tub Spout • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × TS-45 (tub spout) I × TS-45 (tub spout) I × TO-THFIL-45 (thermostatic shower trim)	standard special premium THT51D2-R polished chrome standard special premium THT52-R polished chrome standard special	3172 3552 4187 679 2548 3183 3564 4202 619 1358 1695 1898

	MODEL	DESCRIPTION	FINISH	PRICE
	KT05-45.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	1367
		Showerhead and Tub Spout	standard	1706
111111	CA/Green COMPLIANT	• kit contains:	special	1910
	at I.8 gpm	I x SH-083.FR (multi-function showerhead)	premium	2253
100		I x SH-01.6 (6" shower arm)	·	
	*aterSens	I x TS-45 (tub spout)		
- majori		I x TO-THF2L-45 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455		
	EPA CI	REQUIRES ROUGH VALVE:	THT52-R	619
1	Certified at 2.0 gpm	for more details, see pages 496-498	111132-K	017
	KT06-45.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	2338
া	01/6	Handshower Slide Bar and Tub Spout	standard	2924
	(CA/Green COMPLIANT)	• kit contains:	special	3273
	at 1.8 gpm	I x HS-083.FR (multi-function handshower)	premium	3859
(E)	270	I x 9127-45 (handshower slide bar kit)		
	Hatelsense	I × TS-45 (tub spout) I × TO-THF2L-45 (thermostatic shower trim)		
		• replace .FR with REQUIRED flow rate, see page 455		
00	Caratification 2.0 and an	REQUIRES ROUGH VALVE:	THT52-R	619
	Certified at 2.0 gpm	for more details, see pages 496-498		
	KT07-45.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	2276
	24/6	Handshower Hook and Tub Spout	standard	2844
12.9	(CA/Green COMPLIANT)	• kit contains:	special	3183
	at 1.8 gpm	I × SH-083.FR (multi-function showerhead)	premium	3754
	250	1 x SH-01.6 (6" shower arm)		
6	Fatersence	I × HS-083.FR (multi-function handshower) I × 9125-45 (handshower wall mount kit)		
(6.)	(in the second	I x TS-45 (tub spout)		
	C L'C L L 20	I x TO-THF2L-45 (thermostatic shower trim)		
0	Certified at 2.0 gpm	replace .FR with REQUIRED flow rate, see page 455		
		REQUIRES ROUGH VALVE: for more details, see pages 496-498	THT52D2-R	779
	KT08-45.FR	StyleTherm® 3/4" Thermostatic Shower System with	polished chrome	3862
		· ·	standard	
		Body Spray, Handshower on Slide Bar, and Showerhead	standard	4826
		· ·	standard special	4826 5405
		Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm)	standard	4826 5405
		Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083.FR (multi-function handshower)	standard special	4826 5405
		Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083.FR (multi-function handshower) I × 9127-45 (handshower slide bar kit)	standard special	4826 5405
		Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083.FR (multi-function handshower)	standard special	4826 5405
		Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083.FR (multi-function handshower) x 9127-45 (handshower slide bar kit) 3 x BS-65 (body sprays) x TO-THFN-45 (thermostatic shower trim) 3 x TO-45-W (wall stop trims)	standard special	4826
		Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083.FR (multi-function handshower) I × 9127-45 (handshower slide bar kit) 3 × BS-65 (body sprays) I × TO-THFN-45 (thermostatic shower trim) 3 × TO-45-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455	standard special premium	4826 5405 6371
		Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083.FR (multi-function handshower) x 9127-45 (handshower slide bar kit) 3 x BS-65 (body sprays) x TO-THFN-45 (thermostatic shower trim) 3 x TO-45-W (wall stop trims)	standard special	4826 5405 6371
	KT09-45.FR	Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083.FR (multi-function handshower) x 9127-45 (handshower slide bar kit) 3 x BS-65 (body sprays) x TO-THFN-45 (thermostatic shower trim) 3 x TO-45-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455	standard special premium	4826 5405 6371 695 645
	KT09-45.FR	Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083.FR (multi-function handshower) x 9127-45 (handshower slide bar kit) 3 x BS-65 (body sprays) x TO-THFN-45 (thermostatic shower trim) 3 x TO-45-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead • kit contains:	standard special premium THT75-R 3 x 75-W-R	4826 5405 6371 695 645 765
	KT09-45.FR CA/Green COMPLIANT	Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083.FR (multi-function handshower) x 9127-45 (handshower slide bar kit) 3 x BS-65 (body sprays) x TO-THFN-45 (thermostatic shower trim) 3 x TO-45-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead kit contains: x SH-081.FR (single function showerhead)	standard special premium THT75-R 3 x 75-W-R polished chrome	4826 5405 6371 695 645 765 954
	KT09-45.FR	Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083.FR (multi-function handshower) I × 9127-45 (handshower slide bar kit) 3 × BS-65 (body sprays) I × TO-THFN-45 (thermostatic shower trim) 3 × TO-45-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead • kit contains: I × SH-081.FR (single function showerhead) I × SH-01 (4" shower arm)	standard special premium THT75-R 3 x 75-W-R polished chrome standard	4826 5405 6371 695 645 765 954 1069
	KT09-45.FR CA/Green COMPLIANT	Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083.FR (multi-function handshower) I × 9127-45 (handshower slide bar kit) 3 × BS-65 (body sprays) I × TO-THFN-45 (thermostatic shower trim) 3 × TO-45-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead • kit contains: I × SH-081.FR (single function showerhead) I × SH-01 (4" shower arm) I × TO-PBL-45 (pressure balance shower trim)	standard special premium THT75-R 3 x 75-W-R polished chrome standard special	4826 5405 6371 695 645 765 954 1069
	KT09-45.FR CA/Green COMPLIANT	Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083.FR (multi-function handshower) I × 9127-45 (handshower slide bar kit) 3 × BS-65 (body sprays) I × TO-THFN-45 (thermostatic shower trim) 3 × TO-45-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead • kit contains: I × SH-081.FR (single function showerhead) I × SH-01 (4" shower arm) I × TO-PBL-45 (pressure balance shower trim) • replace .FR with REQUIRED flow rate, see page 455	standard special premium THT75-R 3 x 75-W-R polished chrome standard special	4826 5405 6371 695 645 765 954 1069
	KT09-45.FR CA/Green COMPLIANT	Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083.FR (multi-function handshower) x 9127-45 (handshower slide bar kit) 3 x BS-65 (body sprays) x TO-THFN-45 (thermostatic shower trim) 3 x TO-45-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead • kit contains: x SH-081.FR (single function showerhead) x SH-01 (4" shower arm) x TO-PBL-45 (pressure balance shower trim) • replace .FR with REQUIRED flow rate, see page 455 THIS SHOWER KIT NOT AVAILABLE IN .20 FLOW RATE	standard special premium THT75-R 3 x 75-W-R polished chrome standard special premium	4826 5405 6371 695 645 765 954 1069 1260
	KT09-45.FR CA/Green COMPLIANT	Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083.FR (multi-function handshower) I × 9127-45 (handshower slide bar kit) 3 × BS-65 (body sprays) I × TO-THFN-45 (thermostatic shower trim) 3 × TO-45-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead • kit contains: I × SH-081.FR (single function showerhead) I × SH-01 (4" shower arm) I × TO-PBL-45 (pressure balance shower trim) • replace .FR with REQUIRED flow rate, see page 455	standard special premium THT75-R 3 x 75-W-R polished chrome standard special	4826 5405 6371 695 645 765 954 1069 1260
	KT09-45.FR CA/Green COMPLIANT at 1.8 gpm	Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083.FR (multi-function handshower) I × 9127-45 (handshower slide bar kit) 3 × BS-65 (body sprays) I × TO-THFN-45 (thermostatic shower trim) 3 × TO-45-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead • kit contains: I × SH-081.FR (single function showerhead) I × SH-01 (4" shower arm) I × TO-PBL-45 (pressure balance shower trim) • replace .FR with REQUIRED flow rate, see page 455 THIS SHOWER KIT NOT AVAILABLE IN .20 FLOW RATE REQUIRES ROUGH VALVE: for more details, see pages 496-498	standard special premium THT75-R 3 x 75-W-R polished chrome standard special premium PBI-R	4826 5405 6371 695 645 765 954 1069 1260
	KT09-45.FR CAGreen COMPLIANT at 1.8 gpm KT10-45.FR	Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083.FR (multi-function handshower) I × 9127-45 (handshower slide bar kit) 3 × BS-65 (body sprays) I × TO-THFN-45 (thermostatic shower trim) 3 × TO-45-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead • kit contains: I × SH-081.FR (single function showerhead) I × SH-01 (4" shower arm) I × TO-PBL-45 (pressure balance shower trim) • replace .FR with REQUIRED flow rate, see page 455 THIS SHOWER KIT NOT AVAILABLE IN .20 FLOW RATE REQUIRES ROUGH VALVE: for more details, see pages 496-498 Pressure Balance Shower System with Single	standard special premium THT75-R 3 x 75-W-R polished chrome standard special premium	4826 5405 6371 695 645 765 954 1069 1260
	KT09-45.FR AGGreen COMPLIANT at 1.8 gpm KT10-45.FR AGGreen	Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083.FR (multi-function handshower) I × 9127-45 (handshower slide bar kit) 3 × BS-65 (body sprays) I × TO-THFN-45 (thermostatic shower trim) 3 × TO-45-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead • kit contains: I × SH-081.FR (single function showerhead) I × SH-01 (4" shower arm) I × TO-PBL-45 (pressure balance shower trim) • replace .FR with REQUIRED flow rate, see page 455 THIS SHOWER KIT NOT AVAILABLE IN .20 FLOW RATE REQUIRES ROUGH VALVE: for more details, see pages 496-498	standard special premium THT75-R 3 x 75-W-R polished chrome standard special premium PBI-R polished chrome	4826 5405 6371 695 645 765 954 1069 1260 255
	KT09-45.FR CAGreen COMPLIANT at 1.8 gpm KT10-45.FR	Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083.FR (multi-function handshower) I × 9127-45 (handshower slide bar kit) 3 × BS-65 (body sprays) I × TO-THFN-45 (thermostatic shower trim) 3 × TO-45-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead • kit contains: I × SH-081.FR (single function showerhead) I × SH-01 (4" shower arm) I × TO-PBL-45 (pressure balance shower trim) • replace .FR with REQUIRED flow rate, see page 455 THIS SHOWER KIT NOT AVAILABLE IN .20 FLOW RATE REQUIRES ROUGH VALVE: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead and Tub Spout	standard special premium THT75-R 3 x 75-W-R polished chrome standard special premium PBI-R polished chrome standard special	4826 5405 6371 695 645 765 954 1069 1260 255
	KT09-45.FR AGGreen COMPLIANT at 1.8 gpm KT10-45.FR AGGreen	Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083.FR (multi-function handshower) I × 9127-45 (handshower slide bar kit) 3 × BS-65 (body sprays) I × TO-THFN-45 (thermostatic shower trim) 3 × TO-45-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead • kit contains: I × SH-081.FR (single function showerhead) I × SH-01 (4" shower arm) I × TO-PBL-45 (pressure balance shower trim) • replace .FR with REQUIRED flow rate, see page 455 THIS SHOWER KIT NOT AVAILABLE IN .20 FLOW RATE REQUIRES ROUGH VALVE: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead and Tub Spout • kit contains: I × SH-081.FR (single function showerhead)	standard special premium THT75-R 3 x 75-W-R polished chrome standard special premium PBI-R polished chrome standard	4826 5405 6371 695 645 765 954 1069 1260 255
	KT09-45.FR AGGreen COMPLIANT at 1.8 gpm KT10-45.FR AGGreen	Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-083.FR (multi-function handshower) I × 9127-45 (handshower slide bar kit) 3 × BS-65 (body sprays) I × TO-THFN-45 (thermostatic shower trim) 3 × TO-45-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead • kit contains: I × SH-081.FR (single function showerhead) I × SH-01 (4" shower arm) I × TO-PBL-45 (pressure balance shower trim) • replace .FR with REQUIRED flow rate, see page 455 THIS SHOWER KIT NOT AVAILABLE IN .20 FLOW RATE REQUIRES ROUGH VALVE: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead and Tub Spout • kit contains: I × SH-081.FR (single function showerhead) I × SH-01 (4" shower arm) I × TS-45 (wall tub spout)	standard special premium THT75-R 3 x 75-W-R polished chrome standard special premium PBI-R polished chrome standard special	4826 5405 6371 695 645 765 954 1069 1260 255
	KT09-45.FR AGGreen COMPLIANT at 1.8 gpm KT10-45.FR AGGreen	Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083.FR (multi-function handshower) x 9127-45 (handshower slide bar kit) 3 x BS-65 (body sprays) x TO-THFN-45 (thermostatic shower trim) 3 x TO-45-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead kit contains: x SH-081.FR (single function showerhead) x SH-01 (4" shower arm) x TO-PBL-45 (pressure balance shower trim) replace .FR with REQUIRED flow rate, see page 455 THIS SHOWER KIT NOT AVAILABLE IN .20 FLOW RATE REQUIRES ROUGH VALVE: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead and Tub Spout kit contains: x SH-081.FR (single function showerhead) x SH-01 (4" shower arm) x TS-45 (wall tub spout) x TS-45 (wall tub spout) x TO-PB2L-45 (pressure balance shower trim)	standard special premium THT75-R 3 x 75-W-R polished chrome standard special premium PBI-R polished chrome standard special	4826 5405 6371 695 645 765 954 1069 1260 255
	KT09-45.FR AGGreen COMPLIANT at 1.8 gpm KT10-45.FR AGGreen	Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083.FR (multi-function handshower) x 9127-45 (handshower slide bar kit) 3 x BS-65 (body sprays) x TO-THFIN-45 (thermostatic shower trim) 3 x TO-45-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead • kit contains: x SH-081.FR (single function showerhead) x SH-01 (4" shower arm) x TO-PBL-45 (pressure balance shower trim) • replace .FR with REQUIRED flow rate, see page 455 THIS SHOWER KIT NOT AVAILABLE IN .20 FLOW RATE REQUIRES ROUGH VALVE: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead and Tub Spout • kit contains: x SH-081.FR (single function showerhead) x SH-01 (4" shower arm) 1 x TS-45 (wall tub spout) x TS-45 (wall tub spout) x TO-PB2L-45 (pressure balance shower trim) • replace .FR with REQUIRED flow rate, see page 455	standard special premium THT75-R 3 x 75-W-R polished chrome standard special premium PBI-R polished chrome standard special	4826 5405 6371 695 645 765 954 1069 1260 255
	KT09-45.FR AGGreen COMPLIANT at 1.8 gpm KT10-45.FR AGGreen	Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083.FR (multi-function handshower) x 9127-45 (handshower slide bar kit) 3 x BS-65 (body sprays) x TO-THFN-45 (thermostatic shower trim) 3 x TO-45-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead kit contains: x SH-081.FR (single function showerhead) x SH-01 (4" shower arm) x TO-PBL-45 (pressure balance shower trim) replace .FR with REQUIRED flow rate, see page 455 THIS SHOWER KIT NOT AVAILABLE IN .20 FLOW RATE REQUIRES ROUGH VALVE: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead and Tub Spout kit contains: x SH-081.FR (single function showerhead) x SH-01 (4" shower arm) x TS-45 (wall tub spout) x TS-45 (wall tub spout) x TO-PB2L-45 (pressure balance shower trim) replace .FR with REQUIRED flow rate, see page 455 THIS SHOWER KIT NOT AVAILABLE IN .20 FLOW RATE	standard special premium THT75-R 3 x 75-W-R polished chrome standard special premium PBI-R polished chrome standard special premium	4826 5405 6371 695 645 765 954 1069 1260 255 1023 1277 1430 1686
	KT09-45.FR AGGreen COMPLIANT at 1.8 gpm KT10-45.FR AGGreen	Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083.FR (multi-function handshower) x 9127-45 (handshower slide bar kit) 3 x BS-65 (body sprays) x TO-THFIN-45 (thermostatic shower trim) 3 x TO-45-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead • kit contains: x SH-081.FR (single function showerhead) x SH-01 (4" shower arm) x TO-PBL-45 (pressure balance shower trim) • replace .FR with REQUIRED flow rate, see page 455 THIS SHOWER KIT NOT AVAILABLE IN .20 FLOW RATE REQUIRES ROUGH VALVE: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead and Tub Spout • kit contains: x SH-081.FR (single function showerhead) x SH-01 (4" shower arm) 1 x TS-45 (wall tub spout) x TS-45 (wall tub spout) x TO-PB2L-45 (pressure balance shower trim) • replace .FR with REQUIRED flow rate, see page 455	standard special premium THT75-R 3 x 75-W-R polished chrome standard special premium PBI-R polished chrome standard special	4826 5405

SHOWER KITS | MONTEREY | 46/47 SERIES

	MODEL	DESCRIPTION	FINISH	PRICE
	KT01-47.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	925
	CALGreen	Single Showerhead	standard	1153
	COMPLIANT	• kit contains:	special	1292
	at I.8 gpm	I x SH-073.FR (multi-function showerhead)	premium	1523
	KETSA	I x SH-01.6 (6" shower arm) I x TO-THIL-47 (thermostatic shower trim)		
	Hora John	replace .FR with REQUIRED flow rate, see page 455		
	(F. C) - 38	REQUIRES ROUGH VALVE:	THT51-R	549
	Certified at 2.0 gpm	for more details, see pages 496-498		
	KT02-47.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	1834
	(i)	Showerhead and Handshower on Hook	standard	2291
	(CA/Green COMPLIANT	• kit contains:	special	2565
	at 1.8 gpm	I × SH-073.FR (multi-function showerhead)	premium	3024
		I × SH-01.6 (6" shower arm)	•	
	HaterSens	I x HS-073.FR (multi-function handshower)		
		I x 9125-47 (handshower wall mount kit) I x TO-THIL-47 (thermostatic shower trim)		
	EPA GI	• replace .FR with REQUIRED flow rate, see page 455		
60	Certified at 2.0 gpm	REQUIRES ROUGH VALVE:	THT51D2-R	679
7		for more details, see pages 496-498	111131D2-K	0//
		joi more decamo, see pages 176-176		
	KT12-47.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	1843
	ater Sea	Showerhead and Handshower on Hook	standard	2303
Contract of the second	Ze Ce	• kit contains:	special	2577
*	E SON SON	I x SH-073.FR (multi-function showerhead)	premium	3039
	Certified at 2.0 gpm	I × SH-01.6 (6" shower arm) I × HS-073.FR (multi-function handshower)		
	op	1 x 9125-47 (handshower wall mount kit)		
		I x TO-TH2L-47 (thermostatic shower trim)		
30		replace .FR with REQUIRED flow rate, see page 455		
69		REQUIRES ROUGH VALVE:	THT52-R	619
		for more details, see pages 496-498		
	KT03-47.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	2364
97	CALGreen	Handshower Slide Bar	standard	2953
and the same of th	COMPLIANT at 1.8 gpm	• kit contains:	special	3307
		I x SH-073.FR (multi-function showerhead) I x SH-01.6 (6" shower arm)	premium	3898
	aterSen	I × HS-073.FR (multi-function handshower)		
	(Z) (c)	I × 9129-47 (slide bar handshower kit)		
	E EPA CHE	I x TO-THIL-47 (thermostatic shower trim)		
69	Certified at 2.0 gpm	replace .FR with REQUIRED flow rate, see page 455		
04	O,	REQUIRES ROUGH VALVE:	THT51D2-R	679
1 1		for more details, see pages 496-498		
	KT13-47.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	2373
97	ater Sen	Showerhead and Handshower on Slide Bar	standard	2965
A CONTRACTOR OF THE PARTY OF TH	(z \ c)	• kit contains:	special	3319
	EPA CIT	I x SH-073.FR (multi-function showerhead) I x SH-01.6 (6" shower arm)	premium	3913
	Certified at 2.0 gpm	I x HS-073.FR (multi-function handshower)		
		I × 9129-47 (slide bar handshower kit)		
		$I \times TO-TH2L-47$ (thermostatic shower trim)		
69		replace .FR with REQUIRED flow rate, see page 455		
04		REQUIRES ROUGH VALVE: for more details, see pages 496-498	THT52-R	619
			P. 1	
	KT04-47.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	1252
H	CALGreen	Showerhead and Tub Spout	standard	1562
	/ UILOICCII	• kit contains:	special	1750
	COMPLIANT at 1.8 gpm	Ly SH-073 FR (multi-function showerhead)	D 100 100 11 1100	2063
	COMPLIANT	I × SH-073.FR (multi-function showerhead) I × SH-01.6 (6" shower arm)	premium	
	COMPLIANT	I x SH-073.FR (multi-function showerhead) I x SH-01.6 (6" shower arm) I x TS-47 (tub spout)	premium	
	COMPLIANT	I × SH-01.6 (6" shower arm) I × TS-47 (tub spout) I × TO-THIL-47 (thermostatic shower trim)	premium	
	COMPLIANT	I × SH-01.6 (6" shower arm) I × TS-47 (tub spout)	premium	
	COMPLIANT	I × SH-01.6 (6" shower arm) I × TS-47 (tub spout) I × TO-THIL-47 (thermostatic shower trim)		679
	COMPLIANT at 1.8 gpm	I × SH-01.6 (6" shower arm) I × TS-47 (tub spout) I × TO-THIL-47 (thermostatic shower trim)	premium	

	MODEL	DESCRIPTION	FINISH	PRICE
	KT05-47.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	1261
		Showerhead and Tub Spout	standard	1574
and the second	CALGreen COMPLIANT	• kit contains:	special	1762
	at 1.8 gpm	I × SH-073.FR (multi-function showerhead)	premium	2078
		I × SH-01.6 (6" shower arm)	·	
	Hatersens,	I × TS-47 (tub spout) I × TO-TH2L-47 (thermostatic shower trim)		
		• replace .FR with REQUIRED flow rate, see page 455		
	PA CITY	REQUIRES ROUGH VALVE:	THT52-R	619
	Certified at 2.0 gpm	for more details, see pages 496-498	111132-K	017
ed	KT06-47.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	2232
	01/0	Handshower Slide Bar and Tub Spout	standard	2792
	CALGreen COMPLIANT	• kit contains:	special	3125
	at I.8 gpm	I x HS-073.FR (multi-function handshower)	premium	3684
100		1 x 9129-47 (slide bar handshower kit)		
	Hatersens,	I × TS-47 (tub spout) I × TO-TH2L-47 (thermostatic shower trim)		
60	(= ()	• replace .FR with REQUIRED flow rate, see page 455		
04	EPA CITY	REQUIRES ROUGH VALVE:	THT52-R	619
(6)	Certified at 2.0 gpm	for more details, see pages 496-498	111132-K	017
		joi more detaile, see pages 170 170		
	KT07-47.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	2170
	01/6	Handshower Hook and Tub Spout	standard	2712
	CA/Green COMPLIANT at 1.8 gpm	• kit contains:	special	3035
	at I.8 gpm	I × SH-073.FR (multi-function showerhead)	premium	3579
	220	1 x SH-01.6 (6" shower arm)		
	Fate Sens	I × HS-073.FR (multi-function handshower) I × 9125-47 (handshower wall mount kit)		
6-1 E	(20 20	I x TS-47 (tub spout)		
	EPA CIE	I x TO-TH2L-47 (thermostatic shower trim)		
	Certified at 2.0 gpm	replace .FR with REQUIRED flow rate, see page 455		
6.5		REQUIRES ROUGH VALVE:	THT52D2-R	779
1 1				
		for more details, see pages 496-498		
	KT08-47.FR	for more details, see pages 496-498 StyleTherm® 3/4" Thermostatic Shower System with	polished chrome	3881
	KT08-47.FR			
	KT08-47.FR	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains:	polished chrome	4849
	KT08-47.FR	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: I × SH-43.FR (jet showerhead)	polished chrome standard	4849 5432
Nine Nine	KT08-47.FR	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) x SH-01.6 (6" shower arm)	polished chrome standard special	4849 5432
	KT08-47.FR	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) x SH-01.6 (6" shower arm) x HS-073.FR (multi-function handshower)	polished chrome standard special	4849 5432
	KT08-47.FR	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) x SH-01.6 (6" shower arm)	polished chrome standard special	4849 5432
	KT08-47.FR	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: I × SH-43.FR (jet showerhead) I × SH-01.6 (6" shower arm) I × HS-073.FR (multi-function handshower) I × 9129-47 (slide bar handshower kit) 3 × BS-60 (body sprays) I × TO-THN-47 (thermostatic shower trim)	polished chrome standard special	4849 5432
	KT08-47.FR	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: I × SH-43.FR (jet showerhead) I × SH-01.6 (6" shower arm) I × HS-073.FR (multi-function handshower) I × 9129-47 (slide bar handshower kit) 3 × BS-60 (body sprays) I × TO-THN-47 (thermostatic shower trim) 3 × TO-47-W (wall stop trims)	polished chrome standard special	4849 5432
	KT08-47.FR	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: I × SH-43.FR (jet showerhead) I × SH-01.6 (6" shower arm) I × HS-073.FR (multi-function handshower) I × 9129-47 (slide bar handshower kit) 3 × BS-60 (body sprays) I × TO-THN-47 (thermostatic shower trim)	polished chrome standard special	5432
	KT08-47.FR	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) x SH-01.6 (6" shower arm) x HS-073.FR (multi-function handshower) x 9129-47 (slide bar handshower kit) 3 x BS-60 (body sprays) x TO-THIN-47 (thermostatic shower trim) 3 x TO-47-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455	polished chrome standard special premium	4849 5432 6402 695
	KT08-47.FR	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) x SH-01.6 (6" shower arm) x HS-073.FR (multi-function handshower) x 9129-47 (slide bar handshower kit) 3 x BS-60 (body sprays) x TO-THIN-47 (thermostatic shower trim) 3 x TO-47-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455	polished chrome standard special premium	4849 5432 6402
	KT08-47.FR	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) x SH-01.6 (6" shower arm) x HS-073.FR (multi-function handshower) x 9129-47 (slide bar handshower kit) 3 x BS-60 (body sprays) x TO-THIN-47 (thermostatic shower trim) 3 x TO-47-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455	polished chrome standard special premium	4849 5432 6402 695 645
	KT09-47.FR	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) x SH-01.6 (6" shower arm) x HS-073.FR (multi-function handshower) x 9129-47 (slide bar handshower kit) 3 x BS-60 (body sprays) x TO-THN-47 (thermostatic shower trim) 3 x TO-47-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead • kit contains:	polished chrome standard special premium THT75-R 3 x 75-W-R	4849 5432 6402 695 645
	KT09-47.FR CA/Green COMPLIANT	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: I × SH-43.FR (jet showerhead) I × SH-01.6 (6" shower arm) I × HS-073.FR (multi-function handshower) I × 9129-47 (slide bar handshower kit) 3 × BS-60 (body sprays) I × TO-THN-47 (thermostatic shower trim) 3 × TO-47-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead • kit contains: I × SH-04T.FR (showerhead)	polished chrome standard special premium THT75-R 3 x 75-W-R	695 645 769
	KT09-47.FR	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: I × SH-43.FR (jet showerhead) I × SH-01.6 (6" shower arm) I × HS-073.FR (multi-function handshower) I × 9129-47 (slide bar handshower kit) 3 × BS-60 (body sprays) I × TO-THN-47 (thermostatic shower trim) 3 × TO-47-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead • kit contains: I × SH-04T.FR (showerhead) I × SH-01 (4" shower arm)	polished chrome standard special premium THT75-R 3 x 75-W-R polished chrome standard	4849 5432 6402 695 645 769 959 1074
	KT09-47.FR CA/Green COMPLIANT	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) x SH-01.6 (6" shower arm) x HS-073.FR (multi-function handshower) x 9129-47 (slide bar handshower kit) 3 x BS-60 (body sprays) x TO-THN-47 (thermostatic shower trim) 3 x TO-47-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead • kit contains: x SH-04T.FR (showerhead) x SH-01 (4" shower arm) x TO-PBL-47 (pressure balance shower trim)	polished chrome standard special premium THT75-R 3 x 75-W-R polished chrome standard special	4849 5432 6402 695 645 769 959 1074
	KT09-47.FR CA/Green COMPLIANT	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: I × SH-43.FR (jet showerhead) I × SH-01.6 (6" shower arm) I × HS-073.FR (multi-function handshower) I × 9129-47 (slide bar handshower kit) 3 × BS-60 (body sprays) I × TO-THN-47 (thermostatic shower trim) 3 × TO-47-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead • kit contains: I × SH-04T.FR (showerhead) I × SH-01 (4" shower arm)	polished chrome standard special premium THT75-R 3 x 75-W-R polished chrome standard special	4849 5432 6402 695 645 769 959 1074
	KT09-47.FR CA/Green COMPLIANT at 1.8 gpm	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: I × SH-43.FR (jet showerhead) I × SH-01.6 (6" shower arm) I × HS-073.FR (multi-function handshower) I × 9129-47 (slide bar handshower kit) 3 × BS-60 (body sprays) I × TO-THN-47 (thermostatic shower trim) 3 × TO-47-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead • kit contains: I × SH-04T.FR (showerhead) I × SH-01 (4" shower arm) I × TO-PBL-47 (pressure balance shower trim) • replace .FR with REQUIRED flow rate, see page 455	polished chrome standard special premium THT75-R 3 x 75-W-R polished chrome standard special	4849 5432 6402 695 645 769 959 1074 1267
	KT09-47.FR CA/Green COMPLIANT at 1.8 gpm Certified at 2.0	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) x SH-01.6 (6" shower arm) x HS-073.FR (multi-function handshower) x 9129-47 (slide bar handshower kit) 3 x BS-60 (body sprays) x TO-THN-47 (thermostatic shower trim) 3 x TO-47-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead • kit contains: x SH-04T.FR (showerhead) x SH-01 (4" shower arm) x TO-PBL-47 (pressure balance shower trim)	polished chrome standard special premium THT75-R 3 x 75-W-R polished chrome standard special premium	4849 5432 6402 695 645 769 959 1074 1267
	KT09-47.FR CA/Green COMPLIANT at 1.8 gpm	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) x SH-01.6 (6" shower arm) x HS-073.FR (multi-function handshower) x 9129-47 (slide bar handshower kit) 3 x BS-60 (body sprays) x TO-THN-47 (thermostatic shower trim) 3 x TO-47-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead kit contains: x SH-04T.FR (showerhead) x SH-01 (4" shower arm) x TO-PBL-47 (pressure balance shower trim) replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498	polished chrome standard special premium THT75-R 3 x 75-W-R polished chrome standard special premium	4849 5432 6402 695 645 769 959 1074 1267
	KT09-47.FR CA/Green COMPLIANT at 1.8 gpm Certified at 2.0 & 1.5 gpm KT10-47.FR	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) x SH-01.6 (6" shower arm) x HS-073.FR (multi-function handshower) x 9129-47 (slide bar handshower kit) 3 x BS-60 (body sprays) x TO-THN-47 (thermostatic shower trim) 3 x TO-47-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead • kit contains: x SH-04T.FR (showerhead) x SH-01 (4" shower arm) x TO-PBL-47 (pressure balance shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 Pressure Balance Shower System with Single	polished chrome standard special premium THT75-R 3 x 75-W-R polished chrome standard special premium PBI-R	4849 5432 6402 695 645 769 959 1074 1267
	KT09-47.FR CA/Green COMPLIANT at 1.8 gpm Certified at 2.0 & 1.5 gpm KT10-47.FR CA/Green	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) x SH-01.6 (6" shower arm) x HS-073.FR (multi-function handshower) x 9129-47 (slide bar handshower kit) 3 x BS-60 (body sprays) x TO-THN-47 (thermostatic shower trim) 3 x TO-47-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead kit contains: x SH-04T.FR (showerhead) x SH-01 (4" shower arm) x TO-PBL-47 (pressure balance shower trim) replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498	polished chrome standard special premium THT75-R 3 x 75-W-R polished chrome standard special premium PBI-R polished chrome	4849 5432 6402 695 645 769 959 1074 1267 255
	KT09-47.FR CA/Green COMPLIANT at 1.8 gpm Certified at 2.0 & 1.5 gpm KT10-47.FR	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) x SH-01.6 (6" shower arm) x HS-073.FR (multi-function handshower) x 9129-47 (slide bar handshower kit) 3 x BS-60 (body sprays) x TO-THN-47 (thermostatic shower trim) 3 x TO-47-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead • kit contains: x SH-04T.FR (showerhead) x SH-01 (4" shower arm) x TO-PBL-47 (pressure balance shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead and Tub Spout • kit contains: x SH-04T.FR (showerhead)	polished chrome standard special premium THT75-R 3 x 75-W-R polished chrome standard special premium PBI-R polished chrome standard	4849 5432 6402 695 645 769 959 1074 1267 255
	KT09-47.FR CA/Green Compliant at 1.8 gpm Certified at 2.0 & 1.5 gpm KT10-47.FR CA/Green COMPLIANT	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) x SH-01.6 (6" shower arm) x HS-073.FR (multi-function handshower) x 9129-47 (slide bar handshower kit) 3 x BS-60 (body sprays) 1 x TO-THN-47 (thermostatic shower trim) 3 x TO-47-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead kit contains: x SH-04T.FR (showerhead) 1 x SH-01 (4" shower arm) 1 x TO-PBL-47 (pressure balance shower trim) replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead and Tub Spout kit contains: x SH-04T.FR (showerhead) x SH-04T.FR (showerhead) x SH-01 (4" shower arm)	polished chrome standard special premium THT75-R 3 x 75-W-R polished chrome standard special premium PB1-R polished chrome standard special premium	4849 5432 6402 695 645 769 959 1074 1267 255
	KT09-47.FR CA/Green Compliant at 1.8 gpm Certified at 2.0 & 1.5 gpm KT10-47.FR CA/Green COMPLIANT	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) x SH-01.6 (6" shower arm) x HS-073.FR (multi-function handshower) x 9129-47 (slide bar handshower kit) 3 x BS-60 (body sprays) 1 x TO-THN-47 (thermostatic shower trim) 3 x TO-47-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead • kit contains: x SH-04T.FR (showerhead) x SH-01 (4" shower arm) x TO-PBL-47 (pressure balance shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead and Tub Spout • kit contains: x SH-04T.FR (showerhead) x SH-01 (4" shower arm) x SH-01 (4" shower arm)	polished chrome standard special premium THT75-R 3 x 75-W-R polished chrome standard special premium PB1-R polished chrome standard special premium	4849 5432 6402 695 645 769 959 1074 1267 255 1096 1368 1532
	KT09-47.FR CA/Green Compliant at 1.8 gpm Certified at 2.0 & 1.5 gpm KT10-47.FR CA/Green COMPLIANT	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) x SH-01.6 (6" shower arm) x HS-073.FR (multi-function handshower) x 9129-47 (slide bar handshower kit) 3 x BS-60 (body sprays) x TO-THN-47 (thermostatic shower trim) 3 x TO-47-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead • kit contains: x SH-04T.FR (showerhead) x SH-01 (4" shower arm) x TO-PBL-47 (pressure balance shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead and Tub Spout • kit contains: x SH-04T.FR (showerhead) x SH-01 (4" shower arm) 1 x TS-47 (wall tub spout) x SH-01 (4" shower arm) 1 x TS-47 (wall tub spout) x TO-PB2L-47 (pressure balance shower trim)	polished chrome standard special premium THT75-R 3 x 75-W-R polished chrome standard special premium PB1-R polished chrome standard special premium	3881 4849 5432 6402 695 645 769 959 1074 1267 255 1096 1368 1532 1807
	KT09-47.FR CA/Green Compliant at 1.8 gpm Certified at 2.0 & 1.5 gpm KT10-47.FR CA/Green COMPLIANT	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) x SH-01.6 (6" shower arm) x HS-073.FR (multi-function handshower) x 9129-47 (slide bar handshower kit) 3 x BS-60 (body sprays) 1 x TO-THN-47 (thermostatic shower trim) 3 x TO-47-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead • kit contains: x SH-04T.FR (showerhead) x SH-01 (4" shower arm) x TO-PBL-47 (pressure balance shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead and Tub Spout • kit contains: x SH-04T.FR (showerhead) x SH-01 (4" shower arm) x SH-01 (4" shower arm)	polished chrome standard special premium THT75-R 3 x 75-W-R polished chrome standard special premium PB1-R polished chrome standard special premium	695 645 769 959 1074 1267 255

SHOWER KITS | MIRAMAR | 48 SERIES

		DESCRIPTION	FINISH	PRICE
	KT01-48.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	963
	CALGreen	Single Showerhead	standard	1201
	COMPLIANT /	• kit contains:	special	1345
	at 1.8 gpm	I x SH-073.FR (multi-function showerhead)	premium	1586
		I × SH-01.6 (6" shower arm) I × TO-THIL-48 (thermostatic shower trim)		
6	ater Sens	• replace .FR with REQUIRED flow rate, see page 455		
	(· C · C · C · C · C · C · C · C · C ·	REQUIRES ROUGH VALVE:	THT51-R	549
	Epa Citi	for more details, see pages 496-498	1П151-К	347
	Certified at 2.0 gpm	for more details, see pages 470-470		
1	KT02-48.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	1872
The same of the sa		Showerhead and Handshower on Hook	standard	2339
	(CALGreen COMPLIANT)	• kit contains:	special	2618
	at 1.8 gpm	I × SH-073.FR (multi-function showerhead)	premium	3087
1		I x SH-01.6 (6" shower arm)	p	
	VEL SO.	I × HS-073.FR (multi-function handshower)		
	Zores cure	1 x 9125-48 (handshower wall mount kit)		
		I x TO-THIL-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455		
	EPA CO			
6.3	Certified at 2.0 gpm	REQUIRES ROUGH VALVE:	THT51D2-R	679
1 1		for more details, see pages 496-498		
	KT12-48.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	1881
	K112-70.FR	Showerhead and Handshower on Hook	standard	2350
	aterSea	• kit contains:		2631
	700	Kit contains: I × SH-073.FR (multi-function showerhead)	special	
T		I x SH-01.6 (6" shower arm)	premium	3102
	Certified at 2.0 gpm	I x HS-073.FR (multi-function handshower)		
	Cer tilled at 2.0 gpm	1 x 9125-48 (handshower wall mount kit)		
		I x TO-TH2L-48 (thermostatic shower trim)		
		replace .FR with REQUIRED flow rate, see page 455		
62		REQUIRES ROUGH VALVE:	THT52-R	619
ĭ I		for more details, see pages 496-498		
Δ	KT03-48.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	2402
9mg	K103-40.FK	Handshower Slide Bar	standard	3001
	(CALGreen			
	COMPLIANT at 1.8 gpm	kit contains: I × SH-073.FR (multi-function showerhead)	special	3360 3961
1 300		1 × 31 1-07 3.11 (India-rancion showerhead)		
1 1		I × SH-01.6 (6" shower arm)	premium	3701
	276	I x SH-01.6 (6" shower arm) I x HS-073.FR (multi-function handshower)	premium	370
	soler Sens	I × HS-073.FR (multi-function handshower) I × 9129-48 (handshower wall mount kit)	premium	370
	Ret Sense	I × HS-073.FR (multi-function handshower) I × 9129-48 (handshower wall mount kit) I × TO-THIL-48 (thermostatic shower trim)	premium	370
	Soler Senge	I × HS-073.FR (multi-function handshower) I × 9129-48 (handshower wall mount kit)	premium	3701
	Certified at 2.0 gpm	I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-TH IL-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE:		
	Certified at 2.0 gpm	I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-THIL-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455	,	
		I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-THIL-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALYE: for more details, see pages 496-498	THT5ID2-R	679
	Certified at 2.0 gpm	I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-THIL-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with	THT51D2-R	679
		I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-THIL-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar	THT51D2-R polished chrome standard	679 241 3012
		I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-THIL-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains:	THT51D2-R polished chrome standard special	679 241 3013 3373
		I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-THIL-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: I x SH-073.FR (multi-function showerhead)	THT51D2-R polished chrome standard	67 ⁴ 241 301: 337:
	KT13-48.FR	I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-THIL-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: I x SH-073.FR (multi-function showerhead) I x SH-01.6 (6" shower arm)	THT51D2-R polished chrome standard special	67 241 301 337
		I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-THIL-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: I x SH-073.FR (multi-function showerhead)	THT51D2-R polished chrome standard special	67 ⁴ 241 301: 337:
	KT13-48.FR	I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-THIL-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: I x SH-073.FR (multi-function showerhead) I x SH-01.6 (6" shower arm) I x HS-073.FR (multi-function handshower)	THT51D2-R polished chrome standard special	679 241 3012 3373
	KT13-48.FR	I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-THIL-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: I x SH-073.FR (multi-function showerhead) I x SH-01.6 (6" shower arm) I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit)	THT51D2-R polished chrome standard special	679 241 3012 3373
	KT13-48.FR	I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-TH IL-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: I x SH-073.FR (multi-function showerhead) I x SH-01.6 (6" shower arm) I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-TH2L-48 (thermostatic shower trim)	THT51D2-R polished chrome standard special	679 241 3012 3373 3976
	KT13-48.FR	I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-THIL-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: I x SH-073.FR (multi-function showerhead) I x SH-01.6 (6" shower arm) I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-TH2L-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455	THT51D2-R polished chrome standard special premium	2411 3012 3373 3976
	KT13-48.FR KT13-48.FR Certified at 2.0 gpm	I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-TH IL-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: I x SH-073.FR (multi-function showerhead) I x SH-01.6 (6" shower arm) I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-TH2L-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498	THT51D2-R polished chrome standard special premium	241 301: 337: 3976
	KT13-48.FR	I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-TH IL-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: I x SH-073.FR (multi-function showerhead) I x SH-01.6 (6" shower arm) I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-TH2L-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with	THT51D2-R polished chrome standard special premium THT52-R polished chrome	679 241 3012 3373 3976
	KT13-48.FR Certified at 2.0 gpm	I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-THIL-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: I x SH-073.FR (multi-function showerhead) I x SH-01.6 (6" shower arm) I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-TH2L-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Tub Spout	THT51D2-R polished chrome standard special premium THT52-R polished chrome standard	679 241 3012 3373 3976
	KT13-48.FR Certified at 2.0 gpm KT04-48.FR CALGREEN COMPLIANT	I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-TH IL-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: I x SH-073.FR (multi-function showerhead) I x SH-01.6 (6" shower arm) I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-TH2L-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Tub Spout • kit contains:	THT51D2-R polished chrome standard special premium THT52-R polished chrome	679 241 3012 3373 3976
	KT13-48.FR Certified at 2.0 gpm KT04-48.FR CAtGreen	I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-TH IL-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: I x SH-073.FR (multi-function showerhead) I x SH-01.6 (6" shower arm) I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-TH2L-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Tub Spout • kit contains: I x SH-073.FR (multi-function showerhead)	THT51D2-R polished chrome standard special premium THT52-R polished chrome standard	679 2411 3012 3373 3976 619 1250 1560 1747
	KT13-48.FR Certified at 2.0 gpm KT04-48.FR CALGREEN COMPLIANT	I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-THIL-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: I x SH-073.FR (multi-function showerhead) I x SH-01.6 (6" shower arm) I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-TH2L-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Tub Spout • kit contains: I x SH-073.FR (multi-function showerhead) I x SH-01.6 (6" shower arm)	THT51D2-R polished chrome standard special premium THT52-R polished chrome standard special	679 241 3012 3373 3976 619 1250 1566 1743
	KT13-48.FR Certified at 2.0 gpm KT04-48.FR CALGREEN COMPLIANT	I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-THIL-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: I x SH-073.FR (multi-function showerhead) I x SH-01.6 (6" shower arm) I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-TH2L-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Tub Spout • kit contains: I x SH-073.FR (multi-function showerhead) I x SH-01.6 (6" shower arm) I x TS-48 (tub spout)	THT51D2-R polished chrome standard special premium THT52-R polished chrome standard special	679 241 3012 3373 3976 619 1250 1566 1743
	KT13-48.FR Certified at 2.0 gpm KT04-48.FR CALGREEN COMPLIANT	I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-THIL-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: I x SH-073.FR (multi-function showerhead) I x SH-01.6 (6" shower arm) I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-TH2L-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Tub Spout • kit contains: I x SH-073.FR (multi-function showerhead) I x SH-01.6 (6" shower arm) I x TS-48 (tub spout) I x TO-THIL-48 (thermostatic shower trim)	THT51D2-R polished chrome standard special premium THT52-R polished chrome standard special	679 2411 3012 3373 3976 619
	KT13-48.FR Certified at 2.0 gpm KT04-48.FR CALGREEN COMPLIANT	I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-THIL-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: I x SH-073.FR (multi-function showerhead) I x SH-01.6 (6" shower arm) I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-TH2L-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Tub Spout • kit contains: I x SH-073.FR (multi-function showerhead) I x SH-01.6 (6" shower arm) I x TS-48 (tub spout)	THT51D2-R polished chrome standard special premium THT52-R polished chrome standard special	679 2411 3012 3373 3976 619
	KT13-48.FR Certified at 2.0 gpm KT04-48.FR CALGREEN COMPLIANT	I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-THIL-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: I x SH-073.FR (multi-function showerhead) I x SH-01.6 (6" shower arm) I x HS-073.FR (multi-function handshower) I x 9129-48 (handshower wall mount kit) I x TO-TH2L-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Tub Spout • kit contains: I x SH-073.FR (multi-function showerhead) I x SH-01.6 (6" shower arm) I x TS-48 (tub spout) I x TO-THIL-48 (thermostatic shower trim)	THT51D2-R polished chrome standard special premium THT52-R polished chrome standard special	679 2411 3012 3373 3976 619 1250 1560 1747 2060

	MODEL	DESCRIPTION	FINISH	PRICE
	KT05-48.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	1259
		Showerhead and Tub Spout	standard	1571
	(CALGreen COMPLIANT	• kit contains:	special	1760
	at 1.8 gpm	I × SH-073.FR (multi-function showerhead)	premium	2075
		I x SH-01.6 (6" shower arm)		
	For enge	I x TS-48 (tub spout) I x TO-TH2L-48 (thermostatic shower trim)		
		• replace .FR with REQUIRED flow rate, see page 455		
	Certified at 2.0 gpm	REQUIRES ROUGH VALVE:	THT52-R	619
₩		for more details, see pages 496-498		
8mg	KT06-48.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	2230
	CALGreen	Handshower Slide Bar and Tub Spout	standard	2789
	COMPLIANT at 1.8 gpm	• kit contains:	special	3123
		I × HS-073.FR (multi-function handshower) I × 9129-48 (handshower wall mount kit)	premium	3681
(6)	ater Sea	I x TS-48 (tub spout)		
	Z se	$I \times TO$ -TH2L-48 (thermostatic shower trim)		
	To EPA CO	replace .FR with REQUIRED flow rate, see page 455		
63	Certified at 2.0 gpm	REQUIRES ROUGH VALVE:	THT52-R	619
1 1	OI	for more details, see pages 496-498		
0	KT07-48.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	2168
	CALGreen	Handshower Hook and Tub Spout	standard	2709
	COMPLIANT at 1.8 gpm	• kit contains:	special	3033
	at 1.8 gpm	I x SH-073.FR (multi-function showerhead)	premium	3576
	verse	I × SH-01.6 (6" shower arm) I × HS-073.FR (multi-function handshower)		
	30 N. C.	I x 9125-48 (handshower wall mount kit)		
	The state of the s	I x TS-48 (tub spout)		
An .	Certified at 2.0 gpm	I x TO-TH2L-48 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455		
	01	- replace in with the Quited how rate, see page 455		
60		DEOLUDES DOLIGITIVATIVE	TUTEODO D	770
		REQUIRES ROUGH VALVE: for more details, see pages 496-498	THT52D2-R	779
63	KT08-48.FR	for more details, see pages 496-498	THT52D2-R polished chrome	
	KT08-48.FR	for more details, see pages 496-498 StyleTherm® 3/4" Thermostatic Shower System with		3919
	KT08-48.FR	for more details, see pages 496-498	polished chrome	3919 4897
	KT08-48.FR	for more details, see pages 496-498 StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains:	polished chrome standard	3919 4897 5485
	KT08-48.FR	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: I × SH-43.FR (jet showerhead)	polished chrome standard special	3919 4897 5485
	KT08-48.FR	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: × SH-43.FR (jet showerhead) × SH-01.6 (6" shower arm)	polished chrome standard special	3919 4897 5485
	KT08-48.FR	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: I × SH-43.FR (jet showerhead)	polished chrome standard special	3919 4897 5485
	KT08-48.FR	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: I × SH-43.FR (jet showerhead) I × SH-01.6 (6" shower arm) I × HS-073.FR (multi-function handshower) I × 9129-48 (handshower wall mount kit) 3 × BS-60 (body sprays)	polished chrome standard special	3919 4897 5485
	KT08-48.FR	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: I × SH-43.FR (jet showerhead) I × SH-01.6 (6" shower arm) I × HS-073.FR (multi-function handshower) I × 9129-48 (handshower wall mount kit) 3 × BS-60 (body sprays) I × TO-THN-48 (thermostatic shower trim)	polished chrome standard special	3919 4897 5485
	KT08-48.FR	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) x SH-01.6 (6" shower arm) x HS-073.FR (multi-function handshower) x 9129-48 (handshower wall mount kit) 3 x BS-60 (body sprays) x TO-THN-48 (thermostatic shower trim) 3 x TO-48-W (wall stop trims)	polished chrome standard special	3919 4897 5485
	KT08-48.FR	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) x SH-01.6 (6" shower arm) x HS-073.FR (multi-function handshower) x 9129-48 (handshower wall mount kit) 3 x BS-60 (body sprays) x TO-THN-48 (thermostatic shower trim) 3 x TO-48-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455	polished chrome standard special premium	3919 4897 5485 6465
	KT08-48.FR	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) x SH-01.6 (6" shower arm) x HS-073.FR (multi-function handshower) x 9129-48 (handshower wall mount kit) 3 x BS-60 (body sprays) x TO-THN-48 (thermostatic shower trim) 3 x TO-48-W (wall stop trims)	polished chrome standard special	3919 4897 5485 6465
		StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) x SH-01.6 (6" shower arm) x HS-073.FR (multi-function handshower) x 9129-48 (handshower wall mount kit) 3 x BS-60 (body sprays) x TO-THN-48 (thermostatic shower trim) 3 x TO-48-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498	polished chrome standard special premium THT75-R 3 x 75-W-R	3919 4897 5485 6465
	KT08-48.FR	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x St-4-3.FR (jet showerhead) x St-0.1.6 (6" shower arm) x HS-073.FR (multi-function handshower) x 9129-48 (handshower wall mount kit) 3 x BS-60 (body sprays) x TO-THN-48 (thermostatic shower trim) 3 x TO-48-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead	polished chrome standard special premium THT75-R 3 x 75-W-R	3919 4897 5485 6465 695 645
	KT09-48.FR	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) x SH-01.6 (6" shower arm) x HS-073.FR (multi-function handshower) x 9129-48 (handshower wall mount kit) 3 x BS-60 (body sprays) x TO-THN-48 (thermostatic shower trim) 3 x TO-48-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead kit contains:	polished chrome standard special premium THT75-R 3 x 75-W-R polished chrome standard	3919 4897 5485 6465 695 645 769 959
	KT09-48.FR	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x St-4-3.FR (jet showerhead) x St-0.1.6 (6" shower arm) x HS-073.FR (multi-function handshower) x 9129-48 (handshower wall mount kit) 3 x BS-60 (body sprays) x TO-THN-48 (thermostatic shower trim) 3 x TO-48-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead	polished chrome standard special premium THT75-R 3 x 75-W-R polished chrome standard special	3919 4897 5485 6465 695 645 769 959 1074
	KT09-48.FR CA/Green COMPLIANT	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) x SH-01.6 (6" shower arm) x HS-073.FR (multi-function handshower) x 9129-48 (handshower wall mount kit) 3 x BS-60 (body sprays) x TO-THN-48 (thermostatic shower trim) 3 x TO-48-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead kit contains: x SH-04T.FR (showerhead) x SH-01 (4" shower arm) x TO-PBL-48 (pressure balance shower trim)	polished chrome standard special premium THT75-R 3 x 75-W-R polished chrome standard	3919 4897 5485 6465 695 645 769 959 1074
	KT09-48.FR CA/Green COMPLIANT	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) x SH-01.6 (6" shower arm) x HS-073.FR (multi-function handshower) x 9129-48 (handshower wall mount kit) 3 x BS-60 (body sprays) x TO-THN-48 (thermostatic shower trim) 3 x TO-48-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead kit contains: x SH-04T.FR (showerhead) x SH-01 (4" shower arm)	polished chrome standard special premium THT75-R 3 x 75-W-R polished chrome standard special	3919 4897 5485 6465 695 645 769 959 1074
	KT09-48.FR CA/Green COMPLIANT	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) x SH-01.6 (6" shower arm) x HS-073.FR (multi-function handshower) x 9129-48 (handshower wall mount kit) 3 x BS-60 (body sprays) x TO-THN-48 (thermostatic shower trim) 3 x TO-48-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead kit contains: x SH-04T.FR (showerhead) x SH-01 (4" shower arm) x TO-PBL-48 (pressure balance shower trim)	polished chrome standard special premium THT75-R 3 x 75-W-R polished chrome standard special	779 3919 4897 5485 6465 695 645 769 959 1074 1267
	KT09-48.FR CA/Green COMPLIANT	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) x SH-01.6 (6" shower arm) x HS-073.FR (multi-function handshower) x 9129-48 (handshower wall mount kit) 3 x BS-60 (body sprays) x TO-THN-48 (thermostatic shower trim) 3 x TO-48-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead kit contains: x SH-04T.FR (showerhead) x SH-01 (4" shower arm) x TO-PBL-48 (pressure balance shower trim) replace .FR with REQUIRED flow rate, see page 455	polished chrome standard special premium THT75-R 3 x 75-W-R polished chrome standard special premium	3919 4897 5485 6465 695 645 769 959 1074 1267
	KT09-48.FR CA Green COMPLIANT at I.8 gpm	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) x SH-01.6 (6" shower arm) x HS-073.FR (multi-function handshower) x 9129-48 (handshower wall mount kit) 3 x BS-60 (body sprays) x TO-THN-48 (thermostatic shower trim) 3 x TO-48-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead kit contains: x SH-04T.FR (showerhead) x SH-01 (4" shower arm) x TO-PBL-48 (pressure balance shower trim) replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498	polished chrome standard special premium THT75-R 3 x 75-W-R polished chrome standard special premium PBI-R	3919 4897 5485 6465 6465 769 959 1074 1267
	KT09-48.FR CALGreen COMPLIANT at 1.8 gpm	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) x SH-01.6 (6" shower arm) x HS-073.FR (multi-function handshower) x 9129-48 (handshower wall mount kit) 3 x BS-60 (body sprays) x TO-THN-48 (thermostatic shower trim) 3 x TO-48-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead kit contains: x SH-04T.FR (showerhead) x SH-01 (4" shower arm) x TO-PBL-48 (pressure balance shower trim) replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 Pressure Balance Shower System with Single Requires Rough Valve: for more details, see pages 496-498	polished chrome standard special premium THT75-R 3 x 75-W-R polished chrome standard special premium	3919 4897 5485 6465 6455 769 959 1074 1267
	KT09-48.FR CAUGreen COMPLIANT at 18 gpm KT10-48.FR CAUGreen	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) x SH-01.6 (6" shower arm) x HS-073.FR (multi-function handshower) x 9129-48 (handshower wall mount kit) 3 x BS-60 (body sprays) x TO-THN-48 (thermostatic shower trim) 3 x TO-48-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead kit contains: x SH-04T.FR (showerhead) x SH-01 (4" shower arm) x TO-PBL-48 (pressure balance shower trim) replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498	polished chrome standard special premium THT75-R 3 x 75-W-R polished chrome standard special premium PBI-R polished chrome	3919 4897 5485 6465 6465 769 959 1074 1267 2555
	KT09-48.FR CALGreen COMPLIANT at 1.8 gpm	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) x SH-01.6 (6" shower arm) x HS-073.FR (multi-function handshower) x 9129-48 (handshower wall mount kit) 3 x BS-60 (body sprays) x TO-THN-48 (thermostatic shower trim) 3 x TO-48-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead kit contains: x SH-04T.FR (showerhead) x SH-01 (4" shower arm) x TO-PBL-48 (pressure balance shower trim) replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead and Tub Spout kit contains: x SH-04T.FR (showerhead)	polished chrome standard special premium THT75-R 3 x 75-W-R polished chrome standard special premium PBI-R polished chrome standard	3919 4897 5485 6465 6465 769 959 1074 1267 2555
	KT09-48.FR CA/Green COMPLIANT at 1.8 gpm KT10-48.FR CA/Green COMPLIANT	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) x SH-01.6 (6" shower arm) x H5-073.FR (multi-function handshower) x 9129-48 (handshower wall mount kit) 3 x BS-60 (body sprays) x TO-THN-48 (thermostatic shower trim) 3 x TO-48-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead kit contains: x SH-04T.FR (showerhead) x SH-01 (4" shower arm) x TO-PBL-48 (pressure balance shower trim) replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead and Tub Spout kit contains: x SH-04T.FR (showerhead)	polished chrome standard special premium THT75-R 3 x 75-W-R polished chrome standard special premium PB1-R polished chrome standard special premium	3919 4897 5485 6465 6465 769 959 1074 1267 2555
	KT09-48.FR CA/Green COMPLIANT at 1.8 gpm KT10-48.FR CA/Green COMPLIANT	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) x SH-01.6 (6" shower arm) x HS-073.FR (multi-function handshower) x 9129-48 (handshower wall mount kit) 3 x BS-60 (body sprays) x TO-THIN-48 (thermostatic shower trim) 3 x TO-48-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead kit contains: x SH-04T.FR (showerhead) x SH-01 (4" shower arm) x TO-PBL-48 (pressure balance shower trim) replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead and Tub Spout kit contains: x SH-04T.FR (showerhead) x SH-01 (4" shower arm)	polished chrome standard special premium THT75-R 3 x 75-W-R polished chrome standard special premium PB1-R polished chrome standard special premium	3919 4897 5485 6465 6465 769 959 1074 1267 2555
	KT09-48.FR CA/Green COMPLIANT at 1.8 gpm KT10-48.FR CA/Green COMPLIANT	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) x SH-01.6 (6" shower arm) x H5-073.FR (multi-function handshower) x 9129-48 (handshower wall mount kit) 3 x BS-60 (body sprays) x TO-THN-48 (thermostatic shower trim) 3 x TO-48-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead kit contains: x SH-04T.FR (showerhead) x SH-01 (4" shower arm) x TO-PBL-48 (pressure balance shower trim) replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead and Tub Spout kit contains: x SH-04T.FR (showerhead)	polished chrome standard special premium THT75-R 3 x 75-W-R polished chrome standard special premium PB1-R polished chrome standard special premium	3919 4897 5485 6465 695 645 769 959 1074 1267 255 1056 1318 1476
	KT09-48.FR CA/Green COMPLIANT at 1.8 gpm KT10-48.FR CA/Green COMPLIANT	StyleTherm® 3/4" Thermostatic Shower System with Body Spray, Handshower on Slide Bar, and Showerhead • kit contains: x SH-43.FR (jet showerhead) 1 x SH-01.6 (6" shower arm) 1 x HS-073.FR (multi-function handshower) 1 x 9129-48 (handshower wall mount kit) 3 x BS-60 (body sprays) 1 x TO-THN-48 (thermostatic shower trim) 3 x TO-48-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead i x SH-04T.FR (showerhead) 1 x SH-01 (4" shower arm) 1 x TO-PBL-48 (pressure balance shower trim) replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead and Tub Spout kit contains: 1 x SH-04T.FR (showerhead) 1 x SH-04T.FR (showerhead)	polished chrome standard special premium THT75-R 3 x 75-W-R polished chrome standard special premium PB1-R polished chrome standard special premium	3919 4897 5485 6465 695 645 769 959 1074 1267

	MODEL	DESCRIPTION	FINISH	PRICE
	KT01-66.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	925
	01/Croon	Single Showerhead	standard	1153
	(CALGreen COMPLIANT)	• kit contains:	special	1292
2000	at 1.8 gpm	I x SH-083.FR (multi-function showerhead)	premium	1523
	Lersa	I x SH-01.6 (6" shower arm) I x TO-THIL-66 (thermostatic shower trim)		
	Forcesche	• replace .FR with REQUIRED flow rate, see page 455		
(50		REQUIRES ROUGH VALVE:	THT51-R	549
	Certified at 2.0 gpm	for more details, see pages 496-498		3.,
	KT02-66.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	1834
The same of the sa	01/6	Showerhead and Handshower on Hook	standard	2291
	(CALGreen COMPLIANT)	• kit contains:	special	2565
	at 1.8 gpm	I x SH-083.FR (multi-function showerhead)	premium	3024
	Lersa	I × SH-01.6 (6" shower arm) I × HS-083.FR (multi-function handshower)		
	Forcesche	1 x 9125-65 (handshower wall mount kit)		
		I x TO-THIL-66 (thermostatic shower trim)		
6-	Certified at 2.0 gpm	replace .FR with REQUIRED flow rate, see page 455		
	Cer tilled at 2.0 gpm	REQUIRES ROUGH VALVE:	THT51D2-R	679
1 1		for more details, see pages 496-498		
0	KT12-66.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	1843
	verSe	Showerhead and Handshower on Hook	standard	2303
	Zor Tago	• kit contains:	special	2577
		$I \times SH$ -083.FR (multi-function showerhead)	premium	3039
	Certified at 2.0 gpm	I x SH-01.6 (6" shower arm)		
	Cor tilled at 2.0 6pm	I × HS-083.FR (multi-function handshower) I × 9125-65 (handshower wall mount kit)		
		I x TO-TH2L-66 (thermostatic shower trim)		
		replace .FR with REQUIRED flow rate, see page 455		
		REQUIRES ROUGH VALVE:	THT52-R	619
1 1		for more details, see pages 496-498		
	KT03-66.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	2138
	CALGreen	Handshower Slide Bar	standard	2671
	COMPLIANT at 1.8 gpm	kit contains: CLL 002 FD (south) from the contains at a contains at a contains.	special	2991
	<u> </u>	I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm)	premium	3525
TT C	saterSens.	I x HS-083.FR (multi-function handshower)		
		1 x 9128-62 (handshower slide bar kit)		
	EPA CHI	I x TO-THIL-66 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455		
6	Certified at 2.0 gpm	replace in N with NEQUINED how rate, see page 755		
	01		TUTTION	/70
[6]	Or	REQUIRES ROUGH VALVE:	THT51D2-R	679
िल	Ol		THT51D2-R	679
[4]	KT13-66.FR	REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with	THT51D2-R	679 2147
19	OI	REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar	polished chrome standard	2147 2683
9	OI	REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® 1/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains:	polished chrome standard special	2147 2683 3003
	OI	REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: I x SH-083.FR (multi-function showerhead)	polished chrome standard	2147 2683
	OI	REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® 1/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains:	polished chrome standard special	2147 2683 3003
	KT13-66.FR	REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® 1/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm)	polished chrome standard special	2147 2683 3003
	KT13-66.FR	REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083.FR (multi-function handshower) x 9128-62 (handshower slide bar kit) x TO-TH2L-66 (thermostatic shower trim)	polished chrome standard special	2147 2683 3003
	KT13-66.FR	REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083.FR (multi-function handshower) x 9128-62 (handshower slide bar kit) x TO-TH2L-66 (thermostatic shower trim) replace .FR with REQUIRED flow rate, see page 455	polished chrome standard special premium	2147 2683 3003 3540
	KT13-66.FR	REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083.FR (multi-function handshower) x 9128-62 (handshower slide bar kit) x TO-TH2L-66 (thermostatic shower trim)	polished chrome standard special	2147 2683 3003
	KT13-66.FR Certified at 2.0 gpm	REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083.FR (multi-function handshower) x 9128-62 (handshower slide bar kit) x TO-TH2L-66 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498	polished chrome standard special premium	2147 2683 3003 3540
	KT13-66.FR	REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083.FR (multi-function handshower) x 9128-62 (handshower slide bar kit) x TO-TH2L-66 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with	polished chrome standard special premium THT52-R polished chrome	2147 2683 3003 3540
	KT13-66.FR Certified at 2.0 gpm KT04-66.FR CA/Green	REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083.FR (multi-function handshower) x 9128-62 (handshower slide bar kit) x TO-TH2L-66 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Tub Spout	polished chrome standard special premium THT52-R polished chrome standard	2147 2683 3003 3540 619
	KT13-66.FR Certified at 2.0 gpm	REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083.FR (multi-function handshower) x 9128-62 (handshower slide bar kit) x TO-TH2L-66 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with	polished chrome standard special premium THT52-R polished chrome standard special	2147 2683 3003 3540 619 1183 1476 1653
	KT13-66.FR Certified at 2.0 gpm KT04-66.FR CALGreen COMPLIANT	REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083.FR (multi-function handshower) x 9128-62 (handshower slide bar kit) x TO-TH2L-66 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Tub Spout • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm)	polished chrome standard special premium THT52-R polished chrome standard	2147 2683 3003 3540 619
	KT13-66.FR Certified at 2.0 gpm KT04-66.FR CALGreen COMPLIANT	REQUIRES ROUGH VALVE: for more details, see pages 496-498 Style Therm® 1/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083.FR (multi-function handshower) x 9128-62 (handshower slide bar kit) x TO-TH2L-66 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 Style Therm® 1/2" Thermostatic Shower System with Showerhead and Tub Spout • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x TS-65 (tub spout)	polished chrome standard special premium THT52-R polished chrome standard special	2147 2683 3003 3540 619 1183 1476 1653
	KT13-66.FR Certified at 2.0 gpm KT04-66.FR CALGreen COMPLIANT	REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® 1/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083.FR (multi-function handshower) x 9128-62 (handshower slide bar kit) x TO-TH2L-66 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® 1/2" Thermostatic Shower System with Showerhead and Tub Spout • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x TS-65 (tub spout) x TO-TH1L-66 (thermostatic shower trim)	polished chrome standard special premium THT52-R polished chrome standard special	2147 2683 3003 3540 619 1183 1476 1653
	KT13-66.FR Certified at 2.0 gpm KT04-66.FR CALGreen COMPLIANT at 1.8 gpm	REQUIRES ROUGH VALVE: for more details, see pages 496-498 Style Therm® 1/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083.FR (multi-function handshower) x 9128-62 (handshower slide bar kit) x TO-TH2L-66 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 Style Therm® 1/2" Thermostatic Shower System with Showerhead and Tub Spout • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x TS-65 (tub spout)	polished chrome standard special premium THT52-R polished chrome standard special	2147 2683 3003 3540 619 1183 1476 1653
	KT13-66.FR Certified at 2.0 gpm KT04-66.FR CALGreen COMPLIANT	REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® 1/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-083.FR (multi-function handshower) x 9128-62 (handshower slide bar kit) x TO-TH2L-66 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® 1/2" Thermostatic Shower System with Showerhead and Tub Spout • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x TS-65 (tub spout) x TO-TH1L-66 (thermostatic shower trim)	polished chrome standard special premium THT52-R polished chrome standard special	2147 2683 3003 3540 619 1183 1476 1653

65/66 SERIES	
TIBURON	
SHOWER KITS	


	MODEL	DESCRIPTION	FINISH	PRIC
	KT05-66.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	119
	04/6400	Showerhead and Tub Spout	standard	148
10 mm	(CA/Green COMPLIANT)	• kit contains:	special	166
	at 1.8 gpm	I x SH-083.FR (multi-function showerhead)	premium	196
	OTC.	I x SH-01.6 (6" shower arm)		
	Hatersens	I x TS-65 (tub spout) I x TO-TH2L-66 (thermostatic shower trim)		
	(E. 0. 3)	replace .FR with REQUIRED flow rate, see page 455		
	Certified at 2.0 gpm	REQUIRES ROUGH VALVE: for more details, see pages 496-498	THT52-R	61
-				
	KT06-66.FR	StyleTherm® 1/2" Thermostatic Shower System with	polished chrome	193
	CALGreen	Handshower Slide Bar and Tub Spout	standard	242
	COMPLIANT at I.8 gpm	kit contains: I × HS-083.FR (multi-function handshower)	special .	271
		1 x 9128-62 (handshower slide bar kit)	premium	319
	aterSeno	I x TS-65 (tub spout)		
(Co	z v c	I x TO-TH2L-66 (thermostatic shower trim)		
	Egys EPA Cities	replace .FR with REQUIRED flow rate, see page 455		
W	Certified at 2.0 gpm	REQUIRES ROUGH VALVE:	THT52-R	61
		for more details, see pages 496-498		
	KT07-66.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	210
	CALGreen	Handshower Hook and Tub Spout	standard	262
	COMPLIANT at 1.8 gpm	• kit contains:	special	293
	at 1.0 gpiii	I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm)	premium	346
	rerSea	I × HS-083.FR (multi-function handshower)		
	Z20 V. 20	I × 9125-65 (handshower wall mount kit)		
	The same of the sa	$I \times TS-65$ (tub spout)		
	Certified at 2.0 gpm	I x TO-TH2L-66 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455		
	ol ol	REQUIRES ROUGH VALVE:	THT52D2-R	7
1		for more details, see pages 496-498	11113252 K	,,
	KT08-66.FR	StyleTherm® 3/4" Thermostatic Shower System with	polished chrome	352
		Body Spray, Handshower on Slide Bar,	standard	440
		and Showerhead	special	493
		kit contains:	premium	58
Francisco Car		I x SH-162-8.FR (8" round showerhead)		
1777		I x 9112-65 (12" shower arm) I x HS-083.FR (multi-function handshower)		
		I × 9128-62 (handshower slide bar kit)		
(E)		3 x BS-65 (body sprays)		
		I x TO-THN-66 (thermostatic shower trim) 3 x TO-66-W (wall stop trims)		
(m@p		• replace .FR with REQUIRED flow rate, see page 455		
		REQUIRES THE FOLLOWING ROUGH VALVES:	THT75-R	6
		for more details, see pages 496-498	3 x 75-W-R	6
127	KT09-66.FR	Pressure Balance Shower System with Single Showerhead	polished chrome	7
	01/6	• kit contains:	standard	8
55045	CA/Green COMPLIANT	I x SH-08 I.FR (single function showerhead)	special	10
	at 1.8 gpm	I x SH-01 (4" shower arm) I x TO-PBL-66 (pressure balance shower trim)	premium	- 11
		replace .FR with REQUIRED flow rate, see page 455		
(C)		THIS SHOWER KIT NOT AVAILABLE IN .20 FLOW RATE		
		REQUIRES ROUGH VALVE:	PBI-R	2
		for more details, see pages 496-498		
	KT10-66.FR	Pressure Balance Shower System with Single	polished chrome	9
The same of the sa	CA/Green .	Showerhead and Tub Spout	standard	12
15503	COMPLIANT	• kit contains:	special	13
		I x SH-081.FK (snowernead) I x SH-01 (4" shower arm)	premium	16
		I x TS-65 (wall tub spout)		
The same of the sa		I x TO-PB2L-66 (pressure balance shower trim) • replace .FR with REQUIRED flow rate, see page 455		
100				
1		THIS SHOWER KIT NOT AVAILABLE IN .20 FLOW RATE		
			PB2-R	3
	<i>CAl</i> Green	Showerhead and Tub Spout • kit contains: I × SH-08 I.FR (showerhead) I × SH-01 (4" shower arm) I × TS-65 (wall tub spout) I × TO-PB2L-66 (pressure balance shower trim)	standard special	

SHOWER KITS | MORRO BAY | 77 SERIES

	MODEL	DESCRIPTION	FINISH	PRICE
	KT01-77.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	1100
	CA/Croop	Single Showerhead	standard	1372
100 Marie 100 Ma	CALGreen	kit contains:	special	1537
Marie Control	at 1.8 gpm	I x SH-083.FR (multi-function showerhead)	premium	1812
male	aterSea	I x SH-01.6 (6" shower arm) I x TO-THFIL-77 (thermostatic shower trim)		
	Z 3°C	replace .FR with REQUIRED flow rate, see page 455		
	Certified at 2.0 gpm	REQUIRES ROUGH VALVE: for more details, see pages 496-498	THT51-R	549
	KT02-77.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	1765
H	CALGreen	Showerhead and Handshower	standard	2205
In the same of the	COMPLIANT at 1.8 gpm	• kit contains:	special	2468
//	OF THE	I x SH-083.FR (multi-function showerhead) I x SH-01.6 (6" shower arm)	premium	2911
	SaterSens	I x HS-72.FR (contemporary handshower)		
7		I × 9125-72 (handshower wall mount kit) I × TO-THF1L-77 (thermostatic shower trim)		
	EPA CHE	• replace .FR with REQUIRED flow rate, see page 455		
Fy	Certified at 2.0 gpm	REQUIRES ROUGH VALVE:	THT51D2-R	679
		for more details, see pages 496-498		
	KT12-77.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	1774
A. A	aterSea	Showerhead and Handshower on Hook	standard	2216
No. Commission of the Commissi	(Zoo Coo	• kit contains:	special	2480
//	Epa Code	I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm)	premium	2926
	Certified at 2.0 gpm	I × HS-72.FR (single function handshower)		
4 6		I × 9125-72 (handshower wall mount kit)		
		I x TO-THF2L-77 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455		
Fig		REQUIRES ROUGH VALVE:	THT52-R	619
		for more details, see pages 496-498	111132-K	017
	KT03-77.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	2295
The state of the s	CALGreen	Handshower Slide Bar	standard	2867
	COMPLIANT at 1.8 gpm	kit contains: I × SH-083.FR (multi-function showerhead)	special	3210
M/		I x SH-01.6 (6" shower arm)	premium	3785
	Roter Sens	I × HS-72.FR (single function handshower)		
		I x 9128-72 (handshower slide bar kit) I x TO-THF1L-77 (thermostatic shower trim)		
	EPA CO	• replace .FR with REQUIRED flow rate, see page 455		
	Certified at 2.0 gpm	REQUIRES ROUGH VALVE:	THT51D2-R	679
54	Certified at 2.0 gpm	· · · · · · · · · · · · · · · · · · ·	THT51D2-R	679
	KT13-77.FR	REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with	THT51D2-R	679 2304
		REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® 1/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar	polished chrome standard	2304 2878
	KT13-77.FR	REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® 1/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains:	polished chrome standard special	2304 2878 3222
	KT13-77.FR	REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® 1/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar	polished chrome standard	2304 2878
	KT13-77.FR	REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® 1/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-72.FR (single function handshower)	polished chrome standard special	2304 2878 3222
	KT13-77.FR	REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® 1/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-72.FR (single function handshower) x 9128-72 (handshower slide bar kit)	polished chrome standard special	2304 2878 3222
	KT13-77.FR	REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® 1/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-72.FR (single function handshower)	polished chrome standard special	2304 2878 3222
	KT13-77.FR	REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® I/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: I × SH-083.FR (multi-function showerhead) I × SH-01.6 (6" shower arm) I × HS-72.FR (single function handshower) I × 9128-72 (handshower slide bar kit) I × TO-THF2L-77 (thermostatic shower trim)	polished chrome standard special	2304 2878 3222
	KT13-77.FR	REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® 1/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-72.FR (single function handshower) x 9128-72 (handshower slide bar kit) x TO-THF2L-77 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455	polished chrome standard special premium	2304 2878 3222 3800
	KT13-77.FR	REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® 1/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-72.FR (single function handshower) x 9128-72 (handshower slide bar kit) x TO-THF2L-77 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® 1/2" Thermostatic Shower System with	polished chrome standard special premium	2304 2878 3222 3800
	KT13-77.FR Certified at 2.0 gpm KT04-77.FR	REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® 1/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-72.FR (single function handshower) x 9128-72 (handshower slide bar kit) x TO-THF2L-77 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® 1/2" Thermostatic Shower System with Showerhead and Tub Spout	polished chrome standard special premium THT52-R polished chrome standard	2304 2878 3222 3800
	KT13-77.FR Certified at 2.0 gpm	REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® 1/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-72.FR (single function handshower) x 9128-72 (handshower slide bar kit) x TO-THF2L-77 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® 1/2" Thermostatic Shower System with Showerhead and Tub Spout • kit contains:	polished chrome standard special premium THT52-R polished chrome standard special	2304 2878 3222 3800 619 1595 1991 2230
	KT13-77.FR Certified at 2.0 gpm KT04-77.FR CA/Green COMPLIANT	REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® 1/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: x SH-083.FR (multi-function showerhead) x SH-01.6 (6" shower arm) x HS-72.FR (single function handshower) x 9128-72 (handshower slide bar kit) x TO-THF2L-77 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 StyleTherm® 1/2" Thermostatic Shower System with Showerhead and Tub Spout	polished chrome standard special premium THT52-R polished chrome standard	2304 2878 3222 3800
	KT13-77.FR Certified at 2.0 gpm KT04-77.FR CA/Green COMPLIANT	REQUIRES ROUGH VALVE: for more details, see pages 496-498 Style Therm® 1/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: × SH-083.FR (multi-function showerhead) × SH-01.6 (6" shower arm) × H5-72.FR (single function handshower) × 9128-72 (handshower slide bar kit) × TO-THF2L-77 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 Style Therm® 1/2" Thermostatic Shower System with Showerhead and Tub Spout • kit contains: × SH-083.FR (multi-function showerhead) × SH-01.6 (6" shower arm) × TS-77-77 (tub spout)	polished chrome standard special premium THT52-R polished chrome standard special	2304 2878 3222 3800 619 1595 1991 2230
	KT13-77.FR Certified at 2.0 gpm KT04-77.FR CA/Green COMPLIANT	REQUIRES ROUGH VALVE: for more details, see pages 496-498 Style Therm® 1/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: × SH-083.FR (multi-function showerhead) × SH-01.6 (6" shower arm) × HS-72.FR (single function handshower) × 9128-72 (handshower slide bar kit) × TO-THF2L-77 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 Style Therm® 1/2" Thermostatic Shower System with Showerhead and Tub Spout • kit contains: × SH-083.FR (multi-function showerhead) × SH-01.6 (6" shower arm) × TS-77-77 (tub spout) × TO-THF1L-77 (thermostatic shower trim)	polished chrome standard special premium THT52-R polished chrome standard special	2304 2878 3222 3800 619 1595 1991 2230
	KT13-77.FR Certified at 2.0 gpm KT04-77.FR CA/Green COMPLIANT at 1.8 gpm	REQUIRES ROUGH VALVE: for more details, see pages 496-498 Style Therm® 1/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: × SH-083.FR (multi-function showerhead) × SH-01.6 (6" shower arm) × H5-72.FR (single function handshower) × 9128-72 (handshower slide bar kit) × TO-THF2L-77 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 Style Therm® 1/2" Thermostatic Shower System with Showerhead and Tub Spout • kit contains: × SH-083.FR (multi-function showerhead) × SH-01.6 (6" shower arm) × TS-77-77 (tub spout)	polished chrome standard special premium THT52-R polished chrome standard special	2304 2878 3222 3800 619 1595 1991 2230
	KT13-77.FR Certified at 2.0 gpm KT04-77.FR CA/Green COMPLIANT	REQUIRES ROUGH VALVE: for more details, see pages 496-498 Style Therm® 1/2" Thermostatic Shower System with Showerhead and Handshower on Slide Bar • kit contains: × SH-083.FR (multi-function showerhead) × SH-01.6 (6" shower arm) × HS-72.FR (single function handshower) × 9128-72 (handshower slide bar kit) × TO-THF2L-77 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 Style Therm® 1/2" Thermostatic Shower System with Showerhead and Tub Spout • kit contains: × SH-083.FR (multi-function showerhead) × SH-01.6 (6" shower arm) × TS-77-77 (tub spout) × TO-THF1L-77 (thermostatic shower trim)	polished chrome standard special premium THT52-R polished chrome standard special	2304 2878 3222 3800 619 1595 1991 2230

	MODEL	DESCRIPTION	FINISH	PRICE
A	KT05-77.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	1604
A	01/Croon	Showerhead and Tub Spout	standard	2002
A STATE OF THE STA	CA/Green COMPLIANT	• kit contains:	special	2242
Tirely.	at 1.8 gpm	I x SH-083.FR (multi-function showerhead)	premium	2644
C	verSex	I x SH-01.6 (6" shower arm) I x TS-77-77 (tub spout)		
	Zac 1750	I x TO-THF2L-77 (thermostatic shower trim)		
	Fagur EDA CHIE	replace .FR with REQUIRED flow rate, see page 455		
	Certified at 2.0 gpm	REQUIRES ROUGH VALVE: for more details, see pages 496-498	THT52-R	619
	WT0/ 77 FD		P. L. L. L.	2221
~ //	KT06-77.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	2331 2915
1/	CAL Green	Handshower Slide Bar and Tub Spout • kit contains:	standard special	3263
	COMPLIANT at 1.8 gpm	I x HS-72.FR (single function handshower)	premium	3848
		$1 \times 9128-72$ (handshower slide bar kit)	F	
Fig. 1	RaterSens	I x TS-77-77 (tub spout) I x TO-THF2L-77 (thermostatic shower trim)		
	(J.	• replace .FR with REQUIRED flow rate, see page 455		
4	Coutified at 20 mans	REQUIRES ROUGH VALVE:	THT52-R	619
	Certified at 2.0 gpm	for more details, see pages 496-498		
	KT07-77.FR	StyleTherm® I/2" Thermostatic Shower System with	polished chrome	2269
	CAlGreen	Handshower Hook and Tub Spout	standard	2835
	COMPLIANT	• kit contains:	special	3173
	at 1.8 gpm	I x SH-083.FR (multi-function showerhead)	premium	3743
	aterSea.	I × SH-01.6 (6" shower arm) I × HS-72.FR (single function handshower)		
	Zzo Ce	I x 9125-72 (handshower wall mount kit)		
7	FPA CHE	I x TS-77-77 (tub spout)		
	Certified at 2.0 gpm	I x TO-THF2L-77 (thermostatic shower trim) • replace .FR with REQUIRED flow rate, see page 455		
		REQUIRES ROUGH VALVE: for more details, see pages 496-498	THT52D2-R	779
	KT08-77.FR	StyleTherm® 3/4" Thermostatic Shower System with	polished chrome	4129
		Body Spray, Handshower on Slide Bar and Showerhead	and the state of the state of	
			standard	
		• kit contains:	special	5773
				5773
7		 kit contains: I × SH-177-8.FR (single function showerhead) I × SH-572 (12" shower arm) I × HS-72.FR (single function handshower) 	special	5773
VAAA		 kit contains: I × SH-177-8.FR (single function showerhead) I × SH-572 (12" shower arm) I × HS-72.FR (single function handshower) I × 9128-72 (handshower slide bar kit) 	special	5773
7555		 kit contains: I × SH-177-8.FR (single function showerhead) I × SH-572 (12" shower arm) I × HS-72.FR (single function handshower) 	special	5773
7555		 kit contains: I × SH-177-8.FR (single function showerhead) I × SH-572 (12" shower arm) I × HS-72.FR (single function handshower) I × 9128-72 (handshower slide bar kit) 3 × BS-77 (body sprays) I × TO-THFN-77 (thermostatic shower trim) 3 × TO-77-W (wall stop trims) 	special	5773
		 kit contains: I × SH-177-8.FR (single function showerhead) I × SH-572 (12" shower arm) I × HS-72.FR (single function handshower) I × 9128-72 (handshower slide bar kit) 3 × BS-77 (body sprays) I × TO-THFN-77 (thermostatic shower trim) 	special	5773
7555 6 100		 kit contains: I × SH-177-8.FR (single function showerhead) I × SH-572 (12" shower arm) I × HS-72.FR (single function handshower) I × 9128-72 (handshower slide bar kit) 3 × BS-77 (body sprays) I × TO-THFN-77 (thermostatic shower trim) 3 × TO-77-W (wall stop trims) 	special	5773 6806
		 kit contains: I × SH-177-8.FR (single function showerhead) I × SH-572 (12" shower arm) I × HS-72.FR (single function handshower) I × 9128-72 (handshower slide bar kit) 3 × B5-77 (body sprays) I × TO-THFN-77 (thermostatic shower trim) 3 × TO-77-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 	special premium	5773 6806
	KT09-77.FR	• kit contains: I × SH-177-8.FR (single function showerhead) I × SH-572 (12" shower arm) I × HS-72.FR (single function handshower) I × 9128-72 (handshower slide bar kit) 3 × BS-77 (body sprays) I × TO-THFN-77 (thermostatic shower trim) 3 × TO-77-W (wall stop trims) • replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES:	special premium	5773 6806 695 645
		kit contains: x SH-177-8.FR (single function showerhead) x SH-572 (12" shower arm) x HS-72.FR (single function handshower) x 9128-72 (handshower slide bar kit) 3 x BS-77 (body sprays) x TO-THFN-77 (thermostatic shower trim) 3 x TO-77-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead kit contains:	special premium THT75-R 3 x 75-W-R polished chrome standard	5773 6806 695 645 819 1022
	CALGreen COMPLIANT	 kit contains: I x SH-177-8.FR (single function showerhead) I x SH-572 (12" shower arm) I x HS-72.FR (single function handshower) I x 9128-72 (handshower slide bar kit) 3 x BS-77 (body sprays) I x TO-THFN-77 (thermostatic shower trim) 3 x TO-77-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead kit contains: I x SH-177-6.FR (single function showerhead) 	special premium THT75-R 3 x 75-W-R polished chrome standard special	695 645 819 1022
	CALGreen	kit contains: x SH-177-8.FR (single function showerhead) x SH-572 (12" shower arm) x HS-72.FR (single function handshower) x 9128-72 (handshower slide bar kit) 3 x BS-77 (body sprays) x TO-THFN-77 (thermostatic shower trim) 3 x TO-77-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead kit contains:	special premium THT75-R 3 x 75-W-R polished chrome standard	695 645 819 1022
	CALGreen COMPLIANT	 kit contains: I x SH-177-8.FR (single function showerhead) I x SH-572 (12" shower arm) I x HS-72.FR (single function handshower) I x 9128-72 (handshower slide bar kit) 3 x BS-77 (body sprays) I x TO-THFN-77 (thermostatic shower trim) 3 x TO-77-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead kit contains: I x SH-177-6.FR (single function showerhead) I x SH-01 (4" shower arm) 	special premium THT75-R 3 x 75-W-R polished chrome standard special	5773 6806 695 645 819 1022 1145
	CALGreen COMPLIANT	 kit contains: I x SH-177-8.FR (single function showerhead) I x SH-572 (12" shower arm) I x HS-72.FR (single function handshower) I x 9128-72 (handshower slide bar kit) 3 x BS-77 (body sprays) I x TO-THFN-77 (thermostatic shower trim) 3 x TO-77-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES:	special premium THT75-R 3 x 75-W-R polished chrome standard special	5773 6806 695 645 819 1022 1145 1349
	CALGreen COMPLIANT	 kit contains: I x SH-177-8.FR (single function showerhead) I x SH-572 (12" shower arm) I x HS-72.FR (single function handshower) I x 9128-72 (handshower slide bar kit) 3 x BS-77 (body sprays) I x TO-THFN-77 (thermostatic shower trim) 3 x TO-77-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead kit contains: I x SH-177-6.FR (single function showerhead) I x SH-01 (4" shower arm) I x TO-PBL-77 (pressure balance shower trim) replace .FR with REQUIRED flow rate, see page 455 	THT75-R 3 x 75-W-R polished chrome standard special premium	5773 6806 695 645 819 1022 1145 1349
	CALGreen COMPLIANT	 kit contains: I x SH-177-8.FR (single function showerhead) I x SH-572 (12" shower arm) I x HS-72.FR (single function handshower) I x 9128-72 (handshower slide bar kit) 3 x BS-77 (body sprays) I x TO-THFN-77 (thermostatic shower trim) 3 x TO-77-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES:	THT75-R 3 x 75-W-R polished chrome standard special premium	5773 6806 695 645 819 1022 1145 1349
	CA/Green COMPLIANT at 1.8 gpm	 kit contains: I x SH-177-8.FR (single function showerhead) I x SH-572 (12" shower arm) I x HS-72.FR (single function handshower) I x 9128-72 (handshower slide bar kit) 3 x BS-77 (body sprays) I x TO-THFN-77 (thermostatic shower trim) 3 x TO-77-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 	THT75-R 3 x 75-W-R polished chrome standard special premium	5773 6806 695 645 819 1022 1145 1349
	KT10-77.FR CA/Green COMPLIANT	 kit contains: I x SH-177-8.FR (single function showerhead) I x SH-572 (12" shower arm) I x HS-72.FR (single function handshower) I x 9128-72 (handshower slide bar kit) 3 x BS-77 (body sprays) I x TO-THFN-77 (thermostatic shower trim) 3 x TO-77-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: 	special premium THT75-R 3 x 75-W-R polished chrome standard special premium PBI-R polished chrome standard special	5773 6806 695 645 819 1022 1145 1349 255
	CALGreen COMPLIANT at 1.8 gpm KT10-77.FR CALGreen	 kit contains: I x SH-177-8.FR (single function showerhead) I x SH-572 (12" shower arm) I x HS-72.FR (single function handshower) I x 9128-72 (handshower slide bar kit) 3 x BS-77 (body sprays) I x TO-THFN-77 (thermostatic shower trim) 3 x TO-77-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead kit contains: I x SH-177-6.FR (single function showerhead) I x SH-01 (4" shower arm) I x TO-PBL-77 (pressure balance shower trim) replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 Pressure Balance Shower System with Single showerhead and Tub Spout kit contains: I x SH-177-6.FR (single function showerhead) 	THT75-R 3 x 75-W-R polished chrome standard special premium PB1-R polished chrome standard	5773 6806 695 645 819 1022 1145 1349 255
	KT10-77.FR CA/Green COMPLIANT	 kit contains: I x SH-177-8.FR (single function showerhead) I x SH-572 (12" shower arm) I x HS-72.FR (single function handshower) I x 9128-72 (handshower slide bar kit) 3 x BS-77 (body sprays) I x TO-THFN-77 (thermostatic shower trim) 3 x TO-77-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: 	special premium THT75-R 3 x 75-W-R polished chrome standard special premium PBI-R polished chrome standard special	5773 6806 695 645 819 1022 1145 1349 255
	KT10-77.FR CA/Green COMPLIANT	 kit contains: I x SH-177-8.FR (single function showerhead) I x SH-572 (12" shower arm) I x HS-72.FR (single function handshower) I x 9128-72 (handshower slide bar kit) 3 x BS-77 (body sprays) I x TO-THFN-77 (thermostatic shower trim) 3 x TO-77-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 Pressure Balance Shower System with Single Showerhead kit contains: I x SH-177-6.FR (single function showerhead) I x SH-01 (4" shower arm) I x TO-PBL-77 (pressure balance shower trim) replace .FR with REQUIRED flow rate, see page 455 Pressure Balance Shower System with Single Showerhead and Tub Spout kit contains: I x SH-177-6.FR (single function showerhead) I x SH-177-6.FR (single function showerhead) I x SH-177-77 (wall tub spout) I x TO-PB2L-77 (pressure balance shower trim) 	special premium THT75-R 3 x 75-W-R polished chrome standard special premium PBI-R polished chrome standard special	695 645 819 1022 1145 1349
	KT10-77.FR CA/Green COMPLIANT	 kit contains: I × SH-177-8.FR (single function showerhead) I × SH-572 (12" shower arm) I × HS-72.FR (single function handshower) I × 9128-72 (handshower slide bar kit) 3 × BS-77 (body sprays) I × TO-THFN-77 (thermostatic shower trim) 3 × TO-77-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 REQUIRES THE FOLLOWING ROUGH VALVES: for more details, see pages 496-498 Pressure Balance Shower System with Single Showerhead kit contains: I × SH-177-6.FR (single function showerhead) I × SH-01 (4" shower arm) I × TO-PBL-77 (pressure balance shower trim) replace .FR with REQUIRED flow rate, see page 455 REQUIRES ROUGH VALVE: for more details, see pages 496-498 replace .FR (single function shower trim) replace .FR (single function showerhead) kit contains:	special premium THT75-R 3 x 75-W-R polished chrome standard special premium PBI-R polished chrome standard special	5773 6806 695 645 819 1022 1145 1349 255 1314 1641 1838
	KT10-77.FR CA/Green COMPLIANT	 kit contains: I x SH-177-8.FR (single function showerhead) I x SH-572 (12" shower arm) I x HS-72.FR (single function handshower) I x 9128-72 (handshower slide bar kit) 3 x BS-77 (body sprays) I x TO-THFN-77 (thermostatic shower trim) 3 x TO-77-W (wall stop trims) replace .FR with REQUIRED flow rate, see page 455 Pressure Balance Shower System with Single Showerhead kit contains: I x SH-177-6.FR (single function showerhead) I x SH-01 (4" shower arm) I x TO-PBL-77 (pressure balance shower trim) replace .FR with REQUIRED flow rate, see page 455 Pressure Balance Shower System with Single Showerhead and Tub Spout kit contains: I x SH-177-6.FR (single function showerhead) I x SH-177-6.FR (single function showerhead) I x SH-177-77 (wall tub spout) I x TO-PB2L-77 (pressure balance shower trim) 	special premium THT75-R 3 x 75-W-R polished chrome standard special premium PBI-R polished chrome standard special	6806 695 645 819 1022 1145 1349 2555







LUXURY DRAINS

MODEL	DESCRIPTION	FINISH	PRICE
9170-A	Craftsman StyleDrain® Trim Grid Only • 5-1/4" x 5-1/4" forged brass trim grid • use with all 9177 or 9178 products Requires rough or upgrade kit, see pages 474-475	polished chrome standard special premium	265 331 371 437
9171-A	Neo StyleDrain® Trim Grid Only • 5-1/4" x 5-1/4" forged brass trim grid • use with all 9177 or 9178 products Requires rough or upgrade kit, see pages 474-475	polished chrome standard special premium	265 331 371 437
9172-A	Mission StyleDrain® Trim Grid Only • 5-1/4" x 5-1/4" forged brass trim grid • use with all 9177 or 9178 products Requires rough or upgrade kit, see pages 474-475	polished chrome standard special premium	265 331 371 437
9173-A	Wave StyleDrain® Trim Grid Only • 5-1/4" x 5-1/4" forged brass trim grid • use with all 9177 or 9178 products Requires rough or upgrade kit, see pages 474-475	polished chrome standard special premium	265 331 371 437
9175-A	DecoSwirl StyleDrain® Trim Grid Only • 5-1/4" × 5-1/4" forged brass trim grid • use with all 9177 or 9178 products Requires rough or upgrade kit, see pages 474-475	polished chrome standard special premium	265 331 371 437
9176-A	Fleur StyleDrain® Trim Grid Only • 5-1/4" x 5-1/4" forged brass trim grid • use with all 9177 or 9178 products Requires rough or upgrade kit, see pages 474-475	polished chrome standard special premium	265 331 371 437

STYLEDRAIN® BY CHRISTOPHER GRUBB

MODEL	DESCRIPTION	FINISH	PRICE
9195-A	Strathmore StyleDrain® Trim Grid Only • 5-1/4" × 5-1/4" forged brass trim grid • use with all 9177 or 9178 products Requires rough or upgrade kit, see pages 474-475	polished chrome standard special premium	298 373 417 492
9196-A	Camden StyleDrain® Trim Grid Only • 5-1/4" x 5-1/4" forged brass trim grid • use with all 9177 or 9178 products Requires rough or upgrade kit, see pages 474-475	polished chrome standard special premium	298 373 417 492
9197-A	Roxbury StyleDrain® Trim Grid Only • 5-1/4" x 5-1/4" forged brass trim grid • use with all 9177 or 9178 products Requires rough or upgrade kit, see pages 474-475	polished chrome standard special premium	298 373 417 492
9198-A	Mulholland StyleDrain® Trim Grid Only • 5-1/4" × 5-1/4" forged brass trim grid • use with all 9177 or 9178 products Requires rough or upgrade kit, see pages 474-475	polished chrome standard special premium	298 373 417 492

STYLEDRAIN® TILE & STYLEDRAIN® ROUGHS

MODEL	DESCRIPTION	FINISH	PRICE
9190-A	Tile StyleDrain® Trim Grid Only • inner frame 5-3/16" x 5-3/16" accepts inner tile piece(s) • outer frame 5-7/8" x 5-7/8" border for outer tile • brass drain throat • use with 9179 series drain roughs • compatible with Zurn Z415 series drain bodies • includes hair strainer and key	polished chrome special	582 815
9190-A-UG-2	Tile StyleDrain® Throat Upgrade • inner frame 5-3/16" x 5-3/16" accepts inner tile piece(s) • outer frame 5-7/8" x 5-7/8" border for outer tile • brass drain throat • allows for upgrade of common shower drains with 2" IPS collar (e.g. Oatey, Jones-Stephens, AB&B, etc.) • includes hair strainer and key	polished chrome special	582 815


Available Finishes

PC - Polished Chrome | BKD - Blackened (PVD) | PN - Polished Nickel (PVD)
PB - Polished Brass (PVD) | SGB - Satin Gold Brass (PVD) | SSN - Stainless Satin Nickel (PVD)

	MODEL	DESCRIPTION	PRICE
	9177	StyleDrain® Rough Kit with 2" No-Hub • for all StyleDrain® grids except TILE • brass drain throat • 2" no-hub outlet • acid resistant coated cast iron drain body & reversible collar • includes hair strainer and key	344
	9177-ABS	StyleDrain® Rough Kit with 2"/3" ABS • for all StyleDrain® grids except TILE • brass drain throat • dual 2" slip & 3" spigot outlet • ABS body & reversible collar • includes hair strainer and key	274
	9177-PVC	StyleDrain® Rough Kit with 2"/3" PVC • for all StyleDrain® grids except TILE • brass drain throat • dual 2" slip & 3" spigot outlet • PVC body with reversible collar • includes hair strainer and key	274
	9178-UG-2	StyleDrain® Plastic Throat Upgrade • allows for upgrade of common shower drains with 2" IPS collar (e.g. Oatey, Jones-Stephens, AB&A, etc.) • use with all StyleDrain trim grids • includes hair strainer and key	63

MODEL	DESCRIPTION	PRICE
9177-HMA	StyleDrain® Hot Mop Adapter Kit • fits Frank Pattern Instant-Set, EZ Test, Sioux Chief, Oatey 151 and other cast iron drains for hot mop installations	79
9178-UHM	StyleDrain® Upgrade Throat & Hot Mop Adapter Kit • kit includes: Ix 9178-UG-2 (plastic throat upgrade) Ix 9177-HMA (hot mop adapter)	142
9178	StyleDrain® Brass Drain Throat • use with all 9179 products • compatible with Zurn Z415 series drain bodies • includes hair strainer and key	172
9178-STR	StyleDrain® Hair Strainer and Key • use with StyleDrain® 9177 & 9178 rough kits	9
9177-EXT	StyleDrain® Extension • extends from minimum I-7/8" to maximum 3" • fits between drain body and drain throat • cast iron construction	207
9179	Cast Iron StyleDrain® Body with 2" No-Hub Outlet • 2" no-hub outlet • acid resistant coated cast iron body & reversible collar	172
9179-ABS	ABS StyleDrain® Body with 2"/3" Outlet • dual 2" slip & 3" spigot collar • ABS body & reversible collar	102
9179-PVC	PVC StyleDrain® Body with 2"/3" Outlet • dual 2" slip & 3" spigot outlet • PVC body & reversible collar	102

	MODEL	DESCRIPTION	FINISH	PRICE
	9050ZB	ZeroDrain® Pop-Down Style Lavatory Drain with 2-3/16" Diameter Flange	polished chrome standard	179 224
0		 single unit for both overflow and less overflow applications 2-3/16" diameter upper flange 1-1/4" OD x 4" tailpiece (total below sink length is 6-5/8"; length is 7-5/16" when thin sink spacer is used) maximum installation thickness 2" (add 9050Z-EXT for thicker applications) longer tailpiece available see 9069 for widespread faucet with lift knob & rod, it is recommended to add LR-RET 	special premium	251 295
0)	9050ZBF	ZeroDrain® Pop-Down Style Lavatory Drain Completely Finished with 2-3/16" Diameter Flange • same as above but completely finished	polished chrome standard special premium	248 310 347 409
	9050Z-EXT	ZeroDrain® Extension extension for thick sink and countertop application (i.e. greater than 2") extends maximum thickness by I-I/4" may stack multiple extensions based on sink/counter thickness		63
	9050Z-TSS	ZeroDrain® Spacer for Thin Sink Application • for use with thin-wall sink (i.e. 1/16" to 9/16") • total below sink length of ZeroDrain® increases to 7-5/16" • kit includes ABS spacer & rubber washer		11
	9050Z-TSSF	ZeroDrain® Spacer Completely Finished for Thin Sink Application • for use with thin-wall sink (i.e. 1/16" to 9/16") • total below sink length of ZeroDrain® increases to 7-5/16" • kit includes fully polished and finished brass spacer & rubber washer	polished chrome standard special premium	85 106 119 140
	9069	Extended Tailpiece with Flange • I-1/4" OD × 7" tailpiece • for use with 9050ZB, 9050ZBF	polished chrome standard special premium	64 80 90 106
	LR-RET	Lift Rod Retainer • for use on lavatory faucets with lift knob & rod when ZeroDrain® is installed • allows lift knob to remain as a decorative element of faucet • secures lift rod & knob in down position (non-operational) • fits lift rod diameters 5/32" (4mm) to 1/4" (6.3mm)		14
	XX02ZB	Include ZeroDrain® with any California Faucets Widespread Faucet (Polished & Finished Upper Flange & Stopper Only) • add "ZB" to end of any lavatory faucet SKU (e.g. 7002ZB-PC) • 2-1/4" diameter flange • includes LR-RET when required • add the folllowing amount to the list price:	polished chrome standard special premium	64 80 90 106
	XX02ZBF	Include ZeroDrain® with any California Faucets Widespread Faucet (Fully Polished & Finished) • add "ZBF" to end of any lavatory faucet SKU (e.g. 7002ZBF-PC) • 2-1/4" diameter flange • includes LR-RET when required • add the following amount to the list price:	polished chrome standard special premium	141 176 197 233





CALTRIM

MODEL	DESCRIPTION	FINISH	PRICE
9000-XX	Deluxe Angle Stop with Flange and Decorative Handle • 1/4 turn ceramic disc cartridge	polished chrome standard	248 310
	 use with 1/2" NPT nipple 1/2" FIP - inlet 3/8" OD compression - outlet 	special premium	347 409
9001-XX	Deluxe Angle Stop with Flange and Decorative Handle • 1/4 turn ceramic disc cartridge	polished chrome standard	248 310
	 use with 1/2" copper pipe 1/2" nominal compression (5/8" OD) - inlet 3/8" OD compression - outlet 	special premium	347 409
9820-XX	Deluxe Angle Stop Kit for Pedestals • kit includes:	polished chrome	592 740
	2 x 9000-XX deluxe angle stops with flanges 2 x 903 3/8" x 20" bullnose risers • use with 1/2" NPT nipple • 1/2" FIP - inlet • 3/8" OD compression - outlet	special premium	828 976
9821-XX	Deluxe Angle Stop Kit for Pedestals	polished chrome	592 740
	2 x 9001-XX deluxe angle stops with flanges 2 x 9031 3/8" x 20" bullnose risers • use with 1/2" copper pipe • 1/2" nominal compression (5/8" OD) - inlet • 3/8" OD compression - outlet	special premium	828 976
9830-XX	Deluxe Angle Stop Kit for Pedestals	polished chrome	803 1004
	2 x 9000-XX deluxe angle stops with flanges 2 x 903 3/8" x 20" bullnose risers x 9075 -1/2" P-trap with high box flange • use with 1/2" NPT nipple • 1/2" FIP - inlet • 3/8" OD compression - outlet	special premium	1123
9831-XX	Deluxe Angle Stop Kit for Pedestals	polished chrome	803 1004
	 kit includes: 2 x 9001 -XX deluxe angle stops with flanges 2 x 9031 3/8" x 20" bullnose risers 1 x 9075 1-1/2" P-trap with high box flange use with 1/2" copper pipe 1/2" nominal compression (5/8" OD) - inlet 3/8" OD compression - outlet 	special premium	1123
9832-XX	Deluxe Angle Stop Kit for Pedestals	polished chrome	793 991
	2 x 9000-XX deluxe angle stops with flanges 2 x 9031 3/8" x 20" bullnose risers 1 x 9076 1-1/4" P-trap with high box flange • use with 1/2" NPT nipple • 1/2" FIP - inlet • 3/8" OD compression - outlet	special premium	1110
9833-XX	Deluxe Angle Stop Kit for Pedestals • kit includes:	polished chrome standard	793 991
	2 × 9001-XX deluxe angle stops with flanges 2 × 903 3/8" × 20" bullnose risers × 9076 -1/4" P-trap with high box flange use with 1/2" copper pipe	special premium	1110
	9000-XX 9001-XX 9820-XX 9830-XX 9831-XX	Deluxe Angle Stop with Flange and Decorative Handle 1/4 turn ceramic disc carridge 1/2 turn c	Polium P

	MODEL	DESCRIPTION	FINISH	PRICE
	9834-XX	• kit includes: 2 × 9001-XX deluxe angle stops with flanges 2 × 9031 3/8" × 20" bullnose risers 1 × 9072 1-1/4" P-trap with high box flange • use with 1/2" copper pipe • 1/2" nominal compression (5/8" OD) - inlet • 3/8" OD compression - outlet	polished chrome standard special premium	981 1226 1373 1618
	9851-XX	Deluxe Angle Stop Kit for Toilets • kit includes: I × 9000-XX deluxe angle stop with flange I × 9041 3/8" × 20" flathead riser • use with I/2" NPT nipple • I/2" FIP - inlet • 3/8" OD compression - outlet	polished chrome standard special premium	290 363 406 478
E	9853-XX	Deluxe Angle Stop Kit for Toilets • kit includes: x 9001-XX deluxe angle stops with flange x 9041 3/8" x 20" flathead riser • use with 1/2" copper pipe • 1/2" nominal compression (5/8" OD) - inlet • 3/8" OD compression - outlet	polished chrome standard special premium	290 363 406 478
<u> </u>	9031	3/8" OD x 20" Bullnose Riser	polished chrome standard special premium	48 60 67 79
	9040	3/8" OD x 12" Flathead Closet Riser	polished chrome standard special premium	37 46 52 61
	9041	3/8" OD x 20" Flathead Closet Riser	polished chrome standard special premium	42 53 59 69

P-TRAPS | ZERODRAIN®

	MODEL	DESCRIPTION	FINISH	PRICE
	9072	I-1/4" Contemporary Brass P-Trap • includes removeable cleanout cap • includes contemporary wall flange • 15-1/8" from center of drain inlet to end of tube • accepts 1-1/4" diameter sink drain tailpiece	polished chrome standard special premium	389 486 545 642
	9075	• meets 2" min water seal I-1/2" P-Trap	polished chrome	211
U		 includes high box flange II" from center of drain inlet to end of tube accepts I-1/4" or I-1/2" diameter sink drain tailpiece 	standard special premium	264 295 348
	9075-EXT	I-1/2" Extension Wall Bend • up to 18" from center inlet to end of tube • may be cut to length • for use with 9075	polished chrome standard special premium	103 129 144 170
	9076	 I-1/4" P-Trap includes high box flange II-3/8" from center of drain inlet to end of tube accepts I-1/4" diameter sink drain tailpiece 	polished chrome standard special premium	201 251 281 332
	9076-EXT	I-1/4" Extension Wall Bend • up to 18" from center of inlet to end of tube • may be cut to length • for use with 9076	polished chrome standard special premium	103 129 144 170
	9050ZB	ZeroDrain® Pop-Down Style Lavatory Drain with 2-3/16" Diameter Flange • single unit for both overflow and less overflow applications • 2-3/16" diameter upper flange • 1-1/4" OD x 4" tailpiece (total below sink length is 6-1/2"; length is 7-5/8" when thin sink spacer is used) • maximum installation thickness 2" (add 9050Z-EXT for thicker applications) • longer tailpiece available see 9069 • for widespread faucet with lift knob & rod, it is recommended to add LR-RET	polished chrome standard special premium	179 224 251 295
0)	9050ZBF	ZeroDrain® Pop-Down Style Lavatory Drain Completely Finished with 2-3/16" Diameter Flange • same as above but completely finished	polished chrome standard special premium	248 310 347 409

	MODEL	DESCRIPTION	FINISH	PRICE
	9050Z-EXT	 ZeroDrain® Extension extension for thick sink and countertop application (i.e. greater than 2") extends maximum thickness by I-1/4" may stack multiple extensions based on sink/counter thickness 		63
	9050Z-TSS	 ZeroDrain® Spacer for Thin Sink Application for use with thin-wall sink (i.e. 1/16" to 9/16") total below sink length of ZeroDrain® increases to 7-5/8" kit includes ABS spacer & rubber washer 		11
	9050Z-TSSF	ZeroDrain® Spacer Completely Finished for Thin Sink Application • for use with thin-wall sink (i.e. 1/16" to 9/16") • total below sink length of ZeroDrain® increases to 7-5/8" • kit includes fully polished and finished brass spacer & rubber washer	polished chrome standard special premium	85 106 119 140
	9069	Extended Tailpiece with Flange • I-I/4" OD x 7" tailpiece • for use with 9050ZB, 9050ZBF	polished chrome standard special premium	64 80 90 106
	LR-RET	Lift Rod Retainer • for use on lavatory faucets with lift knob & rod when ZeroDrain® is installed • allows lift knob to remain as a decorative element of faucet • secures lift rod & knob in down position (non-operational) • fits lift rod diameters 5/32" (4mm) to 1/4" (6.3mm)		14
133 6	9050	Touch Style Pop-Up Drain completely polished and finished push action open/close with overflow holes fits I-I/2" opening I-I/4" OD x 5-3/4" tailpiece maximum installation thickness 2"	polished chrome standard special premium	83 104 116 137
100	9050L	Touch Style Pop-Up Drain completely polished and finished push action open/close less overflow holes fits 1-1/2" opening 1-1/4" OD x 5-3/4" tailpiece maximum installation thickness 2"	polished chrome standard special premium	83 104 116 137

MODEL	DESCRIPTION	FINISH	PRICE
9053	Grid Strainer Drain • completely polished and finished • with overflow holes • fits 1-1/2" opening • 1-1/4" OD x 7-1/2" tailpiece • maximum installation thickness is 2-3/4"	polished chrome standard special premium	118 148 165 195
9053L	Grid Strainer Drain • completely polished and finished • less overflow holes • fits I-I/2" opening • I-I/4" OD x 7-I/2" tailpiece • maximum installation thickness is 2-3/4"	polished chrome standard special premium	118 148 165 195
9053-D	Grid Strainer Drain • completely polished and finished • with overflow holes • fits I-I/2" opening • I-I/4" OD × 10" tailpiece • maximum installation thickness is 4-I/4"	polished chrome standard special premium	140 175 196 231
9053L-D	Grid Strainer Drain • completely polished and finished • less overflow holes • fits 1-1/2" opening • 1-1/4" OD × 10" tailpiece • maximum installation thickness is 4-1/4"	polished chrome standard special premium	140 175 196 231
9060	Standard Lavatory Lift Rod Style Pop-Up Drain • tailpiece and hardware are unfinished • with overflow holes • fits I-I/2" opening • I-I/4" OD × 4" tailpiece (5-I/4" overall length at max thickness) • maximum installation thickness is 2" • does not include spout, lift rod and knob	polished chrome standard special premium	150 188 210 248
9068-5	Extended Ball Rod • 12" overall length • for 9060 sold after June 2013	polished chrome standard special premium	21 26 29 35
9070	Threaded Extension Piece • I-1/4" OD x 8" tailpiece • threaded both ends	polished chrome standard special premium	63 79 88 104
9071	Slip Joint Extension Piece • I-1/4" OD × 8" tailpiece • includes brass nut	polished chrome standard special premium	81 101 113 134
	9053L 9053L 9053L-D 9060 9060	9053 Grid Strainer Drain	9053 Grid Strainer Drain completely polathed and finished with conflow holes chis 1-1/2 opening childred Drain completely polathed and finished childred Drain completely polathed and finished childred Drain completely polathed and finished childred childred

	MODEL	DESCRIPTION	FINISH	PRICE
	9226	Waste and Overflow Completely Finished with Lift and Turn Drain • all brass • fully polished & finished trim and rough • includes 9232-faceplate & 9235-drain • 24" max overflow make-up • 16" max waste make-up	polished chrome standard special premium	626 783 876 1033
	9226-T	Waste and Overflow Completely Finished with Toe Activated Drain • all brass • fully polished & finished trim and rough • includes 9232-faceplate & 9238-drain • 24" max overflow make-up • 16" max waste make-up	polished chrome standard special premium	670 838 938 1106
	9226-U	Waste and Overflow Completely Finished with Umbrella Drain • all brass • fully polished & finished trim and rough • includes 9232-faceplate & 9239-drain • 24" max overflow make-up • 16" max waste make-up	polished chrome standard special premium	691 864 967 1140
	9226-Z	Waste and Overflow Completely Finished with ZeroDrain® Drain • all brass • fully polished & finished trim and rough • includes 9232-faceplate & ZeroDrain® drain • 24" max overflow make-up • 16" max waste make-up	polished chrome standard special premium	789 986 1105 1302
•	9232	Faceplate for Waste & Overflow • all brass • I hole with screw	polished chrome standard special premium	53 66 74 87
	9235	Lift & Turn Tub Drain • all brass • I-1/2" IPS coarse thread	polished chrome standard special premium	81 101 113 134
ALCOH .	9238	Toe Activated Tub Drain • all brass trim • 1-1/2" IPS coarse thread	polished chrome standard special premium	103 129 144 170
	9239	Toe Activated Umbrella Tub Drain • all brass trim • I-1/2" IPS coarse thread	polished chrome standard special premium	129 161 181 213
0	9229Z	Integral Overflow Tub ZeroDrain® • all brass construction • for tubs with integral (molded into tub wall) overflow only • fits tub thickness 5/8" to 1-3/4" • fits tub drain hole 1-13/16" to 2-1/4" • 1-1/2 - 11.5 NPSM external threads on body	polished chrome standard special premium	280 350 392 462

DECORATIVE GRAB BARS

	MODEL	DESCRIPTION	FINISH	PRICE
3 3	9412D-XX	 12" Decorative Grab Bar all brass construction ADA compliant I-1/4" diameter bar concealed mounting mounting hardware included 	polished chrome standard special premium	497 621 696 820
8 8	9418D-XX	 18" Decorative Grab Bar all brass construction ADA compliant I-1/4" diameter bar concealed mounting mounting hardware included 	polished chrome standard special premium	529 661 741 873
***	9424D-XX	24" Decorative Grab Bar all brass construction ADA compliant I-1/4" diameter bar concealed mounting mounting hardware included	polished chrome standard special premium	550 688 770 908
•	9430D-XX	30" Decorative Grab Bar • all brass construction • ADA compliant • I - I/4" diameter bar • concealed mounting • mounting hardware included	polished chrome standard special premium	615 769 861 1015
	9436D-XX	36" Decorative Grab Bar • all brass construction • ADA compliant • I - I/4" diameter bar • concealed mounting • mounting hardware included	polished chrome standard special premium	658 823 921 1086
5 6 S	9442D-XX	42" Decorative Grab Bar • all brass construction • ADA compliant • I - I/4" diameter bar • concealed mounting • mounting hardware included	polished chrome standard special premium	864 1080 1210 1426
8 6 3	9448D-XX	48" Decorative Grab Bar • all brass construction • ADA compliant • I-1/4" diameter bar • concealed mounting • mounting hardware included	polished chrome standard special premium	907 1134 1270 1497

Replace XX with desired ring style in \boldsymbol{bold} below:



	MODEL	DESCRIPTION	FINISH	PRICE
3 3	9412D-XX	 12" Decorative Grab Bar all brass construction ADA compliant I-I/4" diameter bar concealed mounting mounting hardware included 	polished chrome standard special premium	529 661 741 873
8 8	9418D-XX	 18" Decorative Grab Bar all brass construction ADA compliant I-1/4" diameter bar concealed mounting mounting hardware included 	polished chrome standard special premium	572 715 801 944
	9424D-XX	 24" Decorative Grab Bar all brass construction ADA compliant I-I/4" diameter bar concealed mounting mounting hardware included 	polished chrome standard special premium	593 741 830 978
	9430D-XX	30" Decorative Grab Bar • all brass construction • ADA compliant • I-I/4" diameter bar • concealed mounting • mounting hardware included	polished chrome standard special premium	670 838 938 1106
	9436D-XX	 36" Decorative Grab Bar all brass construction ADA compliant I-I/4" diameter bar concealed mounting mounting hardware included 	polished chrome standard special premium	734 918 1028 1211
5 6 3	9442D-XX	42" Decorative Grab Bar • all brass construction • ADA compliant • I-I/4" diameter bar • concealed mounting • mounting hardware included	polished chrome standard special premium	972 1215 1361 1604
5 6 3	9448D-XX	48" Decorative Grab Bar • all brass construction • ADA compliant • I-I/4" diameter bar • concealed mounting • mounting hardware included	polished chrome standard special premium	1005 1256 1407 1658

Replace XX with desired ring style in \boldsymbol{bold} below:



BATH ACCESSORIES

MODEL	DESCRIPTION	FINISH	PRICE
9401	Single Paper Holder with Shelf • all brass construction • paper holder arm is in fixed position • 6-1/2" × 4" shelf	polished chrome standard special	258 323 361
		premium	426
9402	Double Paper Holder with Shelf • all brass construction	polished chrome	427 534
	paper holder arm is in fixed position	special	598
	• 12" × 4" shelf	premium	705
9408	Dual-Flush Actuator Flush Plate for Wall Hung Toilets	polished chrome	579
	 all brass surface plate and buttons mounts flush to wall 	standard	724
	water-saving dual flush buttons	special	811 955
	 for use with dual flush Geberit Duofix Sigma concealed tank and carrier systems may require 9408-R 	premium	755
	- may require 2 100-10		
	When replacing an existing Gerberit Sigma flush plate, 9408-R is NOT required		
9408-R	Wall Flush Plate Rough		99
	 black mounting frame with spring bar, actuator bolts, and actuator rods same as Geberit 241.873.00.1 conversion kit for actuator plates converts units manufactured prior to April 1, 2008 for use with 9408 flush plate 		
	Required when no existing wall actuator flush plate or mounting frame exists		
9409-XX	Traditional Universal Tank Lever	polished chrome	193
	• for use with most front, side and angled style toilet tanks with	standard	241
	chain style flush valves traditional style decorative base ring	special	270
	didaloral style decordave sase ring	premium	318
9409C-XX	Contemporary Universal Tank Lever	polished chrome	193
	for use with most front, side and angled style toilet tanks with	standard	241
	chain style flush valves contemporary style decorative base ring	special	270
	. , ,	premium	318



9480-K10

Cabinet Knob

- I-I/4" x I-I/I6"
- all brass construction
- includes mounting hardware
- polished chrome 23 standard 29 special 32 premium 38

Cabinet & Appliance Pulls





9482-K10-4.0

4" Cabinet Pull

- 4" center to center
- all brass construction with smooth ends
- includes mounting hardware

polished chrome	56
standard	70
special	78
premium	92

9482-K10-6.0

6" Cabinet Pull

- 6" center to center
- · all brass construction with smooth ends
- includes mounting hardware

64
80
90
106

9482-K10-8.0

8" Cabinet Pull

- 8" center to center
- all brass construction with smooth ends
- includes mounting hardware

polished chrome	72
standard	90
special	101
premium	119

9484-K10-12

12" Appliance Pull

- 12" center to center
- · all brass construction with smooth ends
- includes mounting hardware

polished chrome	201
standard	251
special	281
premium	332

9484-K10-18

18" Appliance Pull

- 18" center to center
- · all brass construction with smooth ends
- includes mounting hardware

polished chrome	232
standard	290
special	325
premium	383
'	383

9484-K10-24

- 24" center to center
- all brass construction with smooth ends
- includes mounting hardware

polished chrome	254
standard	318
special	356
premium	419



9480-K30K

Cabinet Knob

- I-I/4" x I-I/I6"
- · all brass construction • includes mounting hardware

polished chrome	32
standard	40
special	45
premium	53

Cabinet & Appliance Pulls





9482-K30K-4.0

4" Cabinet Pull

- 4" center to center
- · all brass construction with knurled ends
- · includes mounting hardware

polished chrome	74
standard	93
special	104
premium	122

9482-K30K-6.0

6" Cabinet Pull

- 6" center to center
- all brass construction with knurled ends
- includes mounting hardware

86
108
120
142

9482-K30K-8.0

8" Cabinet Pull

- 8" center to center
- all brass construction with knurled ends
- includes mounting hardware

polished chrome	96
standard	120
special	134
premium	158

9484-K30K-12

12" Appliance Pull

- 12" center to center
- all brass construction with knurled ends
- includes mounting hardware

polished chrome	215
standard	269
special	301
premium	355

9484-K30K-18

18" Appliance Pull

- 18" center to center
- all brass construction with knurled ends
- includes mounting hardware

polished chrome	248
standard	310
special	347
premium	409

9484-K30K-24

- 24" center to center
- all brass construction with knurled ends
- includes mounting hardware

polished chrome	269
standard	336
special	377
premium	444



9480-K50

Cabinet Knob

- |-|/4" x |-|/|6"
- all brass construction
- includes mounting hardware

polished chrome	23
standard	29
special	32
premium	38

Cabinet & Appliance Pulls





9482-K50-4.0

4" Cabinet Pull

- 4" center to center
- all brass construction with smooth ends
- includes mounting hardware

polished chrome	56
standard	70
special	78
premium	92

9482-K50-6.0

6" Cabinet Pull

- 6" center to center
- · all brass construction with smooth ends
- includes mounting hardware

polished chrome	64
standard	80
special	90
premium	106

9482-K50-8.0

8" Cabinet Pull

- 8" center to center
- all brass construction with smooth ends
- includes mounting hardware

polished chrome	72
standard	90
special	101
premium	119

9484-K50-12

12" Appliance Pull

- 12" center to center
- all brass construction with smooth ends
- includes mounting hardware

polished chrome	201
standard	251
special	281
premium	332

9484-K50-18

18" Appliance Pull

- 18" center to center
- all brass construction with smooth ends
- includes mounting hardware

polished chrome	232
standard	290
special	325
premium	383

9484-K50-24

- 24" center to center
- all brass construction with smooth ends
- includes mounting hardware

polished chrome	254
standard	318
special	356
premium	419



9480-K85

premium

Cabinet Knob

- I-I/4" x I-I/I6"
- · all brass construction • includes mounting hardware
- polished chrome 32 standard 40 special 45

53

Cabinet & Appliance Pulls



9482-K85-4.0

4" Cabinet Pull

- 4" center to center
- · all brass construction with coined ends
- includes mounting hardware

polished chrome	74
standard	93
special	104
premium	122

9482-K85-6.0

6" Cabinet Pull

- 6" center to center
- · all brass construction with coined ends
- includes mounting hardware

polished chrome	86
standard	108
special	120
premium	142

9482-K85-8.0

8" Cabinet Pull

- 8" center to center
- all brass construction with coined ends
- includes mounting hardware

polished chrome	96
standard	120
special	134
premium	158

9484-K85-12

12" Appliance Pull

- 12" center to center
- all brass construction with coined ends
- includes mounting hardware

polished chrome	215
standard	269
special	301
premium	355

9484-K85-18

18" Appliance Pull

- 18" center to center
- · all brass construction with coined ends
- includes mounting hardware

polished chrome	248
standard	310
special	347
premium	409

9484-K85-24

- 24" center to center
- all brass construction with coined ends
- includes mounting hardware

polished chrome	269
standard	336
special	377
premium	444



9480-CI

Cabinet Knob

- |-|/4" x |-|/4"
- all brass construction
- includes mounting hardware

polished chrome	38
standard	48
special	53
premium	63

Cabinet Pulls



9482-C1-4.0

4" Cabinet Pull

- 4" center to center
- · all brass construction
- includes mounting hardware

53
66
74
87

9482-CI-6.0

6" Cabinet Pull

- 6" center to center
- · all brass construction
- · includes mounting hardware

polished chrome	62
standard	78
special	87
premium	102

9482-C1-8.0

8" Cabinet Pull

- 8" center to center
- · all brass construction
- includes mounting hardware

polished chrome	70
standard	88
special	98
premium	116

Cabinet Knob



9480-C2

Cabinet Knob

- I-5/8" x I-1/8" x I-3/16"
- all brass construction
- includes mounting hardware

polished chrome	48
standard	60
special	67
premium	79

Cabinet Pulls



9482-C2-4.0

4" Cabinet Pull

- 4" center to center
- all brass construction
- includes mounting hardware

polished chrome	107
standard	134
	150
special .	
premium	177

9482-C2-6.0

6" Cabinet Pull

- 6" center to center
- all brass construction
- includes mounting hardware

polished chrome	135
standard	169
special	189
premium	223


KITCHEN

	MODEL	DESCRIPTION	FINISH	PRICE
	9651	Heavy Duty Post Type Basket Strainer	polished chrome	183
		all brass construction	standard	229
		solid brass finished	special	256
		• includes nuts & washers	premium	302
		• fits 3-1/2" openings		
05/3/30	9651-B	Replacement Basket Only	polished chrome	101
		all brass construction	standard	126
		• fits 9651	special	141
			premium	167
	9654	Garbage Disposer Deep Flange & Stopper	polished chrome	205
		all brass construction	standard	256
		for use with Fireclay Farmhouse Sinks	special	287
		fits all InSinkErator models (also KitchenAid, Emerson, Kenmore & Grainger)	premium	338
	9654-B	Garbage Disposer Deep Flange Only	polished chrome	159
	7034-D	all brass construction	standard	199
		• same as 9654 above, less stopper	special	223
			premium	262
			·	
	9655	Garbage Disposer Flange & Stopper	polished chrome	127
		all brass construction	standard	159
		fits all InSinkErator models (also KitchenAid, Emerson, Kenmore & Grainger)	special	178
			premium	210
	9656-A	Garbage Disposer Stopper	polished chrome	45
		all brass construction	standard	56
		replacement stopper only fits 9654 and 9655	special	63
			premium	74
	9656-B	Garbage Disposer Flange	polished chrome	81
		all brass construction	standard	101
		replacement flange only fits 9655	special	113
			premium	134

MODEL	DESCRIPTION	FINISH	PRICE
9675	Faucet Hole Cover • finished surface is brass • for covering unused hole in sink • 2" diameter	polished chrome standard special premium	40 50 56 66
9676	One Hole Cover Plate • finished surface is brass • complete with gasket • covers 4" center holes	polished chrome standard special premium	78 98 109 129
9677	One Hole Cover Plate • finished surface is brass • complete with gasket, mounting posts, nuts and washers • covers 8" center holes	polished chrome standard special premium	140 175 196 231

FAUCET CARE

	MODEL	DESCRIPTION	PRICE
To the second of	FB-08	8 Oz Faucet Brite By Gel Gloss® • recommended for coated finishes, nickels and PVD • non-abrasive cleansers remove dirt and tarnish • leaves behind protective carnuba wax coating	35
RENAISANCE MICRO-CRYSTALLINE WAS POLISH BESSES 200 ml CESSES	RW-02	2.25 Oz Renaissance Wax • recommended for living finishes • museum quality wax originally developed for fine art restoration • use sparingly	53






MODEL	DESCRIPTION	F	PRICE
THT75-R	StyleTherm® 3/4" Rough Valve • forged brass construction • max flow rate: 11 gpm at 60 psi • integral service stops and valve checks • thermostatic polymer cartridge limits limescale buildup • 3/4" FIP - 2 inlet, 2 outlet • this valve regulates temperature and has no on/off features Valve may be used in a CALGreen Compliant system. Verify local codes.		695
	REQUIRES ONE OR MORE OF THE FOLLOWING ROUGH VALVES: for more details, see page 497	50-W-R 75-W-R	169 215
THT51-R	StyleTherm® I/2" Thermostatic Rough Valve with Single Integral Volume Control • forged brass construction • flow rate: 7.4 gpm at 60 psi • integral service stops and check valves • I/4 turn ceramic disc volume control cartridge • thermoplastic polymer cartridge limits limescale buildup • I/2" FIP - 2 inlet • I/2" MIP or I/2" nominal sweat - 1 outlet Valve may be used in a CALGreen Compliant system. Verify local codes.		549
THT51D2-R	StyleTherm® I/2" Thermostatic Rough Valve with Integral Dual Non-Shared Outlets • forged brass construction • flow rate: 6.8 gpm at 60 psi from each non-shared outlet • integral service stops and check valves • I/4 turn ceramic disc volume control cartridge • thermoplastic polymer cartridge limits limescale buildup • I/2" FIP - 2 inlet • I/2" MIP or I/2" nominal sweat - 2 outlet Valve may be used in a CALGreen Compliant system. Verify local codes.		679
THT52-R	StyleTherm® I/2" Thermostatic Rough Valve with Integral Dual Volume Controls • compatible with all dual volume control trim sets • forged brass construction • flow rate: single 7.4 gpm or combined 9.5 gpm at 60 psi • integral service stops and check valves • I/4 turn ceramic disc volume control cartridge • thermoplastic polymer cartridge limits limescale buildup • I/2" FIP - 2 inlet • I/2" MIP or I/2" nominal sweat - 2 outlet Valve may be used in a CALGreen Compliant system. Verify local codes.		619
THT52D2-R	StyleTherm® I/2" Thermostatic Rough Valve with Integral Non-Shared Dual Outlets and Integral Single Volume Control • compatible with all dual volume control trim sets • forged brass construction • flow rate: 6.8 gpm at 60 psi from each non-shared outlet • flow rate: 7.4 gpm at 60 psi at single volume control • integral service stops and check valves • I/4 turn ceramic disc volume control cartridge • thermoplastic polymer cartridge limits limescale buildup • I/2" FIP - 2 inlet • I/2" MIP or I/2" nominal sweat - 3 outlet Valve may be used in a CALGreen Compliant system. Verify local codes.		779

MODEL	DESCRIPTION	PRICE
PBI-R	Pressure Balance Valve • forged brass body construction • flow rate: 4.5 gpm at 60 psi for shower port 5.5 gpm at 60 psi for tub port • integral service stops and check valves • reversible cartridge for back to back installation • adjustable high-temperature limit stop • 1/2" MIP - 2 inlet • 1/2" FIP - 2 outlet Valve may be used in a CALGreen Compliant system. Verify local codes.	255
PB2-R	Pressure Balance Valve - Dual Outlet • forged brass body construction • single-handle temperature mixing with non-shared dual outlets • lower outlet I - handshower, overhead or tub • upper outlet II - showerhead • flow rate: 5.0 gpm at 60 psi - each outlet • integral service stops with check valves • reversible cartridge for back to back installations • adjustable high-temperature limit stop • I/2" MIP - 2 inlets • I/2" FIP - 2 outlets	355
50-W-R	 I/2" Wall Stop Valve Only forged brass construction I/4 turn ceramic disc cartridge(s) adjustable stem rotation for exact handle alignment I/2" FIP - inlet/outlet 	169
75-W-R	3/4" Wall Stop Valve Only • forged brass construction • I/4 turn ceramic disc cartridge(s) • adjustable stem rotation for exact handle alignment • 3/4" FIP - inlet/outlet	215
WDV-R	In Wall Diverter with Shared Ports • forged brass construction • I/2" MIP or I/2" nominal sweat - I inlet • I/2" MIP or I/2" nominal sweat - 2 or 3 outlet	339
WDV-NS-R CAlGreen compliant	In Wall Diverter with Non-Shared Ports • forged brass construction • I/2" MIP or I/2" nominal sweat - I inlet • I/2" MIP or I/2" nominal sweat - 2 or 3 outlet	349
2-VR	2 Handle Tub or Shower Valve • I/4 turn ceramic disc cartridge(s) • adjustable stem rotation for exact handle alignment • 8" handle center to center • I/2" FIP - 2 inlets • I/2" FIP - 2 outlets	419

	MODEL	DESCRIPTION	PRICE
	VL-R	Vessel Wall Mount Faucet Rough In Valve • I/4 turn ceramic disc cartridge(s) • adjustable stem rotation for exact handle alignment • 8" handle center to center • I/2" FIP - 2 inlet • I/2" FIP - I outlet	380
	SHV-R	Single Handle Lavatory Wall Rough In Valve • forged brass construction • ceramic mixing cartridge • I/2" FIP - 2 inlet • I/2" FIP - I outlet	405
	9511	Rough Valve for Single-Hole Floor Mount Tub Filler • forged brass construction • I/2" NPT female inlets • brass test plug included • mudguard included (not shown) Installation of upstream tempering device may be required. Verify local codes.	509
	9516	Rough for Floor Mount Tub Filler • provides solid support for installation in concrete or wood subflooring • 5" × 10" × 1/8" rigid plate with pre-drilled screw holes to mount to underlying wood framing • adjustable height 4" brass nipples with 3/4" MIP or 3/4" nominal sweat inlets • mudguard, test plugs & screws included	379
	CART-WS-LTC	Widespread Cartridge • left turning closed • use with all widespreads	47
	CART-WS-RTC	Widespread Cartridge • right turning closed • use with all widespreads	47
	CART-RT-LTC	Roman Tub Cartridge • left turning closed • use with 3/4" roman tub valve	72
	CART-RT-RTC	Roman Tub Cartridge • right turning closed • use with 3/4" roman tub valve	72
•	SPD-880616-91	Hex Tool 5/8" x 13/16" • 5/8" hex fits mounting nut for all kitchen & single hole lavatory products • 13/16" hex fits all in-wall ½" and ¾" ceramic disc cartridges	10
	SPD-880617-91	Hex Tool 7/8" X 15/16" • 7/8" hex fits cartridge nut on SHV-R valve • 15/16" hex fits cartridge nut on 7701-1 & -2	10
•	SPD-880618-91	Hex Tool I-1/4" X I-1/2" • I-1/4" hex fits volume control cartridge nut on THT51D2-R & THT52D2-R • I-1/2" hex fits temperature mixing cartridge nut all THT therm valves	20

MODEL	DESCRIPTION	PRICE
EXT-RT-LTC	Roman Tub Extended Cartridge • left turning closed • use with 3/4" roman tub valve	105
EXT-RT-RTC	Roman Tub Extended Cartridge • right turning closed • use with 3/4" roman tub valve	105
EXT-W-LTC	Widespread, Vessel and Tub/Shower Extended Cartridge • left turning closed • use with 2-VR, 3-VR, VL-R and 50-W-R	107
EXT-W-RTC	Widespread, Vessel and Tub/Shower Extended Cartridge • right turning closed • use with 2-VR, 3-VR, VL-R and 50-W-R	107
EXT-DW	Tub/Shower Diverter Stem Extension • use with 3-VR sold after August 2014; prior cartridge is DW-EXT	154
EXT-W-75-LTC	3/4" Volume Control Extended Cartridge • left turning closed • use with 75-W-R	122
EXT-W-75-RTC	3/4" Volume Control Extended Cartridge • right turning closed • use with 75-W-R	122
EXT-WDV	Wall Diverter Stem Extension • use with WDV-R and WDV-NS-R	109
EXT-SHV	Single Handle Lavatory Wall Rough Extension • use with SHV-R • 1/2" extension for handle	98
ЕХТ-ТНВ	StyleTherm® Mixing Cartridge Extension Kit • use with THT75-R, THT51-R, THT51D2-R, THT52-R and THT52D2-R	64
ЕХТ-ТН	StyleTherm® Volume Control Extension • use with THT51-R, THT51D2-R, THT52-R & THT52D2-R	30
EXT-PB05	I/2" Extension for Pressure Balance • use with PBI-R or PB2-R	47
EXT-PB10	I" Extension for Pressure Balance • use with PBI-R or PB2-R	95
EXT-PB15	I-I/2" Extension for Pressure Balance • use with PBI-R or PB2-R	142







TERMS, WARRANTY & FINISHES

California Faucets® Consumer Limited Warranty

CALIFORNIA FAUCETS provides the following warranties on genuine CALIFORNIA FAUCETS products purchased on or on behalf of a consumer from an authorized dealer for the installation in a dwelling in which the consumer resides. The term "authorized dealer" means a retail seller licensed by CALIFORNIA FAUCETS to sell its products. The warranty extends to the original consumer only and is not transferable. Unless otherwise stated, this warranty begins on the date of the original retail sale and continues for as long as the original consumer owns the product and resides in the dwelling in which the product is initially installed. To obtain service under this warranty, contact your CALIFORNIA FAUCETS authorized dealer, visit calfaucets.com/warranty/service, or call us at (800) 822-8855. Once you have filed a warranty claim, we will instruct you on the process to be followed. Proof of satisfaction of warranty criteria is required for warranty claims in the event it is requested by California Faucets.

BY WAY OF EXAMPLE ONLY, THIS WARRANTY WILL NOT APPLY TO CALIFORNIA FAUCETS PRODUCTS PURCHASED FROM SUCH UNAUTHORIZED ONLINE SOURCES AS FBAY, AMAZON, AND WAI MART.

What is Covered:

Repair, Replacement, or Refund Terms:

During the warranty period, CALIFORNIA FAUCETS will, at no charge to the consumer, repair or replace any part which proves defective in material or workmanship under normal installation, use and service. Should CALIFORNIA FAUCETS determine that it is unable to repair or replace a defective covered part or that repair or replacement will not remedy the defect, CALIFORNIA FAUCETS will replace the product with the same or similar product or refund the original retail purchase price of the product. Replacement parts can be obtained from your local dealer or distributor or by contacting CALIFORNIA FAUCETS directly at calfaucets.com/warranty/service.

Mechanical Warranty:

A limited lifetime warranty is provided on all mechanical parts to be free from defects in material and workmanship. The term "mechanical parts" means all parts and components of a product except cartridges and finishes.

Cartridge Warranty:

A limited lifetime warranty is provided on all ceramic disc cartridges. All other cartridges (including, but not limited to diverter, thermostatic and pressure balance cartridges) are warranted for a period of five (5) years from date of purchase.

Finish Warranty:

A limited lifetime warranty is provided on all finishes against defects in materials and workmanship. In addition, all finishes except living finishes (including but not limited to Polished Brass Uncoated, Oil Rubbed Bronze, Burnished Brass, and Burnished Nickel) are guaranteed against tarnishing. Living finishes are expressly designed to tarnish and otherwise change appearance over time.

Instant Hot Water Tank:

A limited three (3) year warranty from date of purchase is provided on all Instant Hot Water Tanks.

What is Not Covered (Exclusions and Limitations):

The following are excluded from warranty coverage.

- Drains, including but not limited to, pop-up drains, lavatory drains, shower drains, bathtub drains, and kitchen drains.
- Parts made of glass, crystal, porcelain or wood.
- Defects caused by modification, alteration, abuse, misuse, or accident; maintenance, cleaning, installation, or removal not in accordance applicable instructions; mineral accumulation, corrosion due to a marine or other saline environment or corrosive chemicals, acts of God or the government; criminal, intentional, reckless, or negligent acts; or ordinary wear and tear.
- · Use of product outdoors (except products made of 316 Stainless Steel, including 316 Stainless Steel with PVD finishes).
- Any industrial, commercial, or business use of the product, including use in a property held for lease or rent.
- · Labor charges, including but not limited to labor required to uninstall, install, or reinstall a product; to disassemble and reassemble a product; or to install or affix replacement parts or components.
- Indirect, incidental or, consequential damages. (Some states do not allow the exclusion of incidental or consequential damages, so the above exclusions may not apply to you.)

The removal, modification, or alteration of any flow restriction device voids this warranty in its entirety.

Limitation on the Duration of Implied Warranties:

The duration of implied warranties (including warranties of merchantability and fitness for a particular purpose) shall be limited to the shorter of the warranty period stated in this document or the minimum duration required by state law. Some states do not allow the limitation of implied warranties, so the above exclusions or limitations may not apply to you.

Your Rights Under State Law:

This warranty gives you specific legal rights and you may also have other rights that vary from state to state.

Commercial Warranty

CALIFORNIA FAUCETS extends the above limited warranty to purchasers of products for industrial, commercial and business use upon the same terms and conditions and exclusions applicable to consumer purchasers, except that the finish, cartridge and mechanical warranty is reduced to two (2) years from the date of purchase. Additionally, with respect to commercial purchasers, all implied warranties, including the implied warranties of merchantability and fitness for a particular purpose are excluded.

Terms & Conditions

Conditions of Sale

All products become the buyer's property when delivered to the carrier. All goods are shipped at the customers' risk. California Faucets reserves the right to modify specifications, design, pricing and packaging or alter the weight of any item at our option without prior notice. All orders are subject to acceptance by California Faucets.

Please note the warranty exclusion for online sales through such unauthorized retailers as Amazon, Ebay, Sears, Walmart, etc.

Prices

All orders will be priced according to prevailing prices at time of shipment. Prices are subject to change without prior notice.

Terms

Unless otherwise mutually agreed in writing, terms are Net 30. All invoices are past due thereafter. Past due accounts will be placed on a "HOLD" status until the account is brought current. California Faucets reserves the right to ship on a C.O.D. status where deemed necessary. A finance charge of 1.5% per month will be charged on past due accounts. In the event legal action is required to enforce these Terms & Conditions, the prevailing party shall recover reasonable attorney's fees and costs.

Returned Checks

A \$35 service charge will be invoiced on all returned checks.

Freight

F.O.B. Huntington Beach, California. A \$5.00 shipping and handling charge is added to each shipment. Full freight allowed on single purchase orders of \$4,500 net to a single address within the Continental U.S. Full freight allowed does not apply to commercial orders, special net pricing or displays. Any additional delivery requirements (i.e. lift gate, delivery appointment, expedited service, etc.) do not meet our full freight terms and will incur additional charges. All shipments via 3rd party accounts will be charged a \$5.00 handling fee.

Claims

All claims for shortages, damages, errors, etc., must be made within four weeks of the ship date. Claims for lost shipments or goods damaged in shipping must be made against the carrier.

Returns

Goods cannot be returned without prior written authorization in the form of an RMA number. You may request an RMA at: customerservice@calfaucets.com. Please include a copy of the invoice or packing slip and indicate the reason for the return. Returns, other than for manufacturing defects, will be subject to a restocking charge of 15% for Polished Chrome and 25% for all other finishes. Living Finishes and custom orders are not returnable nor cancelable. Discontinued product and products shipped more than one (1) year ago are not returnable.

Returns of non-defective merchandise must be in new, re-sellable condition. All shipping charges are the responsibility of the buyer. Any credits to be applied will be determined after inspection of the returned products. All returned merchandise must be properly packaged to avoid damage during return shipment.

Once approved, returns should be sent to 5271 Argosy Ave., Huntington Beach, CA 92649.

All catalog materials are property of California Faucets. ©2025 California Faucets/Cal Trim

California Faucets®/Cal Trim Finish Care Instructions

Congratulations on your purchase of a fine decorative fitting from California Faucets. With proper care, your fitting will maintain its beautiful appearance for years to come. While all California Faucets finishes are designed for maximum durability, failure to give your fitting the proper care may void the warranty. As a result, here are a few helpful tips:

All Finishes

For easy maintenance, wipe dry after each use with a dry soft microfiber cloth to prevent water-spotting and mineral build-up. Clean and wax regularly. We recommend Faucet Brite**, which contains both gentle cleansers and a fine wax coating. Otherwise, clean with mild detergent and water, then apply a quality car wax or floor paste wax.

**For Living Finishes (see description below), we recommend Renaissance Wax instead.

A few important basics

Use a soft microfiber cloth for cleaning and wipe down.

Use a "mild" detergent (such as Joy®, Ivory® or Dawn®)

Avoid all abrasive and aggressive chemicals ("SoftScrub®", etc.).

Avoid ammoniated products (window cleaner, tile cleaners, etc.).

Avoid bleach.

Do not use abrasive cleaning pads (Scotch-Brite™, etc.).

Do not allow water to come into prolonged contact with faucet surface, wipe down after each use.

Do not allow water to collect at base of faucet.

In addition to above, read the following finish-specific notes:

Powder Coat Finishes (Antique Brass, Antique Copper, Antique Nickel, Bella Terra Bronze, Black, Matte White, Matte Black, Matte Black, White)

These finishes are protected with a clear powder coating designed to allow the underlying color to show through and provide a layer of protection. Still, abrasives and harsh chemicals can damage the finish and expose the underlying fitting to tarnish and corrosion. Follow the "All Finishes" recommendations listed above. Avoid all abrasives.

Nickel Finishes (Satin Nickel)

These finishes are uncoated so as to allow the natural, subtle beauty of the metal to show through.

Follow the "All Finishes" recommendations listed above.

If not cared for regularly, Nickel finishes may oxidize and require a stronger cleaning agent. If this occurs, simply use a mild metal polish such as Flitz or Semi-Chrome. It will restore your fittings' natural luster.

PVD Finishes (Black Nickel, Carbon, French Gold, Graphite, Lifetime Polished Gold, Lifetime Satin Gold, Polished Brass, Polsihed Nickel, Satin Brass, Satin Bronze and Ultra Stainless Steel)

PVD (Physical Vapor Deposition) uses a state-of-the-art process that molecularly bonds the finish to the faucet, creating a super-hard surface that is by far the most durable available today. These cutting edge finishes are so effective we guarantee them for life against tarnishing. Although our PVD finishes have proven resistant to over 100 cleaning products, we recommend avoiding certain products (listed below) since they can harm even a PVD finish:

Avoid all products designed to remove tarnish or rust, or contain hydrochloric, hydrofluoric, and/or phosphoric acid or caustic agents. Avoid bleach

Do not use abrasive cleaning pads (Scotch-Brite™, etc.).

Follow the "All Finishes" recommendations listed above for proper cleaning and care of your California Faucet.

Living Finishes (Burnished Brass, Burnished Nickel, Polished Brass Uncoated and Oil Rubbed Bronze)

As unique artistic products, no two fittings look exactly alike. These finishes will age and wear over time, enhancing the rustic, natural look of the metal. Essentially, the finish is what nature would do to the surface over a long period of time, and is affected not only by time, but also by touch, climate, environment, cleaning, usage, etc. The surface will tend to darken and patina in areas that are infrequently touched, while the areas that are touched frequently may lighten or exhibit highlights. Water drops can create spots. To help minimize this, dry the faucet surface after each use.

Because Living Finishes are by nature more delicate than other finishes, the only recommended care is to keep the surface dry after each use and occasionally apply a high-quality wax such as Renaissance Wax (available from your authorized California Faucets dealer or online). Apply wax sparingly and gently buff with a soft clean cloth to remove surface spots and add a protective layer to the surface. No other cleaning is necessary or recommended. Never use abrasive cloths/pads, cleaners, bleach, vinegar or solvents as these will irreversibly damage Living Finishes.

Stainless Steel Finishes (Satin Stainless Steel)

This finish is an uncoated superior 316 stainless steel material. The level of cleaning depends primarily on the environment. In more polluted or corrosive environments, particularly in coastal situations and swimming pools, the surfaces require regular cleaning to maintain an appropriate appearance. We recommend regular cleaning of stainless steel surfaces with a mild detergent and warm water. Do not clean stainless steel in direct sunlight or excessive temperatures.

Teak Finishes

Wipe dry with a dry soft microfibercloth after use. To remove accumulated dirt, clean with a heavily diluted solution of mild detergent and warm water. Teak can fade to a silver-grey color over time. Occasional treatment with Teak Oil will restore color.

FINISHES

(Physical Vapor Deposition)

PVD finishes come with a lifetime guarantee against tarnishing. Super-hard and molecularly bonded, PVD is by far the most durable finish available.

POLISHED CHROME



Polished Chrome

SPECIAL FINISHES



Antique Brass Flat



Antique Copper Flat



Antique Nickel Flat



Burnished Brass Uncoated



Burnished Nickel Uncoated



Oil Rubbed Bronze



Polished Brass



Polished Brass Uncoated



Polished Nickel



Satin Chrome



Ultra Stainless Steel

(Living Finishes)

Created by artisan hands to uniquely age and change over time. Because they are more delicate by nature, please make sure to follow our living finish care instructions.

STANDARD FINISHES



Bella Terra Bronze



Gloss Black



Matte Black



Satin Nickel



Gloss White



Matte White

PREMIUM FINISHES



Black Nickel



Carbon



French Gold



Graphite



Lifetime Polished Gold



Lifetime Satin Gold



Satin Brass



Satin Bronze

POLISHED CHROME

PC Polished Chrome

STANDARD FINISHES

BTB Bella Terra Bronze

BLK Gloss Black
MBLK Matte Black
SN Satin Nickel
WHT Gloss White

MWHT Matte White

SPECIAL FINISHES

ABF Antique Brass Flat
ACF Antique Copper Flat
ANF Antique Nickel Flat
BBU Burnished Brass
Lincopted

Uncoated

BNU Burnished Nickel Uncoated

ORB Oil Rubbed Bronze
PB Polished Brass

(PVD)

PBU Polished Brass Uncoated

PN Polished Nickel (PVD)

SC Satin Chrome

USS Ultra Stainless Steel (PVD)

PREMIUM FINISHES

BLKN Black Nickel (PVD)
CB Carbon (PVD)
FRG French Gold (PVD)
GRP Graphite (PVD)
LPG Lifetime Polished
Gold (PVD)

LSG Lifetime Satin Gold (PVD)

SB Satin Brass (PVD)

SBZ Satin Bronze (PVD)











From our hands to your home®

californiafaucets.com ©2025 California Faucets